


# WMSDB - Worldwide Mollusc Species Data Base

---



---

## Family: BRADYBAENIDAE

---

Class: GASTROPODA

--- Clade: HETEROBRANCHIA-PULMONATA-EUPULMONATA-STYLOMMAТОPHORA-SIGMURETHRA-HELICOIDEA

----- Family: BRADYBAENIDAE Pilsbry, 1934 (Land)

- Alphabetic order - when **first name** is in bold the species has images

Taxa=1148, Genus=38, Subgenus=36, Species=617, Subspecies=320, Synonyms=136, Images=596

- abbreviatus, Buliminopsis abbreviatus A.R.J.B. Bavay & P. Dautzenberg, 1915 - syn of: [Coccoderma abbreviata](#) (A.R.J.B. Bavay & P. Dautzenberg, 1915)
- accrescens, [Aegista accrescens](#) P.M. Heude, 1882
- achatininus, [Pseudobuliminus achatininus](#) (O.F. von Möllendorff, 1899)
- acustina, [Bradybaena acustina](#) O.F. von Möllendorff, 1899
- acustina concinna, [Bradybaena acustina concinna](#) H.A. Pilsbry, 1934
- adamsi, [Bradybaena adamsi](#) J.T. Kuroda & M. Hukuda, 1944
- adustus, [Phenicobius adustus](#) G.B. I Sowerby, 1841
- aegle, [Helicostyla aegle](#) (W.J. Broderip, 1841)
- aegle barandae, Helicostyla aegle barandae J.G. Hidalgo, 1887 - syn of: [Helicostyla aegle brandae](#) (J.G. Hidalgo, 1887)
- aegle brandae, [Helicostyla aegle brandae](#) (J.G. Hidalgo, 1887)
- aegrota, [Helicostyla aegrota](#) (L.A. Reeve, 1854)
- aegrota, Corasia aegrota L.A. Reeve, 1854 - syn of: [Helicostyla aegrota](#) (L.A. Reeve, 1854)
- aemula, [Aegista aemula](#) G.P.L.K. Gude, 1900
- aemula hadaka, [Aegista aemula hadaka](#) H.A. Pilsbry & Y. Hirase, 1904
- aemula shikokuensis, [Aegista aemula shikokuensis](#) H.A. Pilsbry, 1902
- aemula subdivesta, [Aegista aemula subdivesta](#) H.A. Pilsbry & Y. Hirase, 1904
- aeruginosa, [Calocochlia intorta aeruginosa](#) (L. Pfeiffer)
- aguinaldoi, [Chrysallis lignaria aquinaldoi](#) (P. Bartsch, 1919)
- alaica, [Fruticcola alaica](#) A.G. Kuznetsov, 1998
- albaiensis, [Calocochlia albaiensis](#) G.B. I Sowerby, 1841
- albina, [Helicostyla albina](#) (J.P.S. Gratebup, 1840)
- albocrenatus, [Plectotropis albocrenatus](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- albolabris, [Chrysallis albolabris](#) P. Bartsch, 1932
- almaatini, [Fruticcola almaatini](#) (Skvortsov, 1940)
- almae, [Chloraea almae](#) (O.F. von Möllendorff, 1890)
- alticola, [Fruticcola scalaris alticola](#) (Y. Tzvetkov, 1941)
- amaliae, [Euhadra callizona amaliae](#) (W. Kobelt, 1875)
- amaliae, [Cochlostyla bicolorata amaliae](#) O.F. von Möllendorff, 1890
- amatanganus, [Phenicobius aratus amatanganus](#) (M. Smith, 1932)
- amatoris, [Karaftohelix middendorffi amatoris](#) (T.D.A. Cockerell, 1924)
- ambulonensis, [Cochlostyla fictilis ambulonensis](#) P. Bartsch, 1932
- amdoana, [Laeocathaica amdoana](#) O.F. von Möllendorff, 1899
- amoena, [Chloraea amoena](#) (L. Pfeiffer, 1845)
- amphidroma, [Trichocathaica amphidroma](#) (O.F. von Möllendorff, 1899)
- anacardium, [Phenicobius anacardium](#) (W.L.H. Dohrn, 1878)
- anachoretica, [Fruticcola helvola anachoretica](#) (P.V. Matiokin, 1966)
- annulata, [Helicostyla annulata](#) G.B. I Sowerby, 1841
- antimonana, [Calocochlia submirabilis antimonana](#) P. Bartsch, 1930
- antiqua, [Helicostyla nimbosa antiqua](#) (P. Bartsch, 1919)
- antonii, [Chrysallis antonii](#) C.G. Semper, 1880
- antonii macilenta, [Chrysallis antonii macilenta](#) (P. Bartsch, 1932)
- aomoriensis, [Euhadra herklotsi aomoriensis](#) J.T. Gulick & H.A. Pilsbry, 1900
- aomoriensis, [Euhadra senckenbergiana aomoriensis](#) J.T. Gulick & H.A. Pilsbry, 1900
- aperta, [Aegista friedeliana aperta](#) H.A. Pilsbry, 1900
- aphrodites, [Chloraea aphrodites](#) L. Pfeiffer, 1859
- apoensis, [Paraegista apoensis](#) T. Habe, 1970
- apollinis, Cathaica apollinis E.C. Von Martens, 1882 - syn of: [Archaica apollinis](#) (E.C. Von Martens, 1882)
- apollinis nubila, Cathaica apollinis nubila W.A. Lindholm, 1931 - syn of: [Archaica apollinis](#) (E.C. Von Martens, 1882)
- applanata, [Plectotropis applanata](#) O.F. von Möllendorff, 1884
- araneaetela, [Aegista araneaetela](#) (P.M. Heude, 1885)
- aratus, [Phenicobius aratus](#) G.B. I Sowerby, 1841

- *aratus amatanganus*, [\*\*\*Phoenicobius aratus amatanganus\*\*\*](#) (M. Smith, 1932)
- *aratus lutea*, [\*\*\*Phoenicobius aratus lutea\*\*\*](#) G.B. I Sowerby, 1840
- *arcasiana*, [\*\*\*Karaftohelix arcasiana\*\*\*](#) J.C.H. Crosse & E.O. Debeaux, 1863
- *archeri*, [\*\*\*Helicostyla concinna archeri\*\*\*](#) (W.J. Clench, 1936)
- *areolata*, [\*\*\*Calocochlia luzonica areolata\*\*\*](#) W. Kobelt, 1908
- *arundinetorum*, [\*\*\*Bradybaena similaris arundinetorum\*\*\*](#) (P.M. Heude, 1890)
- *aspera*, Chrysallis aspera J.P.S. Grateloup, 1840 - syn of: [\*\*\*Chrysallis aspersa\*\*\*](#) J.P.S. Grateloup, 1840
- *aspersa*, [\*\*\*Chrysallis aspersa\*\*\*](#) J.P.S. Grateloup, 1840
- *aspersa binuangana*, [\*\*\*Chrysallis aspersa binuangana\*\*\*](#) P. Bartsch, 1932
- *aspersa flaviguttata*, [\*\*\*Chrysallis aspersa flaviguttata\*\*\*](#) W.J. Clench & S. Archer, 1933
- *aspersa ilogana*, [\*\*\*Chrysallis aspersa ilogana\*\*\*](#) P. Bartsch, 1932
- *aspersa juani*, [\*\*\*Chrysallis aspersa juani\*\*\*](#) P. Bartsch, 1932
- *aspersa lunai*, [\*\*\*Chrysallis aspersa lunai\*\*\*](#) P. Bartsch, 1932
- *aspersa melanogaster*, [\*\*\*Chrysallis aspersa melanogaster\*\*\*](#) (O.A.L. Mörch, 1852)
- *aspersa mindoroensis*, [\*\*\*Chrysallis aspersa mindoroensis\*\*\*](#) (W.J. Broderip, 1841)
- *aspersa orotis*, [\*\*\*Chrysallis aspersa orotis\*\*\*](#) W.J. Clench & S. Archer, 1933
- *assimilaris*, [\*\*\*Bradybaena similaris assimilaris\*\*\*](#) (P.V. Gredler, 1878)
- *assimilis*, [\*\*\*Acusta assimilis\*\*\*](#) A. Adams, 1866
- *aubryana*, [\*\*\*Aegista aubryana\*\*\*](#) P.M. Heude, 1882
- *aureola*, [\*\*\*Helicostyla florida aureola\*\*\*](#) P. Bartsch, 1938
- *awaensis*, [\*\*\*Euhadra awaensis\*\*\*](#) H.A. Pilsbry, 1902
- *awajiensis*, [\*\*\*Trishoplita dacostae awajiensis\*\*\*](#) (H.A. Pilsbry, 1901)
- *awajiensis*, Aegista awajiensis H.A. Pilsbry, 1901 - syn of: [\*\*\*Trishoplita dacostae awajiensis\*\*\*](#) (H.A. Pilsbry, 1901)
- *awashimana*, [\*\*\*Aegista pannosa awashimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *balabacensis*, [\*\*\*Helicostyla satyrus balabacensis\*\*\*](#) (P. Bartsch, 1919)
- *balanoides*, [\*\*\*Canistrum balanoides\*\*\*](#) I.H. Jonas, 1894
- *balgutensis*, Fruticicola balgutensis W.A. Lindholm, 1927 - syn of: [\*\*\*Narina hypophaea\*\*\*](#) (W.A. Lindholm, 1927)
- *balgutensis elatior*, Fruticicola balgutensis elatior W.A. Lindholm, 1927 - syn of: [\*\*\*Narina hypophaea\*\*\*](#) (W.A. Lindholm, 1927)
- *balteata*, [\*\*\*Helicostyla balteata\*\*\*](#) G.B. I Sowerby, 1841
- *banahaoana*, [\*\*\*Cochlostyla rufogastra banahaoana\*\*\*](#) (P. Bartsch, 1932)
- *banosana*, [\*\*\*Calocochlia submirabilis banosana\*\*\*](#) P. Bartsch, 1930
- *baphica*, [\*\*\*Aegista baphica\*\*\*](#) (J.F. Mabille, 1888)
- *bartschi*, [\*\*\*Calocochlia roissyana bartschi\*\*\*](#) W.J. Clench & S. Archer, 1932
- *batoana*, [\*\*\*Cochlostyla pithogaster batoana\*\*\*](#) M. Smith, 1932
- *beloni*, [\*\*\*Anixa beloni\*\*\*](#) F.P. Jousseaume, 1894
- *bembicodes*, [\*\*\*Helicostyla bembicodes\*\*\*](#) L. Pfeiffer, 1851
- *benguetensis*, [\*\*\*Chloraea benguetensis\*\*\*](#) (C.G. Semper, 1880)
- *beresowskii*, [\*\*\*Metodontia beresowskii\*\*\*](#) (O.F. von Möllendorff, 1899)
- *bicolorata*, [\*\*\*Cochlostyla bicolorata\*\*\*](#) (H.C. Lea, 1840)
- *bicolorata amaliae*, [\*\*\*Cochlostyla bicolorata amaliae\*\*\*](#) O.F. von Möllendorff, 1890
- *bicolorata melanacme*, [\*\*\*Cochlostyla bicolorata melanacme\*\*\*](#) (O.F. von Möllendorff, 1897)
- *bicolorata subflammulata*, [\*\*\*Cochlostyla bicolorata subflammulata\*\*\*](#) (O.F. von Möllendorff, 1897)
- *bifasciata*, [\*\*\*Chloraea bifasciata\*\*\*](#) H.C. Lea, 1840
- *bilaticincta*, [\*\*\*Fruticicola bilaticincta\*\*\*](#) (E.C. Von Martens, 1882)
- *bintuanensis*, [\*\*\*Phenicobius campanulus bintuanensis\*\*\*](#) (J.G. Hidalgo, 1889)
- *binuangana*, [\*\*\*Chrysallis aspersa binuangana\*\*\*](#) P. Bartsch, 1932
- *bipartita*, [\*\*\*Trishoplita eumenes bipartita\*\*\*](#) H.A. Pilsbry, 1901
- *bipyramidalis*, [\*\*\*Nesiohelix omphalina bipyramidalis\*\*\*](#) J.T. Kuroda & S. Emura, 1943
- *blakeana*, [\*\*\*Karaftohelix blakeana\*\*\*](#) (W. Newcomb, 1865)
- *boacana*, [\*\*\*Calocochlia persimilis boacana\*\*\*](#) P. Bartsch, 1930
- *bocageana*, [\*\*\*Karaftohelix bocageana\*\*\*](#) (J.C.H. Crosse, 1864)
- *bocageana chishimana*, [\*\*\*Karaftohelix bocageana chishimana\*\*\*](#) (H.A. Pilsbry & Y. Hirase, 1904)
- *bocageana urupensis*, [\*\*\*Karaftohelix bocageana urupensis\*\*\*](#) (H.A. Pilsbry, 1927)
- *bocageana weyrichii*, Bradybaena bocageana weyrichii L. von Schrenck, 1867 - syn of: [\*\*\*Bradybaena weyrichii\*\*\*](#) L. von Schrenck, 1867
- *boevi*, Bradybaena boevi K.K. Uvalieva, 1967 - syn of: [\*\*\*Lindholmomneme boevi\*\*\*](#) (K.K. Uvalieva, 1967)
- *boewiana*, Fruticicola boewiana N.L. Tzvetkova, 1950 - syn of: [\*\*\*Leucoszonella angulata\*\*\*](#) (C.A. Westerlund, 1896)
- *boholensis*, [\*\*\*Cochlostyla camelopardalis boholensis\*\*\*](#) W.J. Broderip, 1841
- *bonnieri*, [\*\*\*Plectotropis bonnieri\*\*\*](#) (H. Fischer, 1898)
- *brachydon*, [\*\*\*Phenicobius brachydon\*\*\*](#) G.B. I Sowerby, 1841
- *brachylasia*, [\*\*\*Aegista lautsi brachylasia\*\*\*](#) P.B. Schmacker & O. Böttger, 1891
- *brandae*, [\*\*\*Helicostyla aegle brandae\*\*\*](#) (J.G. Hidalgo, 1887)
- *brandti*, [\*\*\*Euhadra peliomphala brandti\*\*\*](#) W. Kobelt, 1875
- *brandtii*, [\*\*\*Euhadra brandtii\*\*\*](#) (W. Kobelt, 1875)

- brandtii hitachi, [\*\*Euhadra brandtii hitachi\*\*](#) I. Ijima, 1891
- brandtii roseoapicalis, [\*\*Euhadra brandtii roseoapicalis\*\*](#) J.T. Kuroda, 1969
- brandtii sapporo, [\*\*Euhadra brandtii sapporo\*\*](#) I. Ijima, 1891
- brevibarbis, [\*\*Plectotropis brevibarbis\*\*](#) (L. Pfeiffer, 1859)
- brevilabris, [\*\*Aegista brevilabris\*\*](#) L. Pfeiffer, 1859
- brevispira, [\*\*Bradybaena brevispira\*\*](#) A. Adams, 1870
- broderipi, [\*\*Chloraea broderipi\*\*](#) (L. Pfeiffer, 1842)
- brodskii, Cathaica brodskii Y. Tzvetkov & N.L. Tzvetkova, 1950 - syn of: [\*\*Fruticicola tzvetkovi\*\*](#) K.K. Uvalieva & E.S. Sobolev, 1973
- browni, [\*\*Aegista granti browni\*\*](#) H.A. Pilsby & Y. Hirase, 1905
- bruguieriana, [\*\*Calocochlia bruguieriana\*\*](#) L. Pfeiffer, 1845
- bulalacaoana, [\*\*Cochlostyla electrica bulalacaoana\*\*](#) P. Bartsch, 1932
- bulbulus, [\*\*Guamampa bulbulus\*\*](#) L. Pfeiffer, 1853
- buliminoides, [\*\*Pseudobuliminus buliminoides\*\*](#) P.M. Heude, 1882
- buliminus, [\*\*Pseudobuliminus buliminus\*\*](#) P.M. Heude, 1882
- buliminus strigata, [\*\*Pseudobuliminus buliminus strigata\*\*](#) O.F. von Möllendorff, 1899
- bullata, [\*\*Helicostyla bullata\*\*](#) W.J. Broderip, 1841
- buschi, [\*\*Helicostyla effusa buschi\*\*](#) (L. Pfeiffer, 1842)
- buschi, Cochlostyla buschi L. Pfeiffer, 1842 - syn of: [\*\*Helicostyla effusa buschi\*\*](#) (L. Pfeiffer, 1842)
- bustoi, [\*\*Calocochlia bustoi\*\*](#) J.G. Hidalgo, 1887
- butleri, [\*\*Helicostyla butleri\*\*](#) L. Pfeiffer, 1842
- butleri gravida, [\*\*Helicostyla butleri gravida\*\*](#) W. Kobelt, 1910
- cabrasensis, [\*\*Helicostyla cincinniformis cabrasensis\*\*](#) P. Bartsch, 1932
- caelestimontana, Cathaica caelestimontana Y. Tzvetkov, 1940 - syn of: [\*\*Angiomphalia caelestimontana\*\*](#) (Y. Tzvetkov, 1940)
- caerulea, [\*\*Aegista caerulea\*\*](#) J.T. Kuroda & T. Habe, 1960
- caesar, [\*\*Helicostyla caesar\*\*](#) (L. Pfeiffer, 1854)
- cagurana, [\*\*Cochlostyla fictilis cagurana\*\*](#) P. Bartsch, 1932
- caillaudi, [\*\*Helicostyla caillaudi\*\*](#) G.P. Deshayes, 1839
- cailliaudi, [\*\*Calocochlia cailliaudi\*\*](#) (G.P. Deshayes, 1839)
- calamianica, [\*\*Chrysallis calamianica\*\*](#) J.F. Quadras & O.F. von Möllendorff, 1894
- calcicola, [\*\*Trishoplita calcicola\*\*](#) J.T. Kuroda
- caliginosa, [\*\*Euhadra caliginosa\*\*](#) (A. Adams & L.A. Reeve, 1850)
- calista, [\*\*Helicostyla diana calista\*\*](#) (W.J. Broderip, 1841)
- calista, Cochlostyla calista W.J. Broderip, 1841 - syn of: [\*\*Helicostyla diana calista\*\*](#) (W.J. Broderip, 1841)
- callimorpha, [\*\*Calocochlia persimilis callimorpha\*\*](#) P. Bartsch, 1930
- callipepla, [\*\*Calocochlia persimilis callipepla\*\*](#) P. Bartsch, 1930
- callizona, [\*\*Euhadra callizona\*\*](#) (J.C.H. Crosse, 1871)
- callizona amaliae, [\*\*Euhadra callizona amaliae\*\*](#) (W. Kobelt, 1875)
- calloides, [\*\*Calocochlia calloides\*\*](#) (G.B. I Sowerby, 1840)
- calobapta, [\*\*Chrysallis calobapta\*\*](#) I.H. Jonas, 1843
- calobapta sibuyanica, [\*\*Chrysallis calobapta sibuyanica\*\*](#) O.F. von Möllendorff, 1898
- calobapta tablasensis, [\*\*Chrysallis calobapta tablasensis\*\*](#) (W. Kobelt, 1916)
- camelopardalis, [\*\*Cochlostyla camelopardalis\*\*](#) W.J. Broderip, 1841
- camelopardalis boholensis, [\*\*Cochlostyla camelopardalis boholensis\*\*](#) W.J. Broderip, 1841
- camelopardalis superba, [\*\*Cochlostyla camelopardalis superba\*\*](#) W. Kobelt, 1910
- camorongana, [\*\*Chrysallis chrysalidiformis camorongana\*\*](#) P. Bartsch, 1932
- campanulus, [\*\*Phenicobius campanulus\*\*](#) L. Pfeiffer, 1845
- campanulus bintuanensis, [\*\*Phenicobius campanulus bintuanensis\*\*](#) (J.G. Hidalgo, 1889)
- caniceps, [\*\*Chrysallis caniceps\*\*](#) P. Bartsch, 1932
- caniceps conica, [\*\*Chrysallis caniceps conica\*\*](#) P. Bartsch, 1932
- caniceps contracostana, [\*\*Chrysallis caniceps contracostana\*\*](#) P. Bartsch, 1932
- caniceps demesai, [\*\*Chrysallis caniceps demesai\*\*](#) P. Bartsch, 1932
- canonizadai, [\*\*Helicostyla canonizadai\*\*](#) P. Bartsch, 1932
- caperata, [\*\*Aegista caperata\*\*](#) Y.C. Lee & W.L. Wu, 2004
- capillata, [\*\*Karaftohelix capillata\*\*](#)
- capulensis, [\*\*Helicostyla dubiosa capulensis\*\*](#) P. Bartsch, 1930
- cara, [\*\*Aegista elegantissima cara\*\*](#) H.A. Pilsby, 1901
- carbonaria, [\*\*Calocochlia carbonaria\*\*](#) G.B. Sowerby, 1842
- cardiostoma, [\*\*Cathaica cardiostoma\*\*](#) (O.F. von Möllendorff, 1899)
- carinalis, [\*\*Laeocathaica carinalis\*\*](#) C. Chen & S. Zhang, 2002
- carinata, [\*\*Cochlostyla carinata\*\*](#) H.C. Lea, 1840
- carinata rugata, [\*\*Cochlostyla carinata rugata\*\*](#) J.G. Hidalgo, 1890
- carinata rugosa, [\*\*Cochlostyla carinata rugosa\*\*](#) (L. Pfeiffer, 1890)
- carinata ventricosa, [\*\*Cochlostyla carinata ventricosa\*\*](#) W. Kobelt, 1915

- carinata ventricosula, [\*\*\*Cochlostyla carinata ventricosula\*\*\*](#) W. Kobelt, 1915
- carinifera, [\*\*\*Bradybaena carinifera\*\*\*](#) (C.G. Semper, 1870)
- carola, [\*\*\*Chrysallis lignaria carola\*\*\*](#) G.P. Deshayes, 1861
- carolus, [\*\*\*Helicostyla grandis carolus\*\*\*](#) (G.P. Deshayes, 1861)
- carphochroa, [\*\*\*Bradybaena carphochroa\*\*\*](#) (O.F. von Möllendorff, 1899)
- caspari, [\*\*\*Euhadra caspari\*\*\*](#) (O.F. von Möllendorff, 1884)
- caspari, Nesiohelix caspari O.F. von Möllendorff, 1884 - syn of: [\*\*\*Euhadra caspari\*\*\*](#) (O.F. von Möllendorff, 1884)
- casta, [\*\*\*Trishoplita collinsoni casta\*\*\*](#) H.A. Pilsbry, 1901
- catanduanica, [\*\*\*Helicostyla imperator catanduanica\*\*\*](#) O.F. von Möllendorff, 1898
- cavata, [\*\*\*Aegista tumida cavata\*\*\*](#) H.A. Pilsbry, 1902
- cavigollis, [\*\*\*Aegista cavigollis\*\*\*](#) (H.A. Pilsbry, 1900)
- caviconus, [\*\*\*Aegista caviconus\*\*\*](#) H.A. Pilsbry, 1902
- cavimargo, [\*\*\*Cathaica cavimargo\*\*\*](#) E.C. Von Martens, 1879
- cavimargo, [\*\*\*Fruticicola cavimargo\*\*\*](#) E.C. Von Martens, 1879
- cavimargo tarbagataica, [\*\*\*Fruticicola cavimargo tarbagataica\*\*\*](#) P.V. Matokin, 1966
- cavitala, [\*\*\*Calocochlia roissyana cavitala\*\*\*](#) P. Bartsch, 1932
- cavitectum, [\*\*\*Coelorus cavitectum\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1902
- cecillei, [\*\*\*Euhadra cecillei\*\*\*](#) (R.A. Philippi, 1849)
- celsa, [\*\*\*Aegista celsa\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1908
- cepoides, [\*\*\*Steatodryas cepoides\*\*\*](#) H.C. Lea, 1841
- cerea, [\*\*\*Kraftohelix kurodana cerea\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- cerina, [\*\*\*Dolichostyla virgata cerina\*\*\*](#) P. Bartsch, 1932
- certus, [\*\*\*Pseudobuliminus certus\*\*\*](#) A. Zíč, 1949
- cesta, [\*\*\*Bradybaena cesta\*\*\*](#) (W.H. Benson, 1836)
- chaudroni, [\*\*\*Plectotropis chaudroni\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- chejuensis, [\*\*\*Aegista chejuensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1908
- chinensis, [\*\*\*Aegista chinensis\*\*\*](#) (R.A. Philippi, 1845)
- chishimana, [\*\*\*Kraftohelix bocageana chishimana\*\*\*](#) (H.A. Pilsbry & Y. Hirase, 1904)
- chlorochroa, [\*\*\*Calocochlia chlorochroa\*\*\*](#) G.B. I Sowerby, 1841
- chondroderma, [\*\*\*Aegista chondroderma\*\*\*](#) (O.F. von Möllendorff, 1900)
- chosenica, [\*\*\*Aegista chosenica\*\*\*](#) H.A. Pilsbry, 1926
- choshiensis, [\*\*\*Aegista tokyoensis choshiensis\*\*\*](#) K. Sakurai & E. Sorita, 1982
- christinae, [\*\*\*Laeocathaica christinae\*\*\*](#) A. Adams, 1870
- chrysalidiformis, [\*\*\*Chrysallis chrysalidiformis\*\*\*](#) G.B. I Sowerby, 1833
- chrysalidiformis camorongana, [\*\*\*Chrysallis chrysalidiformis camorongana\*\*\*](#) P. Bartsch, 1932
- chrysalidiformis fuscata, [\*\*\*Chrysallis chrysalidiformis fuscata\*\*\*](#) P. Bartsch, 1932
- chrysalidiformis jayi, [\*\*\*Chrysallis chrysalidiformis jayi\*\*\*](#) P. Bartsch, 1932
- chrysalidiformis perpusilla, [\*\*\*Chrysallis chrysalidiformis perpusilla\*\*\*](#) P. Bartsch, 1932
- chrysaliformis, Chrysallis chrysaliformis G.B. I Sowerby, 1833 - syn of: [\*\*\*Chrysallis chrysalidiformis\*\*\*](#) G.B. I Sowerby, 1833
- chrysalliformis, Chrysallis chrysalliformis G.B. I Sowerby, 1833 - syn of: [\*\*\*Chrysallis chrysalidiformis\*\*\*](#) G.B. I Sowerby, 1833
- chrysocheila, [\*\*\*Calocochlia chrysocheila\*\*\*](#) G.B. I Sowerby, 1841
- chrysochila, Calocochlia chrysochila G.B. I Sowerby, 1841 - syn of: [\*\*\*Calocochlia chrysocheila\*\*\*](#) G.B. I Sowerby, 1841
- chuika, [\*\*\*Fruticicola stoliczkana chuika\*\*\*](#) (R.V. Egorov, 1997)
- ciliosa, [\*\*\*Aegista ciliosa\*\*\*](#) L. Pfeiffer, 1865
- cincinniformis, [\*\*\*Helicostyla cincinniformis\*\*\*](#) G.B. I Sowerby, 1840
- cincinniformis cabrasensis, [\*\*\*Helicostyla cincinniformis cabrasensis\*\*\*](#) P. Bartsch, 1932
- cincinniformis demesana, [\*\*\*Helicostyla cincinniformis demesana\*\*\*](#) W.J. Clench & S. Archer, 1931
- cincinniformis guntingana, Hypselostylus cincinniformis guntingana P. Bartsch, 1932 - syn of: [\*\*\*Helicostyla cincinniformis guntingana\*\*\*](#) P. Bartsch, 1932
- cincinniformis guntingana, [\*\*\*Helicostyla cincinniformis guntingana\*\*\*](#) P. Bartsch, 1932
- cincinniformis menagei, [\*\*\*Helicostyla cincinniformis menagei\*\*\*](#) (P. Bartsch, 1941)
- cincinniformis ultima, [\*\*\*Helicostyla cincinniformis ultima\*\*\*](#) W.J. Clench & S. Archer, 1931
- cincinnus, [\*\*\*Phengus cincinnus\*\*\*](#) G.B. I Sowerby, 1841
- cincinnus romblonensis, [\*\*\*Phengus cincinnus romblonensis\*\*\*](#) L. Pfeiffer, 1842
- cincta, [\*\*\*Chalepotaxis spadix cincta\*\*\*](#) H.A. Pilsbry, 1901
- cineracea, [\*\*\*Calocochlia cryptica cineracea\*\*\*](#) C.G. Semper, 1877
- cinerosa, Helicostyla cinerosa L. Pfeiffer, 1855 - syn of: [\*\*\*Helicostyla satyrus cinerosa\*\*\*](#) L. Pfeiffer, 1855
- cinerosa, [\*\*\*Helicostyla satyrus cinerosa\*\*\*](#) L. Pfeiffer, 1855
- cinerosa balabacensis, Cochlostyla cinerosa balabacensis P. Bartsch, 1919 - syn of: [\*\*\*Helicostyla satyrus balabacensis\*\*\*](#) (P. Bartsch, 1919)
- cinerosa higginsi, Cochlostyla cinerosa higginsi P. Bartsch, 1919 - syn of: [\*\*\*Helicostyla satyrus higginsi\*\*\*](#) (P. Bartsch, 1919)
- cinerosa tagbayugana, Cochlostyla cinerosa tagbayugana P. Bartsch, 1919 - syn of: [\*\*\*Helicostyla satyrus tagbayugana\*\*\*](#) P. Bartsch, 1919
- cinerosa tidepolensis, Helicostyla cinerosa tidepolensis P. Bartsch, 1919 - syn of: [\*\*\*Helicostyla satyrus tidepolensis\*\*\*](#) (P. Bartsch, 1919)
- cinerosa ulugana, Cochlostyla cinerosa ulugana P. Bartsch, 1919 - syn of: [\*\*\*Helicostyla satyrus ulugana\*\*\*](#) (P. Bartsch, 1919)

- circe, [\*\*\*Calocochlia zonifera circe\*\*\*](#) L. Pfeiffer, 1853
- circulus, [\*\*\*Bradybaena circulus\*\*\*](#) (L. Pfeiffer, 1846)
- circulus hiroshihorii, [\*\*\*Bradybaena circulus hiroshihorii\*\*\*](#) J.T. Kuroda, 1973
- circulus oceanica, [\*\*\*Bradybaena circulus oceanica\*\*\*](#) T. Habe, 1962
- cocomelos, [\*\*\*Calocochlia cocomelos\*\*\*](#) G.B. I Sowerby, 1841
- cocomelos mollendorfi, [\*\*\*Calocochlia cocomelos mollendorfi\*\*\*](#) H.A. Pilsbry, 1908
- cocomelos princeps, [\*\*\*Calocochlia cocomelos princeps\*\*\*](#) (G.B. I Sowerby, 1841)
- cochinchinensis, [\*\*\*Bradybaena cochinchinensis\*\*\*](#) (L. Pfeiffer, 1862)
- codonensis, [\*\*\*Calocochlia codonensis\*\*\*](#) J.G. Hidalgo, 1888
- collinsoni, [\*\*\*Trishoplita collinsoni\*\*\*](#) A. Adams, 1868
- collinsoni casta, [\*\*\*Trishoplita collinsoni casta\*\*\*](#) H.A. Pilsbry, 1901
- collinsoni hizenensis, [\*\*\*Trishoplita collinsoni hizenensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- collinsoni lischkeana, [\*\*\*Trishoplita collinsoni lischkeana\*\*\*](#) W. Kobelt, 1879
- collodes, [\*\*\*Helicostyla collodes\*\*\*](#) (G.B. I Sowerby, 1841)
- commoda, [\*\*\*Trishoplita commoda\*\*\*](#) A. Adams, 1868
- commoda endo, [\*\*\*Trishoplita commoda endo\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- commoda fusca, [\*\*\*Trishoplita commoda fusca\*\*\*](#) G.P.L.K. Gude, 1900
- commoda kyotoensis, [\*\*\*Trishoplita commoda kyotoensis\*\*\*](#) H.A. Pilsbry, 1900
- commoda niyoyaka, [\*\*\*Trishoplita commoda niyoyaka\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- communis, [\*\*\*Euhadra sandai communis\*\*\*](#) H.A. Pilsbry, 1928
- communisiformis, [\*\*\*Euhadra eoa communisiformis\*\*\*](#) T. Kanamaru, 1940
- compacta, [\*\*\*Bradybaena submandarina compacta\*\*\*](#) H.A. Pilsbry, 1902
- concinna, [\*\*\*Helicostyla concinna\*\*\*](#) G.B. I Sowerby, 1841
- concinna, [\*\*\*Bradybaena acustina concinna\*\*\*](#) H.A. Pilsbry, 1934
- concinna archeri, [\*\*\*Helicostyla concinna archeri\*\*\*](#) (W.J. Clench, 1936)
- concinna virens, [\*\*\*Helicostyla concinna virens\*\*\*](#) L. Pfeiffer, 1842
- conella, [\*\*\*Aegista conella\*\*\*](#) A. Adams, 1868
- congenita, [\*\*\*Euhadra congenita\*\*\*](#) (E.A. Smith, 1878)
- congenita hickonis, [\*\*\*Euhadra congenita hickonis\*\*\*](#) W. Kobelt
- conica, [\*\*\*Chrysallis caniceps conica\*\*\*](#) P. Bartsch, 1932
- connectens, [\*\*\*Bradybaena connectens\*\*\*](#) (O.F. von Möllendorff, 1899)
- connectens, [\*\*\*Helicostyla connectens\*\*\*](#) (O.F. von Möllendorff, 1899)
- connivens iheyaensis, Eulota connivens iheyaensis H.A. Pilsbry & Y. Hirase, 1905 - syn of: [\*\*\*Bradybaena phaeogramma iheyaensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- conoidius, [\*\*\*Pseudobuliminus conoidius\*\*\*](#) P.M. Heude, 1890
- conomphala, [\*\*\*Plectotropis conomphala\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- conospira, [\*\*\*Trishoplita conospira\*\*\*](#) (L. Pfeiffer, 1851)
- constantiae, [\*\*\*Cathaica constantiae\*\*\*](#) A. Adams, 1870
- contracostana, [\*\*\*Chrysallis caniceps contracostana\*\*\*](#) P. Bartsch, 1932
- contracta, [\*\*\*Cochlostyla cuyoensis contracta\*\*\*](#) W. Kobelt, 1911
- conulina, [\*\*\*Trishoplita conulina\*\*\*](#) E.C. Von Martens, 1867
- coreanica, [\*\*\*Bradybaena coreanica\*\*\*](#) A. Adams & L.A. Reeve, 1850
- coronadoi, [\*\*\*Calocochlia coronadoi\*\*\*](#) J.G. Hidalgo, 1868
- corti, [\*\*\*Pseudobuliminus corti\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- corticolor, [\*\*\*Helicostyla corticolor\*\*\*](#) W. Kobelt, 1911
- couturieri, [\*\*\*Plectotropis couturieri\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- craspedocheila, [\*\*\*Euhadra craspedocheila\*\*\*](#) A. Adams, 1868
- crenata, [\*\*\*Calocochlia cryptica crenata\*\*\*](#) (W.J. Broderip, 1841)
- cretacea, [\*\*\*Trishoplita eumenes cretacea\*\*\*](#) G.P.L.K. Gude, 1900
- cristatella, [\*\*\*Chloraea cristatella\*\*\*](#) J.F. Quadras & O.F. von Möllendorff, 1893
- cryptica, [\*\*\*Calocochlia cryptica\*\*\*](#) W.J. Broderip, 1840
- cryptica cineracea, [\*\*\*Calocochlia cryptica cineracea\*\*\*](#) C.G. Semper, 1877
- cryptica crenata, [\*\*\*Calocochlia cryptica crenata\*\*\*](#) (W.J. Broderip, 1841)
- cryptica cretata, Calocochlia cryptica cretata W.J. Broderip, 1841 - Syn of: [\*\*\*Calocochlia cryptica\*\*\*](#) W.J. Broderip, 1840
- cryptica latitans, [\*\*\*Calocochlia cryptica latitans\*\*\*](#) (W.J. Broderip, 1841)
- cumingii, [\*\*\*Calocochlia cumingii\*\*\*](#) L. Pfeiffer, 1842
- cumingii pfeifferi, [\*\*\*Calocochlia cumingii pfeifferi\*\*\*](#) C.G. Semper, 1877
- cunctator, [\*\*\*Helicostyla cunctator\*\*\*](#) L.A. Reeve, 1830
- curta, [\*\*\*Canistrum curta\*\*\*](#) G.B. I Sowerby, 1841
- cuyoensis, [\*\*\*Cochlostyla cuyoensis\*\*\*](#) L. Pfeiffer
- cuyoensis contracta, [\*\*\*Cochlostyla cuyoensis contracta\*\*\*](#) W. Kobelt, 1911
- cuyoensis subpallida, [\*\*\*Cochlostyla cuyoensis subpallida\*\*\*](#) P. Bartsch, 1932
- cyclolabris, [\*\*\*Euhadra cyclolabris\*\*\*](#) (O.F. von Möllendorff, 1899)

- *cynocephala*, [\*\*\*Helicostyla satyrus cynocephala\*\*\*](#) (L. Pfeiffer)
- *czarnohorica*, *Fruticicola czarnohorica* W. Polinski, 1924 - syn of: [\*\*\*Perforatella rubiginosa\*\*\*](#) (A. Schmidt, 1853)
- *dacostae*, [\*\*\*Trishoplita dacostae\*\*\*](#) G.P.L.K. Gude, 1900
- *dacostae awajiensis*, [\*\*\*Trishoplita dacostae awajiensis\*\*\*](#) (H.A. Pilsbry, 1901)
- *dacostae strigata*, [\*\*\*Trishoplita dacostae strigata\*\*\*](#) H.A. Pilsbry, 1901
- *dacostae tosana*, [\*\*\*Trishoplita dacostae tosana\*\*\*](#) G.P.L.K. Gude, 1900
- *dactylus*, [\*\*\*Helicostyla dactylus\*\*\*](#) W.J. Broderip, 1841
- *dactylus lunai*, [\*\*\*Helicostyla dactylus lunai\*\*\*](#) (P. Bartsch, 1919)
- *dactylus nympha*, [\*\*\*Helicostyla dactylus nympha\*\*\*](#) (L. Pfeiffer, 1842)
- *dactylus rugata*, [\*\*\*Helicostyla dactylus rugata\*\*\*](#) (J.G. Hidalgo, 1896)
- *daemonorum*, [\*\*\*Aegista granti daemonorum\*\*\*](#) J.T. Kuroda, 1958
- *daisenica*, [\*\*\*Euhadra sandai daisenica\*\*\*](#) J.T. Kuroda, 1931
- *damahoyi*, [\*\*\*Calocochlia damahoyi\*\*\*](#) L. Pfeiffer, 1856
- *dangchangensis*, [\*\*\*Laeocathaica dangchangensis\*\*\*](#) C. Chen & S. Zhang, 2004
- *daphnis*, [\*\*\*Helicostyla daphnis\*\*\*](#) W.J. Broderip, 1841
- *daranga*, [\*\*\*Calocochlia submirabilis daranga\*\*\*](#) P. Bartsch, 1930
- *dasytrichia*, [\*\*\*Plectotropis dasytrichia\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- *dattaensis*, [\*\*\*Calocochlia dattaensis\*\*\*](#) C.G. Semper, 1866
- *dattanensis*, *Calocochlia dattanensis* C.G. Semper, 1866 - syn of: [\*\*\*Calocochlia dattaensis\*\*\*](#) C.G. Semper, 1866
- *dautzenbergi*, [\*\*\*Calocochlia semperi dautzenbergi\*\*\*](#) J.G. Hidalgo, 1901
- *dayriti*, [\*\*\*Calocochlia dayriti\*\*\*](#) G.H. Barnett, 1989
- *decorata*, [\*\*\*Cochlostyla ventricosa decorata\*\*\*](#) A.E.J. Féruccac, 1848
- *decorata*, [\*\*\*Euhadra decorata\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- *decorata diminuta*, [\*\*\*Euhadra decorata diminuta\*\*\*](#) G. Toba & J.T. Kuroda, 1936
- *decorata iwadensis*, [\*\*\*Euhadra decorata iwadensis\*\*\*](#) G. Toba & J.T. Kuroda, 1936
- *decorata tobai*, [\*\*\*Euhadra decorata tobai\*\*\*](#) Y. Hirase
- *dectica*, [\*\*\*Bradybaena dectica\*\*\*](#) (J.F. Mabille, 1888)
- *decussata*, [\*\*\*Trishoplita eumenes decussata\*\*\*](#) G.P.L.K. Gude, 1900
- *deflexa*, [\*\*\*Aegista deflexa\*\*\*](#) H.A. Pilsbry, 1902
- *dejeana*, [\*\*\*Laeocathaica dejana\*\*\*](#) P.M. Heude, 1882
- *delectabilis*, [\*\*\*Aegista delectabilis\*\*\*](#) (P. Ehrmann, 1900)
- *demesai*, [\*\*\*Chrysallis caniceps demesai\*\*\*](#) P. Bartsch, 1932
- *demesana*, [\*\*\*Helicostyla cincinniformis demesana\*\*\*](#) W.J. Clench & S. Archer, 1931
- *dentata*, [\*\*\*Ponsadenia dentata\*\*\*](#) (T.S. Rymzhanov, 1983)
- *denticulata*, [\*\*\*Helicostyla denticulata\*\*\*](#) J.C. Jay, 1839
- *depressa*, [\*\*\*Helicostyla grandis depressa\*\*\*](#) (O.F. von Möllendorff, 1898)
- *despecta*, [\*\*\*Acusta despecta\*\*\*](#) (G.B. I Sowerby, 1839)
- *despecta ikiensis*, [\*\*\*Acusta despecta ikiensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *despecta kikaiensis*, [\*\*\*Acusta despecta kikaiensis\*\*\*](#) H.A. Pilsbry, 1902
- *despecta praetenuis*, [\*\*\*Acusta despecta praetenuis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *despecta sieboldiana*, [\*\*\*Acusta despecta sieboldiana\*\*\*](#) L. Pfeiffer, 1850
- *diana*, [\*\*\*Helicostyla diana\*\*\*](#) W.J. Broderip, 1841
- *diana calista*, [\*\*\*Helicostyla diana calista\*\*\*](#) (W.J. Broderip, 1841)
- *dibothrion*, *Fruticicola dibothrion* M. von Kimakowicz, 1883 - syn of: [\*\*\*Perforatella dibothrion\*\*\*](#) (M. von Kimakowicz, 1884)
- *dichrozona*, [\*\*\*Fruticicola dichrozona\*\*\*](#) E.C. Von Martens, 1885
- *dictyonina*, [\*\*\*Helicostyla sarcinosa dictyonina\*\*\*](#) O.F. von Möllendorff, 1898
- *dieckmanni*, [\*\*\*Karaftohelix dieckmanni\*\*\*](#) (A. Mousson, 1887)
- *dimera*, [\*\*\*Calocochlia dimera\*\*\*](#) I.H. Jonas, 1846
- *diminuta*, [\*\*\*Euhadra decorata diminuta\*\*\*](#) G. Toba & J.T. Kuroda, 1936
- *diploblepharis*, [\*\*\*Plectotropis diploblepharis\*\*\*](#) O.F. von Möllendorff, 1899
- *discus*, [\*\*\*Aegista kobensis discus\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *dissimilis*, [\*\*\*Bradybaena dissimilis\*\*\*](#) (C.G. Semper, 1877)
- *distinguenda*, [\*\*\*Laeocathaica distinguenda\*\*\*](#) (O.F. von Möllendorff, 1899)
- *dityla*, [\*\*\*Laeocathaica dityla\*\*\*](#) O.F. von Möllendorff, 1899
- *diversa*, [\*\*\*Aegista diversa\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1936
- *diversa excellens*, [\*\*\*Aegista diversa excellens\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1936
- *diversita*, [\*\*\*Karaftohelix diversita\*\*\*](#) (A.A. Schileyko & Bratchik, 1978)
- *dixoni*, [\*\*\*Euhadra dixoni\*\*\*](#) H.A. Pilsbry, 1900
- *dixoni montivaga*, [\*\*\*Euhadra dixoni montivaga\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *dixoni okicola*, [\*\*\*Euhadra dixoni okicola\*\*\*](#) H.A. Pilsbry, 1927
- *dolani*, [\*\*\*Laeocathaica dolani\*\*\*](#) H.A. Pilsbry, 1934
- *doliolum*, [\*\*\*Pseudobuliminus doliolum\*\*\*](#) P.V. Gredler, 1887
- *domingo*, [\*\*\*Helicostyla domingoi\*\*\*](#) P. Bartsch, 1919

- *donsalana*, [\*\*\*Helicostyla mirabilis donsalana\*\*\*](#) (P. Bartsch, 1918)
- *doriae*, [\*\*\*Mesanella doriae\*\*\*](#) (W.L.H. Dohrn, 1881)
- *dormitor*, [\*\*\*Aegista fulvicans dormitor\*\*\*](#) J.T. Kuroda, 1958
- *dryas*, [\*\*\*Dolichostyla virgata dryas\*\*\*](#) W.J. Broderip, 1841
- *dryope*, [\*\*\*Chloraea dryope\*\*\*](#) W.J. Broderip, 1840
- *dryope sibuyanica*, [\*\*\*Chloraea dryope sibuyanica\*\*\*](#) W.J. Broderip
- *dubiosa*, [\*\*\*Helicostyla dubiosa\*\*\*](#) L. Pfeiffer, 1845
- *dubiosa capulensis*, [\*\*\*Helicostyla dubiosa capulensis\*\*\*](#) P. Bartsch, 1930
- *duiensis*, [\*\*\*Karaftohelix duiensis\*\*\*](#) C.A. Westerlund, 1897
- *dumonti*, [\*\*\*Helicostyla dumonti\*\*\*](#) L. Pfeiffer, 1846
- *duplicata*, [\*\*\*Pseudiberus innominata duplicata\*\*\*](#) O.F. von Möllendorff, 1899
- *duplocincta*, [\*\*\*Mesasiata duplocincta\*\*\*](#) (E.C. Von Martens, 1879)
- *echigoensis*, [\*\*\*Euhadra grata echigoensis\*\*\*](#) Murayama, S. Takikawa & T. Habe, 1991
- *editha*, [\*\*\*Ainohelix editha\*\*\*](#) (C.B. Adams, 1868)
- *effusa*, [\*\*\*Helicostyla effusa\*\*\*](#) (L. Pfeiffer, 1842)
- *effusa buschi*, [\*\*\*Helicostyla effusa buschi\*\*\*](#) (L. Pfeiffer, 1842)
- *effusa fasciata*, [\*\*\*Helicostyla effusa fasciata\*\*\*](#) (L. Pfeiffer, 1841)
- *effusa leai*, [\*\*\*Helicostyla effusa leai\*\*\*](#) L. Pfeiffer, 1892
- *electrica*, [\*\*\*Cochlostyla electrica\*\*\*](#) L.A. Reeve, 1848
- *electrica bulalacaoana*, [\*\*\*Cochlostyla electrica bulalacaoana\*\*\*](#) P. Bartsch, 1932
- *electrica mangarina*, [\*\*\*Cochlostyla electrica mangarina\*\*\*](#) P. Bartsch, 1932
- *elegantissima*, [\*\*\*Aegista elegantissima\*\*\*](#) (L. Pfeiffer, 1849)
- *elegantissima cara*, [\*\*\*Aegista elegantissima cara\*\*\*](#) H.A. Pilsby, 1901
- *elerae*, [\*\*\*Calocochlia elerae\*\*\*](#) O.F. von Möllendorff, 1896
- *eminens*, [\*\*\*Aegista proba eminens\*\*\*](#) H.A. Pilsby & Y. Hirase, 1904
- *emurai*, [\*\*\*Euhadra grata emurai\*\*\*](#) J.T. Kuroda, 1931
- *endo*, [\*\*\*Trishoplita commoda endo\*\*\*](#) H.A. Pilsby & Y. Hirase, 1904
- *entochilus*, [\*\*\*Stilpnodiscus entochilus\*\*\*](#) O.F. von Möllendorff, 1899
- *eoae*, [\*\*\*Euhadra eoae\*\*\*](#) J.C.H. Crosse, 1868
- *eoae communisiformis*, [\*\*\*Euhadra eoae communisiformis\*\*\*](#) T. Kanamaru, 1940
- *eoae gulicki*, [\*\*\*Euhadra eoae gulicki\*\*\*](#) H.A. Pilsby, 1928
- *eos*, *Euhadra eos* J.C.H. Crosse, 1868 - syn of: [\*\*\*Euhadra eoae\*\*\*](#) J.C.H. Crosse, 1868
- *eris*, [\*\*\*Bradybaena eris\*\*\*](#) O.F. von Möllendorff, 1899
- *eris pachychila*, [\*\*\*Bradybaena eris pachychila\*\*\*](#) O.F. von Möllendorff, 1899
- *esakii*, [\*\*\*Aegista esakii\*\*\*](#) J.T. Kuroda, 1973
- *euconica*, [\*\*\*Helicostyla euconica\*\*\*](#) P. Bartsch, 1932
- *eulemnisca*, *Bradybaena eulemnisca* T.D.A. Cockerell, 1924 - syn of: [\*\*\*Karaftohelix middendorffi\*\*\*](#) G. Gerstfeldt, 1859
- *eumenes*, [\*\*\*Trishoplita eumenes\*\*\*](#) (C.A. Westerlund, 1883)
- *eumenes bipartita*, [\*\*\*Trishoplita eumenes bipartita\*\*\*](#) H.A. Pilsby, 1901
- *eumenes cretacea*, [\*\*\*Trishoplita eumenes cretacea\*\*\*](#) G.P.L.K. Gude, 1900
- *eumenes decussata*, [\*\*\*Trishoplita eumenes decussata\*\*\*](#) G.P.L.K. Gude, 1900
- *eumenes pergranosa*, [\*\*\*Trishoplita eumenes pergranosa\*\*\*](#) H.A. Pilsby & Y. Hirase, 1908
- *euryzonum*, [\*\*\*Canistrum ovoideum euryzonum\*\*\*](#) (L. Pfeiffer, 1847)
- *evanescens*, [\*\*\*Helicostyla evanescens\*\*\*](#) W.J. Broderip, 1841
- *excellens*, [\*\*\*Aegista diversa excellens\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- *extensa*, [\*\*\*Chloraea extensa\*\*\*](#) (O.F. Müller, 1774)
- *eydouxi*, [\*\*\*Chloraea eydouxi\*\*\*](#) (J.G. Hidalgo, 1887)
- *fasciata*, [\*\*\*Helicostyla effusa fasciata\*\*\*](#) (L. Pfeiffer, 1841)
- *fasciola*, [\*\*\*Cathaica fasciola\*\*\*](#) J.P.R. Draparnaud, 1801
- *fastidiosa*, [\*\*\*Cochlodryas fastidiosa\*\*\*](#) P. Bartsch, 1932
- *faunus*, [\*\*\*Helicostyla faunus\*\*\*](#) W.J. Broderip, 1841
- *fausta*, [\*\*\*Aegista fausta\*\*\*](#) J.T. Kuroda & T. Habe, 1951
- *fauveli*, [\*\*\*Euhadra fauveli\*\*\*](#) A.R.J.B. Bavay & P. Dautzenberg, 1900
- *fedtschenkoi*, [\*\*\*Fruticcola fedtschenkoi\*\*\*](#) (E.C. Von Martens, 1874)
- *fenestrata*, [\*\*\*Helicostyla fenestrata\*\*\*](#) G.B. I Sowerby, 1841
- *ferghanica*, *Cathaica ferghanica* W.A. Lindholm, 1927 - syn of: [\*\*\*Leuczonella ferghanica\*\*\*](#) (W.A. Lindholm, 1927)
- *festiva*, [\*\*\*Calocochlia festiva\*\*\*](#) E. Donovan, 1825
- *fibula*, [\*\*\*Chloraea fibula\*\*\*](#) L.A. Reeve, 1842
- *fictilis*, [\*\*\*Cochlostyla fictilis\*\*\*](#) W.J. Broderip, 1841
- *fictilis ambulonensis*, [\*\*\*Cochlostyla fictilis ambulonensis\*\*\*](#) P. Bartsch, 1932
- *fictilis cagurana*, [\*\*\*Cochlostyla fictilis cagurana\*\*\*](#) P. Bartsch, 1932
- *fictilis marmorosa*, [\*\*\*Cochlostyla fictilis marmorosa\*\*\*](#) (P. Bartsch, 1932)
- *filaris*, [\*\*\*Helicostyla filaris\*\*\*](#) A. Valenciennes, 1845

- **filippina**, [\*\*Laeocathaica subsimilis filippina\*\*](#) P.M. Heude, 1882
- **fischeri**, [\*\*Phengus fischeri\*\*](#) J.G. Hidalgo, 1889
- **fischeri semistrigata**, [\*\*Phengus fischeri semistrigata\*\*](#) (W. Kobelt, 1916)
- **fiscina**, Eulota fiscina H.C. Fulton, 1905 - syn of: [\*\*Bradybaena weyrichi\*\*](#) L. von Schrenck, 1867
- **flavipellis**, [\*\*Chrysallis aspersa flavipellis\*\*](#) W.J. Clench & S. Archer, 1933
- **flexibilis**, [\*\*Bradybaena gainesi flexibilis\*\*](#) (H.C. Fulton, 1905)
- **florida**, [\*\*Helicostyla florida\*\*](#) G.B. I Sowerby, 1841
- **florida aureola**, [\*\*Helicostyla florida aureola\*\*](#) P. Bartsch, 1938
- **florida fulgens**, Helicostyla florida fulgens W.J. Broderip, 1841 - syn of: [\*\*Helicostyla fulgens\*\*](#) (W.J. Broderip, 1841)
- **florida fuscolabiata**, [\*\*Helicostyla florida fuscolabiata\*\*](#)
- **florida helicoides**, [\*\*Helicostyla florida helicoides\*\*](#) G.B. I Sowerby, 1841
- **florida signa**, [\*\*Helicostyla florida signa\*\*](#) P. Bartsch, 1932
- **floridula**, [\*\*Helicostyla floridula\*\*](#) G.B. I Sowerby, 1841
- **fodiens**, [\*\*Bradybaena fodiens\*\*](#) (L. Pfeiffer, 1845)
- **formosensis**, [\*\*Dolicheulota formosensis\*\*](#) A. Adams, 1866
- **fortunei**, [\*\*Bradybaena fortunei\*\*](#) (O.F. von Möllendorff, 1884)
- **fortunei meridionalis**, Bradybaena fortunei meridionalis O.F. von Möllendorff, 1884 - syn of: [\*\*Satsuma meridionalis\*\*](#) (O.F. von Möllendorff, 1884)
- **fortunei submeridionalis**, Bradybaena fortunei submeridionalis A. Zilch, 1951 - syn of: [\*\*Satsuma meridionalis\*\*](#) (O.F. von Möllendorff, 1884)
- **fragilis**, [\*\*Karaftohelix fragilis\*\*](#) (H.A. Pilsbry, 1926)
- **fragilis**, [\*\*Acusta fragilis\*\*](#) (J.T. Kuroda & T. Kano, MS)
- **fragilis**, [\*\*Chloraea fragilis\*\*](#) G.B. I Sowerby, 1841
- **frater**, [\*\*Helicostyla frater\*\*](#) (A.E.J. Féruccac, 1821)
- **friedeliana**, [\*\*Aegista friedeliana\*\*](#) E.C. Von Martens, 1864
- **friedeliana aperta**, [\*\*Aegista friedeliana aperta\*\*](#) H.A. Pilsbry, 1900
- **friedeliana humerosa**, [\*\*Aegista friedeliana humerosa\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- **friedeliana perangulata**, [\*\*Aegista friedeliana perangulata\*\*](#) H.A. Pilsbry & Y. Hirase, 1909
- **friedeliana peraperata**, [\*\*Aegista friedeliana peraperata\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- **friedeliana vestita**, [\*\*Aegista friedeliana vestita\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- **fructicum**, Fruticicola fructicum O.F. Müller, 1774 - syn of: [\*\*Fruticicola fruticum\*\*](#) (O.F. Müller, 1774)
- **fruticum**, [\*\*Fruticicola fruticum\*\*](#) (O.F. Müller, 1774)
- **fryas**, [\*\*Helicostyla fryas\*\*](#) W.J. Broderip, 1841
- **fulgens**, [\*\*Helicostyla fulgens\*\*](#) (W.J. Broderip, 1841)
- **fulgens sapolana**, [\*\*Helicostyla fulgens sapolana\*\*](#) P. Bartsch, 1932
- **fulgetrum**, [\*\*Cochlostyla fulgetrum\*\*](#) (W.J. Broderip, 1841)
- **fulgetrum gigantea**, [\*\*Cochlostyla fulgetrum gigantea\*\*](#) M. Smith, 1932
- **fulgetrum jaroensis**, [\*\*Cochlostyla fulgetrum jaroensis\*\*](#) M. Smith, 1932
- **fulgetrum tayasana**, [\*\*Cochlostyla fulgetrum tayasana\*\*](#) (P. Bartsch, 1919)
- **fuliginata**, [\*\*Helicostyla fuliginata\*\*](#) (E.C. Von Martens, 1873)
- **fulvicans**, [\*\*Aegista fulvicans\*\*](#) A. Adams, 1866
- **fulvicans browni**, Aegista fulvicans browni H.A. Pilsbry & Y. Hirase, 1905 - syn of: [\*\*Aegista granti browni\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- **fulvicans dormitor**, [\*\*Aegista fulvicans dormitor\*\*](#) J.T. Kuroda, 1958
- **fumosa**, [\*\*Calocochlia luzonica fumosa\*\*](#) W. Kobelt, 1908
- **furtiva**, [\*\*Aegista furtiva\*\*](#) (P.M. Heude, 1885)
- **fusanica**, [\*\*Aegista gottschei fusanica\*\*](#) H.A. Pilsbry, 1902
- **fusca**, [\*\*Trishoplita commoda fusca\*\*](#) G.P.L.K. Gude, 1900
- **fuscata**, [\*\*Chrysallis chrysalidiformis fuscata\*\*](#) P. Bartsch, 1932
- **fuscolabiata**, [\*\*Helicostyla florida fuscolabiata\*\*](#)
- **gainesi**, [\*\*Bradybaena gainesi\*\*](#) (H.A. Pilsbry, 1900)
- **gainesi flexibilis**, [\*\*Bradybaena gainesi flexibilis\*\*](#) (H.C. Fulton, 1905)
- **galera**, [\*\*Bradybaena galera\*\*](#) (P.M. Heude, 1890)
- **gansuica**, [\*\*Cathaica gansuica\*\*](#) O.F. von Möllendorff, 1899
- **garibaldiana**, [\*\*Calocochlia garibaldiana\*\*](#) W.L.H. Dohrn & C.G. Semper, 1862
- **generalis**, [\*\*Calocochlia generalis\*\*](#) L. Pfeiffer, 1854
- **geotrochus**, [\*\*Chloraea geotrochus\*\*](#) O.F. von Möllendorff, 1888
- **gerlachi**, [\*\*Plectotropis gerlachi\*\*](#) E.C. Von Martens, 1881
- **gerlachi hunancola**, [\*\*Plectotropis gerlachi hunancola\*\*](#) P.V. Gedler, 1887
- **gigantea**, [\*\*Cochlostyla fulgetrum gigantea\*\*](#) M. Smith, 1932
- **gilva**, [\*\*Helicostyla gilva\*\*](#) L. Pfeiffer, 1845
- **gitaena**, [\*\*Plectotropis gitaena\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- **globosa**, [\*\*Calocochlia zonifera globosa\*\*](#) (W. Kobelt, 1910)
- **globuliformis**, Fruticicola globuliformis W.A. Lindholm, 1931 - syn of: [\*\*Leucozonella globuliformis\*\*](#) (W.A. Lindholm, 1931)
- **gloriosa**, [\*\*Guamampa gloriosa\*\*](#) P.B. Sarasin & K.F. Sarasin, 1899
- **gloriosa sarasinorum**, [\*\*Guamampa gloriosa sarasinorum\*\*](#) P.B. Sarasin & K.F. Sarasin, 1899

- *gloynei, Calocochlia magistra gloynei* G.B. I Sowerby, 1889
- *goepeliana, Trichocathaica goepeliana* T.C. Yen, 1938
- *goniosoma, Aegista proba goniosoma* H.A. Pilsby & Y. Hirase, 1904
- *goniosomoides, Aegista goniosomoides* J.T. Kuroda & J.M. Abe, 1980
- *goniostoma, Plecteulota goniostoma* (O.F. von Möllendorff, 1892)
- *goodwini, Trishoplita goodwini* (E.A. Smith, 1876)
- *gotoensis, Aegista kobensis gotoensis* H.A. Pilsby & Y. Hirase, 1902
- *gottschei, Aegista gottschei* O.F. von Möllendorff, 1884
- *gottschei fusanica, Aegista gottschei fusanica* H.A. Pilsby, 1902
- *gottschei kongoensis, Aegista gottschei kongoensis* J.T. Kuroda & M. Miyanaga, 1939
- *gottschei kyobuntonis, Aegista gottschei kyobuntonis* J.T. Kuroda & M. Miyanaga, 1943
- *gottschei sanbonica, Aegista gottschei sanbonica* J.T. Kuroda, 1958
- *gracilis, Helicostyla macrostoma gracilis* (O.F. von Möllendorff, 1898)
- *gradata, Aegista gradata* O.F. von Möllendorff, 1884
- *graellsi, Helicostyla satyrus graellsi* J.G. Hidalgo, 1886
- *gramineum, Bradybaena similaris gramineum* (P.M. Heude, 1890)
- *grandis, Helicostyla grandis* (O.F. von Möllendorff, 1898)
- *grandis, Chrysallis lignaria grandis* L. Pfeiffer, 1845
- *grandis carolus, Helicostyla grandis carolus* (G.P. Deshayes, 1861)
- *grandis depressa, Helicostyla grandis depressa* (O.F. von Möllendorff, 1898)
- *granti, Aegista granti* L. Pfeiffer, 1865
- *granti browni, Aegista granti browni* H.A. Pilsby & Y. Hirase, 1905
- *granti daemonorum, Aegista granti daemonorum* J.T. Kuroda, 1958
- *granulifera, Euhadra granulifera* O.F. von Möllendorff, 1888
- *grata, Euhadra grata* G.P.L.K. Gude, 1900
- *grata echigoensis, Euhadra grata echigoensis* Murayama, S. Takikawa & T. Habe, 1991
- *grata emurai, Euhadra grata emurai* J.T. Kuroda, 1931
- *grata gratoides, Euhadra grata gratoides* T. Kira, 1959
- *grata tobismiae, Euhadra grata tobismiae* J.T. Kuroda, 1931
- *gratoides, Euhadra grata gratoides* T. Kira, 1959
- *gravida, Helicostyla butleri gravida* W. Kobelt, 1910
- *groulti, Phengus groulti* F.P. Jousseaume, 1894
- *guimarasensis, Cochlostyla ventricosa guimarasensis* (W.J. Broderip, 1841)
- *gulicki, Euhadra eoa gulicki* H.A. Pilsby, 1928
- *guntingana, Helicostyla cincinniformis guntingana* P. Bartsch, 1932
- *hachijoensis, Trishoplita hachijoensis* H.A. Pilsby, 1902
- *hadaka, Aegista aemula hadaka* H.A. Pilsby & Y. Hirase, 1904
- *hakusanensis, Aegista hakusanensis* M. Azuma, 1982
- *halichlora, Helicostyla halichlora* C.G. Semper, 1866
- *hamadai, Aegista hamadai* J.T. Kuroda, 1970
- *haplozona, Bradybaena haplozona* (O.F. von Möllendorff, 1899)
- *harfordi, Calocochlia harfordi* W.J. Broderip, 1841
- *hatakeda, Aegista hatakeda* J.T. Kuroda & T. Habe, 1951
- *hatakeda kawamurai, Aegista hatakeda kawamurai* J.T. Kuroda & T. Habe, 1951
- *hebes, Aegista hebes* H.A. Pilsby & Y. Hirase, 1905
- *hebesoides, Aegista pyramidata hebesoides* J.T. Kuroda, 1953
- *hectori, Helicostyla polillensis hectori* L. Pfeiffer, 1861
- *heguraensis, Euhadra quaesita heguraensis* J.T. Kuroda & N. Tan, 1936
- *helicoides, Helicostyla florida helicoides* G.B. I Sowerby, 1841
- *helvola, Fruticicola helvola* (I. Frivaldszky in L. Pfeiffer, 1853)
- *helvola anachoretica, Fruticicola helvola anachoretica* (P.V. Matiokin, 1966)
- *heptapotamica, Cathaica heptapotamica* W.A. Lindholm, 1927 - syn of: *Archaica heptapotamica* W.A. Lindholm, 1927
- *heptapotamica dshambuli, Cathaica heptapotamica dshambuli* N.L. Tsvetkova, 1950 - syn of: *Archaica heptapotamica* W.A. Lindholm, 1927
- *herklotsi, Euhadra herklotsi* (E.C. Von Martens, 1860)
- *herklotsi aomoriensis, Euhadra herklotsi aomoriensis* J.T. Gulick & H.A. Pilsby, 1900
- *herklotsi hesperia, Euhadra herklotsi hesperia* H.A. Pilsby, 1902
- *herklotsi hyugana, Euhadra herklotsi hyugana* J.T. Kuroda, 1936
- *herklotsi kirishimensis, Euhadra herklotsi kirishimensis* J.T. Kuroda, 1936
- *herklotsi nesiatica, Euhadra herklotsi nesiatica* H.A. Pilsby, 1902
- *herklotsi tokarana, Euhadra herklotsi tokarana* T. Habe & M. Azuma, 1959
- *herklotsi tsushima, Euhadra herklotsi tsushima* O.F. von Möllendorff, 1900
- *herklotsi yakushimana, Euhadra herklotsi yakushimana* H.A. Pilsby & Y. Hirase, 1903
- *hermanni, Cathaica hermanni* G.P.L.K. Gude, 1904 - syn of: *Ponsadenia semenovi* E.C. Von Martens, 1864

- herpestes, [\*\*\*Aegista herpestes\*\*\*](#) (P.M. Heude, 1885)
- hesperia, [\*\*\*Euhadra herklotsi hesperia\*\*\*](#) H.A. Pilsbry, 1902
- hickonis, [\*\*\*Euhadra congenita hickonis\*\*\*](#) W. Kobelt
- hidalgoi, [\*\*\*Calocochlia hidalgoi\*\*\*](#) O.F. von Möllendorff
- higginsi, [\*\*\*Helicostyla satyrus higginsi\*\*\*](#) (P. Bartsch, 1919)
- hilgendorfi, [\*\*\*Trishoplita hilgendorfi\*\*\*](#) W. Kobelt, 1879
- hilgendorfi tenuis, [\*\*\*Trishoplita hilgendorfi tenuis\*\*\*](#) H.A. Pilsbry, 1902
- hiroshihorii, [\*\*\*Bradybaena circulus hiroshihorii\*\*\*](#) J.T. Kuroda, 1973
- hirsuta, [\*\*\*Tarbagataja hirsuta\*\*\*](#) (P.V. Matiokin, 1966)
- hirsutus, [\*\*\*Pseudobuliminus hirsutus\*\*\*](#) (O.F. von Möllendorff, 1899)
- hispida oreinos, Fruticcola hispida oreinos A. Wagner, 1914 - syn of: [\*\*\*Trochulus oreinos\*\*\*](#) (A. Wagner, 1914)
- hitachi, [\*\*\*Euhadra brandtii hitachi\*\*\*](#) I. Ijima, 1891
- hizenensis, [\*\*\*Trishoplita collinsoni hizenensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- hongkongensis, [\*\*\*Bradybaena similaris hongkongensis\*\*\*](#) G.P. Deshayes, 1873
- horrida, [\*\*\*Plectotropis horrida\*\*\*](#) H.A. Pilsbry, 1900
- hukudai, [\*\*\*Bradybaena hukudai\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- humerosa, [\*\*\*Aegista friedeliana humerosa\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- hunancola, [\*\*\*Plectotropis gerlachi hunancola\*\*\*](#) P.V. Gredler, 1887
- hupeana, [\*\*\*Aegista hupeana\*\*\*](#) P.V. Gredler, 1886
- hydrophana, [\*\*\*Helicostyla hydrophana\*\*\*](#) G.B. I Sowerby, 1841
- hydrophana veroderiana, [\*\*\*Helicostyla hydrophana veroderiana\*\*\*](#) P. Bartsch, 1932
- hyperteleia, [\*\*\*Plectotropis hyperteleia\*\*\*](#) (L.J. Morelet, 1892)
- hypophaea, Fruticcola hypophaea W.A. Lindholm, 1927 - syn of: [\*\*\*Narina hypophaea\*\*\*](#) (W.A. Lindholm, 1927)
- hypselostyla, [\*\*\*Helicostyla turbinoides hypselostyla\*\*\*](#) W. Kobelt, 1913
- hyugana, [\*\*\*Euhadra herklotsi hyugana\*\*\*](#) J.T. Kuroda, 1936
- iacosta, Cathaica iacosta O.F. von Möllendorff, 1899 - syn of: [\*\*\*Fruticola cavimargo\*\*\*](#) E.C. Von Martens, 1879
- ibukicola, [\*\*\*Euhadra senckenbergiana ibukicola\*\*\*](#) H.A. Pilsbry, 1928
- idzumonis, [\*\*\*Euhadra idzumonis\*\*\*](#) H.A. Pilsbry & J.T. Gulick, 1900
- ignobilis, [\*\*\*Helicostyla ignobilis\*\*\*](#) G.B. I Sowerby, 1841
- iheyaensis, [\*\*\*Bradybaena phaeogramma iheyaensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- ikiensis, [\*\*\*Acusta despecta ikiensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- iloconensis, [\*\*\*Helicostyla iloconensis\*\*\*](#) G.B. I Sowerby, 1841
- ilogana, [\*\*\*Chrysallis aspersa ilogana\*\*\*](#) P. Bartsch, 1932
- iloilona, [\*\*\*Helicostyla ticaonica iloilona\*\*\*](#) M. Smith, 1932
- impatiens, [\*\*\*Bradybaena impatiens\*\*\*](#) P.M. Heude, 1885
- imperator, [\*\*\*Helicostyla imperator\*\*\*](#) L. Pfeiffer, 1848
- imperator catanduanica, [\*\*\*Helicostyla imperator catanduanica\*\*\*](#) O.F. von Möllendorff, 1898
- impexa, [\*\*\*Aegista impexa\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- incerta, [\*\*\*Pseudobuliminus incerta\*\*\*](#) L. Pfeiffer, 1865
- incertus, [\*\*\*Pseudobuliminus meiacoshimensis incertus\*\*\*](#) L. Pfeiffer, 1865
- inchoata, Bradybaena inchoata P.M.A. Morelet, 1845 - syn of: [\*\*\*Portugala inchoata\*\*\*](#) (P.M.A. Morelet, 1845)
- incognita, [\*\*\*Karafthelix incognita\*\*\*](#) (A.A. Schileyko, 1988)
- inexpectata, [\*\*\*Aegista inexpectata\*\*\*](#) J.T. Kuroda & H. Minato, 1977
- infantilis, [\*\*\*Chalepotaxis infantilis\*\*\*](#) P.V. Gredler, 1884
- ingens, [\*\*\*Helicostyla woodiana ingens\*\*\*](#) O.F. von Möllendorff, 1898
- innominata, [\*\*\*Pseudiberus innominata\*\*\*](#) (P.M. Heude, 1885)
- innominata duplicata, [\*\*\*Pseudiberus innominata duplicata\*\*\*](#) O.F. von Möllendorff, 1899
- inornata, [\*\*\*Aegista inornata\*\*\*](#) (H.A. Pilsbry, 1901)
- inrinensis, [\*\*\*Aegista inrinensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- interioris, [\*\*\*Euhadra scaevola interioris\*\*\*](#) H.A. Pilsbry, 1928
- intermedia, [\*\*\*Karafthelix intermedia\*\*\*](#) (T.S. Rymzhanov, 1983)
- intermedia, [\*\*\*Helicostyla intermedia\*\*\*](#) O.F. von Möllendorff, 1896
- intonsa, [\*\*\*Aegista intonsa\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1902
- intorta, [\*\*\*Calocochlia intorta\*\*\*](#) G.B. I Sowerby, 1840
- intorta aeruginosa, [\*\*\*Calocochlia intorta aeruginosa\*\*\*](#) (L. Pfeiffer)
- io, [\*\*\*Ainohelix io\*\*\*](#) H. Minato, 1983
- irrevivida, [\*\*\*Nesiohelix irrevivida\*\*\*](#) (H.A. Pilsbry & Y. Hirase, 1904)
- irrevivida yorojimaensis, [\*\*\*Nesiohelix irrevivida yorojimaensis\*\*\*](#) M. Azuma, 1990
- itoi, [\*\*\*Aegista itoi\*\*\*](#) J.T. Kuroda & M. Azuma, 1982
- iwadensis, [\*\*\*Euhadra decorata iwadensis\*\*\*](#) G. Toba & J.T. Kuroda, 1936
- izumonis, [\*\*\*Euhadra izumonis\*\*\*](#) (H.A. Pilsbry & J.T. Gulick, 1900)
- jaroensis, [\*\*\*Cochlostyla fulgetrum jaroensis\*\*\*](#) M. Smith, 1932
- jayi, [\*\*\*Chrysallis chrysalidiformis jayi\*\*\*](#) P. Bartsch, 1932

- *jayi camorongana*, Chrysallis jayi camorongana P. Bartsch, 1932 - syn of: [\*\*\*Chrysallis chrysalidiformis camorongana\*\*\*](#) P. Bartsch, 1932
- *jianshanensis*, [\*\*\*Bradybaena jianshanensis\*\*\*](#) C. Chen & S. Zhang, 2004
- *jonasi*, [\*\*\*Helicostyla jonasi\*\*\*](#) (L. Pfeiffer, 1845)
- *jourdyi*, [\*\*\*Bradybaena jourdyi\*\*\*](#) (L.J. Morlet, 1887)
- *jourdyi minor*, [\*\*\*Bradybaena jourdyi minor\*\*\*](#) L.J. Morlet, 1887
- *juani*, [\*\*\*Chrysallis aspersa juani\*\*\*](#) P. Bartsch, 1932
- *juglans*, [\*\*\*Helicostyla juglans\*\*\*](#) L. Pfeiffer, 1842
- *kandai*, [\*\*\*Aegista kandai\*\*\*](#) M. Azuma, 1970
- *kangdingensis*, [\*\*\*Bradybaena kangdingensis\*\*\*](#) C. Chen & S. Zhang, 2004
- *kanmuriensis*, [\*\*\*Euhadra kanmuriensis\*\*\*](#) M. Azuma & A. Tada, 1969
- *kanmuriyamensis*, [\*\*\*Aegista kanmuriyamensis\*\*\*](#) M. Azuma, 1982
- *kanoi*, [\*\*\*Nesiohelix kanoi\*\*\*](#) J.T. Kuroda, 1932
- *kawamurai*, [\*\*\*Aegista hatakedai kawamurai\*\*\*](#) J.T. Kuroda & T. Habe, 1951
- *keiseri*, Cathaica keiseri T.D.A. Cockerell, 1928 - syn of: [\*\*\*Ponsadenia semenovi\*\*\*](#) E.C. Von Martens, 1864
- *kiangsiensis*, [\*\*\*Bradybaena kiangsiensis\*\*\*](#) (E.C. Von Martens, 1875)
- *kiangsensis*, Bradybaena kiangsinensis (E.C. Von Martens, 1875) - syn of: [\*\*\*Bradybaena kiangsiensis\*\*\*](#) (E.C. Von Martens, 1875)
- *kiiensis*, [\*\*\*Aegista vulgivaga kiiensis\*\*\*](#) J.T. Kuroda, 1958
- *kikaiensis*, [\*\*\*Acusta despecta kikaiensis\*\*\*](#) H.A. Pilsbry, 1902
- *kirishimensis*, [\*\*\*Euhadra herklotsi kirishimensis\*\*\*](#) J.T. Kuroda, 1936
- *kiusiuensis*, [\*\*\*Aegista kiusiuensis\*\*\*](#) H.A. Pilsbry, 1900
- *kiusiuensis oshimana*, [\*\*\*Aegista kiusiuensis oshimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- *kiusiuensis tokunovaga*, [\*\*\*Aegista kiusiuensis tokunovaga\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- *kobelti*, [\*\*\*Calocochlia kobelti\*\*\*](#) O.F. von Möllendorff, 1890
- *kobensis*, [\*\*\*Aegista kobensis\*\*\*](#) P.B. Schmacker & O. Böttger, 1890
- *kobensis discus*, [\*\*\*Aegista kobensis discus\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *kobensis gotoensis*, [\*\*\*Aegista kobensis gotoensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1902
- *kobensis koshikijimana*, [\*\*\*Aegista kobensis koshikijimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *kobensis pertenuis*, [\*\*\*Aegista kobensis pertenuis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *kobensis tsumiyamai*, [\*\*\*Aegista kobensis tsumiyamai\*\*\*](#) J.T. Kuroda & T. Habe, 1951
- *kokpoktasica*, Cathaica kokpoktasica N.L. Tzvetkova, 1950 - syn of: [\*\*\*Archaica heptapotamica\*\*\*](#) W.A. Lindholm, 1927
- *kongoensis*, [\*\*\*Aegista gottschei kongoensis\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- *koreana*, [\*\*\*Bradybaena koreana\*\*\*](#) L. Pfeiffer, 1846
- *koshikijimana*, [\*\*\*Aegista kobensis koshikijimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *kotosyonis*, [\*\*\*Acusta kotosyonis\*\*\*](#) J.T. Kuroda & T. Kano, MS
- *krejci*, [\*\*\*Pseudobuliminus krejci\*\*\*](#) A. Zíč, 1938
- *kudiensis*, [\*\*\*Karaftohelix kudiensis\*\*\*](#) (T.D.A. Cockerell, 1924)
- *kunimiensis*, [\*\*\*Aegista kunimiensis\*\*\*](#) M. Azuma, 1982
- *kunoensis*, [\*\*\*Euhadra peliomphala kunoensis\*\*\*](#) J.T. Kuroda
- *kuramana*, [\*\*\*Euhadra sandai kuramana\*\*\*](#) J.T. Kuroda & A. Teramachi, 1937
- *kurodai*, [\*\*\*Trishoplita kurodai\*\*\*](#) T. Habe, 1964
- *kurodana*, [\*\*\*Karaftohelix kurodana\*\*\*](#) H.A. Pilsbry, 1910
- *kurodana cerea*, [\*\*\*Karaftohelix kurodana cerea\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- *kurta*, [\*\*\*Helicostyla kurta\*\*\*](#) G.B. Sowerby, 1841
- *kyobuntonis*, [\*\*\*Aegista gottschei kyobuntonis\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1943
- *kyotoensis*, [\*\*\*Trishoplita commoda kyotoensis\*\*\*](#) H.A. Pilsbry, 1900
- *lacerata*, [\*\*\*Helicostyla lacerata\*\*\*](#) C.G. Semper, 1877
- *laciniata*, [\*\*\*Plectotropis trichotropis laciniata\*\*\*](#) (P.M. Heude)
- *laciniata*, [\*\*\*Plectotropis laciniata\*\*\*](#) P.M. Heude, 1882
- *lagunae*, [\*\*\*Mesanella lagunae\*\*\*](#) (J.G. Hidalgo, 1887)
- *lalloensis*, [\*\*\*Calocochlia lalloensis\*\*\*](#) (L. Pfeiffer, 1855)
- *lancasteri*, [\*\*\*Pseudiberus lancasteri\*\*\*](#) (G.P.L.K. Gude, 1919)
- *lantzi*, [\*\*\*Fruticicola lantzi\*\*\*](#) (W.A. Lindholm, 1927)
- *lanx*, [\*\*\*Aegista vulgivaga lanx\*\*\*](#) H.A. Pilsbry, 1902
- *laoyelingensis*, [\*\*\*Tiangangina laoyelingensis\*\*\*](#) S. Zhang
- *lasia*, [\*\*\*Aegista lasia\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1908
- *latispira*, [\*\*\*Euhadra latispira\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1909
- *latispira tsurugensis*, [\*\*\*Euhadra latispira tsurugensis\*\*\*](#) T.D.A. Cockerell, 1924
- *latispira yagurai*, [\*\*\*Euhadra latispira yagurai\*\*\*](#) J.T. Kuroda & T. Habe, 1949
- *latitans*, [\*\*\*Calocochlia cryptica latitans\*\*\*](#) (W.J. Broderip, 1841)
- *latizona*, [\*\*\*Trishoplita latizona\*\*\*](#) J.T. Kuroda & T. Habe, 1949
- *lautsi*, [\*\*\*Aegista lautsi\*\*\*](#) P.B. Schmacker & O. Böttger, 1891
- *lautsi brachylasia*, [\*\*\*Aegista lautsi brachylasia\*\*\*](#) P.B. Schmacker & O. Böttger, 1891
- *lautsi micra*, [\*\*\*Aegista lautsi micra\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905

- lavrushini, [\*\*\*Bradybaena lavrushini\*\*\*](#) T.D.A. Cockerell, 1896
- laymansa, [\*\*\*Calocochlia roissiana laymansa\*\*\*](#) P. Bartsch
- leai, [\*\*\*Helicostyla effusa leai\*\*\*](#) L. Pfeiffer, 1892
- leopardus, [\*\*\*Helicostyla leopardus\*\*\*](#) L. Pfeiffer, 1845
- leopardus meladryas, [\*\*\*Helicostyla leopardus meladryas\*\*\*](#) Mac Ginty, 1934
- lepidophora, [\*\*\*Aegista lepidophora\*\*\*](#) G.P.L.K. Gude, 1900
- lepidophora scutifera, [\*\*\*Aegista lepidophora scutifera\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1908
- leucauchen, [\*\*\*Calocochlia leucauchen\*\*\*](#) O.F. von Möllendorff, 1895
- leucophaea, [\*\*\*Helicostyla leucophaea\*\*\*](#) G.B. I Sowerby, 1841
- leucophaea subfenestrata, [\*\*\*Helicostyla leucophaea subfenestrata\*\*\*](#) O.F. von Möllendorff, 1898
- leucophtalma, [\*\*\*Chloraea leucophtalma\*\*\*](#) L. Pfeiffer, 1870
- leucoraphe, [\*\*\*Laeocathaica leucoraphe\*\*\*](#) (O.F. von Möllendorff, 1899 - syn of: [\*\*\*Laeocathaica leucorhaphe\*\*\*](#) (O.F. von Möllendorff, 1899)
- leucorhaphe, [\*\*\*Laeocathaica leucorhaphe\*\*\*](#) (O.F. von Möllendorff, 1899)
- libata, [\*\*\*Helicostyla libata\*\*\*](#) (L.A. Reeve, 1844)
- librosa, [\*\*\*Helicostyla satyrus librosa\*\*\*](#) (L. Pfeiffer)
- licenti, [\*\*\*Cathaica licenti\*\*\*](#) T.C. Yen, 1935
- lignaria, [\*\*\*Chrysallis lignaria\*\*\*](#) L. Pfeiffer, 1842
- lignaria aguinaldoi, [\*\*\*Chrysallis lignaria aguinaldoi\*\*\*](#) (P. Bartsch, 1919)
- lignaria carola, [\*\*\*Chrysallis lignaria carola\*\*\*](#) G.P. Deshayes, 1861
- lignaria grandis, [\*\*\*Chrysallis lignaria grandis\*\*\*](#) L. Pfeiffer, 1842
- likharevi, [\*\*\*Bradybaena likharevi\*\*\*](#) K.K. Uvalieva, 1967 - syn of: [\*\*\*Fruticicola helvola\*\*\*](#) (I. Frivaldszky in L. Pfeiffer, 1853)
- lillianae, [\*\*\*Calocochlia lillianae\*\*\*](#) P. Bartsch, 1932
- limansauensis, [\*\*\*Chloraea limansauensis\*\*\*](#) C.G. Semper, 1877
- lischkeana, [\*\*\*Trishoplita collinsoni lischkeana\*\*\*](#) W. Kobelt, 1879
- lithina, [\*\*\*Plectotropis lithina\*\*\*](#) (P.M. Heude, 1885)
- lividocincta, [\*\*\*Chloraea lividocincta\*\*\*](#) C.G. Semper, 1877
- lofouana, [\*\*\*Plectotropis lofouana\*\*\*](#) (O.F. von Möllendorff, 1888)
- luengoi, [\*\*\*Calocochlia luengoi\*\*\*](#) (J.G. Hidalgo, 1888)
- luna, [\*\*\*Bradybaena luna\*\*\*](#) H.A. Pilsbry, 1902
- lunai, [\*\*\*Helicostyla dactylus lunai\*\*\*](#) (P. Bartsch, 1919)
- lunai, [\*\*\*Chrysallis aspersa lunai\*\*\*](#) P. Bartsch, 1932
- lutea, [\*\*\*Calocochlia roissiana lutea\*\*\*](#) (A.E.J. Féussac, 1821)
- lutea, [\*\*\*Helicostyla smaragdina lutea\*\*\*](#) C.G. Semper, 1877
- lutea, [\*\*\*Phoenicobius aratus lutea\*\*\*](#) G.B. I Sowerby, 1840
- luzonica, [\*\*\*Calocochlia luzonica\*\*\*](#) G.B. I Sowerby, 1842
- luzonica areolata, [\*\*\*Calocochlia luzonica areolata\*\*\*](#) W. Kobelt, 1908
- luzonica fumosa, [\*\*\*Calocochlia luzonica fumosa\*\*\*](#) W. Kobelt, 1908
- luzonicum, [\*\*\*Canistrum ovoideum luzonicum\*\*\*](#) G.B. I Sowerby, 1833
- maackii, [\*\*\*Karftohelix maackii\*\*\*](#) (G. Gerstfeldt, 1859)
- mabillei, [\*\*\*Bradybaena mabillei\*\*\*](#) J.C.H. Crosse, 1864 - syn of: [\*\*\*Badistes corneovirens\*\*\*](#) L. Pfeiffer, 1851
- mabillei minor, [\*\*\*Bradybaena mabillei minor\*\*\*](#) J.C.H. Crosse, 1864 - syn of: [\*\*\*Badistes corneovirens minor\*\*\*](#) J.C.H. Crosse, 1864
- macilenta, [\*\*\*Chrysallis antonii macilenta\*\*\*](#) (P. Bartsch, 1932)
- mackensii, [\*\*\*Aegista mackensii\*\*\*](#) (A. Adams & L.A. Reeve, 1832)
- macrocycloides, [\*\*\*Trishoplita macrocycloides\*\*\*](#) W. Kobelt, 1879
- macrostoma, [\*\*\*Helicostyla macrostoma\*\*\*](#) L. Pfeiffer, 1843
- macrostoma gracilis, [\*\*\*Helicostyla macrostoma gracilis\*\*\*](#) (O.F. von Möllendorff, 1898)
- macrostoma vizcayana, [\*\*\*Helicostyla macrostoma vizcayana\*\*\*](#) P. Bartsch, 1919
- magistra, [\*\*\*Calocochlia magistra\*\*\*](#) L. Pfeiffer, 1852
- magistra gloynei, [\*\*\*Calocochlia magistra gloynei\*\*\*](#) G.B. I Sowerby, 1889
- magnaciana, [\*\*\*Bradybaena magnaciana\*\*\*](#) (P.M. Heude, 1882)
- majayjay, [\*\*\*Calocochlia submirabilis majayjay\*\*\*](#) P. Bartsch, 1930
- mandarina, [\*\*\*Bradybaena mandarina\*\*\*](#) G.B. I Sowerby, 1839 - syn of: [\*\*\*Mandarina mandarina\*\*\*](#) G.B. I Sowerby, 1839
- mangarina, [\*\*\*Cochlostyla electrica mangarina\*\*\*](#) P. Bartsch, 1932
- manilana, [\*\*\*Cochlostyla rufogastra manilana\*\*\*](#) P. Bartsch, 1932
- manlaysa, [\*\*\*Calocochlia roissiana manlaysa\*\*\*](#) P. Bartsch, 1938
- mantangulensis, [\*\*\*Helicostyla satyrus mantangulensis\*\*\*](#) (P. Bartsch, 1919)
- mantongensis, [\*\*\*Giardia mantongensis\*\*\*](#) (W. Kobelt, 1899)
- marcusiana, [\*\*\*Calocochlia marcusiana\*\*\*](#) A. Falconieri, 2008
- marginata, [\*\*\*Aegista marginata\*\*\*](#) (H.A. Pilsbry & Y. Hirase, 1903)
- marinduquensis, [\*\*\*Cochlostyla marinduquensis\*\*\*](#) J.G. Hidalgo, 1887
- maritima, [\*\*\*Euhadra subnimbosa maritima\*\*\*](#) (J.T. Gulick & H.A. Pilsbry, 1900)
- marmorosa, [\*\*\*Cochlostyla fictilis marmorosa\*\*\*](#) (P. Bartsch, 1932)
- martensiana, [\*\*\*Aegista martensiana\*\*\*](#) (H.A. Pilsbry, 1901)

- mateoi, [\*\*\*Helicostyla mateoi\*\*\*](#) P. Bartsch, 1932
- mateoi sibolonensis, [\*\*\*Helicostyla mateoi sibolonensis\*\*\*](#) P. Bartsch, 1932
- matruelis, [\*\*\*Calocochlia matruelis\*\*\*](#) G.B. I Sowerby, 1841
- maxwellsmithi, [\*\*\*Dolichostyla virgata maxwellsmithi\*\*\*](#) J.T.L. McGinty, 1932
- mayasana, [\*\*\*Aegista mayasana\*\*\*](#) M. Azuma, 1969
- mcgintyi, [\*\*\*Helicostyla mcgintyi\*\*\*](#) M. Smith, 1932
- mearni, *Helicostyla mearni* P. Bartsch, 1905 - syn of: [\*\*\*Helicostyla mearnsi\*\*\*](#) P. Bartsch, 1905
- mearnsi, [\*\*\*Helicostyla mearnsi\*\*\*](#) P. Bartsch, 1905
- megachila, [\*\*\*Aegista megachila\*\*\*](#) O.F. von Möllendorff
- meiacoshimensis, [\*\*\*Pseudobuliminus meiacoshimensis\*\*\*](#) (A. Adams & L.A. Reeve, 1850)
- meiacoshimensis incertus, [\*\*\*Pseudobuliminus meiacoshimensis incertus\*\*\*](#) L. Pfeiffer, 1865
- meladryas, [\*\*\*Helicostyla leopardus meladryas\*\*\*](#) Mac Ginty, 1934
- melanacme, [\*\*\*Cochlostyla bicolorata melanacme\*\*\*](#) (O.F. von Möllendorff, 1897)
- melanocheila, [\*\*\*Calocochlia melanocheila\*\*\*](#) A. Valenciennes, 1840
- melanogaster, [\*\*\*Chrysallis aspersa melanogaster\*\*\*](#) (O.A.L. Mörch, 1852)
- menagei, [\*\*\*Helicostyla cincinniformis menagei\*\*\*](#) (P. Bartsch, 1941)
- mesasiana, [\*\*\*Aegista mesasiana\*\*\*](#) W.A. Lindholm, 1927
- mesogonia, [\*\*\*Trishoplita mesogonia\*\*\*](#) H.A. Pilsbry, 1900
- mesolenga, [\*\*\*Bradybaena mesolenga\*\*\*](#) E.C. Von Martens, 1882
- mesophila, [\*\*\*Fruticicola plectotropis mesophila\*\*\*](#) (Y. Tzvetkov, 1941)
- metaformis, [\*\*\*Cochlostyla metaformis\*\*\*](#) A.E.J. Féussac, 1821
- metaformis ovularis, [\*\*\*Cochlostyla metaformis ovularis\*\*\*](#) (K.T. Menke, 1828)
- metaformis rustica, [\*\*\*Cochlostyla metaformis rustica\*\*\*](#) A. Mousson, 1849
- metamorphis, [\*\*\*Helicostyla metamorphis\*\*\*](#) L. Pfeiffer, 1855
- micans, [\*\*\*Chloraea micans\*\*\*](#) (L. Pfeiffer, 1845)
- micra, [\*\*\*Aegista lautsi micra\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- micromphala, [\*\*\*Bradybaena micromphala\*\*\*](#) (O.F. von Möllendorff, 1899)
- middendorffi, [\*\*\*Karaftohelix middendorffi\*\*\*](#) G. Gerstfeldt, 1859
- middendorffi amatoris, [\*\*\*Karaftohelix middendorffi amatoris\*\*\*](#) (T.D.A. Cockerell, 1924)
- mighelsiana, [\*\*\*Euhadra mighelsiana\*\*\*](#) L. Pfeiffer, 1846
- mikawa, [\*\*\*Euhadra scaevola mikawa\*\*\*](#) K. Amano, 1939
- mikuriyensis, [\*\*\*Aegista proba mikuriyensis\*\*\*](#) H.A. Pilsbry, 1902
- mimula, [\*\*\*Aegista mimula\*\*\*](#) (H.A. Pilsbry, 1901)
- mindanaensis, [\*\*\*Calocochlia mindanaensis\*\*\*](#) G.B. I Sowerby, 1842
- mindoroensis, [\*\*\*Chrysallis aspersa mindoroensis\*\*\*](#) (W.J. Broderip, 1841)
- mindoroensis, [\*\*\*Chrysallis mindoroensis\*\*\*](#) W.J. Broderip, 1841
- minima, [\*\*\*Aegista minima\*\*\*](#) H.A. Pilsbry, 1902
- minoensis, [\*\*\*Euhadra senckenbergiana minoensis\*\*\*](#) H.A. Pilsbry, 1928
- minoensisformis, [\*\*\*Euhadra senckenbergiana minoensisformis\*\*\*](#) T. Kanamaru, 1940
- minor, [\*\*\*Bradybaena jourdyi minor\*\*\*](#) L.J. Morlet, 1887
- minula, [\*\*\*Aegista proba minula\*\*\*](#) H.A. Pilsbry, 1901
- mirabilis, [\*\*\*Helicostyla mirabilis\*\*\*](#) A.E.J. Féussac, 1821
- mirabilis dorsalana, [\*\*\*Helicostyla mirabilis dorsalana\*\*\*](#) (P. Bartsch, 1918)
- mirabilis trichroa, [\*\*\*Helicostyla mirabilis trichroa\*\*\*](#) H.A. Pilsbry, 1892
- miranda, [\*\*\*Bradybaena miranda\*\*\*](#) A. Adams, 1868
- miyakejimana, [\*\*\*Bradybaena miyakejimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- modesta, [\*\*\*Helicostyla ticaonica modesta\*\*\*](#) O.F. von Möllendorff, 1898
- moellendorffi, [\*\*\*Helicostyla subcarinata moellendorffi\*\*\*](#) J.G. Hidalgo, 1890
- moellendorffi, [\*\*\*Stilpnodiscus moellendorffi\*\*\*](#) W.L. Wu, 2001
- mollendorfi, [\*\*\*Calocochlia cocomelos mollendorfi\*\*\*](#) H.A. Pilsbry, 1908
- mongolia, [\*\*\*Bradybaena virgo mongolia\*\*\*](#) P. Wang & W.C. Zhou, 2014
- monochroa, [\*\*\*Mesanella monochroa\*\*\*](#) G.B. I Sowerby, 1841
- monochroa palawanica, [\*\*\*Mesanella monochroa palawanica\*\*\*](#) (L. Pfeiffer, 1855)
- monochroa trailli, [\*\*\*Mesanella monochroa trailli\*\*\*](#) (L. Pfeiffer, 1855)
- montana, [\*\*\*Helicostyla montana\*\*\*](#) C.G. Semper, 1891
- montana, [\*\*\*Bradybaena sanboensis montana\*\*\*](#) J.T. Kuroda & M. Miyanaga, 1943
- monticula, [\*\*\*Cochlostyla monticula\*\*\*](#) G.B. I Sowerby, 1841
- montium, [\*\*\*Euhadra quaesita montium\*\*\*](#) E.C. Von Martens, 1879
- montivaga, [\*\*\*Euhadra dixoni montivaga\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- moreleti, [\*\*\*Calocochlia moreleti\*\*\*](#) L. Pfeiffer, 1848
- moreletiana, [\*\*\*Nesiohelix moreletiana\*\*\*](#) P.M. Heude, 1882
- motonoi, [\*\*\*Trishoplita motonoi\*\*\*](#) T. Habe, 1963
- murayamai, [\*\*\*Euhadra murayamai\*\*\*](#) T. Habe, 1976

- murotonis, [\*\*Euhadra subnimbosa murotonis\*\*](#) J.T. Kuroda & T. Habe, 1949
- nachicola, [\*\*Euhadra nachicola\*\*](#) J.T. Kuroda, 1929
- najas, [\*\*Chloraea najas\*\*](#) L. Pfeiffer, 1846
- nanchongensis, [\*\*Pseudobuliminus nanchongensis\*\*](#) W.L. Wu, 2002
- necopinatus, [\*\*Fruticicola necopinatus\*\*](#) L. Tsvetkov, 1941
- negrosa, [\*\*Helicostyla sardinosa negrosa\*\*](#) P. Bartsch, 1950
- nesiota, [\*\*Euhadra herklotsi nesiota\*\*](#) H.A. Pilsbry, 1902
- nigra, [\*\*Chrysallis rollei nigra\*\*](#) (P. Bartsch, 1932)
- nigrescens, [\*\*Helicostyla smaragdina nigrescens\*\*](#) (C.G. Semper, 1877)
- nigricans, [\*\*Mesanella nigricans\*\*](#) (O.F. von Möllendorff, 1900)
- nigriceps, [\*\*Chrysallis nigriceps\*\*](#) P. Bartsch
- nikkoensis, [\*\*Aegista nikkoensis\*\*](#) J.T. Kuroda, 1934
- nimbosa, [\*\*Euhadra peliomphala nimbosa\*\*](#) J.C.H. Crosse, 1868
- nimbosa, [\*\*Helicostyla nimbosa\*\*](#) W.J. Broderip, 1841
- nimbosa antiqua, [\*\*Helicostyla nimbosa antiqua\*\*](#) (P. Bartsch, 1919)
- niyaka, [\*\*Trishoplita commoda niyaka\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- nipponensis, [\*\*Euhadra nipponensis\*\*](#) (W. Kobelt, 1876)
- nitens, [\*\*Trishoplita nitens\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- nobaruensis, [\*\*Nesiohelix oshiroi nobaruensis\*\*](#) M. Azuma, 1987
- nobilis, [\*\*Cochlostyla ventricosa nobilis\*\*](#) L.A. Reeve, 1848
- norrisii, [\*\*Calocochlia norrisii\*\*](#) (G.B. I Sowerby, 1842)
- notoensis, [\*\*Euhadra senckenbergiana notoensis\*\*](#) J.T. Kuroda & A. Teramachi, 1937
- nunobikiensis, [\*\*Aegista nunobikiensis\*\*](#) H. OgaItô & E. Sorita, 1981
- nympha, [\*\*Helicostyla dactylus nympha\*\*](#) (L. Pfeiffer, 1842)
- oblongus, [\*\*Phoenicobius oblongus\*\*](#) (G.B. I Sowerby, 1841)
- obstructa, [\*\*Metodontia obstructa\*\*](#) P.M. Heude, 1882
- occidentalis, [\*\*Euhadra senckenbergiana occidentalis\*\*](#) M. Azuma, M. Tatewaki & S. Okamura, 1987
- oceanica, [\*\*Bradybaena circulus oceanica\*\*](#) T. Habe, 1962
- oculus, [\*\*Aegista oculus\*\*](#) (L. Pfeiffer, 1850)
- odophora, [\*\*Laeocathaica odophora\*\*](#) O.F. von Möllendorff, 1899
- ohlmeri, [\*\*Cathaica ohlmeri\*\*](#) A. Andreea, 1903
- okadai, [\*\*Helicostyla okadai\*\*](#) J.T. Kuroda, 1932
- okanoi, [\*\*Euhadra sandai okanoi\*\*](#) H.A. Pilsbry & T.D.A. Cockerell, 1927
- oki, [\*\*Euhadra sandai oki\*\*](#) H.A. Pilsbry, 1928
- okicola, [\*\*Euhadra dixoni okicola\*\*](#) H.A. Pilsbry, 1927
- okinoshimae, [\*\*Trishoplita okinoshimae\*\*](#) H.A. Pilsbry, 1902
- omiensis, [\*\*Aegista omiensis\*\*](#) H.A. Pilsbry, 1902
- omma, [\*\*Aegista omma\*\*](#) (H.A. Pilsbry & Y. Hirase, 1904)
- omorii, [\*\*Aegista tennissima omorii\*\*](#) J.T. Kuroda, 1936
- omphalina, [\*\*Nesiohelix omphalina\*\*](#) (Y. Hirase, 1915)
- omphalina bipyramidalis, [\*\*Nesiohelix omphalina bipyramidalis\*\*](#) J.T. Kuroda & S. Emura, 1943
- omphalina proximata, [\*\*Nesiohelix omphalina proximata\*\*](#) J.T. Kuroda & S. Emura, 1943
- oomorphus, [\*\*Phoenicobius oomorphus\*\*](#) G.B. I Sowerby, 1841
- oomorphus amatangana, Phoenicobius oomorphus amatangana M. Smith, 1932 - syn of: [\*\*Phoenicobius aratus amatanganus\*\*](#) (M. Smith, 1932)
- opalina, [\*\*Phengus opalina\*\*](#) G.B. I Sowerby, 1841
- optima, [\*\*Trishoplita optima\*\*](#) H.A. Pilsbry, 1902
- orbitula, [\*\*Helicostyla orbitula\*\*](#) G.B. I Sowerby, 1841
- orotis, [\*\*Chrysallis aspersa orotis\*\*](#) W.J. Clench & S. Archer, 1933
- osbeckii, [\*\*Aegista osbeckii\*\*](#) R.A. Philippi, 1847
- oshimae, [\*\*Euhadra oshimae\*\*](#) (H.A. Pilsbry, 1901)
- oshimana, [\*\*Aegista kiusiuensis oshimana\*\*](#) H.A. Pilsbry & Y. Hirase, 1903
- oshiroi, [\*\*Nesiohelix oshiroi\*\*](#) T. Habe & M. Chinen, 1980
- oshiroi nobaruensis, [\*\*Nesiohelix oshiroi nobaruensis\*\*](#) M. Azuma, 1987
- osumiensis, [\*\*Aegista proba osumiensis\*\*](#) J.T. Kuroda, 1935
- ottoi, [\*\*Trishoplita ottoi\*\*](#) H.A. Pilsbry, 1901
- ovoideum, [\*\*Canistrum ovoideum\*\*](#) G.B. I Sowerby, 1833
- ovoideum euryzonom, [\*\*Canistrum ovoideum euryzonom\*\*](#) (L. Pfeiffer, 1847)
- ovoideum luzonicum, [\*\*Canistrum ovoideum luzonicum\*\*](#) G.B. I Sowerby, 1833
- ovularis, [\*\*Cochlostyla metaformis ovularis\*\*](#) (K.T. Menke, 1828)
- pachya, [\*\*Euhadra pachya\*\*](#) H.A. Pilsbry, 1902
- pachychila, [\*\*Bradybaena eris pachychila\*\*](#) O.F. von Möllendorff, 1899
- packhaensis, [\*\*Aegista packhaensis\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)

- palaeomphalina, [\*\*Nesiohelix palaeomphalina\*\*](#) M. Azuma, 1983
- palawanensis, [\*\*Helicostyla satyrus palawanensis\*\*](#) L. Pfeiffer
- palawanica, [\*\*Mesanella monochroa palawanica\*\*](#) (L. Pfeiffer, 1855)
- palawanica, Mesanella palawanica L. Pfeiffer, 1855 - syn of: [\*\*Mesanella monochroa palawanica\*\*](#) (L. Pfeiffer, 1855)
- pallens, [\*\*Cochlostyla rufogastra pallens\*\*](#) (R.P. Lesson, 1831)
- pallens, [\*\*Trishoplita pallens\*\*](#) G.A. von Jacobi, 1898
- palliobasis, [\*\*Chrysallis palliobasis\*\*](#) P. Bartsch, 1932
- palumbus, [\*\*Phoenicobius palumbus\*\*](#) (S.M. Souverbie, 1860)
- pan, [\*\*Calocochlia pan\*\*](#) W.J. Broderip
- pannosa, [\*\*Aegista pannosa\*\*](#) (H.A. Pilsby, 1902)
- pannosa awashimana, [\*\*Aegista pannosa awashimana\*\*](#) H.A. Pilsby & Y. Hirase, 1904
- papyracea, [\*\*Chloraea papyracea\*\*](#) W.J. Broderip, 1841
- paracaleana, [\*\*Helicostyla woodiana paracaleana\*\*](#) P. Bartsch, 1918
- paradoxa, [\*\*Chloraea paradoxa\*\*](#) L. Pfeiffer, 1845
- paraleuca, [\*\*Calocochlia zonifera paraleuca\*\*](#) (H.A. Pilsby, 1892)
- paricinta, [\*\*Bradybaena paricinta\*\*](#) E.C. Von Martens, 1879
- partuloides, [\*\*Dolichostyla virgata partuloides\*\*](#) (W.J. Broderip, 1841)
- pavlovskii, [\*\*Fruticicola stoliczkana pavlovskii\*\*](#) (I.M. Likharev, 1955)
- pavlovskii, Eulota pavlovskii I.M. Likharev, 1955 - syn of: [\*\*Fruticicola stoliczkana pavlovskii\*\*](#) (I.M. Likharev, 1955)
- pavlovskii, Bradybaena pavlovskii P.V. Matiokin - syn of: [\*\*Fruticicola dichrozona\*\*](#) E.C. Von Martens, 1885
- pekinensis, [\*\*Cathaica pekinensis\*\*](#) G.P. Deshayes, 1870
- peliomphala, [\*\*Euhadra peliomphala\*\*](#) (L. Pfeiffer, 1850)
- peliomphala brandti, [\*\*Euhadra peliomphala brandti\*\*](#) W. Kobelt, 1875
- peliomphala kunoensis, [\*\*Euhadra peliomphala kunoensis\*\*](#) J.T. Kuroda
- peliomphala nimbosa, [\*\*Euhadra peliomphala nimbosa\*\*](#) J.C.H. Crosse, 1868
- peliomphala simodae, [\*\*Euhadra peliomphala simodae\*\*](#) J.C. Jay, 1857
- pellucida, [\*\*Bradybaena pellucida\*\*](#) J.T. Kuroda & T. Habe, 1953
- perangulata, [\*\*Aegista friedeliana perangulata\*\*](#) H.A. Pilsby & Y. Hirase, 1909
- peraperata, [\*\*Aegista friedeliana peraperata\*\*](#) H.A. Pilsby & Y. Hirase, 1903
- pergranosa, [\*\*Trishoplita eumenes pergranosa\*\*](#) H.A. Pilsby & Y. Hirase, 1908
- perlucens, [\*\*Fruticicola perlucens\*\*](#) (O.W. Von Rosen, 1901)
- permellita, [\*\*Aegista permellita\*\*](#) P.M. Heude, 1886
- perpallida, [\*\*Calocochlia perpallida\*\*](#) P. Bartsch, 1932
- perplexa, [\*\*Aegista perplexa\*\*](#) H.A. Pilsby & Y. Hirase, 1905
- perpusilla, [\*\*Chrysallis chrysalidiformis perpusilla\*\*](#) P. Bartsch, 1932
- perryi, [\*\*Euhadra quaesita perryi\*\*](#) (G.P. Deshayes, 1851)
- persimilis, [\*\*Calocochlia persimilis\*\*](#) A.E.J. Féussac, 1850
- persimilis boacana, [\*\*Calocochlia persimilis boacana\*\*](#) P. Bartsch, 1930
- persimilis callimorpha, [\*\*Calocochlia persimilis callimorpha\*\*](#) P. Bartsch, 1930
- persimilis callipepla, [\*\*Calocochlia persimilis callipepla\*\*](#) P. Bartsch, 1930
- persimilis podagra, [\*\*Calocochlia persimilis podagra\*\*](#) P. Bartsch, 1930
- pertenuis, [\*\*Aegista kobensis pertenuis\*\*](#) H.A. Pilsby & Y. Hirase, 1904
- perturbator, [\*\*Chrysallis perturbator\*\*](#) P. Bartsch, 1932
- pewzowi, [\*\*Laeocathaica pewzowi\*\*](#) O.F. von Möllendorff, 1889
- pfeifferi, [\*\*Calocochlia cumingii pfeifferi\*\*](#) C.G. Semper, 1877
- pfeifferiana, [\*\*Calocochlia pfeifferiana\*\*](#) (C.G. Semper, 1877)
- phaeogramma, [\*\*Bradybaena phaeogramma\*\*](#) C.M.F. Ancey, 1888
- phaeogramma iheyaensis, [\*\*Bradybaena phaeogramma iheyaensis\*\*](#) H.A. Pilsby & Y. Hirase, 1905
- phaeomphala, [\*\*Laeocathaica phaeomphala\*\*](#) O.F. von Möllendorff, 1899
- phaeostyla, [\*\*Helicostyla phaeostyla\*\*](#) L. Pfeiffer, 1856
- phaeozona, [\*\*Fruticicola phaeozona\*\*](#) (E.C. Von Martens, 1874)
- phaeozona pseudarianta, [\*\*Fruticicola phaeozona pseudarianta\*\*](#) (W.A. Lindholm, 1927)
- phaeozona, Bradybaena phaeozona E.C. Von Martens, 1874 - syn of: [\*\*Fruticicola phaeozona\*\*](#) (E.C. Von Martens, 1874)
- pharangensis, [\*\*Giardia pharangensis\*\*](#) (P. Dautzenberg & H. Fischer, 1905)
- philippinensis, [\*\*Cochlostyla pithogaster philippinensis\*\*](#) (L. Pfeiffer, 1846)
- phloiodes, [\*\*Anixa phloiodes\*\*](#) (L. Pfeiffer, 1842)
- pictor, [\*\*Helicostyla pictor\*\*](#) W.J. Broderip, 1841
- piligerus, [\*\*Pseudobuliminus piligerus\*\*](#) (O.F. von Möllendorff, 1899)
- pithogaster, [\*\*Cochlostyla pithogaster\*\*](#) (A.E.J. Féussac, 1821)
- pithogaster batoana, [\*\*Cochlostyla pithogaster batoana\*\*](#) M. Smith, 1932
- pithogaster philippinensis, [\*\*Cochlostyla pithogaster philippinensis\*\*](#) (L. Pfeiffer, 1846)
- plana, [\*\*Karafthohelix plana\*\*](#)
- platyomphala, [\*\*Aegista platyomphala\*\*](#) O.F. von Möllendorff, 1885

- plectotropis, [\*\*\*Fruticola plectotropis\*\*\*](#) (E.C. Von Martens, 1864)
- plectotropis mesophila, [\*\*\*Fruticola plectotropis mesophila\*\*\*](#) (Y. Tzvetkov, 1941)
- plectotropis saxatilis, [\*\*\*Fruticola plectotropis saxatilis\*\*\*](#) (Y. Tzvetkov, 1941)
- plectotropis scalaris, Fruticola plectotropis scalaris Y. Tzvetkov, 1941 - syn of: [\*\*\*Fruticola scalaris\*\*\*](#) (Y. Tzvetkov, 1941)
- plectotropis scopulosus, [\*\*\*Fruticola plectotropis scopulosus\*\*\*](#) (Y. Tzvetkov, 1941)
- plectotropis stschukini, Fruticola plectotropis stschukini W.A. Lindholm, 1927 - syn of: [\*\*\*Fruticola stschukini\*\*\*](#) (W.A. Lindholm, 1927)
- plectotropis transiliensis, Fruticola plectotropis transiliensis Y. Tzvetkov, 1940 - syn of: [\*\*\*Fruticola transiliensis\*\*\*](#) (Y. Tzvetkov, 1940)
- plectotropis zheceni, Bradybaena plectotropis zheceni T.S. Rymzhanov, 1979 - Syn of: [\*\*\*Fruticola zhecensi\*\*\*](#) (T.S. Rymzhanov, 1979)
- plicosa, [\*\*\*Acusta plicosa\*\*\*](#) E.C. Von Martens, 1894
- podagra, [\*\*\*Calocochlia persimilis podagra\*\*\*](#) P. Bartsch, 1930
- polillensis, [\*\*\*Helicostyla polillensis\*\*\*](#) L. Pfeiffer, 1861
- polillensis hectori, [\*\*\*Helicostyla polillensis hectori\*\*\*](#) L. Pfeiffer, 1861
- polychroa, [\*\*\*Helicostyla viridostriata polychroa\*\*\*](#) G.B. I Sowerby, 1840
- polytyla, [\*\*\*Cathaica polytyla\*\*\*](#) (O.F. von Möllendorff, 1899)
- porracea, [\*\*\*Dolichostyla virgata porracea\*\*\*](#) W.J. Broderip, 1841
- portei, [\*\*\*Helicostyla woodiana portei\*\*\*](#) (L. Pfeiffer, 1861)
- porteri, Cochlostyla porteri L. Pfeiffer, 1861 - syn of: [\*\*\*Helicostyla woodiana portei\*\*\*](#) (L. Pfeiffer, 1861)
- potanini, [\*\*\*Pseudobuliminus potanini\*\*\*](#) (O.F. von Möllendorff, 1899)
- potanini, [\*\*\*Laeocathaica potanini\*\*\*](#) (O.F. von Möllendorff, 1899)
- praetenuis, [\*\*\*Acusta despecta praetenuis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- pressa, [\*\*\*Plectotropis pressa\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- princeps, [\*\*\*Calocochlia coccomelos princeps\*\*\*](#) (G.B. I Sowerby, 1841)
- prionotropis, [\*\*\*Laeocathaica prionotropis\*\*\*](#) O.F. von Möllendorff, 1899
- proba, [\*\*\*Aegista proba\*\*\*](#) A. Adams, 1868
- proba eminens, [\*\*\*Aegista proba eminens\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- proba goniosoma, [\*\*\*Aegista proba goniosoma\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- proba mikuriyensis, [\*\*\*Aegista proba mikuriyensis\*\*\*](#) H.A. Pilsbry, 1902
- proba minula, [\*\*\*Aegista proba minula\*\*\*](#) H.A. Pilsbry, 1901
- proba osumiensis, [\*\*\*Aegista proba osumiensis\*\*\*](#) J.T. Kuroda, 1935
- proba yahikoensis, [\*\*\*Aegista proba yahikoensis\*\*\*](#) J.T. Kuroda, 1953
- problematica, [\*\*\*Bradybaena problematica\*\*\*](#) H.A. Pilsbry, 1926
- propitia, [\*\*\*Calocochlia propitia\*\*\*](#) H.C. Fulton, 1907
- proxima, [\*\*\*Aegista proxima\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1909
- proximata, [\*\*\*Nesiohelix omphalina proximata\*\*\*](#) J.T. Kuroda & S. Emura, 1943
- pseudarianta, [\*\*\*Fruticola phaeozona pseudarianta\*\*\*](#) (W.A. Lindholm, 1927)
- pseudoferghanica, [\*\*\*Ponsadenia pseudoferghanica\*\*\*](#) (A.A. Schileyko, 1978)
- pseudopapuina, [\*\*\*Aegista pseudopapuina\*\*\*](#) (O.F. von Möllendorff, 1901)
- pseudopatula, [\*\*\*Plectotropis pseudopatula\*\*\*](#) O.F. von Möllendorff, 1899
- pseudotrochula, [\*\*\*Plectotropis pseudotrochula\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- psittacina, [\*\*\*Corasia psittacina\*\*\*](#) G.P. Deshayes
- ptychostyla, [\*\*\*Thaitropis ptychostyla\*\*\*](#) (E.C. Von Martens, 1860)
- ptychostyloides, [\*\*\*Thaitropis ptychostyloides\*\*\*](#) A.A. Schileyko, 2004
- pudibunda, [\*\*\*Helicostyla pudibunda\*\*\*](#) C.G. Semper, 1891
- puella, [\*\*\*Chloraea puella\*\*\*](#) W.J. Broderip, 1841
- pulcherrima, [\*\*\*Calocochlia pulcherrima\*\*\*](#) G.B. I Sowerby, 1841
- pulveratrix, [\*\*\*Cathaica pulveratrix\*\*\*](#) E.C. Von Martens, 1882
- pumilio, [\*\*\*Trishoplita pumilio\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1909
- purpurascens, [\*\*\*Euhadra purpurascens\*\*\*](#) L. Pfeiffer, 1853
- pygmea, [\*\*\*Aegista pygmea\*\*\*](#) J.T. Kuroda & T. Kawamoto, 1956
- pyramidata, [\*\*\*Aegista pyramidata\*\*\*](#) H.A. Pilsbry, 1906
- pyramidata hebesoides, [\*\*\*Aegista pyramidata hebesoides\*\*\*](#) J.T. Kuroda, 1953
- pyrostoma, [\*\*\*Pyrochilus pyrostoma\*\*\*](#) A.E.J. Féruccac, 1819
- pyrrhozona, Cathaica pyrrhozona R.A. Philippi, 1845 - syn of: [\*\*\*Cathaica fasciola\*\*\*](#) J.P.R. Draparnaud, 1801
- quadrasi, [\*\*\*Helicostyla simplex quadrasi\*\*\*](#) J.G. Hidalgo, 1886
- quaesita, [\*\*\*Euhadra quaesita\*\*\*](#) G.P. Deshayes, 1847
- quaesita heguraensis, [\*\*\*Euhadra quaesita heguraensis\*\*\*](#) J.T. Kuroda & N. Tan, 1936
- quaesita montium, [\*\*\*Euhadra quaesita montium\*\*\*](#) E.C. Von Martens, 1879
- quaesita perryi, [\*\*\*Euhadra quaesita perryi\*\*\*](#) (G.P. Deshayes, 1851)
- quelpartensis, [\*\*\*Aegista quelpartensis\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- quesita, Euhadra quesita G.P. Deshayes, 1847 - syn of: [\*\*\*Euhadra quaesita\*\*\*](#) G.P. Deshayes, 1847
- radicicola, [\*\*\*Bradybaena radicicola\*\*\*](#) (W.H. Benson, 1848)
- ravidia, [\*\*\*Acusta ravidia\*\*\*](#) W.H. Benson, 1842
- ravidella, [\*\*\*Acusta ravidella\*\*\*](#) (O.F. von Möllendorff, 1899)

- **ravida redfieldi**, [\*\*Acusta ravida redfieldi\*\*](#) (L. Pfeiffer, 1852)
- **ravidella**, [\*\*Acusta ravida ravidella\*\*](#) (O.F. von Möllendorff, 1899)
- **redfieldi**, [\*\*Acusta ravida redfieldi\*\*](#) (L. Pfeiffer, 1852)
- **reevei**, [\*\*Helicostyla woodiana reevei\*\*](#) (W.J. Broderip, 1841)
- **reginae**, [\*\*Chloraea reginae\*\*](#) (W.J. Broderip, 1841)
- **repanda**, *Plectotropis repanda* L. Pfeiffer, 1861 - syn of: [\*\*Plectopylis revoluta\*\*](#) (L. Pfeiffer, 1867)
- **retteri**, [\*\*Bradybaena retteri\*\*](#) O.W. Von Rosen, 1897
- **rhodostoma**, [\*\*Acusta tourannensis rhodostoma\*\*](#) (O.F. von Möllendorff, 1884)
- **rhombostoma**, [\*\*Giardia rhombostoma\*\*](#) (L. Pfeiffer, 1861)
- **robusta**, [\*\*Acusta tourannensis robusta\*\*](#) (O.F. von Möllendorff, 1884)
- **roissyana**, [\*\*Calocochlia roissyana\*\*](#) A.E.J. Féussac, 1821
- **roissyana bartschi**, [\*\*Calocochlia roissyana bartschi\*\*](#) W.J. Clench & S. Archer, 1932
- **roissyana cavitala**, [\*\*Calocochlia roissyana cavitala\*\*](#) P. Bartsch, 1932
- **roissyana laymansa**, [\*\*Calocochlia roissyana laymansa\*\*](#) P. Bartsch
- **roissyana lutea**, [\*\*Calocochlia roissyana lutea\*\*](#) (A.E.J. Féussac, 1821)
- **roissyana manlaysa**, [\*\*Calocochlia roissyana manlaysa\*\*](#) P. Bartsch, 1938
- **roissyana subatra**, [\*\*Calocochlia roissyana subatra\*\*](#) H.A. Pilsbry, 1892
- **rollei**, [\*\*Chrysallis rollei\*\*](#) (O.F. von Möllendorff, 1898)
- **rollei nigra**, [\*\*Chrysallis rollei nigra\*\*](#) (P. Bartsch, 1932)
- **rollei vexator**, [\*\*Chrysallis rollei vexator\*\*](#) (P. Bartsch, 1932)
- **romblonensis**, [\*\*Phengus cincinnus romblonensis\*\*](#) L. Pfeiffer, 1842
- **roseoapicalis**, [\*\*Euhadra brandtii roseoapicalis\*\*](#) J.T. Kuroda, 1969
- **roseolabra**, [\*\*Chrysallis roseolabra\*\*](#) P. Bartsch, 1932
- **rostrella**, [\*\*Bradybaena rostrella\*\*](#) (L. Pfeiffer, 1862)
- **roxane**, *Fruticicola roxane* W.A. Lindholm, 1927 - syn of: [\*\*Fruticicola scythica\*\*](#) (C.A. Westerlund, 1898)
- **rubens**, [\*\*Bradybaena rubens\*\*](#) E.C. Von Martens, 1874
- **rufispira**, *Bradybaena rufispira* E.C. Von Martens, 1874 - syn of: [\*\*Leucozonella rufispira\*\*](#) (E.C. Von Martens, 1874)
- **rufispira hispida**, *Cathaica rufispira hispida* S.G.A. Jaeckel, 1956 - syn of: [\*\*Leucozonella rufispira\*\*](#) (E.C. Von Martens, 1874)
- **rufogaster**, *Cochlostyla rufogaster* R.P. Lesson, 1831 - syn of: [\*\*Cochlostyla rufogastra\*\*](#) R.P. Lesson, 1831
- **rufogastra**, [\*\*Cochlostyla rufogastra\*\*](#) R.P. Lesson, 1831
- **rufogastra banahaoana**, [\*\*Cochlostyla rufogastra banahaoana\*\*](#) (P. Bartsch, 1932)
- **rufogastra manilana**, [\*\*Cochlostyla rufogastra manilana\*\*](#) P. Bartsch, 1932
- **rufogastra pallens**, [\*\*Cochlostyla rufogastra pallens\*\*](#) (R.P. Lesson, 1831)
- **rufogastra toppingi**, [\*\*Cochlostyla rufogastra toppingi\*\*](#) P. Bartsch, 1932
- **rugata**, [\*\*Helicostyla dactylus rugata\*\*](#) (J.G. Hidalgo, 1896)
- **rugata**, [\*\*Cochlostyla carinata rugata\*\*](#) J.G. Hidalgo, 1890
- **rugosa**, [\*\*Cochlostyla carinata rugosa\*\*](#) (L. Pfeiffer, 1890)
- **rugulosa**, [\*\*Cathaica rugulosa\*\*](#) C. Chen & S. Zhang, 2004
- **rustica**, [\*\*Cochlostyla metaformis rustica\*\*](#) A. Mousson, 1849
- **sadoensis**, [\*\*Euhadra sadoensis\*\*](#) (H.A. Pilsbry & Y. Hirase, 1903)
- **samarangue**, [\*\*Nesiohelix samaranque\*\*](#) J.T. Kuroda & M. Miyanaga, 1943
- **samarensis**, [\*\*Calocochlia zonifera samarensis\*\*](#) C.G. Semper
- **samboanga**, [\*\*Chloraea samboanga\*\*](#) (J.B. Hombron & C.H. Jacquinot, 1841)
- **sanboensis**, [\*\*Bradybaena sanboensis\*\*](#) J.T. Kuroda & M. Miyanaga, 1939
- **sanboensis montana**, [\*\*Bradybaena sanboensis montana\*\*](#) J.T. Kuroda & M. Miyanaga, 1943
- **sanbonica**, [\*\*Aegista gottschei sanbonica\*\*](#) J.T. Kuroda, 1958
- **sandai**, [\*\*Euhadra sandai\*\*](#) (W. Kobelt, 1878)
- **sandai communis**, [\*\*Euhadra sandai communis\*\*](#) H.A. Pilsbry, 1928
- **sandai daisenica**, [\*\*Euhadra sandai daisenica\*\*](#) J.T. Kuroda, 1931
- **sandai kuramana**, [\*\*Euhadra sandai kuramana\*\*](#) J.T. Kuroda & A. Teramachi, 1937
- **sandai okanoi**, [\*\*Euhadra sandai okanoi\*\*](#) H.A. Pilsbry & T.D.A. Cockerell, 1927
- **sandai oki**, [\*\*Euhadra sandai oki\*\*](#) H.A. Pilsbry, 1928
- **sandai yahatai**, [\*\*Euhadra sandai yahatai\*\*](#) J.T. Kuroda & M. Azuma, 1982
- **sapolana**, [\*\*Helicostyla fulgens sapolana\*\*](#) P. Bartsch, 1932
- **sapporo**, [\*\*Euhadra brandtii sapporo\*\*](#) I. Ijima, 1891
- **saranganica**, [\*\*Calocochlia saranganica\*\*](#) J.G. Hidalgo, 1887
- **sarasinorum**, [\*\*Guamampa gloria sarasinorum\*\*](#) P.B. Sarasin & K.F. Sarasin, 1899
- **sarcinosa**, [\*\*Helicostyla sarcinosa\*\*](#) A.E.J. Féussac, 1821
- **sarcinosa dictyonina**, [\*\*Helicostyla sarcinosa dictyonina\*\*](#) O.F. von Möllendorff, 1898
- **sarcinosa negrosa**, [\*\*Helicostyla sarcinosa negrosa\*\*](#) P. Bartsch, 1950
- **sarcinosa turgens**, [\*\*Helicostyla sarcinosa turgens\*\*](#) G.P. Deshayes, 1850
- **saturata**, *Fruticicola saturata* W.A. Lindholm, 1926 - syn of: [\*\*Fruticicola bilaticincta\*\*](#) (E.C. Von Martens, 1882)
- **satyrus**, [\*\*Helicostyla satyrus\*\*](#) (W.J. Broderip, 1841)

- satyrus balabacensis, [\*\*\*Helicostyla satyrus balabacensis\*\*\*](#) (P. Bartsch, 1919)
- satyrus cinerosa, [\*\*\*Helicostyla satyrus cinerosa\*\*\*](#) L. Pfeiffer, 1855
- satyrus cynocephala, [\*\*\*Helicostyla satyrus cynocephala\*\*\*](#) (L. Pfeiffer)
- satyrus graellsi, [\*\*\*Helicostyla satyrus graellsi\*\*\*](#) J.G. Hidalgo, 1886
- satyrus higginsi, [\*\*\*Helicostyla satyrus higginsi\*\*\*](#) (P. Bartsch, 1919)
- satyrus librosa, [\*\*\*Helicostyla satyrus librosa\*\*\*](#) (L. Pfeiffer)
- satyrus mantangulensis, [\*\*\*Helicostyla satyrus mantangulensis\*\*\*](#) (P. Bartsch, 1919)
- satyrus palawanensis, [\*\*\*Helicostyla satyrus palawanensis\*\*\*](#) L. Pfeiffer
- satyrus tagbayugana, [\*\*\*Helicostyla satyrus tagbayugana\*\*\*](#) P. Bartsch, 1919
- satyrus tidepolensis, [\*\*\*Helicostyla satyrus tidepolensis\*\*\*](#) (P. Bartsch, 1919)
- satyrus ulugana, [\*\*\*Helicostyla satyrus ulugana\*\*\*](#) (P. Bartsch, 1919)
- saxatilis, [\*\*\*Fruticicola plectotropis saxatilis\*\*\*](#) (Y. Tzvetkov, 1941)
- saxatilis, Fruticicola saxatilis Y. Tzvetkov, 1941 - syn of: [\*\*\*Fruticicola plectotropis saxatilis\*\*\*](#) (Y. Tzvetkov, 1941)
- sayanica, [\*\*\*Fruticicola transbaicalia sayanica\*\*\*](#) (A.G. Kuznetsov, 1997)
- scabricula, [\*\*\*Aegista scabricula\*\*\*](#) A. Adams, 1868
- scaebola, Euhadra scaebola E.C. Von Martens, 1877 - syn of: [\*\*\*Euhadra scaevola\*\*\*](#) E.C. Von Martens, 1877
- scaevola, [\*\*\*Euhadra scaevola\*\*\*](#) E.C. Von Martens, 1877
- scaevola interioris, [\*\*\*Euhadra scaevola interioris\*\*\*](#) H.A. Pilsby, 1928
- scaevola mikawa, [\*\*\*Euhadra scaevola mikawa\*\*\*](#) K. Amano, 1939
- scalaris, [\*\*\*Fruticicola scalaris\*\*\*](#) (Y. Tzvetkov, 1941)
- scalaris alticola, [\*\*\*Fruticicola scalaris alticola\*\*\*](#) (Y. Tzvetkov, 1941)
- sculpturita, [\*\*\*Bradybaena sculpturita\*\*\*](#) (W.H. Benson, 1859)
- scassianus, [\*\*\*Stilpnodiscus scassianus\*\*\*](#) O.F. von Möllendorff, 1899
- scepasma, [\*\*\*Aegista scepasma\*\*\*](#) L.A. Reeve, 1854
- schadenbergi, [\*\*\*Calocochlia schadenbergi\*\*\*](#) O.F. von Möllendorff, 1890
- schmackeri, [\*\*\*Euhadra schmackeri\*\*\*](#) O.F. von Möllendorff, 1888
- schrencki, [\*\*\*Fruticicola schrencki\*\*\*](#) (A.T. von Middendorff, 1851)
- schrenkii, [\*\*\*Bradybaena schrenkii\*\*\*](#) (A.T. von Middendorff, 1851)
- scitula, [\*\*\*Aegista scitula\*\*\*](#) H.A. Pilsby & Y. Hirase, 1909
- scopulosus, [\*\*\*Fruticicola plectotropis scopulosus\*\*\*](#) (Y. Tzvetkov, 1941)
- scutifera, [\*\*\*Aegista lepidophora scutifera\*\*\*](#) H.A. Pilsby & Y. Hirase, 1908
- scythica, [\*\*\*Fruticicola scythica\*\*\*](#) (C.A. Westerlund, 1898)
- selskii, [\*\*\*Bradybaena selskii\*\*\*](#) G. Gerstfeldt, 1859
- semenovi, [\*\*\*Ponsadenia semenovi\*\*\*](#) E.C. Von Martens, 1864
- semistrigata, [\*\*\*Phengus fischeri semistrigata\*\*\*](#) (W. Kobelt, 1916)
- semperi, [\*\*\*Calocochlia semperi\*\*\*](#) O.F. von Möllendorff, 1893
- semperi dautzenbergi, [\*\*\*Calocochlia semperi dautzenbergi\*\*\*](#) J.G. Hidalgo, 1901
- senchenbergiana, Euhadra senchenbergiana W. Kobelt, 1875 - syn of: [\*\*\*Euhadra senckenbergiana\*\*\*](#) (W. Kobelt, 1875)
- senckenbergiana, [\*\*\*Euhadra senckenbergiana\*\*\*](#) (W. Kobelt, 1875)
- senckenbergiana aomoriensis, [\*\*\*Euhadra senckenbergiana aomoriensis\*\*\*](#) J.T. Gulick & H.A. Pilsby, 1900
- senckenbergiana ibukicola, [\*\*\*Euhadra senckenbergiana ibukicola\*\*\*](#) H.A. Pilsby, 1928
- senckenbergiana minoensis, [\*\*\*Euhadra senckenbergiana minoensis\*\*\*](#) H.A. Pilsby, 1928
- senckenbergiana minoensisformis, [\*\*\*Euhadra senckenbergiana minoensisformis\*\*\*](#) T. Kanamaru, 1940
- senckenbergiana notoensis, [\*\*\*Euhadra senckenbergiana notoensis\*\*\*](#) J.T. Kuroda & A. Teramachi, 1937
- senckenbergiana occidentalis, [\*\*\*Euhadra senckenbergiana occidentalis\*\*\*](#) M. Azuma, M. Tatewaki & S. Okamura, 1987
- sequiniana, [\*\*\*Bradybaena sequiniana\*\*\*](#) (P.M. Heude, 1885)
- serpestes, [\*\*\*Aegista serpestes\*\*\*](#) (P.M. Heude, 1890)
- setocinta, [\*\*\*Aegista setocinta\*\*\*](#) A. Adams, 1868
- shadini, Tricheulota shadini I.M. Likharev, 1949 - syn of: [\*\*\*Perforatella rubiginosa\*\*\*](#) (A. Schmidt, 1853)
- shermani, [\*\*\*Aegista shermani\*\*\*](#) L. Pfeiffer, 1865
- shikokuensis, [\*\*\*Trishoplita shikokuensis\*\*\*](#) H.A. Pilsby & Y. Hirase, 1903
- shikokuensis, [\*\*\*Aegista aemula shikokuensis\*\*\*](#) H.A. Pilsby, 1902
- siamensis, [\*\*\*Pseudobuliminus siamensis\*\*\*](#) (J.H. Redfield, 1853)
- sibolonensis, [\*\*\*Helicostyla mateoi siblonensis\*\*\*](#) P. Bartsch, 1932
- sibuyanica, [\*\*\*Chrysallis calobapta sibuyanica\*\*\*](#) O.F. von Möllendorff, 1898
- sibuyanica, [\*\*\*Chloraea dryope sibuyanica\*\*\*](#) W.J. Broderip
- sieboldiana, [\*\*\*Acusta despecta sieboldiana\*\*\*](#) L. Pfeiffer, 1850
- sigeonis, [\*\*\*Euhadra sigeonis\*\*\*](#) J.T. Kuroda, 1944
- signa, [\*\*\*Helicostyla florida signa\*\*\*](#) P. Bartsch, 1932
- similaris, [\*\*\*Bradybaena similaris\*\*\*](#) A.E.J. Féussac, 1821
- similaris arundinetorum, [\*\*\*Bradybaena similaris arundinetorum\*\*\*](#) (P.M. Heude, 1890)
- similaris assimilaris, [\*\*\*Bradybaena similaris assimilaris\*\*\*](#) (P.V. Gredler, 1878)
- similaris gramineum, [\*\*\*Bradybaena similaris gramineum\*\*\*](#) (P.M. Heude, 1890)

- *similaris hongkongensis*, [\*\*\*Bradybaena similaris hongkongensis\*\*\*](#) G.P. Deshayes, 1873
- *similaris stimpsoni*, [\*\*\*Bradybaena similaris stimpsoni\*\*\*](#) L. Pfeiffer, 1854
- *simodae*, [\*\*\*Euhadra peliomphala simodae\*\*\*](#) J.C. Jay, 1857
- *simoni*, [\*\*\*Phengus simoni\*\*\*](#) F.P. Jousseaume, 1894
- *simplex*, [\*\*\*Helicostyla simplex\*\*\*](#) I.H. Jonas, 1843
- *simplex quadrasi*, [\*\*\*Helicostyla simplex quadrasi\*\*\*](#) J.G. Hidalgo, 1886
- *siquijorensis*, [\*\*\*Chloraea siquijorensis\*\*\*](#) W.J. Broderip, 1841
- *sirena*, [\*\*\*Chloraea sirena\*\*\*](#) (L. Pfeiffer, 1842)
- *skwartzovi*, [\*\*\*Fruticicola skwartzovi\*\*\*](#) Y. Tzvetkov, 1940
- *skwartzowi*, [\*\*\*Bradybaena skwartzowi\*\*\*](#) Y. Tzvetkov, 1940
- *smaragdina*, [\*\*\*Chloraea smaragdina\*\*\*](#) J.P.S. Gratebup, 1840
- *smaragdina*, [\*\*\*Helicostyla smaragdina\*\*\*](#) L.A. Reeve, 1842
- *smaragdina lutea*, [\*\*\*Helicostyla smaragdina lutea\*\*\*](#) C.G. Semper, 1877
- *smaragdina nigrescens*, [\*\*\*Helicostyla smaragdina nigrescens\*\*\*](#) (C.G. Semper, 1877)
- *smaragdina zonifera*, [\*\*\*Helicostyla smaragdina zonifera\*\*\*](#) L.A. Reeve, 1842
- *smithiana*, [\*\*\*Trishoplita smithiana\*\*\*](#) H.A. Pilsbry, 1901
- *solida*, [\*\*\*Nesiohelix solida\*\*\*](#) J.T. Kuroda & S. Emura, 1943
- *solida*, [\*\*\*Helicostyla solida\*\*\*](#) L. Pfeiffer, 1842
- *solivaga*, [\*\*\*Helicostyla solivaga\*\*\*](#) L.A. Reeve, 1849
- *spadix*, [\*\*\*Chalepotaxis spadix\*\*\*](#) P.B. Schmacker & O. Böttger, 1891
- *spadix cincta*, [\*\*\*Chalepotaxis spadix cincta\*\*\*](#) H.A. Pilsbry, 1901
- *speciosa*, [\*\*\*Helicostyla speciosa\*\*\*](#) J.C. Jay
- *sphaerica*, *Calocochlia sphaerica* G.B. I Sowerby, 1841 - syn of: [\*\*\*Calocochlia sphaerion\*\*\*](#) G.B. I Sowerby, 1841
- *sphaerion*, [\*\*\*Calocochlia sphaerion\*\*\*](#) G.B. I Sowerby, 1841
- *squamosellus*, [\*\*\*Pseudobuliminus squamosellus\*\*\*](#) P.M. Heude, 1882
- *squamulosa*, [\*\*\*Fruticicola squamulosa\*\*\*](#) Z.I. Izzatullaev & A.A. Schileyko, 1980
- *squarrosa*, [\*\*\*Aegista squarrosa\*\*\*](#) A.A. Gould, 1859
- *squarrosa tokunoshimana*, [\*\*\*Aegista squarrosa tokunoshimana\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *stabilis*, [\*\*\*Canistrum stabilis\*\*\*](#) G.B. I Sowerby, 1840
- *stchukini*, [\*\*\*Cathaica stchukini\*\*\*](#) W.A. Lindholm, 1927
- *stenochone*, [\*\*\*Laeocathaica stenochone\*\*\*](#) O.F. von Möllendorff, 1899
- *stenomphala*, [\*\*\*Aegista stenomphala\*\*\*](#) J.T. Kuroda & T. Habe
- *stenopsis*, [\*\*\*Chloraea stenopsis\*\*\*](#) A. Moquin-Tandon, 1856
- *stimpsoni*, [\*\*\*Bradybaena similaris stimpsoni\*\*\*](#) L. Pfeiffer, 1854
- *stoliczkana*, [\*\*\*Fruticicola stoliczkana\*\*\*](#) (G. Nevill, 1878)
- *stoliczkana chuika*, [\*\*\*Fruticicola stoliczkana chuika\*\*\*](#) (R.V. Egorov, 1997)
- *stoliczkana pavlovskii*, [\*\*\*Fruticicola stoliczkana pavlovskii\*\*\*](#) (I.M. Likharev, 1955)
- *stotzneri*, [\*\*\*Stilpnodiscus stotzneri\*\*\*](#) W. Blume, 1925
- *strauchiana*, [\*\*\*Bradybaena strauchiana\*\*\*](#) O.F. von Möllendorff, 1899
- *strelkovi*, [\*\*\*Karaftohelix strelkovi\*\*\*](#) (I.M. Likharev & E.S. Rammelmeyer, 1952)
- *striatissima*, [\*\*\*Calocochlia zebuensis striatissima\*\*\*](#) H.A. Pilsbry, 1892
- *strictotaenia*, [\*\*\*Euhadra strictotaenia\*\*\*](#) (O.F. von Möllendorff, 1899)
- *strigata*, [\*\*\*Trishoplita dacostae strigata\*\*\*](#) H.A. Pilsbry, 1901
- *strigata*, [\*\*\*Pseudobuliminus buliminus strigata\*\*\*](#) O.F. von Möllendorff, 1899
- *stschukini*, [\*\*\*Fruticicola stschukini\*\*\*](#) (W.A. Lindholm, 1927)
- *subatra*, [\*\*\*Calocochlia roissyana subatra\*\*\*](#) H.A. Pilsbry, 1892
- *subcarinata*, [\*\*\*Helicostyla subcarinata\*\*\*](#) L. Pfeiffer, 1890
- *subcarinata moellendorffi*, [\*\*\*Helicostyla subcarinata moellendorffi\*\*\*](#) J.G. Hidalgo, 1890
- *subcarinatus*, [\*\*\*Phengus subcarinatus\*\*\*](#) L. Pfeiffer, 1842
- *subchinensis*, [\*\*\*Aegista subchinensis\*\*\*](#) O.F. von Möllendorff, 1884
- *subconella*, [\*\*\*Plectotropis subconella\*\*\*](#) O.F. von Möllendorff, 1888
- *subcylindricus*, [\*\*\*Pseudobuliminus subcylindricus\*\*\*](#) O.F. von Möllendorff, 1899
- *subdivesta*, [\*\*\*Aegista aemula subdivesta\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- *subfenestrata*, [\*\*\*Helicostyla leucophaea subfenestrata\*\*\*](#) O.F. von Möllendorff, 1898
- *subflammulata*, [\*\*\*Cochlostyla bicolorata subflammulata\*\*\*](#) (O.F. von Möllendorff, 1897)
- *subinflexa*, [\*\*\*Plectotropis subinflexa\*\*\*](#) (J.F. Mabille, 1889)
- *submandarina*, [\*\*\*Bradybaena submandarina\*\*\*](#) (H.A. Pilsbry, 1890)
- *submandarina compacta*, [\*\*\*Bradybaena submandarina compacta\*\*\*](#) H.A. Pilsbry, 1902
- *submirabilis*, [\*\*\*Calocochlia submirabilis\*\*\*](#) O.F. von Möllendorff, 1897
- *submirabilis antimonana*, [\*\*\*Calocochlia submirabilis antimonana\*\*\*](#) P. Bartsch, 1930
- *submirabilis banosana*, [\*\*\*Calocochlia submirabilis banosana\*\*\*](#) P. Bartsch, 1930
- *submirabilis daranga*, [\*\*\*Calocochlia submirabilis daranga\*\*\*](#) P. Bartsch, 1930
- *submirabilis majayjay*, [\*\*\*Calocochlia submirabilis majayjay\*\*\*](#) P. Bartsch, 1930

- subnimbosa, [Euhadra subnimbosa](#) (W. Kobelt, 1894)
- subnimbosa maritima, [Euhadra subnimbosa maritima](#) (J.T. Gulick & H.A. Pilsbry, 1900)
- subnimbosa murotonis, [Euhadra subnimbosa murotonis](#) J.T. Kuroda & T. Habe, 1949
- subpallida, [Cochlostyla cuyoensis subpallida](#) P. Bartsch, 1932
- subpuella, Chloraea subpuella H.A. Pilsbry - Syn of: [Chloraea puella](#) W.J. Broderip, 1841
- subrugosa, [Cathaica subrugosa](#) G.P. Deshayes, 1874
- subsimilis, [Laeocathaica subsimilis](#) G.P. Deshayes, 1873
- subsimilis filippina, [Laeocathaica subsimilis filippina](#) P.M. Heude, 1882
- substramineus, [Pseudobuliminus substramineus](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
- suegoschuriana, Cathaica suegoschuriana E. Weber, 1913 - syn of: [Fruticola plectotropis](#) (E.C. Von Martens, 1864)
- sugoschuriana, Cathaica sugoschuriana E. Weber, 1913 - syn of: [Fruticola plectotropis](#) (E.C. Von Martens, 1864)
- sulana, [Helicostyla turbinoides sulana](#) M. Smith, 1932
- superba, [Cochlostyla camelopardalis superba](#) W. Kobelt, 1910
- swinhoei, [Dolicheulota swinhoei](#) L. Pfeiffer, 1865
- swinhoei, [Nesiohelix swinhoei](#) L. Pfeiffer, 1865
- sylvanus, [Dolichostyla virgata sylvanus](#) (W.J. Broderip, 1841)
- tablasensis, [Chrysallis calobapta tablasensis](#) (W. Kobelt, 1916)
- tadai, [Aegista tadai](#) H. Minato, 1983
- tagbayugana, [Helicostyla satyrus tagbayugana](#) P. Bartsch, 1919
- tagolandensis, [Chloraea tagolandensis](#) (H. Rolle, 1910)
- taiwanica, [Aegista taiwanica](#) Y. Hirase, 1941
- takahidei, [Paraegista takahidei](#) J.T. Kuroda & M. Azuma, 1951
- takarai, [Pseudobuliminus takarai](#) J.T. Kuroda, 1960
- takarajimana, [Euhadra takarajimana](#) M. Azuma, 1985
- tarbagataica, [Fruticola cavimargo tarbagataica](#) P.V. Matiokin, 1966
- tayasana, [Cochlostyla fulgetrum tayasana](#) (P. Bartsch, 1919)
- tenera, [Helicostyla tenera](#) (G.B. I Sowerby, 1841)
- tenerrima, [Aegista tenerrima](#) O.F. von Möllendorff, 1899
- tennissima, [Aegista tennissima](#) H.A. Pilsbry & Y. Hirase, 1908
- tennissima omorii, [Aegista tennissima omorii](#) J.T. Kuroda, 1936
- tenuis, [Trishoplita hilgendorfi tenuis](#) H.A. Pilsbry, 1902
- tenuitestata, [Bradybaena tenuitestata](#) (O.F. von Möllendorff, 1899)
- thersites, [Chloraea thersites](#) W.J. Broderip, 1841
- tianschanica, Cathaica tianschanica W.A. Lindholm, 1927 - syn of: [Archaica heptapotamica](#) W.A. Lindholm, 1927
- ticaonica, [Helicostyla ticaonica](#) W.J. Broderip, 1841
- ticaonica iloilona, [Helicostyla ticaonica iloilona](#) M. Smith, 1932
- ticaonica modesta, [Helicostyla ticaonica modesta](#) O.F. von Möllendorff, 1898
- tidepolensis, [Helicostyla satyrus tidepolensis](#) (P. Bartsch, 1919)
- tobai, [Euhadra decorata tobai](#) Y. Hirase
- tobisimae, [Euhadra grata tobisimae](#) J.T. Kuroda, 1931
- tokaraensis, Euhadra tokaraensis H. Minato & T. Habe, 1982 - syn of: [Euhadra tokarainsula](#) H. Minato & T. Habe, 1982
- tokarainsula, [Euhadra tokarainsula](#) H. Minato & T. Habe, 1982
- tokarainsula ujiensis, [Euhadra tokarainsula ujiensis](#) K. Tomiyama, 1984
- tokarana, [Euhadra herklotsi tokarana](#) T. Habe & M. Azuma, 1959
- tokunoshimana, [Aegista squarrosa tokunoshimana](#) H.A. Pilsbry & Y. Hirase, 1904
- tokunovaga, [Aegista kiusiuensis tokunovaga](#) H.A. Pilsbry & Y. Hirase, 1905
- tokyoensis, [Aegista tokyoensis](#) E. Sorita, 1980
- tokyoensis choshiensis, [Aegista tokyoensis choshiensis](#) K. Sakurai & E. Sorita, 1982
- tomyris, [Fruticola tomyris](#) W.A. Lindholm, 1927
- toppingi, [Cochlostyla rufogastra toppingi](#) P. Bartsch, 1932
- tosana, [Trishoplita dacostae tosana](#) G.P.L.K. Gude, 1900
- tourannensis, [Acusta tourannensis](#) (L.F.A. Souleyet, 1842)
- tourannensis rhodostoma, [Acusta tourannensis rhodostoma](#) (O.F. von Möllendorff, 1884)
- tourannensis robusta, [Acusta tourannensis robusta](#) (O.F. von Möllendorff, 1884)
- toyenmongaiensis, [Bradybaena toyenmongaiensis](#) H. Rolle, 1908
- trailii, [Helicostyla trailii](#) (L. Pfeiffer, 1855)
- trailli, [Mesanella monochroa trailli](#) (L. Pfeiffer, 1855)
- transbaicalia, [Fruticola transbaicalia](#) A.A. Schileyko, 1978
- transbaicalia sayanica, [Fruticola transbaicalia sayanica](#) (A.G. Kuznetsov, 1997)
- transilensis, [Cathaica transilensis](#) Y. Tzvetkov, 1940
- transiliensis, [Fruticola transiliensis](#) (Y. Tzvetkov, 1940)
- trichotropis, [Plectotropis trichotropis](#) (L. Pfeiffer, 1850)
- trichotropis laciniata, [Plectotropis trichotropis laciniata](#) (P.M. Heude)

- trichroa, [\*\*\*Helicostyla mirabilis trichroa\*\*\*](#) H.A. Pilsbry, 1892
- trochula, [\*\*\*Aegista trochula\*\*\*](#) (C.B. Adams, 1868)
- tropidoraphe, [\*\*\*Laeocathaica tropidoraphe\*\*\*](#) (O.F. von Möllendorff, 1899)
- tsumiyamai, [\*\*\*Aegista kobensis tsumiyamai\*\*\*](#) J.T. Kuroda & T. Habe, 1951
- tsurugensis, [\*\*\*Euhadra latispira tsurugensis\*\*\*](#) T.D.A. Cockerell, 1924
- tsushima, [\*\*\*Euhadra herklotsi tsushima\*\*\*](#) O.F. von Möllendorff, 1900
- tuba, [\*\*\*Tricheulota zodiacus tuba\*\*\*](#) J.A. Albers, 1854
- tukanensis, [\*\*\*Calocochlia tukanensis\*\*\*](#) L. Pfeiffer, 1871
- tumida, [\*\*\*Aegista tumida\*\*\*](#) G.P.L.K. Gude, 1901
- tumida cavata, [\*\*\*Aegista tumida cavata\*\*\*](#) H.A. Pilsbry, 1902
- turbinella, [\*\*\*Aegista turbinella\*\*\*](#) P.M. Heude, 1890
- turbinoides, [\*\*\*Helicostyla turbinoides\*\*\*](#) (W.J. Broderip, 1841)
- turbinoides hypselostyla, [\*\*\*Helicostyla turbinoides hypselostyla\*\*\*](#) W. Kobelt, 1913
- turbinoides sulana, [\*\*\*Helicostyla turbinoides sulana\*\*\*](#) M. Smith, 1932
- turbo, [\*\*\*Helicostyla turbo\*\*\*](#) L. Pfeiffer, 1845
- turgens, [\*\*\*Helicostyla sarcinosa turgens\*\*\*](#) G.P. Deshayes, 1850
- turrita, [\*\*\*Pseudobuliminus turrita\*\*\*](#) G.P.L.K. Gude, 1900
- twenhoensis, [\*\*\*Bradybaena twenhoensis\*\*\*](#) W.X. Ping & T.C. Yen, 1932
- typinsana, Aegista typinsana A. Adams & L.A. Reeve, 1850 - syn of: [\*\*\*Aegista oculus\*\*\*](#) (L. Pfeiffer, 1850)
- tzvetkovi, [\*\*\*Fruticicola tzvetkovi\*\*\*](#) K.K. Uvalieva & E.S. Sobolev, 1973
- ujiensis, [\*\*\*Euhadra tokarainsula ujiensis\*\*\*](#) K. Tomiyama, 1984
- ultima, [\*\*\*Helicostyla cincinniformis ultima\*\*\*](#) W.J. Clench & S. Archer, 1931
- ulugana, [\*\*\*Helicostyla satyrus ulugana\*\*\*](#) (P. Bartsch, 1919)
- uncophila, [\*\*\*Bradybaena uncophila\*\*\*](#) (P.M. Heude, 1882)
- urupensis, [\*\*\*Karaftohelix bocageana urupensis\*\*\*](#) (H.A. Pilsbry, 1927)
- ussuriensis, [\*\*\*Karaftohelix ussuriensis\*\*\*](#) C.A. Westerlund, 1897
- valenciennesii, [\*\*\*Calocochlia valenciennesii\*\*\*](#) J.F.T. Eydoux, 1838
- varians, Buliminopsis varians A.R.J.B. Bavay & P. Dautzenberg, 1912 - syn of: [\*\*\*Coccoderma varians\*\*\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1912)
- vatheleti, Aegista vatheleti J.F. Mabille, 1888 - syn of: [\*\*\*Aegista kiusiuensis tokunovaga\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1905
- velata, [\*\*\*Hypselostyla velata\*\*\*](#) W.J. Broderip, 1841
- velata worcesteri, [\*\*\*Hypselostyla velata worcesteri\*\*\*](#) P. Bartsch, 1909
- ventricosa, [\*\*\*Cochlostyla ventricosa\*\*\*](#) (J.G. Bruguère, 1792)
- ventricosa, [\*\*\*Cochlostyla carinata ventricosa\*\*\*](#) W. Kobelt, 1915
- ventricosa decorata, [\*\*\*Cochlostyla ventricosa decorata\*\*\*](#) A.E.J. Féruccac, 1848
- ventricosa guimarasensis, [\*\*\*Cochlostyla ventricosa quimarasensis\*\*\*](#) (W.J. Broderip, 1841)
- ventricosa nobilis, [\*\*\*Cochlostyla ventricosa nobilis\*\*\*](#) L.A. Reeve, 1848
- ventricosula, [\*\*\*Cochlostyla carinata ventricosula\*\*\*](#) W. Kobelt, 1915
- vermis, [\*\*\*Aegista vermis\*\*\*](#) (L.A. Reeve, 1852)
- vernicinus, [\*\*\*Stilpnodiscus vernicinus\*\*\*](#) O.F. von Möllendorff, 1899
- veroderoana, [\*\*\*Helicostyla hydrophana veroderoana\*\*\*](#) P. Bartsch, 1932
- verrucosum, [\*\*\*Aegista verrucosum\*\*\*](#) O.W.H. Reinhardt, 1877
- versicolor, [\*\*\*Helicostyla versicolor\*\*\*](#) (P. Bartsch, 1919)
- vestita, [\*\*\*Aegista friedeliana vestita\*\*\*](#) H.A. Pilsbry & Y. Hirase, 1904
- vexator, [\*\*\*Chrysallis rollei vexator\*\*\*](#) (P. Bartsch, 1932)
- vidali, [\*\*\*Helicostyla vidali\*\*\*](#) J.G. Hidalgo, 1887
- vignali, Eulota vignali H. Fischer & P. Dautzenberg, 1904 - syn of: [\*\*\*Plectotropis bonnieri\*\*\*](#) (H. Fischer, 1898)
- vignei, [\*\*\*Giardia vignei\*\*\*](#) (A. de Rochebrune, 1881)
- vineomarginata, [\*\*\*Nesiohelix vineomarginata\*\*\*](#) J.T. Kuroda & T. Kano, 1941
- virens, [\*\*\*Helicostyla concinna virens\*\*\*](#) L. Pfeiffer, 1842
- virgata, [\*\*\*Dolichostyla virgata\*\*\*](#) J.C. Jay, 1839
- virgata cerina, [\*\*\*Dolichostyla virgata cerina\*\*\*](#) P. Bartsch, 1932
- virgata dryas, [\*\*\*Dolichostyla virgata dryas\*\*\*](#) W.J. Broderip, 1841
- virgata maxwellsmithi, [\*\*\*Dolichostyla virgata maxwellsmithi\*\*\*](#) J.T.L. McGinty, 1932
- virgata partuloides, [\*\*\*Dolichostyla virgata partuloides\*\*\*](#) (W.J. Broderip, 1841)
- virgata porracea, [\*\*\*Dolichostyla virgata porracea\*\*\*](#) W.J. Broderip, 1841
- virgata sylvanus, [\*\*\*Dolichostyla virgata sylvanus\*\*\*](#) (W.J. Broderip, 1841)
- virgo, [\*\*\*Bradybaena virgo\*\*\*](#) H.A. Pilsbry, 1927
- virgo, Fruticicola virgo J.T. Kuroda, 1941 - syn of: [\*\*\*Bradybaena virgo\*\*\*](#) H.A. Pilsbry, 1927
- virgo, [\*\*\*Chloraea virgo\*\*\*](#) W.J. Broderip, 1841
- virgo mongolia, [\*\*\*Bradybaena virgo mongolia\*\*\*](#) P. Wang & W.C. Zhou, 2014
- viridis, [\*\*\*Helicostyla viridis\*\*\*](#) (G.P. Deshayes, 1832)
- viridostriata, [\*\*\*Helicostyla viridostriata\*\*\*](#) H.C. Lea, 1840
- viridostriata polychroa, [\*\*\*Helicostyla viridostriata polychroa\*\*\*](#) G.B. I Sowerby, 1840

- **vittata**, [\*Chrysallis vittata\*](#) (T. Say, 1822)
  - **vizcayana**, [\*Helicostyla macrostoma vizcayana\*](#) P. Bartsch, 1919
  - **vortex**, [\*Euhadra vortex\*](#) H.A. Pilsbry, 1928
  - **vorvonga**, [\*Nesiohelix vorvonga\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1900)
  - **vulcanica**, [\*Karafthohelix vulcanica\*](#) A.A. Schileyko, 1978
  - **vulgivaga**, [\*Aegista vulgivaga\*](#) (P.B. Schmacker & O. Böttger, 1890)
  - **vulgivaga kiiensis**, [\*Aegista vulgivaga kiiensis\*](#) J.T. Kuroda, 1958
  - **vulgivaga lanx**, [\*Aegista vulgivaga lanx\*](#) H.A. Pilsbry, 1902
  - **wangguanensis**, [\*Cathaica wangguanensis\*](#) C. Chen & S. Zhang, 2004
  - **weberi**, [\*Calocochlia weberi\*](#) P. Bartsch, 1919
  - **wenxianensis**, [\*Metodontia wenxianensis\*](#) C. Chen & S. Zhang, 2004
  - **weyrichii**, [\*Bradybaena weyrichii\*](#) L. von Schrenck, 1867
  - **woodiana**, [\*Helicostyla woodiana\*](#) H.C. Lea, 1840
  - **woodiana ingens**, [\*Helicostyla woodiana ingens\*](#) O.F. von Möllendorff, 1898
  - **woodiana paracaleana**, [\*Helicostyla woodiana paracaleana\*](#) P. Bartsch, 1918
  - **woodiana portei**, [\*Helicostyla woodiana portei\*](#) (L. Pfeiffer, 1861)
  - **woodiana reevei**, [\*Helicostyla woodiana reevei\*](#) (W.J. Broderip, 1841)
  - **worcesteri**, [\*Hypselostyla velata worcesteri\*](#) P. Bartsch, 1909
  - **worcesteri**, *Cochlostyla worcesteri* P. Bartsch, 1910 - syn of: [\*Hypselostyla velata worcesteri\*](#) P. Bartsch, 1909
  - **xanthobasis**, [\*Calocochlia xanthobasis\*](#) (H.A. Pilsbry, 1892)
  - **xydaea**, [\*Plectotropis xydaea\*](#) (A.R.J.B. Bavay & P. Dautzenberg, 1908)
  - **yagurai**, [\*Euhadra latispira yagurai\*](#) J.T. Kuroda & T. Habe, 1949
  - **yahatai**, [\*Euhadra sandai yahatai\*](#) J.T. Kuroda & M. Azuma, 1982
  - **yahikoensis**, [\*Aegista proba yahikoensis\*](#) J.T. Kuroda, 1953
  - **yakushimana**, [\*Euhadra herklotsi yakushimana\*](#) H.A. Pilsbry & Y. Hirase, 1903
  - **yani**, [\*Stilpnodiscus yani\*](#) W.L. Wu, 2001
  - **yantaiensis**, [\*Metodontia yantaiensis\*](#) (J.C.H. Crosse & E.O. Debeaux, 1863)
  - **yeni**, *Stilpnodiscus yeni* W.L. Wu, 2001 - syn of: [\*Stilpnodiscus yani\*](#) W.L. Wu, 2001
  - **yonganensis**, [\*Plectotropis yonganensis\*](#)
  - **yorojimaensis**, [\*Nesiohelix irrediviva yorojimaensis\*](#) M. Azuma, 1990
  - **zebuensis**, [\*Calocochlia zebuensis\*](#) W.J. Broderip, 1841
  - **zebuensis striatissima**, [\*Calocochlia zebuensis striatissima\*](#) H.A. Pilsbry, 1892
  - **zenonis**, [\*Pseudiberus zenonis\*](#) (P.V. Gredler, 1882)
  - **zhecseni**, [\*Fruticicola zhecseni\*](#) (T.S. Rymzhanov, 1979)
  - **zheczeni**, [\*Fruticicola zheczeni\*](#) T.S. Rymzhanov, 1979
  - **zodiacus**, [\*Tricheulota zodiacus\*](#) A.E.J. Féussac, 1821
  - **zodiacus tuba**, [\*Tricheulota zodiacus tuba\*](#) J.A. Albers, 1854
  - **zonifera**, [\*Calocochlia zonifera\*](#) L. Pfeiffer, 1842
  - **zonifera**, [\*Helicostyla smaragdina zonifera\*](#) L.A. Reeve, 1842
  - **zonifera circe**, [\*Calocochlia zonifera circe\*](#) L. Pfeiffer, 1853
  - **zonifera globosa**, [\*Calocochlia zonifera globosa\*](#) (W. Kobelt, 1910)
  - **zonifera paraleuca**, [\*Calocochlia zonifera paraleuca\*](#) (H.A. Pilsbry, 1892)
  - **zonifera samarensis**, [\*Calocochlia zonifera samarensis\*](#) C.G. Semper
-

Class: GASTROPODA

--- Clade: HETEROBRANCHIA-PULMONATA-EUPULMONATA-STYLOMMAТОPHORA-SIGMURETHRA-HELICOIDEA

----- Family: BRADYBAENIDAE Pilsbry, 1934

Habitat= Land, Taxonomic order

Taxa=1148, Genus=38, Subgenus=36, Species=617, Subspecies=320, Synonyms=136, Images=596

Genus: **Guamampa** A.A. Schileyko, 1996 (2 SP, 3 IMG)




4553350000

**Guamampa  
bulbulus**

L. Pfeiffer, 1853

Indonesia, Sulawesi  
41 mm





4553350005

**Guamampa  
gloriae**

P.B. Sarasin & K.F. Sarasin, 1899

Central Sulawesi  
43 mm





5794000143

**Guamampa  
gloriae  
sarsarinorum**

P.B. Sarasin & K.F. Sarasin, 1899

Indonesia, Sulawesi  
50 mm



Genus: **Paraegista** J.T. Kuroda & M. Azuma, 1951 (2 SP, 0 IMG)




4553350039

**Paraegista  
apoensis**

T. Habe, 1970

Japan




4553350463

**Paraegista  
takahidei**

J.T. Kuroda & M. Azuma, 1951

Japan



Genus: **Thaitropis** A.A. Schileyko, 2004 (2 SP, 0 IMG)





5822000462

**Thaitropis  
ptychostyla**

(E.C. Von Martens, 1860)

Cambodia



**synonyms:**

- *Helix ptychostyla* E.C. Von Martens, 1860





5822000463

**Thaitropis  
ptychostyloides**

A.A. Schileyko, 2004

Cambodia



**Genus: Tiangangina** S. Zhang (1 SP, 0 IMG)





5822000478  
**Tiangangina**  
*laoyelingensis*  
S. Zhang  
China, Jilin Province




SubFamily: BRADYBAENINAE - **Genus: Aegista** J.A. Albers, 1850 (syn: Lepidopisum, Neoaegista - 95 SP, 53 IMG)





5794000029  
**Aegista**  
*accrescens*  
P.M. Heude, 1882  
Yongshun, Hunan Province, China  
7,9 mm




4553350551  
**Aegista**  
*aemula*  
G.P.L.K. Gude, 1900  
Japan, Ehime  
18 mm




4553350527  
**Aegista**  
*aemula*  
*hadaka*  
H.A. Pilsbry & Y. Hirase, 1904  
Japan



4553350535  
**Aegista**  
*aemula*  
*shikokuensis*  
H.A. Pilsbry, 1902  
Japan



4553350543  
**Aegista**  
*aemula*  
*subdivesta*  
H.A. Pilsbry & Y. Hirase, 1904  
Japan  
15,6 mm





5814000158  
**Aegista**  
*araneaetela*  
(P.M. Heude, 1885)

No Georeferenced data available




5794000030  
**Aegista**  
*aubryana*  
P.M. Heude, 1882  
Yongshun, Hunan province, China  
12,9 mm




**no  
IMAGES  
available**

5814000210  
**Aegista baphica**  
(J.F. Mabille, 1888)  
Vietnam, Tonkin




**no  
IMAGES  
available**

4553350575  
**Aegista brevilabris**  
L. Pfeiffer, 1859  
Japan





4550304005  
**Aegista caerulea**  
J.T. Kuroda & T. Habe, 1960  
Japan




5794000180  
**Aegista caperata**  
Y.C. Lee & W.L. Wu, 2004  
Taiwan





4550304010  
**Aegista cavicollis**  
(H.A. Pilsby, 1900)  
Japan




4553350583  
**Aegista caviconus**  
H.A. Pilsby, 1902  
Japan



4553350599  
**Aegista celsa**  
H.A. Pilsby & Y. Hirase, 1908  
Japan, Yamagata



4553350607  
**Aegista chejuensis**  
H.A. Pilsby & Y. Hirase, 1908  
South Korea






4553350615

**Aegista chinensis**

(R.A. Philippi, 1845)

HuNan, China  
21 mm**synonyms:**

- *Helix chinensis* R.A. Philippi, 1845



5794000148

**Aegista chondroderma**

(O.F. von Möllendorff, 1900)

Vietnam




4553350623

**Aegista chosenica**

(H.A. Pilsby, 1926)

Korea




4553350631

**Aegista ciliosa**

L. Pfeiffer, 1865

Japan




4553350639

**Aegista conella**

A. Adams, 1868

Japan, Yamagata




4553350655

**Aegista deflexa**

H.A. Pilsby, 1902

Japan, Akita



5814000167

**Aegista delectabilis**

(P. Ehrmann, 1900)

No Georeferenced data available





4553350671

**Aegista diversa**

J.T. Kuroda &amp; M. Miyanaga, 1936

Japan




**no  
IMAGES  
available**  
*to be checked*

4553350663

***Aegista  
diversa  
excellens***

J.T. Kuroda & M. Miyanaga, 1939

Japan




4550304015

***Aegista  
elegantissima***

(L. Pfeiffer, 1849)

Japan, Okinawa  
18,1 mm



4550304020

***Aegista  
elegantissima  
cara***

H.A. Plsby, 1901

Okinawa




4553350679

***Aegista  
esakii***

J.T. Kuroda, 1973

Japan, Nagasaki




4553350687

***Aegista  
fausta***

J.T. Kuroda & T. Habe, 1951

Japan, Okayama





4550304025

***Aegista  
friedeliana***

E.C. Von Martens, 1864

Japan, Fukuoka

11 mm





4553350695

***Aegista  
friedeliana  
aperta***

H.A. Plsby, 1900

Japan, Hyogo




4553350703

***Aegista  
friedeliana  
humerosa***


H.A. Plsby & Y. Hirase, 1904

Japan





**no  
IMAGES  
available**  
*to be checked*

4553350719  
***Aegista  
friedeliana  
perangulata***  
H.A. Pilsbry & Y. Hirase, 1909  
Japan, Nagasaki




**no  
IMAGES  
available**  
*to be checked*

4553350711  
***Aegista  
friedeliana  
peraperata***  
H.A. Pilsbry & Y. Hirase, 1903  
Japan



**no  
IMAGES  
available**  
*to be checked*

4553350727  
***Aegista  
friedeliana  
vestita***  
H.A. Pilsbry & Y. Hirase, 1904  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350751  
***Aegista  
fulvicans***  
A. Adams, 1866  
Taiwan




**no  
IMAGES  
available**  
*to be checked*

4553350743  
***Aegista  
fulvicans  
dormitor***  
J.T. Kuroda, 1958  
Japan




5794000018  
***Aegista  
furtiva***  
(P.M. Heude, 1885)  
China, Guangxi  
15,4 mm



**no  
IMAGES  
available**  
*to be checked*

4553350767  
***Aegista  
goniosomoides***  
J.T. Kuroda & J.M. Abe, 1980  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350807  
***Aegista  
gottschei***  
O.F. von Möllendorff, 1884  
South Korea




**no  
IMAGES  
available**  
*to be checked*

4553350775  
**Aegista  
gottschei  
fusanica**  
H.A. Pilsby, 1902  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350783  
**Aegista  
gottschei  
kongoensis**  
J.T. Kuroda & M. Miyanaga, 1939  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350791  
**Aegista  
gottschei  
kyobuntonis**  
J.T. Kuroda & M. Miyanaga, 1943  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350799  
**Aegista  
gottschei  
sanbonica**  
J.T. Kuroda, 1958  
Japan



**no  
IMAGES  
available**  
*to be checked*


4553350815  
**Aegista  
gradata**  
O.F. von Möllendorff, 1884  
Japan



4553350831  
**Aegista  
granti**  
L. Pfeiffer, 1865  
Taiwan  
11 mm



4553350735  
**Aegista  
granti  
browni**  
H.A. Pilsby & Y. Hirase, 1905  
Taiwan




**synonyms:**

- *Aegista fulvicans* browni H.A. Pilsby & Y. Hirase, 1905


**no  
IMAGES  
available**  
*to be checked*

4553350823  
**Aegista  
granti  
daemonorum**  
J.T. Kuroda, 1958  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553350839  
***Aegista  
hakusanensis***  
M. Azuma, 1982  
Japan




**no  
IMAGES  
available**  
*to be checked*


4553350847  
***Aegista  
hamadai***  
J.T. Kuroda, 1970  
Japan



4550304030  
***Aegista  
hatakedai***  
J.T. Kuroda & T. Habe, 1951  
Japan, Okayama  
17 mm



4553350855  
***Aegista  
hatakedai  
kawamurai***  
J.T. Kuroda & T. Habe, 1951  
Japan, Okayama



4553350863  
***Aegista  
hebes***  
H.A. Pilsbry & Y. Hirase, 1905  
Taiwan




5814000176  
***Aegista  
herpestes***  
(P.M. Heude, 1885)


No Georeferenced data available



5794000031  
***Aegista  
hupeana***  
P.V. Gredler, 1886  
Hubei Province, China  
27 mm





4553350879  
***Aegista  
impexa***  
H.A. Pilsbry & Y. Hirase, 1905  
Taiwan  
22 mm





4553350887  
***Aegista  
inexpectata***  
J.T. Kuroda & H. Minato, 1977  
Japan, Aichi



5814000177  
***Aegista  
inornata***  
(H.A. Pilsbry, 1901)


No Georeferenced data available




4553350895  
***Aegista  
irrinensis***  
H.A. Pilsbry & Y. Hirase, 1905  
Taiwan





4553350903  
***Aegista  
intonsa***  
H.A. Pilsbry & Y. Hirase, 1902  
Japan, Shikoku




4553350911  
***Aegista  
itoi***  
J.T. Kuroda & M. Azuma, 1982  
Japan, Kagoshima




4553350919  
***Aegista  
kandai***  
M. Azuma, 1970  
Japan, Oita



4553350927  
***Aegista  
kanriyamensis***  
M. Azuma, 1982  
Japan




4553350951  
***Aegista  
kiusuensis***  
H.A. Pilsbry, 1900  
Japan, Kagoshima  
16 mm






4553350935  
**Aegista  
kiusiuensis  
oshimana**  
H.A. Pilsbry & Y. Hirase, 1903  
Japan, Amami-oshima



4553350943  
**Aegista  
kiusiuensis  
tokunovaga**  
H.A. Pilsbry & Y. Hirase, 1905  
Japan, Okinawa  
22 mm





**synonyms:**


- *Aegista vatheleti* J.F. Mabille, 1888





4553350999  
**Aegista  
kobensis**  
P.B. Schmacker & O. Böttger, 1890  
Japan, Kochi




4553350959  
**Aegista  
kobensis  
discus**  
H.A. Pilsbry & Y. Hirase, 1904  
Japan





4553350967  
**Aegista  
kobensis  
gotoensis**  
H.A. Pilsbry & Y. Hirase, 1902  
Japan, Nagasaki




4553350975  
**Aegista  
kobensis  
koshikijimana**  
H.A. Pilsbry & Y. Hirase, 1904  
Japan, Kagoshima  
26,2 mm



4553350983  
**Aegista  
kobensis  
pertenuis**  
H.A. Pilsbry & Y. Hirase, 1904  
Japan




4553350991  
**Aegista  
kobensis  
tsumiyamai**  
J.T. Kuroda & T. Habe, 1951  
Japan



**no  
IMAGES  
available**  
*to be checked*

4553351007  
***Aegista  
kunimiensis***  
M. Azuma, 1982  
Japan



**no  
IMAGES  
available**  
*to be checked*

4553351015  
***Aegista  
lasia***  
H.A. Pilsbry & Y. Hirase, 1908  
South Korea



4553351039  
***Aegista  
lautsi***  
P.B. Schmacker & O. Böttger, 1891  
Taiwan  
16,2 mm




4553351023  
***Aegista  
lautsi  
brachylasia***  
P.B. Schmacker & O. Böttger, 1891  
Taiwan  
11,8 mm




4553351031  
***Aegista  
lautsi  
micra***  
H.A. Pilsbry & Y. Hirase, 1905  
Taiwan  
11,2 mm



4553351055  
***Aegista  
lepidophora***  
G.P.L.K. Gude, 1900  
Japan  
10,5 mm



4553351047  
***Aegista  
lepidophora  
scutifera***  
H.A. Pilsbry & Y. Hirase, 1908  
Japan



4550304035  
***Aegista  
mackensii***  
(A. Adams & L.A. Reeve, 1832)  
Taiwan  
25 mm






4550304040

**Aegista marginata**

(H.A. Pilsbry &amp; Y. Hirase, 1903)

Japan, Okinawa




5794000176

**Aegista martensiana**

(H.A. Pilsbry, 1901)

Japan, Kagoshima




4553351063

**Aegista mayasana**

M. Azuma, 1969

Japan, Hyogo



4553354011

**Aegista megachila**

O.F. von Möllendorff

Taiwan  
15,66 mm

4553351071

**Aegista mesasiana**

W.A. Lindholm, 1927

Russia

No Georeferenced data available





4550304045

**Aegista mimula**

(H.A. Pilsbry, 1901)

Japan, Kyoto





4553351087

**Aegista minima**

H.A. Pilsbry, 1902

Japan, Kagoshima





4553351095

**Aegista nikkoensis**



J.T. Kuroda, 1934

Japan





**no  
IMAGES  
available**

4553351103  
**Aegista  
nunobikiensis**  
H. Ogaitō & E. Sorita, 1981  
Japan, Hyogo



4550304050  
**Aegista  
oculus**  
(L. Pfeiffer, 1850)  
Japan, Miyako Island




**synonyms:**


- *Aegista typinsana* A. Adams & L.A. Reeve, 1850

**no  
IMAGES  
available**


4553351111  
**Aegista  
omiensis**  
H.A. Pilsbry, 1902  
Japan, Shiga



4550304055  
**Aegista  
omma**  
(H.A. Pilsbry & Y. Hirase, 1904)  
Japan




4553351119  
**Aegista  
osbeckii**  
R.A. Philippi, 1847  
Japan, Okinawa  
16 mm



**no  
IMAGES  
available**

5814000186  
**Aegista  
packhaensis**  
(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
Vietnam, Pa Khà




**synonyms:**

- *Helix packhaensis* A.R.J.B. Bavay & P. Dautzenberg, 1908





4550304060  
**Aegista  
pannosa**  
(H.A. Pilsbry, 1902)  
Japan, Yamagata  
23 mm



**no  
IMAGES  
available**

4553351135  
**Aegista  
pannosa  
awashimana**  
H.A. Pilsbry & Y. Hirase, 1904  
Japan



**to be checked**


**no  
IMAGES  
available**

5814000187

***Aegista  
permellita***

P.M. Heude, 1886

Sichuan, China




**no  
IMAGES  
available**

4553351143

***Aegista  
perplexa***

H.A. Pilsbry & Y. Hirase, 1905

Taiwan





5794000019

***Aegista  
platyomphala***

O.F. von Möllendorff, 1885

China, Guangxi  
21,6 mm





**no  
IMAGES  
available**

4553351207

***Aegista  
proba***

A. Adams, 1868

Japan, Aichi




4553351159

***Aegista  
proba  
eminens***

H.A. Pilsbry & Y. Hirase, 1904

Japan, Mie





4553351167

***Aegista  
proba  
goniosoma***

H.A. Pilsbry & Y. Hirase, 1904

Japan  
12,3 mm





4553351175

***Aegista  
proba  
mikuriensis***

H.A. Pilsbry, 1902

Japan





4553351183

***Aegista  
proba  
minula***


H.A. Pilsbry, 1901

Japan




**no  
IMAGES  
available**  
*to be checked*

4553351191  
***Aegista proba osumiensis***  
J.T. Kuroda, 1935  
Japan



**no  
IMAGES  
available**  
*to be checked*

4553351199  
***Aegista proba yahikoensis***  
J.T. Kuroda, 1953  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553351215  
***Aegista proxima***  
H.A. Pilsbry & Y. Hirase, 1909  
South Korea




**no  
IMAGES  
available**  
*to be checked*

5822000460  
***Aegista pseudopapuina***  
(O.F. von Möllendorff, 1901)  
North Vietnam



**no  
IMAGES  
available**  
*to be checked*

4553351223  
***Aegista pygmea***  
J.T. Kuroda & T. Kawamoto, 1956  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553351239  
***Aegista pyramidata***  
H.A. Pilsbry, 1906  
Korea




**no  
IMAGES  
available**  
*to be checked*

4553351231  
***Aegista pyramidata hebesoides***  
J.T. Kuroda, 1953  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553351247  
***Aegista quelpartensis***  
H.A. Pilsbry & Y. Hirase, 1904  
Japan







4553351255  
***Aegista  
scabricula***  
A. Adams, 1868  
Japan



4553351263  
***Aegista  
scepasma***  
L.A. Reeve, 1854  
Japan, Okinawa




4553351271  
***Aegista  
scitula***  
H.A. Pilsbry & Y. Hirase, 1909  
China, Zhejiang





5814000193  
***Aegista  
serpentes***  
(P.M. Heude, 1890)




**No Georeferenced data available**





4553351279  
***Aegista  
setocincta***  
A. Adams, 1868  
Japan




5794000034  
***Aegista  
shermani***  
L. Pfeiffer, 1865  
Taiwan  
18 mm



4553351295  
***Aegista  
squarrosa***  
A.A. Gould, 1859  
Japan, Amami-oshima



4553351297  
***Aegista  
squarrosa  
tokunoshimana***  
H.A. Pilsbry & Y. Hirase, 1904  
Ryukyu Islands




**no  
IMAGES  
available**  
*to be checked*

4553351303

***Aegista  
stenomphala***

J.T. Kuroda & T. Habe

Japan




4553351311

***Aegista  
subchinensis***

O.F. von Möllendorff, 1884

Taiwan  
27 mm



4553351319

***Aegista  
tadai***

H. Minato, 1983

Japan, Hiroshima




4553351327

***Aegista  
taiwanica***

Y. Hirase, 1941

Taiwan  
26,1 mm




5794000032

***Aegista  
tenerima***

O.F. von Möllendorff, 1899

Ningxiang, Hunan Province, China  
23,1 mm





4553351351

***Aegista  
tennissima***

H.A. Pilsbry & Y. Hirase, 1908

Japan





4553351343

***Aegista  
tennissima  
omorii***

J.T. Kuroda, 1936

Japan




4550304065

***Aegista  
tokyoensis***


E. Sorta, 1980

Japan









4553351375  
***Aegista***  
***tokoensis***  
***choshensis***  
K. Sakurai & E. Sorita, 1982  
Japan




4550304070  
***Aegista***  
***trochula***  
(C.B. Adams, 1868)  
Japan, Tsushima  
16,7 mm




4553351391  
***Aegista***  
***tumida***  
G.P.L.K. Gude, 1901  
Japan




4553351383  
***Aegista***  
***tumida***  
***cavata***  
H.A. Pilsby, 1902  
Japan





5794000033  
***Aegista***  
***turbinella***  
P.M. Heude, 1890  
Dazu County, Chongqing, China  
12,3 mm





4550304075  
***Aegista***  
***vermis***  
(L.A. Reeve, 1852)  
Okinawa  
25 mm



4553351407  
***Aegista***  
***verrucosum***  
O.W.H. Reinhardt, 1877  
Japan




4550304080  
***Aegista***  
***vulgivaga***  
(P.B. Schmacker & O. Böttger, 1890)  
Japan, Aichi  
22,5 mm






4553351415  
**Aegista  
vulgivaga  
kiensis**  
J.T. Kuroda, 1958  
Japan




4553351423  
**Aegista  
vulgivaga  
lanx**  
H.A. Pilsbry, 1902  
Japan  
18 mm



SubFamily: BRADYBAENINAE - **Subgenus: Aegista (Coelorus)** H.A. Pilsbry, 1900 (1 SP, 1 IMG)





4553350591  
**Coelorus  
cavitectum**  
H.A. Pilsbry & Y. Hirase, 1902  
Japan, Kochi





SubFamily: BRADYBAENINAE - **Subgenus: Aegista (Plectotropis)** E.C. Von Martens, 1860 (24 SP, 14 IMG)




5814000207  
**Plectotropis  
albocrenatus**  
(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
Vietnam, Nat Son



5794000075  
**Plectotropis  
appanata**  
O.F. von Möllendorff, 1884  
Guilin, Guangxi Province, China  
18,9 mm



5814000211  
**Plectotropis  
bonnieri**  
(H. Fischer, 1898)  
North Vietnam





**synonyms:**

- *Eulota vignai* H. Fischer & P. Dautzenberg, 1904




5822000543  
**Plectotropis  
brevisbarbis**  
(L. Pfeiffer, 1859)  
China, Zhejiang







5814000212  
**Plectotropis  
chaudroni**

(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
North Vietnam




4553350647  
**Plectotropis  
conomophala**

H.A. Pilsby & Y. Hirase, 1903  
Japan, Kagoshima




5814000214  
**Plectotropis  
couturieri**

(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
North Vietnam




5814000166  
**Plectotropis  
dasytrichia**

(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
North Vietnam



4553354081  
**Plectotropis  
diploblepharis**

O.F. von Möllendorff, 1899  
China, Gansu Province  
13,5 mm





5794000077  
**Plectotropis  
gerlachi**

E.C. Von Martens, 1881  
Hong Kong





5794000076  
**Plectotropis  
gerlachi  
hunancola**

P.V. Gredler, 1887  
Hunan Province, China  
17,6 mm



5814000223  
**Plectotropis  
gitaena**

(A.R.J.B. Bavay & P. Dautzenberg, 1908)  
South Vietnam







4553350871

**Plectotropis  
horrida**

H.A. Pilsbry, 1900

Japan, Yamagata





5814000225

**Plectotropis  
hyperteleia**

(L.J. Morlet, 1892)

Laos



5794000078

**Plectotropis  
laciniata**

P.M. Heude, 1882

Fujian Province, China  
19,8 mm

4553354113

**Plectotropis  
lithina**

(P.M. Heude, 1885)

Taiwan  
11,8 mm

4553353927

**Plectotropis  
lofoiana**

(O.F. von Möllendorff, 1888)



China, GuangXi  
14,8 mm

4553351151

**Plectotropis  
pressa**

H.A. Pilsbry &amp; Y. Hirase, 1904



Japan, Kochi



5794000079

**Plectotropis  
pseudopatula**

O.F. von Möllendorff, 1899



Tiankeng, Guangxi Province, China  
10,1 mm

5822000461

**Plectotropis  
pseudotrochula**

(A.R.J.B. Bavay &amp; P. Dautzenberg, 1908)

Vietnam, Pa Khà






5794000080

**Plectotropis  
subconella**

O.F. von Möllendorff, 1888


Hangzhou, Zhejiang Province, China  
16,2 mm

5814000194

**Plectotropis  
subinflexa**

(J.F. Mabille, 1889)

North Vietnam





5794000082

**Plectotropis  
trichotropis**

(L. Pfeiffer, 1850)


Japan



5794000081

**Plectotropis  
trichotropis  
laciniata**

(P.M. Heude)


Hangzhou, Zhejiang Province, China  
21,2 mm

5822000474


**Plectotropis  
xydea**

(A.R.J.B. Bavay &amp; P. Dautzenberg, 1908)

North Vietnam





5794000144

**Plectotropis  
yonganensis**W.C. Zhou, Q. Xiao, C. Chen,  
& C.C. Hwang, 2011China, Fujian Province  
14,6 mmSubFamily: BRADYBAENINAE - **Genus: Bradybaena** H.H. Beck, 1837 (syn: Eulota, Eubotella, Ezohelix, Koreanohadra, Manchurohelix, Phaeohelix, Virginihelix - 55 SP, 38 IMG)

5794000054

**Bradybaena  
acustina**


O.F. von Möllendorff, 1899

Dazu County, Chongqing, China  
14 mm

5794000055


**Bradybaena  
acustina  
concinna**

H.A. Pilsbry, 1934



Shenlongjia, Hubei Province, China  
21 mm



4553350023  
***Bradybaena  
adamsi***  
J.T. Kuroda & M. Hukuda, 1944  
Japan



5794000056  
***Bradybaena  
brevispira***  
A. Adams, 1870  
Tiankeng, Guangxi Province, China  
18,2 mm



5814000162  
***Bradybaena  
carinifera***  
(C.G. Semper, 1870)

**No Georeferenced data available**



579400004  
***Bradybaena  
carphochroa***  
(O.F. von Möllendorff, 1899)  
Anhui, China  
34 mm




5814000163  
***Bradybaena  
cesta***  
(W.H. Benson, 1836)


**No Georeferenced data available**




4550004000  
***Bradybaena  
circulus***  
(L. Pfeiffer, 1846)  
Japan, Hyogo



4553350055  
***Bradybaena  
circulus  
hiroshihorii***  
J.T. Kuroda, 1973  
Japan




4553350063  
***Bradybaena  
circulus  
oceanica***  
T. Habe, 1962  
Japan  
18 mm





5814000208  
**Bradybaena  
cochinchinensis**

(L. Pfeiffer, 1862)  
South Vietnam




**synonyms:**

- *Xesta cochinchinensis* L. Pfeiffer, 1862




4553353607  
**Bradybaena  
connectens**

(O.F. von Möllendorff, 1899)  
Philippines, Sulu Sea  
38 mm




4553350071  
**Bradybaena  
coreanica**

A. Adams & L.A. Reeve, 1850  
Japan



5814000217  
**Bradybaena  
deictica**


(J.F. Mabille, 1888)  
North Vietnam



5814000168  
**Bradybaena  
dissimilis**

(C.G. Semper, 1877)

No Georeferenced data available



5794000059  
**Bradybaena  
eris**



O.F. von Möllendorff, 1899

No Georeferenced data available




5794000058  
**Bradybaena  
eris  
pachychila**

O.F. von Möllendorff, 1899  
Wenxian, Gansu Province, China  
17 mm




4553353615  
**Bradybaena  
fodiens**

(L. Pfeiffer, 1845)  
Philippines  
14 mm





4553353967  
**Bradybaena fortunei**  
(O.F. von Möllendorff, 1884)  
China, Zhejiang province  
13 mm




**synonyms:**




- *Dorcus fortunei* O.F. von Möllendorff, 1884





4550004010  
**Bradybaena gainesi**  
(H.A. Pilsbry, 1900)  
Hokkaido  
30,7 mm





4550004005  
**Bradybaena gainesi flexibilis**  
(H.C. Fulton, 1905)  
Japan





5814000222  
**Bradybaena galera**  
(P.M. Heude, 1890)  
South Vietnam





4553353631  
**Bradybaena haplozona**  
(O.F. von Möllendorff, 1899)  
China, Gansu Province  
26 mm





4553350175  
**Bradybaena hukudai**  
J.T. Kuroda & M. Miyanaga, 1939  
Japan



5794000060  
**Bradybaena impatiens**  
P.M. Heude, 1885  
Tiankeng, Guangxi Province, China  
6,2 mm




4553354019  
**Bradybaena jianshanensis**  
C. Chen & S. Zhang, 2004  
China, Gansu Province  
14,74 mm






5792000147

**Bradybaena  
jourdyi**(L.J. Morlet, 1887)  
Vietnam, Lang-Son  
16 mm**synonyms:**


- *Helix jourdyi* L.J. Morlet, 1887



5792000097

**Bradybaena  
jourdyi  
minor**L.J. Morlet, 1887  
Vietnam, Tonkin  
13 mm

5794000057

**Bradybaena  
kangdingensis**C. Chen & S. Zhang, 2004  
Dazu County, Chongqing, China  
10,3 mm

4553353655

**Bradybaena  
kiangsensis**(E.C. Von Martens, 1875)  
HuBei, China  
35 mm**synonyms:**



- *Bradybaena kiangsensis* (E.C. Von Martens, 1875)




4553350199

**Bradybaena  
koreana**L. Pfeiffer, 1846  
Japan, Okinawa



4553350247

**Bradybaena  
lavrushini**T.D.A. Cockerell, 1896  
Japan

5794000177

**Bradybaena  
luna**H.A. Pilsbry, 1902  
Hokkaido

4553354088

**Bradybaena  
magnaciana**(P.M. Heude, 1882)  
China, Gansu Province  
22,5 mm



4553350271

***Bradybaena  
mesolensa***

E.C. Von Martens, 1882

Russia

**No Georeferenced data available**

4553354069

***Bradybaena  
micromphala***

(O.F. von Möllendorff, 1899)

China, Gansu Province  
17,56 mm

4553350295

***Bradybaena  
miranda***

A. Adams, 1868



Indo-Pacific

**No Georeferenced data available**

4553350303

***Bradybaena  
miyakejimana***

H.A. Pilsbry &amp; Y. Hirase, 1903

Japan, Tokyo  
24,3 mm

4553350311

***Bradybaena  
paricinta***

E.C. Von Martens, 1879

Russia

**No Georeferenced data available**

4553350319

***Bradybaena  
pellucida***

J.T. Kuroda &amp; T. Habe, 1953

Japan, Chiba





4550004020

***Bradybaena  
phaeogramma***

C.M.F. Ancey, 1888

Japan




4550004015

***Bradybaena  
phaeogramma  
iheyaensis***

H.A. Pilsbry &amp; Y. Hirase, 1905

Ryukyu Islands

***synonyms:***

- *Eulota connivens iheyaensis* H.A. Pilsbry & Y. Hirase, 1905

4553350335

**Bradybaena  
problematica**

H.A. Pilsbry, 1926

Indo-Pacific

No Georeferenced data available

no  
**IMAGES  
available**  
to be checked





5814000206

**Bradybaena  
radicicola**

(W.H. Benson, 1848)

Nepal



no  
**IMAGES  
available**  
to be checked

4553350351

**Bradybaena  
retteri**

O.W. Von Rosen, 1897

Russia

No Georeferenced data available

no  
**IMAGES  
available**  
to be checked

5814000190

**Bradybaena  
rostrella**

(L. Pfeiffer, 1862)

No Georeferenced data available

no  
**IMAGES  
available**  
to be checked

4553350367

**Bradybaena  
rubens**

E.C. Von Martens, 1874

Kazakhstan




no  
**IMAGES  
available**  
to be checked

4553350391

**Bradybaena  
sanboensis**

J.T. Kuroda & M. Miyanaga, 1939

Japan




no  
**IMAGES  
available**  
to be checked

4553350383

**Bradybaena  
sanboensis  
montana**

J.T. Kuroda & M. Miyanaga, 1943

Japan



no  
**IMAGES  
available**  
to be checked

5814000192

**Bradybaena  
sculpturata**

(W.H. Benson, 1859)

No Georeferenced data available

no  
IMAGES  
available

5794000150  
**Bradybaena schrenkii**  
(A.T. von Middendorff, 1851)  
Russia, Archan



no  
IMAGES  
available



4553350407  
**Bradybaena selskii**  
G. Gerstfeldt, 1859  
Russia

No Georeferenced data available


to be checked



4553353719  
**Bradybaena sequiniana**  
(P.M. Heude, 1885)  
China, Yunnan  
13 mm



4550000015  
**Bradybaena similaris**  
A.E.J. Féruccac, 1821  
Guilin, Guangxi Province, China  
18 mm



**synonyms:**

- *Helix similaris* A.E.J. Féruccac




4553353983  
**Bradybaena similaris arundinetorum**  
(P.M. Heude, 1890)  
China  
13 mm

No Georeferenced data available




4553353727  
**Bradybaena similaris assimilaris**  
(P.V. Gredler, 1879)  
Vietnam  
14 mm



4553354116  
**Bradybaena similaris gramineum**  
(P.M. Heude, 1890)  
Taiwan  
13 mm




5794000061  
**Bradybaena similaris hongkongensis**  
G.P. Deshayes, 1873  
Guangdong province, China  
15 mm



**no  
IMAGES  
available**  
*to be checked*

4553350431  
***Bradybaena  
similaris  
stimpsoni***  
L. Pfeiffer, 1854  
Japan




**no  
IMAGES  
available**  
*to be checked*


4553350439  
***Bradybaena  
skwartzowi***  
Y. Tzvetkov, 1940  
Kazakhstan




5794000062  
***Bradybaena  
strauchiana***  
O.F. von Möllendorff, 1899  
Wudu, Gansu Province, China  
24,2 mm




4552150145  
***Bradybaena  
submandarina***  
(H.A. Pilsbry, 1890)  
Japan, Kagoshima  
22 mm





4553350447  
***Bradybaena  
submandarina  
compacta***  
H.A. Pilsbry, 1902  
Japan




4553353751  
***Bradybaena  
tenuistesta***  
(O.F. von Möllendorff, 1899)  
China, GuangXi  
16 mm



4553350479  
***Bradybaena  
toyenmongaiensis***  
H. Rolle, 1908  
Japan



4553350487  
***Bradybaena  
twenhoensis***  
W.X. Ping & T.C. Yen, 1932  
Japan





4553353767

**Bradybaena  
uncophila**

(P.M. Heude, 1882)



China  
18,3 mm**No Georeferenced data available**

4553350511

**Bradybaena  
virgo**

(H.A. Pilsbry, 1927)

North Korea, Uiju

**synonyms:**

- Ganesella murensis T.D.A. Cockerel, 1926

- Fruticola virgo J.T. Kuroda, 1941



5822000533

**Bradybaena  
virgo  
mongolia**

P. Wang &amp; W.C. Zhou, 2014

Mongolia



4553350519

**Bradybaena  
weyrichi**

L. von Schrenck, 1867

Russia, Vladivostok

**synonyms:**

- Bradybaena bocageana weyrichi L. von Schrenck, 1867

- Helix sirotina A. Adams, 1868

- Eubota fiscina H.C. Fulton, 1905

- Helix serotina A. Adams

**SubFamily: BRADYBAENINAE - Subgenus: Bradybaena (Acusta) E.C. Von Martens in J.A. Albers, 1860 (7 SP, 12 IMG)**

4550000000

**Acusta  
assimilis**

A. Adams, 1866

Taiwan

18,6 mm





4550054000

**Acusta  
despecta**

(G.B. I Sowerby, 1839)

Okinawa

15,1 mm




4553350079

**Acusta  
despecta  
ikiensis**

H.A. Pilsbry &amp; Y. Hirase, 1904

Japan






4550054005

**Acusta  
despecta  
kikaiensis**

H.A. Pilsby, 1902

Japan, Kagoshima




4553350087

**Acusta  
despecta  
praetenuis**

H.A. Pilsby &amp; Y. Hirase, 1904

Japan





4550054010

**Acusta  
despecta  
sieboldiana**

L. Pfeiffer, 1850

Japan, Fukuoka



5794000028

**Acusta  
fragilis**

(J.T. Kuroda &amp; T. Kano, MS)

Taiwan  
18,2 mm

4553350207

**Acusta  
kotovskyi**

J.T. Kuroda &amp; T. Kano, MS

Taiwan



4553350327

**Acusta  
plicosa**


E.C. Von Martens, 1894

Guangxi, China  
21 mm

4553350343

**Acusta  
ravida**

W.H. Benson, 1842

China, Hunan  
18 mm**synonyms:**

- *Helix cincto* A. Mousson, 1887
- *Helix weyrichii* T.D.A. Cockerell, 1924

- *Helix selskii* L. von Schrenck, 1867



4553354115

**Acusta  
ravida  
ravidella**

(O.F. von Möllendorff, 1899)

China  
14,7 mm**No Georeferenced data available**



4553353695  
**Acusta ravidai redfieldi**  
(L. Pfeiffer, 1852)

Taiwan  
13,4 mm



4550054015  
**Acusta tourannensis**  
(L.F.A. Souleyet, 1842)  
Guangxi, China  
17 mm



4553354117  
**Acusta tourannensis rhodostoma**  
(O.F. von Möllendorff, 1884)  
China  
11,4 mm

No Georeferenced data available



5822000467  
**Acusta tourannensis robusta**  
(O.F. von Möllendorff, 1884)  
Central Vietnam




SubFamily: BRADYBAENINAE - **Subgenus: Bradybaena (Ainohelix)** J.T. Kuroda & Is. Taki, 1933 (2 SP, 2 IMG)



4550100000  
**Ainohelix editha**  
(C.B. Adams, 1868)  
Japan, Hokkaido  
26 mm




4550104000  
**Ainohelix io**  
H. Minato, 1983  
Hokkaido, Japan



SubFamily: BRADYBAENINAE - **Subgenus: Bradybaena (Karaftohelix)** H.A. Pilsbry, 1927 (18 SP, 9 IMG)



4553350047  
**Karaftohelix arcasiana**  
J.C.H. Crosse & E.O. Debeaux, 1863  
Russia, Vladivostok




**synonyms:**

- *Helix arcasiana depressior* L. von Schrenck, 1867


- *Helix arcasiana normalis* L. von Schrenck, 1867



4550154000  
**Karafutohelix blakeana**  
(W. Newcomb, 1865)  
Japan



5794000157  
**Karafutohelix bocageana**  
(J.C.H. Crosse, 1864)  
Russia, Sakhalin  
26,1 mm



**synonyms:**


- *Helix bocageana* J.C.H. Crosse, 1864



4550154005  
**Karafutohelix bocageana chishimana**  
(H.A. Pilsbry & Y. Hirase, 1904)  
Kuril Islands




5794000171  
**Karafutohelix bocageana urupensis**  
(H.A. Pilsbry, 1927)  
Kuril Islands



5794000158  
**Karafutohelix capillata**  
(A.A. Schileyko,  
& Bratchik in A.A. Schileyko, 1978)  
Russia, Vladivostok



4553350111  
**Karafutohelix dieckmanni**  
(A. Mousson, 1887)  
Russia, Vladivostok  
8 mm



**synonyms:**

- *Helix eutheta* C.A. Westerlund, 1897




5794000159  
**Karafutohelix diversita**  
(A.A. Schileyko & Bratchik, 1978)

No Georeferenced data available




4553350119  
**Karafutohelix duiensis**  
C.A. Westerlund, 1897  
Russia, Vladivostok





5794000173  
**Karafthohelix  
*fragilis***  
(H.A. Pilsbry, 1926)  
Korea



5794000160  
**Karafthohelix  
*incognita***  
(A.A. Schileyko, 1988)

No Georeferenced data available



5794000174  
**Karafthohelix  
*intermedia***  
(T.S. Rymzhanov, 1983)  
Kazakhstan




5794000161  
**Karafthohelix  
*kudiensis***  
(T.D.A. Cockerell, 1924)



No Georeferenced data available




4553350231  
**Karafthohelix  
*kurodana***  
(H.A. Pilsbry, 1910)  
Liugong island, China  
14,2 mm



4553350215  
**Karafthohelix  
*kurodana***  
*cerea*  
J.T. Kuroda & M. Miyanaga, 1939  
Japan



4553350255  
**Karafthohelix  
*maackii***  
(G. Gerstfeldt, 1859)  
Russia, Amur  
29 mm




**synonyms:**

- *Helix maacki depressior* L. von Schrenck, 1867
- *Helix maacki* G. Gerstfeldt, 1859

- *Helix middendorffii* A. Mousson, 1887



4553350279  
**Karafthohelix  
*middendorffii***  
G. Gerstfeldt, 1859  
Russia, Amur  
25,1 mm



**synonyms:**


- *Bradybaena eulemnisca* T.D.A. Cockerell, 1924
- *Helix graeseri* A. Mousson, 1887



4553353663

**Karafthohelix  
middendorffii  
amatoris**


(T.D.A. Cockerel, 1924)

Russia, Vladivostok  
16 mm

5794000162

**Karafthohelix  
plana**(A.A. Schileyko,  
& Bakurov in A.A. Schileyko, 1988)

Russia, Primorski Kray



5794000163

**Karafthohelix  
strelkovi**

(I.M. Likharev &amp; E.S. Rammelmeyer, 1952)

No Georeferenced data available



4553350503

**Karafthohelix  
ussuriensis**

C.A. Westerlund, 1897


Russia, Vladivostok  
12 mm

5794000146

**Karafthohelix  
vulcanica**

A.A. Schileyko, 1978

Russia, Sakhalin


SubFamily: BRADYBAENINAE - Genus: **Cathaica** O.F. von Möllendorff, 1884 (syn: Eucathaica - 15 SP, 13 IMG)

579400006

**Cathaica  
cardiostoma**

(O.F. von Möllendorff, 1899)

Taiwan



4553351447

**Cathaica  
cavimargo**

E.C. Von Martens, 1879


Kazakhstan  
9,86 mm



5794000039

**Cathaica  
constantiae**


A. Adams, 1870

Guangxi, China  
17,2 mm

4553351455

**Cathaica  
fasciola**

J.P.R. Draparnaud, 1801

China, Hebei  
16,5 mm**synonyms:**


- *Cathaica pyrrhozona* R.A. Philippi, 1845



4553354070

**Cathaica  
gansuica**


O.F. von Möllendorff, 1899

China, Gansu Province  
8,14 mm

5794000040

**Cathaica  
licenti**


T.C. Yen, 1935

Wudu, Gansu Province, China  
17,2 mm

5794000041

**Cathaica  
ohlmeri**

A. Andreea, 1903

Hanzhong, Shanxi Province, China  
10,3 mm

5794000042

**Cathaica  
pekinensis**


G.P. Deshayes, 1870

Qinghua, Beijing, China  
14,2 mm

4553353911

**Cathaica  
polystyla**


(O.F. von Möllendorff, 1899)

China, Gansu Province  
15 mm

5794000043


**Cathaica  
pulveratrix**

E.C. Von Martens, 1882

Tiankeng, Guangxi Province, China  
13,5 mm



5794000044  
**Cathaica rugulosa**  
C. Chen & S. Zhang, 2004  
Guangxi, China  
19,6 mm



4553351511  
**Cathaica stchukini**  
W.A. Lindholm, 1927  
Russia

No Georeferenced data available



5794000045  
**Cathaica subrugosa**  
G.P. Deshayes, 1874  
Lanzhou, Gansu Province, China  
12,1 mm




4553351527  
**Cathaica transilensis**  
Y. Tzvetkov, 1940  
Russia

No Georeferenced data available



4553354089  
**Cathaica wangguanensis**  
C. Chen & S. Zhang, 2004  
China, Gansu Province  
11,2 mm



SubFamily: BRADYBAENINAE - **Subgenus: Cathaica (Pseudiberus)** C.M.F. Ancey, 1887 (syn: Platypetasus - 3 SP, 2 IMG)





5794000074  
**Pseudiberus innominata**  
(P.M. Heude, 1885)

No Georeferenced data available



5794000073  
**Pseudiberus innominata duplicata**  
O.F. von Möllendorff, 1899  
China, Guangxi  
33,2 mm



4553354112  
**Pseudiberus lancasteri**  
(G.P.L.K. Gude, 1919)  
China, SChuan  
18,5 mm



**no  
IMAGES  
available**  
**to be checked**

5814000201

**Pseudiberus  
zenonis**

(P.V. Gredler, 1882)

**No Georeferenced data available**

SubFamily: BRADYBAENINAE - **Genus: Chalepotaxis** C.M.F. Ancey, 1887 (2 SP, 2 IMG)




4553351543

**Chalepotaxis  
infantilis**

P.V. Gredler, 1884

Guilin, Guangxi Province, China  
8 mm



**synonyms:**

- Xesta unilineata H. Fischer, 1898

**no  
IMAGES  
available**

4553351559

**Chalepotaxis  
spadix**

P.B. Schmacker & O. Böttger, 1891  
Taiwan



4553351551

**Chalepotaxis  
spadix  
cincta**

H.A. Pilsbry, 1901  
Taiwan



SubFamily: BRADYBAENINAE - **Genus: Dolicheulota** H.A. Pilsbry, 1901 (2 SP, 2 IMG)



4553351567

**Dolicheulota  
formosensis**


A. Adams, 1866  
Taiwan  
38 mm



4553351575

**Dolicheulota  
swinhoei**

L. Pfeiffer, 1865  
Taiwan





SubFamily: BRADYBAENINAE - **Genus: Euhadra** H.A. Pilsbry, 1890 (40 SP, 63 IMG)



4550904005

**Euhadra  
awaensis**

H.A. Pilsbry, 1902  
Japan






4550904010

**Euhadra  
brandtii**

(W. Kobelt, 1875)

Japan, Hokkaido  
31,8 mm

4553351583

**Euhadra  
brandtii  
hitachi**

I. Ijima, 1891


No Georeferenced data available



4550904015

**Euhadra  
brandtii  
roseoapicalis**


J.T. Kuroda, 1969

Japan, Niigata  
36 mm

4550904020

**Euhadra  
brandtii  
sapporo**

I. Ijima, 1891

Hokkaido, Japan  
25 mm

5814000161

**Euhadra  
caliginosa**

(A. Adams &amp; L.A. Reeve, 1850)

No Georeferenced data available





4553351607

**Euhadra  
callizona**

(J.C.H. Crosse, 1871)

Japan, Hyogo

**synonyms:**



- Helix callizona J.C.H. Crosse, 1871



4550904000

**Euhadra  
callizona  
amaliae**


(W. Kobelt, 1875)

Japan, Aichi  
29,1 mm

4553354093

**Euhadra  
caspria**

(O.F. von Möllendorff, 1884)

Guangxi, China  
42,7 mm**synonyms:**


- Nesiobelix caspria O.F. von Möllendorff, 1884



4553353823

**Euhadra**  
**cecillei**


(R.A. Philippi, 1849)

HuNan, China  
43 mm

4550904025

**Euhadra**  
**congenita**



(E.A. Smith, 1878)

Japan, Hyogo  
31,1 mm

4553351615

**Euhadra**  
**congenita****hickonis**

W. Kobelt



Japan, Kyoto  
25 mm

4553351623

**Euhadra**  
**craspedocheila**

A. Adams, 1868

Japan



4553354031

**Euhadra**  
**cycloabris**

(O.F. von Möllendorff, 1899)

China, Gansu Province  
33,22 mm

4553351655

**Euhadra**  
**decorata**

H.A. Pilsbry &amp; Y. Hirase, 1903

Japan, Akita




4553351631

**Euhadra**  
**decorata****diminuta**

G. Toba &amp; J.T. Kuroda, 1936

Japan, Iwate




4553351775

**Euhadra**  
**decorata****iwadensis**

G. Toba &amp; J.T. Kuroda, 1936

Japan, Iwate

38,6 mm






4553351647

**Euhadra****decorata****tobai**


Y. Hirase

Japan, Aomori  
46,3 mm

4553351679

**Euhadra****dixoni**


H.A. Pilsby, 1900

Japan, Ehime  
26,1 mm

4553351663

**Euhadra****dixoni****montivaga**



H.A. Pilsby &amp; Y. Hirase, 1904

Japan  
23 mm

4553351671

**Euhadra****dixoni****okicola**

H.A. Pilsby, 1927

Japan  
21 mm




4550904030

**Euhadra****eoae**

J.C.H. Crosse, 1868

Japan, Aichi

45,2 mm





4553351687

**Euhadra****eoae****communisiformis**

T. Kanamaru, 1940

Japan, Kyoto

30,6 mm





4550904035

**Euhadra****eoae****gulicki**

H.A. Pilsby, 1928

Japan, Osaka



5794000021

**Euhadra****fauveti**

A.R.J.B. Bavay &amp; P. Dautzenberg, 1900

Vietnam, Bac-Khan

17,9 mm






5794000051

**Euhadra  
granulifera**

O.F. von Möllendorff, 1888


Guangxi, China  
46,2 mm

4550904040

**Euhadra  
grata**

G.P.L.K. Gude, 1900

Japan, Akita




4553351695

**Euhadra  
grata****echigoensis**

Murayama, S. Takikawa &amp; T. Habe, 1991

Japan




4553351703

**Euhadra  
grata****emurai**

J.T. Kuroda, 1931


Japan, Niigata



4553351711

**Euhadra  
grata****gratoides**

T. Kira, 1959



Japan, Akita  
22,8 mm

4553351719

**Euhadra  
grata****tobisimae**

J.T. Kuroda, 1931



Japan



4550900000

**Euhadra  
herklotzi**

(E.C. Von Martens, 1860)



Japan, Aichi  
32 mm

4553351727

**Euhadra  
herklotzi****aomoriensis**



J.T. Gmelin &amp; H.A. Pilsbry, 1900

Japan







5794000179  
**Euhadra  
herklotzi  
hesperia**  
H.A. Pilsby, 1902  
Japan, Fukuoka




4553351735  
**Euhadra  
herklotzi  
hyugana**  
J.T. Kuroda, 1936  
Japan



4550904050  
**Euhadra  
herklotzi  
kirishimensis**  
J.T. Kuroda, 1936  
Japan, Miyazaki



4550904055  
**Euhadra  
herklotzi  
nesiotica**  
H.A. Pilsby, 1902  
Japan, Kagoshima





4553351743  
**Euhadra  
herklotzi  
tokarana**  
T. Habe & M. Azuma, 1959


No Georeferenced data available





4553351751  
**Euhadra  
herklotzi  
tsushima**  
O.F. von Möllendorff, 1900  
Japan  
38,99 mm



4553351759  
**Euhadra  
herklotzi  
yakushima**  
H.A. Pilsby & Y. Hirase, 1903  
Japan, Kagoshima



4553351767  
**Euhadra  
idzumonis**  
H.A. Pilsby & J.T. Guick, 1900  
Japan, Kagoshima  
38 mm






4553354101

**Euhadra**  
**izumonis**

(H.A. Pilsbry &amp; J.T. Glick, 1900)

Japan, Shimane




4553351783

**Euhadra**  
**kanmuriensis**

M. Azuma &amp; A. Tada, 1969

Japan




4550904060

**Euhadra**  
**latispira**

H.A. Pilsbry &amp; Y. Hirase, 1909

Japan, Matsuoka





4553351791

**Euhadra**  
**latispira****tsurugensis**

T.D.A. Cockerell, 1924

Japan, Fukui




4553351799

**Euhadra**  
**latispira****yagurai**

J.T. Kuroda &amp; T. Habe, 1949


Japan



4550900005

**Euhadra**  
**michelsiana**

L. Pfeiffer, 1846


Philippines, Palawan Island  
19 mm

4553351815

**Euhadra**  
**murayamai**

T. Habe, 1976



Japan, Nigata



4550904070

**Euhadra**  
**nachicola**

J.T. Kuroda, 1929

Japan, Wakayama  
46,4 mm

**no  
IMAGES  
available**  
*to be checked*

5814000183  
**Euhadra  
nipponensis**  
(W. Kobelt, 1876)

No Georeferenced data available


**no  
IMAGES  
available**  
*to be checked*

5814000185  
**Euhadra  
oshimae**  
(H.A. Pilsbry, 1901)


No Georeferenced data available

**no  
IMAGES  
available**  
*to be checked*

4553351831  
**Euhadra  
pachya**  
H.A. Pilsbry, 1902  
Japan, Kagoshima




4550904075  
**Euhadra  
peliomphala**  
(L. Pfeiffer, 1850)  
Japan, Okutama  
34,4 mm



**no  
IMAGES  
available**  
*to be checked*

4553351839  
**Euhadra  
peliomphala  
brandti**  
W. Kobelt, 1875  
Japan




**no  
IMAGES  
available**  
*to be checked*

4553351847  
**Euhadra  
peliomphala  
kunoensis**  
J.T. Kuroda

No Georeferenced data available



4553351855  
**Euhadra  
peliomphala  
nimboosa**  
J.C.H. Crosse, 1868  
Japan  
32,1 mm




4550904080  
**Euhadra  
peliomphala  
simodae**  
J.C. Jay, 1857  
Japan, Shizuoka  
36,6 mm





**no  
IMAGES  
available**  
*to be checked*

4553351863  
**Euhadra  
purpurascens**  
L. Pfeiffer, 1853  
Japan



4553354035  
**Euhadra  
quaesita**  
G.P. Deshayes, 1847  
Japan, Kanagawa  
44,6 mm




**synonyms:**


- *Euhadra quesita* G.P. Deshayes, 1847



4550904090  
**Euhadra  
quaesita**  
**heguraensis**  
J.T. Kuroda & N. Tan, 1936  
Japan, Ishikawa  
36,1 mm



4553351871  
**Euhadra  
quaesita**  
**montium**  
E.C. Von Martens, 1879  
Japan, Yamagata  
38,2 mm




**no  
IMAGES  
available**  
*to be checked*

5794000090  
**Euhadra  
quaesita**  
**perryi**  
(G.P. Deshayes, 1851)



No Georeferenced data available





4550904095  
**Euhadra  
sadoensis**  
(H.A. Pilsbry & Y. Hirase, 1903)  
Japan, Sado Island  
22 mm



4550904100  
**Euhadra  
sandai**  
(W. Kobelt, 1878)  
Japan, Chiba  
31,1 mm




4550904105  
**Euhadra  
sandai**  
**communis**  
H.A. Pilsbry, 1928  
Japan  
31,5 mm






4553351879  
**Euhadra**  
**sandai**  
**daisenica**  
J.T. Kuroda, 1931

Japan




4553351887  
**Euhadra**  
**sandai**  
**kuramana**  
J.T. Kuroda & A. Teramachi, 1937

Japan




4550904110  
**Euhadra**  
**sandai**  
**okanoi**  
H.A. Pilsby & T.D.A. Cockerell, 1927

Japan




4550904115  
**Euhadra**  
**sandai**  
**oki**  
H.A. Pilsby, 1928

Japan




4553351895  
**Euhadra**  
**sandai**  
**yahatai**  
J.T. Kuroda & M. Azuma, 1982

Japan



4550904120  
**Euhadra**  
**scaevola**  
E.C. Von Martens, 1877

Japan, Mikawa




**synonyms:**

- *Euhadra scaevola* E.C. Von Martens, 1877




4553351903  
**Euhadra**  
**scaevola**  
**interioris**  
H.A. Pilsby, 1928

Japan  
34 mm



4553351911  
**Euhadra**  
**scaevola**  
**mikawa**  
K. Amano, 1939

Japan








579400052

**Euhadra  
schmackereri**

O.F. von Möllendorff, 1888

Hubei Province, China  
49,1 mm


4550904125

**Euhadra  
senckenbergiana**(W. Kobelt, 1875)  
Japan, Akita  
59,4 mm**synonyms:**



- *Euhadra senckenbergiana* W. Kobelt, 1875




4553351927

**Euhadra  
senckenbergiana  
aomoriensis**J.T. Guck & H.A. Pilsby, 1900  
Japan  
41,8 mm



4550904130

**Euhadra  
senckenbergiana  
ibukicola**H.A. Pilsby, 1928  
Japan, Shiga



4553351935

**Euhadra  
senckenbergiana  
minoensis**H.A. Pilsby, 1928  
Japan  
43,1 mm


4553351943

**Euhadra  
senckenbergiana  
minoensisformis**T. Kanamaru, 1940  
Japan

4553351951

**Euhadra  
senckenbergiana  
notoensis**J.T. Kuroda & A. Teramachi, 1937  
Japan  
32 mm

4553351959

**Euhadra  
senckenbergiana  
occidentalis**M. Azuma, M. Tatewaki & S. Okamura, 1987  
Japan





4550904135

**Euhadra  
sigeonis**

J.T. Kuroda, 1944

Wakayama, Japan



4553353735

**Euhadra  
strictotaenia**


(O.F. von Möllendorff, 1899)

China, Gansu Province  
33 mm

4550904140

**Euhadra  
subnimbosa**



(W. Kobelt, 1894)

Japan, Ehime  
37,1 mm

4553353971

**Euhadra  
subnimbosa  
maritima**

(J.T. Gulick &amp; H.A. Plisby, 1900)



Japan  
24 mm

4553351967

**Euhadra  
subnimbosa  
murotonis**

J.T. Kuroda &amp; T. Habe, 1949

Japan




4553351975

**Euhadra  
takarajimana**

M. Azuma, 1985



Japan, Kagoshima



4550904145

**Euhadra  
tokarainsula**

H. Minato &amp; T. Habe, 1982

Japan  
40,3 mm**synonyms:**

- *Euhadra tokaraensis* H. Minato & T. Habe, 1982





4553351983

**Euhadra  
tokarainsula  
uijensis**


K. Tomiyama, 1984

Japan






4553351991  
**Euhadra**  
**vortex**  
H.A. Pilsbry, 1928  
Japan  
38,82 mm




SubFamily: BRADYBAENINAE - **Genus: Fruticicola** F. Held, 1837 (26 SP, 22 IMG)



4553353599  
**Fruticicola**  
**alaica**  
A.G. Kuznetsov, 1998  
Uzbekistan  
15,5 mm



4553350031  
**Fruticicola**  
**almaatinii**  
(Skvortsov, 1940)  
Kyrgyzstan



**synonyms:**

- Trichia almaatina lindholmi Skvortsov, 1940

- Trichia almaatini Skvortsov, 1940



no  
IMAGES  
available

to be checked

5814000130  
**Fruticicola**  
**bilaticincta**  
(E.C. Von Martens, 1882)

No Georeferenced data available



**synonyms:**

- Helix paricincta bilaticincta E.C. Von Martens, 1882


- Fruticola saturata W.A. Lindholm, 1926

- Fruticola saturata W.A. Lindholm, 1926



no  
IMAGES  
available

5794000152  
**Fruticicola**  
**cavimargo**  
E.C. Von Martens, 1879  
China, Kuldja



**synonyms:**

- Helix aspasta C.A. Westerlund, 1896

- Cathaica iacosta O.F. von Möllendorff, 1899




no  
IMAGES  
available

to be checked

4553354091  
**Fruticicola**  
**cavimargo**  
**tarbagataica**  
P.V. Matiokin, 1966  
Kazakhstan  
9,85 mm



4553350103  
**Fruticicola**  
**dichrozona**  
E.C. Von Martens, 1885  
Kyrgyzstan



**synonyms:**


- Bradybaena pavlovskii P.V. Matiokin



4553351463

**Fruticicola  
fedtschenkoi**

(E.C. Von Martens, 1874)

Tadjikistan  
14,59 mm**synonyms:**

- *Candidula fedtschenkoi* E.C. Von Martens, 1874

- *Helix fedtschenkoi* E.C. Von Martens, 1874



- *Helix sturanyana* W. Kobelt, 1893



4550000005

**Fruticicola  
fruticum**

(O.F. Müller, 1774)

Austria  
24 mm**synonyms:**

- *Fruticicola fruticum* O.F. Müller, 1774
- *Helix fruticum europaea* W. Dybowsky, 1901

- *Helix fruticum* G.L. Hartmann, 1807

- *Helix fruticum* O.F. Müller, 1774



4553353647

**Fruticicola  
helvola**

(I. Frivaldszky in L. Pfeiffer, 1853)

Kazakhstan  
19 mm**synonyms:**

- *Bradybaena ikharevi* K.K. Uvalieva, 1967



4553353639

**Fruticicola  
helvola  
anachoretica**  
(P.V. Matokin, 1966)Kazakhstan  
15 mm

4553350239

**Fruticicola  
lantzi**

(W.A. Lindholm, 1927)

Kazakhstan  
19 mm**synonyms:**

- *Fruticola lantzi* W.A. Lindholm, 1927
- *Fruticola lantzi brauni* Skvortsov, 1940
- *Fruticola lantzi montana* Y. Tzvetkov, 1941
- *Fruticola lantzi steppensis* Y. Tzvetkov, 1941

- *Fruticola lantzi cingulicarens* W.A. Lindholm, 1927
- *Fruticola lantzi silvestris* Y. Tzvetkov, 1941
- *Fruticola lantzi xerophila* Y. Tzvetkov, 1941




- *Fruticola lantzi dextrosla* Y. Tzvetkov, 1938
- *Fruticola lantzi sinistralis* Y. Tzvetkov, 1938



4553351479

**Fruticicola  
necopinatus**

L. Tsvetkov, 1941


Kyrgyzstan  
14,5 mm

4553351487

**Fruticicola  
perlucens**

(O.W. Von Rosen, 1901)

Kyrgyzstan

**synonyms:**


- *Helix indigena* C.A. Westerlund, 1898
- *Helix perlucens* O.W. Von Rosen, 1901



4553353671

**Fruticicola  
phaeozona**

(E.C. Von Martens, 1874)

Kyrgyzstan  
12 mm**synonyms:**

- *Helix orthya* E.C. Von Martens, 1874
- *Bradybaena phaezona* E.C. Von Martens, 1874

- *Helix phaeozona* E.C. Von Martens, 1874



5794000166

**Fruticicola  
phaeozona  
pseudarianta**

(W.A. Lindholm, 1927)

Russia

**No Georeferenced data available****synonyms:**

- *Fruticola phaeozona pseudarianta* W.A. Lindholm, 1927




4553351503

**Fruticicola  
plectrotropis**

(E.C. Von Martens, 1864)

Kyrgyzstan

**synonyms:**

- *Helix palmeni* C.A. Westerlund, 1898
- *Helix palmeni accincta* C.A. Westerlund, 1898
- *Cathaica sugoschuriana* E. Weber, 1913

- *Helix plectrotropis* E.C. Von Martens, 1864

- *Cathaica suegoschuriana* E. Weber, 1913



4553353679

**Fruticicola  
plectrotropis  
mesophilica**

(Y. Tzvetkov, 1941)

Kazakhstan  
16 mm

5794000153

**Fruticicola  
plectrotropis  
saxatilis**

(Y. Tzvetkov, 1941)

**No Georeferenced data available****synonyms:**


- *Fruticola saxatilis* Y. Tzvetkov, 1941



4553353687

**Fruticicola  
plectrotropis  
scopulosus**

(Y. Tzvetkov, 1941)

Kyrgyzstan  
16 mm

4553353703

**Fruticicola  
scalaris**

(Y. Tzvetkov, 1941)

Kazakhstan  
11,4 mm**synonyms:**

- *Fruticola plectrotropis scalaris* Y. Tzvetkov, 1941



4553353711  
**Fruticicola scalaris alticola**  
(Y. Tzvetkov, 1941)

Kazakhstan  
14 mm



4553350399  
**Fruticicola schrencki**  
(A.T. von Middendorff, 1851)

Kazakhstan  
18,1 mm



**synonyms:**

- *Helix annexa* C.A. Westerlund, 1897


- *Helix schrenkii* A.T. von Middendorff, 1851

- *Helix sibirica* L. Pfeiffer, 1853



5794000154  
**Fruticicola scythica**  
(C.A. Westerlund, 1898)

Kyrgyzstan



**synonyms:**

- *Fruticicola roxane* W.A. Lindholm, 1927




5794000155  
**Fruticicola skwortzovi**  
Y. Tzvetkov, 1940

No Georeferenced data available





4553354090  
**Fruticicola squamulosa**  
Z.I. Izzatullaev & A.A. Schileyko, 1980

Kyrgyzstan  
7 mm



4550004030  
**Fruticicola stoliczkanai**  
(G. Nevill, 1878)

Kyrgyzstan  
16 mm



**synonyms:**

- *Helix opposita* C.A. Westerlund, 1898



5794000167  
**Fruticicola stoliczkanai chuika**  
(R.V. Egorov, 1997)

Russia

No Georeferenced data available



5794000168  
**Fruticicola stoliczkanai pavlovskii**  
(I.M. Likharev, 1955)

Russia

No Georeferenced data available

**synonyms:**

- Eulota pavlovskii I.M. Likharev, 1955



4553353743

**Fruticicola  
stschukini**

(W.A. Lindholm, 1927)

Kazakhstan  
15 mm**synonyms:**

- Fruticicola plectotropis stschukini W.A. Lindholm, 1927



4553350471

**Fruticicola  
tomyris**

W.A. Lindholm, 1927

Russia



**No Georeferenced data available**

5794000145

**Fruticicola  
transbaicalia**

A.A. Schileyko, 1978

Russia, Altayskaya




5794000169

**Fruticicola  
transbaicalia  
sayanica**

(A.G. Kuznetsov, 1997)

Russia, Hakassia



5794000156

**Fruticicola  
transiliensis**

(Y. Tzvetkov, 1940)

**No Georeferenced data available**

4553353759

**Fruticicola  
tzvetkovi**

K.K. Uvaleva &amp; E.S. Sobolev, 1973

Kazakhstan  
10 mm**synonyms:**

- Fruticicola plectotropis transiliensis Y. Tzvetkov, 1940



5794000184

**Fruticicola  
zhecseni**

(T.S. Rymzhanov, 1979)

**No Georeferenced data available****synonyms:**

- Bradybaena plectotropis zhecseni T.S. Rymzhanov, 1979



4553354092

**Fruticicola  
zheczeni**


T.S. Rymzhanov, 1979

Kazakhstan  
11,97 mmSubFamily: BRADYBAENINAE - **Genus: Laeocathaica** O.F. von Möllendorff, 1899 (17 SP, 18 IMG)

4553353919

**Laeocathaica  
amoiana**



O.F. von Möllendorff, 1899

China, Gansu Province  
23 mm

4553354071

**Laeocathaica  
carinalis**


C. Chen &amp; S. Zhang, 2002

Wenxian, Gansu Province, China  
12,42 mm

5794000067

**Laeocathaica  
christinae**


A. Adams, 1870

Hubei Province, China  
17,1 mm

4553354015

**Laeocathaica  
dangchangensis**



C. Chen &amp; S. Zhang, 2004

China, Gansu Province  
13,92 mm

5794000068

**Laeocathaica  
dejana**



P.M. Heude, 1882

Dazu County, Chongqing, China  
17,2 mm

4553354051

**Laeocathaica  
distinguenda**



(O.F. von Möllendorff, 1899)

China, Gansu Province  
31,2 mm

4553354073

**Laeocathaica  
dityla**

O.F. von Möllendorff, 1899

China, Gansu Province  
10,5 mm



5794000069

**Laeocathaica  
dolani**


H.A. Pilsbry, 1934

Gansu Province, China  
22,1 mm

4553354072

**Laeocathaica  
leucorhaphe**

(O.F. von Möllendorff, 1899)

China, Gansu Province  
22,46 mm**synonyms:**


- *Laeocathaica leucoraphe* O.F. von Möllendorff, 1899



4553354074

**Laeocathaica  
odophora**


O.F. von Möllendorff, 1899

China, Gansu Province  
15,54 mm

4553354047

**Laeocathaica  
pewzowi**



O.F. von Möllendorff, 1889

China, Gansu Province  
22,02 mm

4553354075

**Laeocathaica  
phaeomphala**



O.F. von Möllendorff, 1899

China, Kuldza  
20 mm

5794000002

**Laeocathaica  
potanini**



(O.F. von Möllendorff, 1899)

China, Gansu Province  
20 mm

4553354055

**Laeocathaica  
prionotropis**



O.F. von Möllendorff, 1899

China, Gansu Province  
26,42 mm

4553354077

**Laeocathaica  
stenochone**

O.F. von Möllendorff, 1899

China, Gansu Province  
27,52 mm



5794000070

**Laeocathaica  
subsimilis**



G.P. Deshayes, 1873

Gansu Province, China  
21,2 mm

5794000071

**Laeocathaica  
subsimilis  
filippina**


P.M. Heude, 1882

Hubei Province, China  
21 mm

4553354076

**Laeocathaica  
tropidoparape**


(O.F. von Möllendorff, 1899)

China, Gansu Province  
20 mm**SubFamily: BRADYBAENINAE - Subgenus: Laeocathaica (Trichocathaica) G.P.L.K. Gude, 1919 (2 SP, 2 IMG)**

4553354099

**Trichocathaica  
amphidroma**

(O.F. von Möllendorff, 1899)

China, Sichuan  
15,5 mm

4553353951

**Trichocathaica  
goepeliana**


T.C. Yen, 1938

China, Guangxi province  
18,5 mm**SubFamily: BRADYBAENINAE - Genus: Metodontia O.F. von Möllendorff, 1886 (syn: Metodonta, Tetrodontina - 4 SP, 4 IMG)**

4553354078

**Metodontia  
beresowskii**


(O.F. von Möllendorff, 1899)

China, Gansu Province  
7,4 mm

5794000072

**Metodontia  
obstructa**



P.M. Heude, 1882

Hanzhong, Shanxi Province, China  
8,2 mm

4553354059

**Metodontia  
wenxianensis**

C. Chen &amp; S. Zhang, 2004


China, Gansu Province  
13 mm



5794000149

**Metodontia  
vantaiensis**


(J.C.H. Crosse &amp; E.O. Debeaux, 1863)

China, Henan  
13,4 mmSubFamily: BRADYBAENINAE - **Genus: Nesiohelix** J.T. Kuroda & S. Emura, 1943 (11 SP, 8 IMG)

4551204005

**Nesiohelix  
irreviviva**

(H.A. Pilsbry &amp; Y. Hirase, 1904)



Japan, Kagoshima  
33 mm

4553352007

**Nesiohelix  
irreviviva**

M. Azuma, 1990


Japan



4553352015

**Nesiohelix  
kanoi**



J.T. Kuroda, 1932

Taiwan  
32,3 mm

4553352023

**Nesiohelix  
moreletiana**


P.M. Heude, 1882

China, Zhejiang  
50 mm

4551204010

**Nesiohelix  
omphalina**

(Y. Hirase, 1915)



Okinawa  
25 mm

4551204000

**Nesiohelix  
omphalina  
bipyramidalis**

J.T. Kuroda &amp; S. Emura, 1943

Japan





4553352039

**Nesiohelix  
omphalina  
proximata**

J.T. Kuroda &amp; S. Emura, 1943

Japan




**no  
IMAGES  
available**  
*to be checked*

4553352055

**Nesiohelix  
oshiroi**

T. Habe & M. Chinen, 1980

Japan




**no  
IMAGES  
available**  
*to be checked*

4553352047

**Nesiohelix  
oshiroi  
nobaruensis**

M. Azuma, 1987

Japan




4551204015

**Nesiohelix  
palaeomphalina**

M. Azuma, 1983

Japan




4553352063

**Nesiohelix  
samarangue**

J.T. Kuroda & M. Miyanaga, 1943

South Korea, Cheju




4553352071

**Nesiohelix  
solida**

J.T. Kuroda & S. Emura, 1943

Japan



4553354103

**Nesiohelix  
swinhiei**

L. Pfeiffer, 1865

Taiwan




4553352079

**Nesiohelix  
vineomarginata**

J.T. Kuroda & T. Kano, 1941

Japan



5814000199


**Nesiohelix  
vorvonga**

(A.R.J.B. Bavay & P. Dautzenberg, 1900)

**No Georeferenced data available**



4553354100

**Plecteulota  
gonostoma**(O.F. von Möllendorff, 1892)  
Indonesia, Tanimbar IslandsSubFamily: BRADYBAENINAE - **Genus: Ponsadenia** A.A. Schileyko, 1978 (3 SP, 1 IMG)

5794000164

**Ponsadenia  
dentata**

(T.S. Rymzhanov, 1983)


No Georeferenced data available



5794000165

**Ponsadenia  
pseudoferghanica**(A.A. Schileyko, 1978)  
Kazakhstan


4553350415

**Ponsadenia  
semenovi**E.C. Von Martens, 1864  
Kyrgyzstan  
10,63 mm**synonyms:**

- Cathaica hermanni G.P.L.K. Gude, 1904
- Cathaica keiseri T.D.A. Cockerell, 1928

SubFamily: BRADYBAENINAE - **Subgenus: Ponsadenia (Mesasiata)** A.A. Schileyko, 1978 (1 SP, 1 IMG)

4553350127

**Mesasiata  
duplocincta**(E.C. Von Martens, 1879)  
Kyrgyzstan**synonyms:**

- Helix paricincta E.C. Von Martens, 1879
- Helix stenoosii C.A. Westerlund, 1898
- Helix paricincta bisbicincta E.C. Von Martens, 1882
- Helix stenoosii tetrica C.A. Westerlund, 1898

SubFamily: BRADYBAENINAE - **Subgenus: Ponsadenia (Tarbagataja)** A.A. Schileyko, 1978 (1 SP, 0 IMG)

5794000175


**Tarbagataja  
hirsuta**

(P.V. Matiokin, 1966)

No Georeferenced data available



4553354082



**Pseudobuliminus  
achatininus**(O.F. von Möllendorff, 1899)  
China, Gansu Province  
19,3 mmSubFamily: BRADYBAENINAE - **Genus: Pseudobuliminus** P.V. Gredler, 1886 (syn: Buliminopsis, Pseudobulimulus - 20 SP, 17 IMG)



5794000083

**Pseudobuliminus buliminoides**

P.M. Heude, 1882

Gulin, Guangxi Province, China  
14,1 mm

5794000064

**Pseudobuliminus buliminus**



P.M. Heude, 1882

China, Gansu Province  
18,3 mm

5794000063

**Pseudobuliminus buliminus strigata**

O.F. von Möllendorff, 1899

Chengkou, Sichuan Province, China  
14,1 mm

4553352087

**Pseudobuliminus certus**

A. Zilch, 1949



Taiwan



5794000085

**Pseudobuliminus conoidius**

P.M. Heude, 1890

Hunan Province, China  
3 mm

5814000164

**Pseudobuliminus corti**



(A.R.J.B. Bavay &amp; P. Dautzenberg, 1908)

**No Georeferenced data available**

5794000065

**Pseudobuliminus doliolum**


P.V. Gredler, 1887

Wenxian, Gansu Province, China  
18,2 mm

4553354096

**Pseudobuliminus hirsutus**

(O.F. von Möllendorff, 1899)

China, Gansu Province  
17,52 mm

no  
IMAGES  
available

4553352095

**Pseudobuliminus  
incerta**

L. Pfeiffer, 1865

Taiwan





5794000066

**Pseudobuliminus  
krejci**

A. Zilch, 1938

Chengkou, Sichuan Province, China  
16 mm




4553354114

**Pseudobuliminus  
meiacoshimensis**

(A. Adams & L.A. Reeve, 1850)

Japan, Okinawa  
6 mm



5794000086

**Pseudobuliminus  
meiacoshimensis  
incertus**

L. Pfeiffer, 1865

Taiwan  
13,2 mm




5794000084

**Pseudobuliminus  
nanchongensis**

W.L. Wu, 2002

Yongshun, Hunan Province, China  
11,1 mm





4553354097

**Pseudobuliminus  
piligerus**

(O.F. von Möllendorff, 1899)

China, Gansu Province  
16,5 mm





4553353935

**Pseudobuliminus  
potanini**

(O.F. von Möllendorff, 1899)

China, Gansu Province  
20 mm





4553354083

**Pseudobuliminus  
siamensis**

(J.H. Redfield, 1853)

Eastern of Thailand  
20,3 mm





5794000087

**Pseudobuliminus  
squamosellus**


P.M. Heude, 1882

Ningxiang, Hunan Province, China  
7.9 mm

4553354067

**Pseudobuliminus  
subcylindricus**


O.F. von Möllendorff, 1899

China, Guangxi  
17 mm

5814000195

**Pseudobuliminus  
substramineus**

(A.R.J.B. Bavay &amp; P. Dautzenberg, 1908)


**No Georeferenced data available**

4553352119

**Pseudobuliminus  
takarai**

J.T. Kuroda, 1960

Japan






4553352127

**Pseudobuliminus  
turrita**

G.P.L.K. Gude, 1900

Japan, Kagoshima


SubFamily: BRADYBAENINAE - **Subgenus: Pseudobuliminus (Giardia)** C.M.F. Ancey, 1907 (syn: Giardius - 4 SP, 0 IMG)

5814000230

**Giardia  
mantongensis**

(W. Kobelt, 1899)

North Vietnam






5822000455

**Giardia  
pharangensis**

(P. Dautzenberg &amp; H. Fischer, 1905)

South Vietnam




5822000465

**Giardia  
rhombostoma**

(L. Pfeiffer, 1861)

South Vietnam




no  
IMAGES  
available

5822000473

***Giardia vignei***

(A. de Rochebrune, 1881)

South Vietnam



SubFamily: BRADYBAENINAE - **Genus: Stilpnodiscus** O.F. von Möllendorff, 1899 (6 SP, 6 IMG)




4553354063

***Stilpnodiscus entochilus***

O.F. von Möllendorff, 1899

China, Hebei Province  
25,76 mm



4553354084

***Stilpnodiscus moellendorffi***

W.L. Wu, 2001

China, Gansu Province  
21,8 mm




5794000035

***Stilpnodiscus scassianus***

O.F. von Möllendorff, 1899

Tiankeng, Guangxi Province, China  
7 mm



4553353943

***Stilpnodiscus stotzneri***

W. Blume, 1925

China  
21 mm

No Georeferenced data available




4553354085

***Stilpnodiscus vernicinus***

O.F. von Möllendorff, 1899

China, Gansu Province  
19,5 mm



4553354098

***Stilpnodiscus yani***

W.L. Wu, 2001

China, Gansu Province  
24,4 mm



**synonyms:**

- *Stilpnodiscus yani* W.L. Wu, 2001

SubFamily: BRADYBAENINAE - **Genus: Trishoplita** G.A. von Jacobi, 1898 (23 SP, 16 IMG)





4552054005

**Trishoplita  
calcicola**

J.T. Kuroda

Japan, Aichi




4553352159

**Trishoplita  
collinsoni**

A. Adams, 1868

Japan, Kagoshima




4553352135

**Trishoplita  
collinsoni  
casta**

H.A. Pilsbry, 1901

Japan, Kumamoto





4553352143

**Trishoplita  
collinsoni  
hizenensis**

H.A. Pilsbry &amp; Y. Hirase, 1903

Japan





4553352151

**Trishoplita  
collinsoni  
lischkeana**

W. Kobelt, 1879

Japan




4553352199

**Trishoplita  
commoda**

A. Adams, 1868

Japan, Hiroshima





4553352167

**Trishoplita  
commoda  
endo**

H.A. Pilsbry &amp; Y. Hirase, 1904

Japan





4553352175

**Trishoplita  
commoda  
fusca**



G.P.L.K. Gude, 1900

Japan










4553352183  
***Trishoplita  
commoda  
kyoensis***  
H.A. Pilsby, 1900  
Japan, Hyogo





4553352191  
***Trishoplita  
commoda  
niyakana***  
H.A. Pilsby & Y. Hirase, 1904  
Japan



4552054010  
***Trishoplita  
conospira***  
(L. Pfeiffer, 1851)  
Japan, Tokyo





4553352207  
***Trishoplita  
conulina***  
E.C. Von Martens, 1867  
Japan, Kyoto



4552054020  
***Trishoplita  
dacostae***  
G.P.L.K. Gude, 1900  
Japan, Kagoshima



4550304000  
***Trishoplita  
dacostae  
awajiensis***  
(H.A. Pilsby, 1901)  
Anan, Tokushima, Japan





**synonyms:**


- *Aegista awajiensis* H.A. Pilsby, 1901



4553352215  
***Trishoplita  
dacostae  
strigata***  
H.A. Pilsby, 1901  
Japan



4552054025  
***Trishoplita  
dacostae  
tosana***  
G.P.L.K. Gude, 1900  
Japan, Kochi







4552054030

**Trishoplita  
eumenes**

(C.A. Westerlund, 1883)


Japan, Fukuoka  
12 mm

4553352239

**Trishoplita  
eumenes  
bipartita**

H.A. Pilsby, 1901

Japan




4552054015

**Trishoplita  
eumenes  
cretacea**

G.P.L.K. Gude, 1900

Japan, Okayama




4553352255

**Trishoplita  
eumenes  
decussata**

G.P.L.K. Gude, 1900

Japan




4553352263

**Trishoplita  
eumenes  
pergranosa**

H.A. Pilsby &amp; Y. Hirase, 1908

Japan





4552054035

**Trishoplita  
goodwini**

(E.A. Smith, 1876)

Japan, Hyogo




4553352279

**Trishoplita  
hachijoensis**

H.A. Pilsby, 1902

Japan, Kagoshima





4553352295

**Trishoplita  
hilgendorfi**


W. Kobelt, 1879

Japan, Shiga





**no  
IMAGES  
available**  
*to be checked*

4553352287  
***Trishoplita  
hilgendorfi  
tenuis***  
H.A. Pilsby, 1902  
Japan





**no  
IMAGES  
available**  
*to be checked*


4553352303  
***Trishoplita  
kurodai***  
T. Habe, 1964  
Japan, Gunma Prefecture





4552054040  
***Trishoplita  
latizona***  
J.T. Kuroda & T. Habe, 1949  
Japan, Osaka



4553352311  
***Trishoplita  
macrocycloides***  
W. Kobelt, 1879  
Japan




4553352319  
***Trishoplita  
mesogonia***  
H.A. Pilsby, 1900  
Japan, Tokushima




4553352335  
***Trishoplita  
motonoi***  
T. Habe, 1963  
Indo-Pacific


No Georeferenced data available



4553352351  
***Trishoplita  
nitens***  
H.A. Pilsby & Y. Hirase, 1904  
Japan, Kagoshima



4552054045  
***Trishoplita  
okinoshimae***  
H.A. Pilsby, 1902  
Japan





no  
IMAGES  
available

4553352359

**Trishoplita**  
**optima**

H.A. Pilsby, 1902

Japan, Tokushima



no  
IMAGES  
available

to be checked

4553352367

**Trishoplita**  
**ottoi**

H.A. Pilsby, 1901

South Korea




4552054050

**Trishoplita**  
**pallens**

G.A. von Jacobi, 1898

Japan, Jigokudani



4553352383

**Trishoplita**  
**pumilio**

H.A. Pilsby & Y. Hirase, 1909

South Korea





4553352391

**Trishoplita**  
**shikokuensis**

H.A. Pilsby & Y. Hirase, 1903

Japan





4553352399

**Trishoplita**  
**smithiana**

H.A. Pilsby, 1901

Japan, Kagoshima



SubFamily: HELICOSTYLINAE - Genus: **Calocochlia** J.D.W. Hartmann, 1840 (syn: Calicochlias, Calococheia, Calocochlia, Calocochea, Habocochea - 55 SP, 69 IMG)



4552550000

**Calocochlia**  
**albaiensis**

G.B. I Sowerby, 1841

Philippines  
42 mm



4553352959

**Calocochlia**  
**bruguieriana**

L. Pfeiffer, 1845

Philippines, Cebu  
33,2 mm






4552550005

**Calocochlia bustoi**


J.G. Hidalgo, 1887  
Albay Gulf, Philippines  
53 mm



4552550010

**Calocochlia cailliaudi**

(G.P. Deshayes, 1839)  
Philippines, Cagayan  
44 mm

**synonyms:**

- *Helix cailliaudi* G.P. Deshayes, 1839



4553354106

**Calocochlia calloides**


(G.B. I Sowerby, 1840)  
Philippines  
45 mm



4552550100

**Calocochlia carbonaria**

G.B. Sowerby, 1842  
Philippines, Cebu  
31 mm



4553352967

**Calocochlia chlorochroa**

G.B. I Sowerby, 1841  
Philippines



4553352975

**Calocochlia chrysocheila**

G.B. I Sowerby, 1841  
Philippines, Luzon Island  
42 mm

**synonyms:**

- *Calocochlia chrysochila* G.B. I Sowerby, 1841



4552550015

**Calocochlia coccumelos**


G.B. I Sowerby, 1841  
Philippines, Sibuyan Island  
47,3 mm



4553354118


**Calocochlia coccumelos mollendorfi**

H.A. Pilsby, 1908  
Philippines  
42 mm





4553354119  
***Calocochlia cocomelos princeps***  
(G.B. Sowerby, 1841)  
Philippines  
37 mm



4552550020  
***Calocochlia codonensis***  
J.G. Hidalgo, 1888  
Philippines, Sibuan Island  
41,5 mm



4553352991  
***Calocochlia coronadoi***  
J.G. Hidalgo, 1868  
Philippines, Catauanes  
44,2 mm



4552550025  
***Calocochlia cryptica***  
W.J. Broderip, 1840  
Philippines, Samar Island  
65 mm



**synonyms:**


- *Calocochlia cryptica cretata* W.J. Broderip, 1841




5794000036  
***Calocochlia cryptica cineracea***  
C.G. Semper, 1877  
Philippines




4552550105  
***Calocochlia cryptica crenata***  
(W.J. Broderip, 1841)  
Philippines, Leyte Island  
60 mm



4553353775  
***Calocochlia cryptica latitans***  
(W.J. Broderip, 1841)  
Philippines  
56 mm



4552550110  
***Calocochlia cumingii***  
L. Pfeiffer, 1842  
Philippines, Cebu\*  
36 mm






4553354120  
**Calocochlia cumingii pfeifferi**  
C.G. Semper, 1877  
Philippines, Cebu  
29 mm



4553352999  
**Calocochlia damahoyi**  
L. Pfeiffer, 1856  
Philippines, Samar Island  
41,2 mm



4553353007  
**Calocochlia dattanensis**  
C.G. Semper, 1866  
Philippines  
53,2 mm




**synonyms:**

- *Calocochlia dattanensis* C.G. Semper, 1866



4553354107  
**Calocochlia dayriti**  
G.H. Barnett, 1989  
Philippines  
24 mm



4552550030  
**Calocochlia dimera**  
I.H. Jonas, 1846  
Philippines, Sibuyan Island  
40 mm




4553353023  
**Calocochlia elerae**  
O.F. von Möllendorff, 1896  
Indo-Pacific


No Georeferenced data available



4552550040  
**Calocochlia festiva**  
E. Donovan, 1825  
Philippines, Luzon  
49,7 mm



4553353031  
**Calocochlia garibaldiana**  
W.L.H. Dohrn & C.G. Semper, 1862  
Philippines, Cebu  
34 mm



**no  
IMAGES  
available**

to be checked

4553353039

**Calocochlia  
generalis**

L. Pfeiffer, 1854

Indo-Pacific

No Georeferenced data available



4553353047

**Calocochlia  
harfodii**

W.J. Broderip, 1841

Philippines  
62,3 mm



4552550115

**Calocochlia  
hidalgoi**

O.F. von Möllendorff

Philippines, Sibuyan Island  
44 mm




4552550045

**Calocochlia  
intorta**

G.B. I Sowerby, 1840



Philippines, Romblon Island  
48,1 mm



5794000026

**Calocochlia  
intorta  
aeruginosa  
(L. Pfeiffer)**

Philippines, Bohol



**no  
IMAGES  
available**

to be checked

4553353055

**Calocochlia  
kobelti**

O.F. von Möllendorff, 1890

Indo-Pacific

No Georeferenced data available




4553354023

**Calocochlia  
lalloensis**

(L. Pfeiffer, 1855)

Philippines, Masbate Island  
43 mm



**no  
IMAGES  
available**

4553353063

**Calocochlia  
leucauchen**

O.F. von Möllendorff, 1895

Indo-Pacific

No Georeferenced data available



4553353071

**Calocochlia  
lilliana**

P. Bartsch, 1932

Indo-Pacific

**No Georeferenced data available**

5814000180

**Calocochlia  
luengoi**

(J.G. Hidalgo, 1888)


**No Georeferenced data available**

4553353095

**Calocochlia  
luzonica**

G.B. I Sowerby, 1842

Philippines, Luzon Island



4553353079

**Calocochlia  
luzonica****areolata**

W. Kobelt, 1908




Indo-Pacific

**No Georeferenced data available**

4553353087

**Calocochlia  
luzonica****fumosa**

W. Kobelt, 1908

Philippines, Cagayan  
31 mm



4553353111

**Calocochlia  
magistra**

L. Pfeiffer, 1852

Philippines, Cebu

55 mm





4553353103

**Calocochlia  
magistra****gloynei**

G.B. I Sowerby, 1889

Philippines



46 mm



4553353979


**Calocochlia  
marcusiana**

A. Falconieri, 2008

Philippines, Mindoro Island  
21,8 mm




4553353119  
***Calocochlia matruelis***  
G.B. I Sowerby, 1841  
Philippines



4552550050  
***Calocochlia melanochela***  
A. Valenciennes, 1840  
Philippines, Palawan Island  
50 mm




4553353127  
***Calocochlia mindanaensis***  
G.B. I Sowerby, 1842  
Philippines





4553353135  
***Calocochlia moreleti***  
L. Pfeiffer, 1848  
Philippines  
30 mm




4553353791  
***Calocochlia norrisii***  
(G.B. I Sowerby, 1842)  
Philippines, Cebu  
51 mm




4552550120  
***Calocochlia pan***  
W.J. Broderip  
Philippines, Bohol Island  
48 mm



4553353151  
***Calocochlia perpallida***  
P. Bartsch, 1932  
Philippines  
54,2 mm



4552550055  
***Calocochlia persimilis***  
A.E.J. Féussac, 1850  
Philippines, Rapu Rapu Island  
40,9 mm






5794000126

**Calocochlia**  
**persimilis**  
**boacana**

P. Bartsch, 1930

Philippines, Luzon Island  
39 mm

5794000125

**Calocochlia**  
**persimilis**  
**callimorpha**

P. Bartsch, 1930

Philippines, Luzon Island  
38,5 mm

5794000124

**Calocochlia**  
**persimilis**  
**callipepla**


P. Bartsch, 1930

Luzon Island, Philippines  
40 mm

5794000123

**Calocochlia**  
**persimilis**  
**podagra**

P. Bartsch, 1930


Philippines, Luzon Island  
42 mm

5814000188

**Calocochlia**  
**pfeifferiana**

(C.G. Semper, 1877)


No Georeferenced data available



4552550065

**Calocochlia**  
**propitia**


H.C. Fulton, 1907

Philippines, Cebu  
32,2 mm

4553353159

**Calocochlia**  
**pulcherrima**


G.B. I Sowerby, 1841

Philippines, Luzon Island  
42 mm

4552550070

**Calocochlia**  
**roissiana**

A.E.J. Féruccac, 1821


Philippines, Mindoro  
34 mm



4553354121

***Calocochlia roissyana bartschi***


W.J. Clench &amp; S. Archer, 1932

Philippines, Mindoro  
30 mm

4553353167

***Calocochlia roissyana cavitata***


P. Bartsch, 1932

Philippines, Mindoro  
30 mm

4552550125

***Calocochlia roissyana laymansa***



P. Bartsch

Philippines, Mansalay  
30 mm

5794000027

***Calocochlia roissyana lutea***

(A.E.J. Féruccac, 1821)

Philippines, Mindoro Island  
30,3 mm

4553353175

***Calocochlia roissyana manlaya***

P. Bartsch, 1938

Philippines  
24,5 mm

4552550075

***Calocochlia roissyana subatra***


H.A. Pilsby, 1892

Philippines, Mindoro Island  
30,5 mm

4553353191

***Calocochlia saranganica***

J.G. Hidalgo, 1887

Solomon Islands  
29 mm

4553353199

***Calocochlia schadenbergi***

O.F. von Möllendorff, 1890

Philippines, Ifugao Mountain  
50 mm


**no  
IMAGES  
available**

4553353215

**Calocochlia  
semperi**

O.F. von Möllendorff, 1893


Philippines, Mindoro



4553353207

**Calocochlia  
semperi  
dautzenbergi**  
J.G. Hidalgo, 1901

Philippines, Luzon Island  
49 mm




4553353223

**Calocochlia  
sphaerion**

G.B. I Sowerby, 1841

Philippines  
40,4 mm



**synonyms:**

- *Calocochlia sphaerica* G.B. I Sowerby, 1841





4553353231

**Calocochlia  
submirabilis**

O.F. von Möllendorff, 1897

Philippines, Quezon Province  
40 mm



5794000037

**Calocochlia  
submirabilis  
antimonana**  
P. Bartsch, 1930


Philippines  
40,7 mm



5814000135

**Calocochlia  
submirabilis  
banosana**  
P. Bartsch, 1930

Philippines, Luzon Island



5794000127

**Calocochlia  
submirabilis  
daranga**  
P. Bartsch, 1930

Philippines

No Georeferenced data available



5794000128

**Calocochlia  
submirabilis  
majayjay**  
P. Bartsch, 1930

Philippines

No Georeferenced data available



**to be checked**



4553353239

**Calocochlia tukanensis**


L. Pfeiffer, 1871

Papua New Guinea  
36 mm

4553353247

**Calocochlia valenciennesii**

J.F.T. Eydoux, 1838

Philippines, Romblon Island  
42 mm

4553353255

**Calocochlia weberi**

P. Bartsch, 1919

Indo-Pacific

**No Georeferenced data available**

5814000200

**Calocochlia xanthobasis**



(H.A. Pilsbry, 1892)

**No Georeferenced data available**

4552800020

**Calocochlia zebuensis**

W.J. Broderip, 1841

Philippines, Bohol Island  
53 mm

4553354108

**Calocochlia zebuensis striatissima**


H.A. Pilsbry, 1892

Philippines  
45 mm

4552550055

**Calocochlia zonifera**


L. Pfeiffer, 1842

Philippines, Samar Island  
33 mm

5794000038

**Calocochlia zonifera circe**

L. Pfeiffer, 1853

Philippines  
36,2 mm



5794000129  
**Calocochlia**  
**zonifera**  
**globosa**  
(W. Kobelt, 1910)

Philippines  
35 mm




4552550090  
**Calocochlia**  
**zonifera**  
**paraleuca**  
(H.A. Pilsby, 1892)

Philippines, Mindoro Island  
40 mm



4552550140  
**Calocochlia**  
**zonifera**  
**samarensis**  
C.G. Semper

Philippines, Luzon  
42 mm




SubFamily: HELICOSTYLINAE - **Subgenus: Calocochlia (Anixa)** H.A. Pilsby, 1894 (syn: Axina - 2 SP, 2 IMG)




5794000020  
**Anixa**  
**beloni**  
F.P. Jousseaume, 1894

Philippines  
28 mm



5814000152  
**Anixa**  
**phlooides**  
(L. Pfeiffer, 1842)

Cebu, Philippines  
30,9 mm



SubFamily: HELICOSTYLINAE - **Subgenus: Calocochlia (Pyrochilus)** H.A. Pilsby, 1892 (syn: Phania - 1 SP, 1 IMG)



4552550145  
**Pyrochilus**  
**pyrostoma**  
A.E.J. Féruccac, 1819

Indonesia, Halmahera Island  
64,2 mm




SubFamily: HELICOSTYLINAE - **Genus: Canistrum** O.A.L. Mörch, 1852 (4 SP, 5 IMG)



4553353271  
**Canistrum**  
**balanoides**  
I.H. Jonas, 1894

Philippines






4553353987

**Canistrum curta**


G.B. I Sowerby, 1841  
Philippines, Masbate Island  
33 mm



4552750000

**Canistrum ovoideum**



G.B. I Sowerby, 1833  
Philippines, Masbate Island  
43 mm



4553354003

**Canistrum ovoideum euryzonus**


(L. Pfeiffer, 1847)  
Philippines, Masbate Island  
43,9 mm



4553353799

**Canistrum ovoideum luzonicum**

G.B. I Sowerby, 1833  
Philippines, Masbate Island  
41 mm



4552750005

**Canistrum stabilis**

G.B. I Sowerby, 1840  
Philippines, Masbate Island  
28 mm



SubFamily: HELICOSTYLINAE - **Genus: Chloraea** J.A. Albers, 1850 (syn: Chlorea - 30 SP, 15 IMG)



5814000157

**Chloraea almae**

(O.F. von Mollendorff, 1890)


No Georeferenced data available



4553354109

**Chloraea amoena**

(L. Pfeiffer, 1845)  
Philippines, Luzon Island  
20 mm



4553353279


**Chloraea aphrodites**

L. Pfeiffer, 1859  
Melanesia


No Georeferenced data available



4553353815  
***Chloraea benguetensis***  
(C.G. Semper, 1880)  
Philippines  
30 mm



4553353287  
***Chloraea bifasciata***  
H.C. Lea, 1840  
Philippines, Mindoro  
18 mm



5814000159  
***Chloraea broderipi***  
(L. Pfeiffer, 1842)

No Georeferenced data available



5814000165  
***Chloraea cristatella***  
J.F. Quadras,  
& O.F. von Möllendorff, 1893

No Georeferenced data available



4552800000  
***Chloraea dryope***  
W.J. Broderip, 1840  
Philippines, Palawan Island  
15 mm



4552804005  
***Chloraea dryope sibuyanica***  
W.J. Broderip  
Philippines, Sibuyan Island  
23 mm



5814000171  
***Chloraea extensa***  
(O.F. Müller, 1774)

No Georeferenced data available



5814000172  
***Chloraea eydouxi***  
(J.G. Hidalgo, 1887)


No Georeferenced data available



4552800005

***Chloraea  
fibula***

L.A. Reeve, 1842


Taiwan  
21 mm

4553353295

***Chloraea  
fragilis***

G.B. I Sowerby, 1841

Philippines, Luzon Island




5814000175

***Chloraea  
geotrochus***

O.F. von Möllendorff, 1888

No Georeferenced data available




4553353303

***Chloraea  
leucophthalma***

L. Pfeiffer, 1870

Indonesia




4553353311

***Chloraea  
limansauensis***

C.G. Semper, 1877

Philippines, Leyte Island



4553353319

***Chloraea  
lividocincta***

C.G. Semper, 1877

Philippines, Luzon Island



5814000181

***Chloraea  
micans***

(L. Pfeiffer, 1845)

No Georeferenced data available



4552804010


***Chloraea  
najas***

L. Pfeiffer, 1846


Indonesia, Karakelong Island  
27 mm



4552800010

**Chloraea  
papyracea**W.J. Broderip, 1841  
Philippines, Mindoro  
14,5 mm

4553353327

**Chloraea  
paradoxa**L. Pfeiffer, 1845  
Philippines, Luzon Island

4553353325

**Chloraea  
puella**W.J. Broderip, 1841  
Philippines, Masbate Island  
44,7 mm**synonyms:**

- *Chloraea subpuello* H.A. Pilsbry



5814000189

**Chloraea  
reginæ**

(W.J. Broderip, 1841)

**No Georeferenced data available**



5814000191

**Chloraea  
samboanga**


(J.B. Hombron &amp; C.H. Jacquinot, 1841)

**No Georeferenced data available**


4552800015

**Chloraea  
siquijorensis**W.J. Broderip, 1841  
Philippines, Siquijor Island  
48 mm

4552804000

**Chloraea  
sirena**(L. Pfeiffer, 1842)  
Philippines, Romblon Island  
32 mm

4553353343


**Chloraea  
smaragdina**J.P.S. Grateleur, 1840  
Philippines



4553353351

**Chloraea  
stenopsis**

A. Moquin-Tandon, 1856

Philippines  
27 mm

5814000196

**Chloraea  
tagolandensis**

(H. Rolle, 1910)


No Georeferenced data available



4553353359

**Chloraea  
thersites**

W.J. Broderip, 1841

Philippines, Mindoro  
33,3 mm

4553353367

**Chloraea  
virgo**



W.J. Broderip, 1841

Philippines, Cebu  
34 mmSubFamily: HELICOSTYLINAE - **Subgenus: Chloraea (Corasia) J.A. Albers, 1850** (1 SP, 1 IMG)

4552804015

**Corasia  
psittacina**

G.P. Deshayes


Philippines, Cagayan  
24 mmSubFamily: HELICOSTYLINAE - **Genus: Chrysallis J.A. Albers, 1850** (syn: Chrysalis - 15 SP, 26 IMG)

4553353375

**Chrysallis  
albolabris**

P. Bartsch, 1932


Philippines



4553054000

**Chrysallis  
antonii**

C.G. Semper, 1880



Philippines, Mindoro  
55 mm

5794000007

**Chrysallis  
antonii****macilenta**



(P. Bartsch, 1932)

Philippines, Mindoro









4553050000

**Chrysallis  
aspersa**J.P.S. Gratebou, 1840  
Philippines, Marinduque Island  
67 mm**synonyms:**

- *Chrysallis aspera* J.P.S. Gratebou, 1840



5814000137


**Chrysallis  
aspersa  
binuangana**P. Bartsch, 1932  
Philippines, Mindoro5794000130  
**Chrysallis  
aspersa  
flavipellis**  
W.J. Clench & S. Archer, 1933  
Philippines5794000046  
**Chrysallis  
aspersa  
illogana**  
P. Bartsch, 1932  
Philippines  
62,5 mm5814000136  
**Chrysallis  
aspersa  
juani**  
P. Bartsch, 1932  
Philippines, Mindoro5794000131  
**Chrysallis  
aspersa  
lunai**  
P. Bartsch, 1932  
Philippines4553354122  
**Chrysallis  
aspersa  
melanogaster**  
(O.A.L. Mörch, 1852)  
Philippines  
60 mm4553354123  
**Chrysallis  
aspersa  
mindoroensis**  
(W.J. Broderip, 1841)  
Philippines, Mindoro  
53,3 mm

**no  
IMAGES  
available**  
*to be checked*

4553353383  
***Chrysallis  
aspera  
otritis***  
W.J. Clench & S. Archer, 1933  
Philippines




4553353391  
***Chrysallis  
calamianae***  
J.F. Quadras,  
& O.F. von Möllendorff, 1894  
Philippines, Mindoro Island  
48 mm



4553353407  
***Chrysallis  
calobapta***  
I.H. Jonas, 1843  
Philippines, Palawan Island  
44 mm




4553353399  
***Chrysallis  
calobapta  
sibuyanica***  
O.F. von Möllendorff, 1898  
Philippines



5794000132  
***Chrysallis  
calobapta  
tablasensis***  
(W. Kobelt, 1916)  
Philippines



4553353423  
***Chrysallis  
caniceps***  
P. Bartsch, 1932  
Philippines



5794000133  
***Chrysallis  
caniceps  
conica***  
P. Bartsch, 1932  
Japan




5794000134  
***Chrysallis  
caniceps  
contracostana***  
P. Bartsch, 1932  
Philippines

No Georeferenced data available





4553353415  
***Chrysallis caniceps demesai***  
P. Bartsch, 1932

Philippines  
52,3 mm



4553353439  
***Chrysallis chrysalidiformis***

G.B. I Sowerby, 1833  
Philippines, Mindoro Island  
65 mm



**synonyms:**

- *Chrysallis chrysalidiformis* G.B. I Sowerby, 1833
- *Chrysallis chrysalidiformis* G.B. I Sowerby, 1833



5794000135  
***Chrysallis chrysalidiformis camorongana***  
P. Bartsch, 1932

Philippines, Mindoro



**synonyms:**

- *Chrysallis jayi camorongana* P. Bartsch, 1932




5794000136  
***Chrysallis chrysalidiformis fuscata***  
P. Bartsch, 1932  
Philippines

No Georeferenced data available




4553353431  
***Chrysallis chrysalidiformis jayi***  
P. Bartsch, 1932  
Philippines



5814000138  
***Chrysallis chrysalidiformis perpusilla***  
P. Bartsch, 1932

Philippines, Mindoro



4552150105  
***Chrysallis lignaria***  
L. Pfeiffer, 1842

Philippines, Ifugao Mountain  
65 mm




5794000103  
***Chrysallis lignaria aguinaldoi***  
(P. Bartsch, 1919)


No Georeferenced data available





5794000050  
***Chrysallis lignaria carola***  
G.P. Deshayes, 1861  
Philippines  
72 mm




4553353455  
***Chrysallis lignaria grandis***  
L. Pfeiffer, 1845  
Philippines



4553050010  
***Chrysallis mindoreensis***  
W.J. Broderip, 1841  
Philippines, Mindoro Island  
66 mm




4553054015  
***Chrysallis nigriceps***  
P. Bartsch  
Philippines, Mindoro  
64 mm





4553353463  
***Chrysallis palliobasis***  
P. Bartsch, 1932  
Philippines, Palawan Island



4553353479  
***Chrysallis perturbator***  
P. Bartsch, 1932  
Philippines, Mindoro



4553054020  
***Chrysallis rollei***  
(O.F. von Möllendorff, 1898)  
Philippines, Mindoro Island  
68 mm




5794000141  
***Chrysallis rollei nigra***  
(P. Bartsch, 1932)


No Georeferenced data available




5794000008  
***Chrysallis***  
***rollei***  
***vexator***  
(P. Bartsch, 1932)  
Philippines



4553353487  
***Chrysallis***  
***roseolabrum***  
P. Bartsch, 1932  
Philippines  
61 mm




4553054025  
***Chrysallis***  
***vittata***  
(T. Say, 1822)  
Philippines, Mindoro  
41 mm




SubFamily: HELICOSTYLINAE - **Subgenus: Chrysallis (Dolichostyla)** H.A. Pilsbry, 1896 (syn: Prochilus - 1 SP, 7 IMG)




4553050015  
***Dolichostyla***  
***virgata***  
J.C. Jay, 1839  
Philippines, Mindoro Island  
50 mm




4553353503  
***Dolichostyla***  
***virgata***  
***cerina***  
P. Bartsch, 1932  
Philippines, Mindoro  
48 mm




4553054005  
***Dolichostyla***  
***virgata***  
***dryas***  
W.J. Broderip, 1841  
Philippines, Mindoro  
45 mm



5794000047  
***Dolichostyla***  
***virgata***  
***maxwellsmithi***  
J.T.L. McGinty, 1932  
Philippines, Mindoro  
46,1 mm




4553054030  
***Dolichostyla***  
***virgata***  
***partuloides***  
(W.J. Broderip, 1841)  
Philippines, Mindoro  
52 mm







4553050020  
**Dolichostyla**  
**virgata**  
**porracea**  
W.J. Broderip, 1841  
Philippines, Mindoro Island  
44 mm




5794000147  
**Dolichostyla**  
**virgata**  
**sylvanus**  
(W.J. Broderip, 1841)  
Philippines, Mindoro  
50 mm



SubFamily: HELICOSTYLINAE - Genus: **Helicostyla** A.E.J. Féruccac, 1821 (syn: Cochlostylus, Orthostylus, Pithohelix, Pythohelix - 83 SP, 109 IMG)



4553354104  
**Helicostyla**  
**aegle**  
(W.J. Broderip, 1841)  
Philippines




4553353975  
**Helicostyla**  
**aegle**  
**brandae**  
(J.G. Hidalgo, 1887)  
Philippines, Surigao  
43,4 mm





**synonyms:**

- *Helicostyla aegle barandae* J.G. Hidalgo, 1887



5814000155  
**Helicostyla**  
**aegrota**  
(L.A. Reeve, 1854)  
Indonesia, Borneo



**synonyms:**

- *Corasia aegrota* L.A. Reeve, 1854

- *Helix aegrotus* L.A. Reeve, 1854




5814000156  
**Helicostyla**  
**albina**  
(J.P.S. Gratebou, 1840)

No Georeferenced data available




4552150000  
**Helicostyla**  
**annulata**  
G.B. I Sowerby, 1841  
Philippines, Luzon Island  
25 mm



no  
IMAGES  
available

4553352415  
**Helicostyla  
balteata**  
G.B. I Sowerby, 1841  
Philippines




4553352423  
**Helicostyla  
bembicodes**  
L. Pfeiffer, 1851  
Philippines



no  
IMAGES  
available

to be checked


4553352431  
**Helicostyla  
bullata**  
W.J. Broderip, 1841  
Philippines



4553352455  
**Helicostyla  
butleri**  
L. Pfeiffer, 1842  
Philippines, Luzon Island  
34 mm



4553352447  
**Helicostyla  
butleri  
gravida**  
W. Kobelt, 1910  
Philippines  
25 mm



no  
IMAGES  
available

to be checked

5814000160  
**Helicostyla  
caesar**  
(L. Pfeiffer, 1854)

No Georeferenced data available




5794000048  
**Helicostyla  
caillaudi**  
G.P. Deshayes, 1839  
Philippines, Luzon Island  
35 mm



no  
IMAGES  
available


to be checked

4553352463  
**Helicostyla  
canonizadoi**  
P. Bartsch, 1932  
Philippines







4553352479

**Helicostyla**  
**cincinniformis**G.B. I Sowerby, 1840  
Philippines, Masbate Island  
40 mm


5814000142

**Helicostyla**  
**cincinniformis**  
**cabrasensis**P. Bartsch, 1932  
Philippines, Mindoro

4553352471

**Helicostyla**  
**cincinniformis**  
**demesana**W.J. Clench & S. Archer, 1931  
Philippines  
46,2 mm

5794000093

**Helicostyla**  
**cincinniformis**  
**guntingana**P. Bartsch, 1932  
Philippines, Lubang Island**synonyms:**

- Hypsebstylus cincinniformis guntingana P. Bartsch, 1932



4553353847

**Helicostyla**  
**cincinniformis**  
**menagei**(P. Bartsch, 1941)  
Philippines  
35 mm

5794000094



**Helicostyla**  
**cincinniformis**  
**ultima**

W.J. Clench &amp; S. Archer, 1931



No Georeferenced data available



5794000095

**Helicostyla**  
**collodes**(G.B. I Sowerby, 1841)  
Cebu, Philippines  
38 mm

4553200000



**Helicostyla**  
**concinna**G.B. I Sowerby, 1841  
Philippines, Marinduque Island  
42 mm



4553354039

**Helicostyla****concinna****archeri**

(W.J. Clench, 1936)

Philippines, Marinduque Island  
42 mm

4553200005

**Helicostyla****concinna****virens**


L. Pfeiffer, 1842

Philippines, Burias Island  
41,7 mm

5794000003

**Helicostyla****connectens**

(O.F. von Möllendorff, 1899)

Philippines, Sulu Island  
41,9 mm

4553352487

**Helicostyla****corticolor**

W. Kobelt, 1911

Philippines



4552154035

**Helicostyla****cunctator**

L.A. Reeve, 1830

Philippines, Malabuyoc  
46 mm

4553352495

**Helicostyla****dactylus**

W.J. Broderip, 1841


Philippines, Catanduanes  
55 mm

5794000096

**Helicostyla****dactylus****lunai**

(P. Bartsch, 1919)


Philippines



4552150130

**Helicostyla****dactylus****nympha**


(L. Pfeiffer, 1842)

Philippines, Luzon Island  
57,6 mm





4553353855  
**Helicostyla**  
**dactylus**  
**rugata**  
(J.G. Hidalgo, 1896)

Philippines  
54 mm




4552150035  
**Helicostyla**  
**daphnis**  
W.J. Broderip, 1841  
Philippines, Mindoro Island  
49 mm




4553352503  
**Helicostyla**  
**denticulata**  
J.C. Jay, 1839  
Philippines  
44 mm



4552150040  
**Helicostyla**  
**diana**  
W.J. Broderip, 1841  
Philippines, Antique Island  
54,7 mm



4553353871  
**Helicostyla**  
**diana**  
**calista**  
(W.J. Broderip, 1841)  
Philippines, Antique Island  
47 mm



**synonyms:**

- *Cochlostyla calista* W.J. Broderip, 1841




5814000169  
**Helicostyla**  
**domingo**

P. Bartsch, 1919


No Georeferenced data available



4552550035  
**Helicostyla**  
**dubiosa**  
L. Pfeiffer, 1845  
Philippines, Polillo Island  
32,2 mm



4553352511  
**Helicostyla**  
**dubiosa**  
**capulensis**  
P. Bartsch, 1930  
Philippines  
36,2 mm




**no  
IMAGES  
available**  
**to be checked**

4553352519

**Helicostyla  
dumonti**

L. Pfeiffer, 1846

Philippines, Mindoro




4552150045

**Helicostyla  
effusa**

(L. Pfeiffer, 1842)

Philippines, Batanes Island  
37 mm




4553354124

**Helicostyla  
effusa  
buschi**

(L. Pfeiffer, 1842)

Philippines  
34 mm



**synonyms:**

- *Cochlostyla buschi* L. Pfeiffer, 1842




5794000142

**Helicostyla  
effusa  
fasciata**

(L. Pfeiffer, 1841)

Philippines




4552150050

**Helicostyla  
effusa  
leai**

L. Pfeiffer, 1892

Philippines, Romblon Island  
39 mm




4553352527

**Helicostyla  
euconica**

P. Bartsch, 1932

Philippines, Mindoro





4553352535

**Helicostyla  
evanescens**

W.J. Broderip, 1841

Philippines, Luzon Island  
43 mm





4552150055

**Helicostyla  
faunus**

W.J. Broderip, 1841

Philippines, Cebu  
47 mm




**no  
IMAGES  
available**

4553352543

**Helicostyla  
fenestrata**

G.B. I Sowerby, 1841

Philippines, Luzon Island



4553352559

**Helicostyla  
filaris**

A. Valenciennes, 1845

Philippines, Sibuyan Island  
52 mm



4552150060

**Helicostyla  
florida**

G.B. I Sowerby, 1841

Philippines, Mindoro  
37,2 mm




4552150065

**Helicostyla  
florida**

**aureola**

P. Bartsch, 1938

Philippines, Mindoro Island  
38,4 mm





5794000097

**Helicostyla  
florida**

**fuscobalbiata**

(O.F. von Möllendorff, W. Kobelt,  
& Winter, 1911)

Philippines, Mindoro





4552150070

**Helicostyla  
florida**

**helicooides**

G.B. I Sowerby, 1841

Philippines, Bicol  
35,9 mm





5794000098

**Helicostyla  
florida**

**signa**

P. Bartsch, 1932

Philippines, Zamboanga  
38 mm




4552150075

**Helicostyla  
floridula**

G.B. I Sowerby, 1841

Philippines  
46,7 mm



no  
IMAGES  
available

to be checked

5814000173

**Helicostyla  
frater**

(A.E.J. Féruccac, 1821)

No Georeferenced data available

no  
IMAGES  
available


to be checked

4553352567

**Helicostyla  
fryas**

W.J. Broderip, 1841

Philippines





5814000150

**Helicostyla  
fulgens**

(W.J. Broderip, 1841)

Philippines, Mindoro  
37,9 mm



**synonyms:**

- *Helicostyla florida fulgens* W.J. Broderip, 1841





5814000151

**Helicostyla  
fulgens  
sapolana**

P. Bartsch, 1932

Philippines, Mindoro



no  
IMAGES  
available

to be checked

5814000174

**Helicostyla  
fuliginata**

(E.C. Von Martens, 1873)

No Georeferenced data available





4553352575

**Helicostyla  
gilva**

L. Pfeiffer, 1845

Philippines, Masbate Island  
43 mm





4552150090

**Helicostyla  
grandis**

(O.F. von Möllendorff, 1898)

Philippines, Luzon Island  
62 mm





5794000013

**Helicostyla  
grandis  
carolus**


(G.P. Deshayes, 1861)

Philippines, Luzon Island







4553353879  
**Helicostyla**  
**grandis**  
**depressa**  
(O.F. von Möllendorff, 1898)  
Philippines, Cagayan  
67 mm




4553352583  
**Helicostyla**  
**halichlora**  
C.G. Semper, 1866  
Philippines



4553352591  
**Helicostyla**  
**hydrophana**  
G.B. I Sowerby, 1841  
Philippines, Mindoro  
32 mm




5814000141  
**Helicostyla**  
**hydrophana**  
**verderoana**  
P. Bartsch, 1932  
Philippines, Mindoro




4553352599  
**Helicostyla**  
**ignobilis**  
G.B. I Sowerby, 1841  
Philippines  
25,1 mm




4552150095  
**Helicostyla**  
**iliconensis**  
G.B. I Sowerby, 1841  
Philippines, Babuyan Island  
25,9 mm



4552150100  
**Helicostyla**  
**imperator**  
L. Pfeiffer, 1848  
Philippines, Catanduanes Island  
65 mm



4553352607  
**Helicostyla**  
**imperator**  
**catanduanica**  
O.F. von Möllendorff, 1898  
Philippines



no  
IMAGES  
available

4553352615

**Helicostyla**  
**intermedia**

O.F. von Möllendorff, 1896

Philippines





4553354102

**Helicostyla**  
**jonasi**

(L. Pfeiffer, 1845)

Philippines, Mindoro Island



no  
IMAGES  
available


to be checked

4553352623

**Helicostyla**  
**juglans**

L. Pfeiffer, 1842

Philippines, Luzon Island



no  
IMAGES  
available


to be checked

4553352631

**Helicostyla**  
**kurta**

G.B. I Sowerby, 1841

Philippines



no  
IMAGES  
available

to be checked

4553352639

**Helicostyla**  
**lacerata**

C.G. Semper, 1877

Philippines




4553352655

**Helicostyla**  
**leopardus**

L. Pfeiffer, 1845

Philippines, Catanduanes Island  
44 mm



no  
IMAGES  
available

to be checked

5794000101

**Helicostyla**  
**leopardus**  
**meladryas**

Mac Ginty, 1934

No Georeferenced data available




4553352663

**Helicostyla**  
**leucophaea**


G.B. I Sowerby, 1841

Philippines, Luzon Island




**no  
IMAGES  
available**  
*to be checked*

5794000102  
***Helicostyla leucophaea subfrenata***  
O.F. von Möllendorff, 1898  
Philippines, Luzon Island





4553353887  
***Helicostyla libata***  
(L.A. Reeve, 1844)  
Philippines  
26 mm



4552150110  
***Helicostyla macrostoma***  
L. Pfeiffer, 1843  
Philippines, Palawan Island  
55 mm



4552150085  
***Helicostyla macrostoma gracilis***  
(O.F. von Möllendorff, 1898)  
Philippines, Mindoro Island  
55,1 mm




**no  
IMAGES  
available**  
*to be checked*

5794000105  
***Helicostyla macrostoma vizcayana***  
P. Bartsch, 1919

No Georeferenced data available



4553352671  
***Helicostyla mateoi***  
P. Bartsch, 1932  
Philippines, Mindoro  
32 mm



5794000106  
***Helicostyla mateoi siblonensis***  
P. Bartsch, 1932  
Philippines, Mindoro  
32 mm



**no  
IMAGES  
available**  
*to be checked*

5814000154  
***Helicostyla mcgintyi***  
M. Smith, 1932

No Georeferenced data available


no  
IMAGES  
available

4553352679

**Helicostyla  
mearnsi**

P. Bartsch, 1905

Philippines, Calanán



**synonyms:**

- *Helicostyla mearni* P. Bartsch, 1905



4552154050

**Helicostyla  
metamorphis**

L. Pfeiffer, 1855

Philippines, Sibuyan Island  
33 mm




4553352703

**Helicostyla  
mirabilis**

A.E.J. Féruccac, 1821


Philippines, Luzon Island  
41,6 mm



5794000109

**Helicostyla  
mirabilis  
donsalana**  
(P. Bartsch, 1918)

Philippines




4553352695

**Helicostyla  
mirabilis  
trichroa**

H.A. Plsby, 1892

Philippines  
35,4 mm




4553352711

**Helicostyla  
montana**

C.G. Semper, 1891

Philippines, Zamboanga  
27,2 mm




4553352727

**Helicostyla  
nimboasa**

W.J. Broderip, 1841


Philippines, Panay Island  
53 mm



5794000014

**Helicostyla  
nimboasa  
antiqua**  
(P. Bartsch, 1919)

Philippines






4553352735

**Helicostyla  
okadai**


J.T. Kuroda, 1932

Taiwan  
24,9 mm

4553352743

**Helicostyla  
orbitula**


G.B. I Sowerby, 1841

Philippines, Mindoro Island  
31 mm

4553352751

**Helicostyla  
phaeostyla**


L. Pfeiffer, 1856

Philippines  
42,1 mm

4553352767

**Helicostyla  
pictor**



W.J. Broderip, 1841

Philippines, Palawan Island  
46,2 mm

4552550060

**Helicostyla  
polillensis**

L. Pfeiffer, 1861


Polio Island, Philippines  
40 mm

4553352775

**Helicostyla  
polillensis  
hectori**

L. Pfeiffer, 1861


Philippines



4553352791

**Helicostyla  
pudibunda**



C.G. Semper, 1891

Philippines, Luzon Island  
37 mm

4552154010


**Helicostyla  
sarcinosa**

A.E.J. Féussac, 1821


Philippines, Guimaras Island  
55 mm




4553354126  
**Helicostyla**  
**sarcinosa**  
**dictyonina**  
O.F. von Möllendorff, 1898  
Philippines  
54 mm





4553352799  
**Helicostyla**  
**sarcinosa**  
**negrosa**  
P. Bartsch, 1950  
Philippines




4553352807  
**Helicostyla**  
**sarcinosa**  
**turgens**  
G.P. Deshayes, 1850  
Philippines




4552154065  
**Helicostyla**  
**satyrus**  
(W.J. Broderip, 1841)  
Indonesia, Borneo  
47 mm



5814000145  
**Helicostyla**  
**satyrus**  
**balabacensis**  
(P. Bartsch, 1919)  
Philippines, Balabac Island




5794000025  
**Helicostyla**  
**satyrus**  
**cinerosa**  
L. Pfeiffer, 1855  
Philippines, Palawan Island  
51,3 mm



● *Cochlostyla cinerosa balabacensis* P. Bartsch, 1919



5794000016  
**Helicostyla**  
**satyrus**  
**cyncephala**  
(L. Pfeiffer)  
Philippines




4553352815  
**Helicostyla**  
**satyrus**  
**graeili**  
J.G. Hidalgo, 1886  
Philippines, Palawan Island  
43,4 mm





5794000017  
**Helicostyla**  
**satyrus**  
**higginsi**  
(P. Bartsch, 1919)  
Philippines




**synonyms:**

- *Cochlostyla cinerosa higginsi* P. Bartsch, 1919



5794000010  
**Helicostyla**  
**satyrus**  
**librosa**  
(L. Pfeiffer)  
Philippines




4553353995  
**Helicostyla**  
**satyrus**  
**mantangulensis**  
(P. Bartsch, 1919)  
Philippines, Palawan  
56 mm



5814000147  
**Helicostyla**  
**satyrus**  
**palawanensis**  
L. Pfeiffer  
Philippines, Palawan Island



4553353895  
**Helicostyla**  
**satyrus**  
**tagbayugana**  
P. Bartsch, 1919  
Philippines  
44 mm



**synonyms:**

- *Cochlostyla cinerosa tagbayugana* P. Bartsch, 1919



5794000117  
**Helicostyla**  
**satyrus**  
**tidepolensis**  
(P. Bartsch, 1919)  
Philippines, Palawan  
47 mm



**synonyms:**

- *Helicostyla cinerosa tidepolensis* P. Bartsch, 1919



5814000146  
**Helicostyla**  
**satyrus**  
**ulugana**  
(P. Bartsch, 1919)  
Philippines, Palawan Island



**synonyms:**

- *Cochlostyla cinerosa ulugana* P. Bartsch, 1919


no  
IMAGES  
available

4553352831

**Helicostyla  
simplex**

I.H. Jonas, 1843

Philippines





4553352823

**Helicostyla  
simplex  
quadrasi**

J.G. Hidalgo, 1886

Philippines, Marinduque Island




4553352847

**Helicostyla  
smaragdina**

L.A. Reeve, 1842

Philippines, Surigao  
52 mm





4553352839

**Helicostyla  
smaragdina  
lutea**

C.G. Semper, 1877

Philippines, Mindanao  
53,1 mm



5794000011

**Helicostyla  
smaragdina  
nigrescens**

(C.G. Semper, 1877)

Philippines





5794000178

**Helicostyla  
smaragdina  
zonifera**

L.A. Reeve, 1842

Philippines, Surigao  
52 mm




no  
IMAGES  
available

4553352855

**Helicostyla  
solida**

L. Pfeiffer, 1842

Philippines




4553352863

**Helicostyla  
solivaga**

L.A. Reeve, 1849

Philippines, Palawan Island  
50 mm





4552550130

**Helicostyla**  
**speciosa**



J.C. Jay

Philippines, Batanes Island  
30 mm

4553352879

**Helicostyla**  
**subcarinata**



L. Pfeiffer, 1890

Philippines, Marinduque Island  
45,2 mm

4553352871

**Helicostyla**  
**subcarinata****moellendorffii**


J.G. Hidalgo, 1890

Philippines, Marinduque Island  
39,5 mm

4552150150

**Helicostyla**  
**tenera**

(G.B. I Sowerby, 1841)

Philippines, Mindoro  
33 mm

4552150155

**Helicostyla**  
**ticaonica**

W.J. Broderip, 1841

Philippines, Masbate Island  
55 mm

4553353903

**Helicostyla**  
**ticaonica****iloilonica**

M. Smith, 1932

Philippines  
60 mm


4553352887

**Helicostyla**  
**ticaonica****modesta**

O.F. von Möllendorff, 1898

Philippines, Luzon Island

42 mm





5814000202

**Helicostyla**  
**trailii**


(L. Pfeiffer, 1855)

Indonesia, Borneo






4552150160

**Helicostyla**  
**turbinoides**(W.J. Broderip, 1841)  
Philippines, Luzon Island  
72 mm


4553352895

**Helicostyla**  
**turbinoides**  
**hypselostyla**W. Kobelt, 1913  
Philippines, Catanduanes Island  
68,3 mm

4553352903

**Helicostyla**  
**turbinoides**  
**sulana**M. Smith, 1932  
Philippines

4552150165

**Helicostyla**  
**turbo**L. Pfeiffer, 1845  
Philippines, Romblon Island  
31 mm

5814000197

**Helicostyla**  
**versicolor**

(P. Bartsch, 1919)

**No Georeferenced data available**

4553352935

**Helicostyla**  
**vidali**J.G. Hidalgo, 1887  
Philippines


5814000198

**Helicostyla**  
**viridis**

(G.P. Deshayes, 1832)

**No Georeferenced data available**

4553352943


**Helicostyla**  
**viridostriata**H.C. Lea, 1840  
Philippines, Burias Island  
35,6 mm



4553352783

**Helicostyla  
viridostriata  
polychroa**



G.B. I Sowerby, 1840

Philippines, Sibuyan Island  
35 mm

4552154070

**Helicostyla  
woodiana**

H.C. Lea, 1840

Philippines, Polillo Island  
54 mm

5814000204

**Helicostyla  
woodiana****ingens**

O.F. von Möllendorff, 1898

**No Georeferenced data available**

5794000120

**Helicostyla  
woodiana****paracaleana**

P. Bartsch, 1918

Philippines

**No Georeferenced data available**

5794000121

**Helicostyla  
woodiana****portaei**

(L. Preiffer, 1861)

Philippines

70 mm

**synonyms:**

- *Cochlostyla porteri* L. Pfeiffer, 1861



5794000122

**Helicostyla  
woodiana****reevei**

(W.J. Broderip, 1841)

Philippines


**No Georeferenced data available**SubFamily: HELICOSTYLINAE - **Subgenus: Helicostyla (Cochlodryas)** E.C. Von Martens, 1860 (syn: Poecilus - 1 SP, 1 IMG)

5814000149

**Cochlidryas  
fastidiosa**


P. Bartsch, 1932

Philippines, Mindoro

SubFamily: HELICOSTYLINAE - **Subgenus: Helicostyla (Cochlostyla)** A.E.J. Féussac, 1821 (13 SP, 27 IMG)



4552154015

**Cochlostyla  
bicolorata**(H.C. Lea, 1840)  
Philippines, Marinduque Island  
57 mm

5814000203

**Cochlostyla  
bicolorata**  
**amaliae**

(O.F. von Möllendorff, 1890)

No Georeferenced data available



5794000091



**Cochlostyla  
bicolorata**  
**melanacme**

(O.F. von Möllendorff, 1897)


No Georeferenced data available





4552150005

**Cochlostyla  
bicolorata**  
**subflammulata**(O.F. von Möllendorff, 1897)  
Philippines, Marinduque Island  
55,7 mm

4552150015

**Cochlostyla  
camelopardalis**W.J. Broderip, 1841  
Philippines, Marinduque Island  
59 mm

4552154000

**Cochlostyla  
camelopardalis**  
**boholensis**W.J. Broderip, 1841  
Philippines, Bohol Island  
42 mm

4553353831


**Cochlostyla  
camelopardalis**  
**superba**W. Kobelt, 1910  
Philippines  
38 mm

4552150020



**Cochlostyla  
carinata**H.C. Lea, 1840  
Philippines, Batanes Island  
83 mm



4552150025

**Cochlostyla**  
**carinata**  
**rugata**J.G. Hidalgo, 1890  
Philippines, Mindoro Island  
55 mm

4553353991

**Cochlostyla**  
**carinata**  
**rugosa**(L. Pfeiffer, 1890)  
Philippines, Polillo Island  
62,7 mm

4553353839


**Cochlostyla**  
**carinata**  
**ventricosa**W. Kobelt, 1915  
Philippines, Panay Island  
54 mm

5794000092


**Cochlostyla**  
**carinata**  
**ventricosula**

W. Kobelt, 1915

No Georeferenced data available




5814000143

**Cochlostyla**  
**cuyoensis**L. Pfeiffer  
Philippines, Cuyo Island


5814000205

**Cochlostyla**  
**cuyoensis**  
**contracta**W. Kobelt, 1911  
Philippines, Cuyo Island

5814000144

**Cochlostyla**  
**cuyoensis**  
**subpallida**P. Bartsch, 1932  
Philippines, Caluya Island

4553050005

**Cochlostyla**  
**electrica**L.A. Reeve, 1848  
Philippines, Mindoro  
65 mm

no  
IMAGES  
available  
  
to be checked

5794000137  
**Cochlostyla**  
**electrica**  
**bulalacaoana**  
P. Bartsch, 1932

No Georeferenced data available


no  
IMAGES  
available  
  
to be checked

5794000138  
**Cochlostyla**  
**electrica**  
**mangarina**  
P. Bartsch, 1932

No Georeferenced data available




4553352551  
**Cochlostyla**  
**fictilis**  
W.J. Broderip, 1841  
Philippines, Sibuyan Island  
48 mm



5814000140  
**Cochlostyla**  
**fictilis**  
**ambulonensis**  
P. Bartsch, 1932  
Philippines, Mindoro



5814000148  
**Cochlostyla**  
**fictilis**  
**cagurana**  
P. Bartsch, 1932  
Philippines, Mindoro



5794000139  
**Cochlostyla**  
**fictilis**  
**marmorosa**  
(P. Bartsch, 1932)  
Philippines  
48 mm

No Georeferenced data available



4552154040  
**Cochlostyla**  
**fulgetrum**  
(W.J. Broderip, 1841)  
Philippines, Masbate Island  
57 mm



5794000099  
**Cochlostyla**  
**fulgetrum**  
**gigantea**  
M. Smith, 1932

No Georeferenced data available




4553354007

**Cochlostyla****fulgetrum****jaroensis**

M. Smith, 1932

Philippines

44 mm



5794000100

**Cochlostyla****fulgetrum****tayasanana**

(P. Bartsch, 1919)



Philippines



4552150115

**Cochlostyla****marininduquensis**

J.G. Hidalgo, 1887

Philippines, Marinduque Island  
64 mm

4553200015

**Cochlostyla****metaformis**

(A.E.J. Féruccac, 1821)

Philippines, Palawan Island  
45 mm

5794000107

**Cochlostyla****metaformis****ovularis**

(K.T. Menke, 1828)

Philippines

No Georeferenced data available





4553352687

**Cochlostyla****metaformis****rustica**

A. Mousson, 1849

Philippines, Bulacan



4553352719

**Cochlostyla****monticula**

G.B. I Sowerby, 1841


Philippines



4552154055

**Cochlostyla****pithogaster**

(A.E.J. Féruccac, 1821)

Philippines, Luzon Island  
73 mm

no  
IMAGES  
available  
to be checked

5794000110

**Cochlostyla**  
**pithogaster**

**batoana**

M. Smith, 1932

Philippines

No Georeferenced data available





4553354125

**Cochlostyla**  
**pithogaster**

**philippinensis**

(L. Pfeiffer, 1846)

Philippines, Marinduque Island  
57 mm



4552150140

**Cochlostyla**

**rufogastra**

R.P. Lesson, 1831

Philippines, Masbate Island  
67 mm



**synonyms:**

- *Cochlostyla rufogaster* R.P. Lesson, 1831



5794000111

**Cochlostyla**


**rufogastra**

**banahaooana**

(P. Bartsch, 1932)

Philippines, Albay

62,5 mm



no  
IMAGES  
available

to be checked

5794000112

**Cochlostyla**  
**rufogastra**

**maniliana**

P. Bartsch, 1932

No Georeferenced data available



5794000015


**Cochlostyla**

**rufogastra**

**pallens**

(R.P. Lesson, 1831)

Philippines



5794000113


**Cochlostyla**

**rufogastra**

**toppingi**

P. Bartsch, 1932

Philippines, Luzon Island



4553353963


**Cochlostyla**

**ventricosa**

(J.G. Bruguire, 1792)


Philippines

51 mm







5794000118  
**Cochlostyla  
ventricosa  
decorata**  
A.E.J. Fé russac, 1848  
Philippines



5794000119  
**Cochlostyla  
ventricosa  
guimarasensis**  
(W.J. Broderip, 1841)  
Philippines





4552150125  
**Cochlostyla  
ventricosa  
nobilis**  
L.A. Reeve, 1848  
Philippines, Negros Island  
64 mm





SubFamily: HELICOSTYLINAE - **Subgenus: Helicostyla (Hypselostyla)** E.C. Von Martens, 1868 (1 SP, 2 IMG)



4553352911  
**Hypselostyla  
velata**  
W.J. Broderip, 1841  
Philippines, Cebu



4553352951  
**Hypselostyla  
velata  
worcesteri**  
P. Bartsch, 1909  
Philippines, Bantayan Island



**synonyms:**

- *Cochlostyla worcesteri* P. Bartsch, 1910

SubFamily: HELICOSTYLINAE - **Genus: Mesanella** W.J. Clench & H. Turner, 1952 (4 SP, 3 IMG)



5814000170  
**Mesanella  
doriae**  
(W.L.H. Dohm, 1881)

No Georeferenced data available



5814000179  
**Mesanella  
lagunae**  
(J.G. Hidalgo, 1887)

No Georeferenced data available



4553150000

**Mesanella  
monochroa**G.B. I Sowerby, 1841  
Philippines, Palawan Island  
54 mm

4553354127

**Mesanella  
monochroa  
palawanica**  
(L. Pfeiffer, 1855)Philippines, Palawan Island  
49 mm**synonyms:**

- Mesanella palawanica L. Pfeiffer, 1855



4553353959

**Mesanella  
monochroa  
trailli**  
(L. Pfeiffer, 1855)Philippines, Palawan Island  
45 mm

5814000182

**Mesanella  
nigricans**

(O.F. von Mollendorff, 1900)

**No Georeferenced data available**SubFamily: HELICOSTYLINAE - **Genus: Phengus** J.A. Albers, 1850 (6 SP, 6 IMG)

4553353543

**Phengus  
cincinnatus**G.B. I Sowerby, 1841  
Philippines, Masbate Island  
39,6 mm

4553200025

**Phengus  
cincinnatus  
romblonensis**  
L. Pfeiffer, 1842Philippines, Masbate Island  
38,5 mm

4553200010

**Phengus  
fischeri**J.G. Hidalgo, 1889  
Philippines, Palawan Island  
36 mm

5794000140

**Phengus  
fischeri  
semistriata**  
(W. Kobelt, 1916)Philippines, Palawan Island  
37,5 mm




5794000023

**Phengus  
groltii**

F.P. Jousseaume, 1894


Philippines



4553200020

**Phengus  
opalina**

G.B. I Sowerby, 1841

Philippines, Batanes Island  
46,6 mm

5794000024

**Phengus  
simoni**

F.P. Jousseaume, 1894

Philippines




4553353551

**Phengus  
subcarinatus**

L. Pfeiffer, 1842


Philippines

SubFamily: HELICOSTYLINAE - Genus: **Phoenicobius** O.A.L. Mörch, 1852 (8 SP, 10 IMG)

4553353559

**Phoenicobius  
adustus**


G.B. I Sowerby, 1841

Philippines, Mindoro  
49,8 mm

4553354111

**Phoenicobius  
anacardium**

(W.L.H. Dohrn, 1878)

Philippines  
25,7 mm


4553250000

**Phoenicobius  
aratus**

G.B. I Sowerby, 1841

Philippines, Mindoro  
45 mm

5794000089

**Phoenicobius  
amatangana  
(M. Smith, 1932)**Philippines, Mindoro  
36,1 mm**synonyms:**

- *Phoenicobius oomorphus amatangana* M. Smith, 1932




4553250005

**Phoenicobius****aratus****lutea**

G.B. I Sowerby, 1840


Philippines, Mindoro Island



4553353567

**Phoenicobius****brachydon**

G.B. I Sowerby, 1841

Philippines, Mindoro  
35 mm


4553250010

**Phoenicobius****campanulus**

L. Pfeiffer, 1845

Philippines, Palawan Island  
28 mm

4553354087

**Phoenicobius****campanulus****bintuanensis**  
(J.G. Hidalgo, 1889)Philippines, Palawan Island  
26 mm

5814000184

**Phoenicobius****oblongus**


(G.B. I Sowerby, 1841)

**No Georeferenced data available**

4553353575

**Phoenicobius****omorphus**


G.B. I Sowerby, 1841

Philippines, Mindoro  
30 mm

4553354080

**Phoenicobius****palumbus**

(S.M. Souverbie, 1860)


Philippines, Palawan Island  
32 mmSubFamily: HELICOSTYLINAE - Genus: **Steatodryas** H.A. Pilsbry, 1932 (syn: Hypoptychus, Ptychostylus - 1 SP, 0 IMG)

4553353583

**Steatodryas****cepoides**

H.C. Lea, 1841

Philippines






4553350015

**Tricheulota  
zodiacus**

A.E.J. Féruccac, 1821

Indonesia, Bundo  
53 mm





4553353999


**Tricheulota  
zodiacus  
tuba**

J.A. Albers, 1854

Indonesia, Sulawesi  
28,5 mm



# Family: BRADYBAENIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at

<http://www.bagniliggia.it/WMSD/FamilyMap/BRADYBAENIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 829 from a total of 937