



Family: BULIMULIDAE

Class: GASTROPODA**--- Clade: HETEROBRANCHIA-PULMONATA-EUPULMONATA-STYLOMMAТОPHORA-SIGMURETHRA-ORTHALICOIDEA****----- Family: BULIMULIDAE** Tryon, 1867 (Land)- Alphabetic order - when **first name** is in bold the species has images
Taxa=1866, Genus=18, Subgenus=38, Species=1020, Subspecies=250, Synonyms=539, Images=692

- **abancayensis**, *Bostryx abancayensis* H.A. Pilsbry, 1944
- **abancayensis** *rudistriatus*, *Bostryx abancayensis rudistriatus* F. Haas, 1955
- **abbreviatus**, *Plicolumna abbreviatus* (J.G. Cooper, 1892)
- **abruptus**, *Drymaeus abruptus* H. Rolle, 1905
- **abscissus**, *Drymaeus abscissus* L. Pfeiffer, 1855
- **abyssorum**, *Drymaeus abyssorum* (D'Orbigny, 1835)
- **acalles**, *Bostryx acalles* (L. Pfeiffer, 1853)
- **acalles**, *Lissoacme acalles* H.A. Pilsbry, 1896 - syn of: *Bostryx acalles* (L. Pfeiffer, 1853)
- **acalles**, *Bulimus acalles* L. Pfeiffer, 1853 - syn of: *Bostryx acalles* (L. Pfeiffer, 1853)
- **acamatus**, *Naesiotus acamatus* W.H. Dall, 1917 - syn of: *Naesiotus akamatus* (W.H. Dall, 1917)
- **acervatus**, *Drymaeus acervatus* L. Pfeiffer, 1857
- **acervatus** *balteatus*, *Drymaeus acervatus balteatus* H.A. Pilsbry, 1898
- **acervatus** *paucipunctus*, *Drymaeus acervatus paucipunctus* H.A. Pilsbry, 1898
- **achatellinus**, *Naesiotus achatellinus* (E. Forbes, 1850)
- **achatellinus**, *Bulimulus achatellinus* E. Forbes, 1850 - syn of: *Naesiotus achatellinus* (E. Forbes, 1850)
- **achatinellus**, *Naesiotus achatinellus* E. Forbes, 1850 - syn of: *Naesiotus achatellinus* (E. Forbes, 1850)
- **acholus**, *Rabdotox acholus* J.F. Mabille, 1895 - syn of: *Naesiotus montezuma* W.H. Dall, 1893
- **achrous**, *Scutalus achrous* F. Haas, 1952
- **acme**, *Bostryx acme* F. Haas, 1955
- **acobambensis**, *Drymaeus acobambensis* W.K. Weyrauch, 1967
- **acromelas**, *Bostryx acromelas* P.M.A. Morelet, 1845
- **acuminatus**, *Drymaeus acuminatus* S.I. Da Costa, 1906
- **acus**, *Bulimulus guadelupensis acutus* W.E. Leach, 1815
- **adela**, *Oxychona adela* G.F. Angas, 1878 - syn of: *Leptarionta adela* (G.F. Angas, 1878)
- **adelphus**, *Naesiotus adelphus* W.H. Dall, 1917
- **adoptus**, *Bulimus adoptus* L.A. Reeve, 1849 - syn of: *Dryptus marmoratus* (R.W. Dunker, 1844)
- **adriani**, *Suniellus adriani* A.S.H. Breure, 2011
- **adsersenii**, *Bulimulus adsersenii* (G. Coppoïs, 1985)
- **aequatorianus**, *Drymaeus aequatorianus* E.A. Smith, 1877
- **aequatorius**, *Scutalus aequatorius* L. Pfeiffer, 1855
- **aequicostata**, *Bostryx aequicostata* H.A. Rehder, 1945
- **aestivus**, *Mesembrinus aestivus* (L. Pfeiffer, 1857)
- **affinis**, *Lissoacme affinis* W.J. Broderip, 1832
- **agueroi**, *Peronaeus agueroi* W.K. Weyrauch, 1960
- **agueroi** belltrani, *Peronaeus agueroi belltrani* W.K. Weyrauch, 1964
- **agUILARI**, *Bostryx aguilari* W.K. Weyrauch, 1967
- **aguirrei**, *Peronaeus aguirrei* (A. Doering, 1884)
- **aguirrei** azulensis, *Peronaeus aguirrei azulensis* (A. Doering, 1884)
- **aileenae**, *Bostryx aileenae* A.S.H. Breure, 1978
- **akamatus**, *Naesiotus akamatus* (W.H. Dall, 1917)
- **alabastrinus**, *Drymaeus alabastrinus* S.I. Da Costa, 1906
- **alauda**, *Kuschelenia alauda* L.H. Hupé, 1857
- **alauda** hendeensis, *Kuschelenia alauda hendeensis* (H.A. Pilsbry, 1926)
- **alaudus**, *Scutalus alaudus* L.H. Hupé, 1857 - syn of: *Kuschelenia alauda* L.H. Hupé, 1857
- **alausiensis**, *Bostryx alausiensis* (A. Cousin, 1887)
- **alausiensis**, *Lissoacme alausiensis* A. Cousin, 1887 - syn of: *Bostryx alausiensis* (A. Cousin, 1887)
- **alba**, *Bulimulus guadelupensis alba* G.B. I Sowerby, 1839
- **albemarlensis**, *Naesiotus albemarlensis* W.H. Dall, 1917
- **albermalensis**, *Bulimulus albermalensis* W.H. Dall, 1917 - syn of: *Naesiotus albemarlensis* W.H. Dall, 1917
- **albescens**, *Bostryx moniezi albescens* P. Dautzenberg, 1896
- **albescens**, *Drymaeus aureolus albescens* R.J.L. Guppy, 1870
- **albicans**, *Bostryx albicans* (W.J. Broderip, 1832)
- **albicans**, *Drymaeus multifasciatus albicans* H.P. Mazé, 1874
- **albicolor**, *Bulimus albicolor* P.M.A. Morelet, 1863 - syn of: *Bostryx orophilus* P.M.A. Morelet, 1863
- **albida**, *Drymaeus dormani albida* B.H. Wright, 1890
- **albida**, *Drymaeus punctatus albida* S.I. Da Costa, 1907
- **albidus**, *Rabdotox alternatus albidus* T.D.A. Cockerell, 1891

- albo, [***Scutalus mutabilis albo***](#) (W.J. Broderip, 1832)
- **albofilosus**, *Bulimus albofilosus* W.L.H. Dohrn, 1883 - syn of: [***Bahiensis albofilosus***](#) (W.L.H. Dohrn, 1883)
- **albolabiatus**, [***Drymaeus albolabiatus***](#) (E.A. Smith, 1877)
- **albostriatus**, [***Mesembrinus albostriatus***](#) H. Strelbel, 1882
- **albus**, [***Bostryx albus***](#) G.B. I Sowerby, 1833
- **alcantarae**, *Bulimus alcantarae* A.C. Bernardi, 1853 - syn of: [***Drymaeus dombeyanus***](#) (L. Pfeiffer, 1846)
- **alethorhytidus**, [***Naesirotus alethorhytidus***](#) W.H. Dall, 1917
- **alsophilus**, [***Drymaeus alsophilus***](#) R.A. Philippi, 1867
- **alta**, [***Plicolumna inscendens alta***](#) W.H. Dall, 1893
- **altenai**, [***Drymaeus altenai***](#) A.S.H. Breure, 1976
- **alternans**, [***Mesembrinus translucens alternans***](#) (H.H. Beck, 1837)
- **alternans**, *Drymaeus alternans* H.H. Beck, 1837 - syn of: [***Mesembrinus translucens alternans***](#) (H.H. Beck, 1837)
- **alternans honduranus**, *Drymaeus alternans honduranus* L. Pfeiffer, 1846 - syn of: [***Mesembrinus hondurasanus***](#) (L. Pfeiffer, 1846)
- **alternans juquileensis**, *Drymaeus alternans juquileensis* H.A. Pilsbry, 1899 - syn of: [***Mesembrinus translucens juquileensis***](#) H.A. Pilsbry, 1899
- **alternatus**, [***Rabdota alternatus***](#) T. Say, 1830
- **alternatus albidus**, [***Rabdota alternatus albidus***](#) T.D.A. Cockerell, 1891
- **alternatus hesperius**, *Bulimus alternatus hesperius* H.A. Pilsbry & J.H. Ferriss, 1924 - syn of: [***Rabdota schiedeanus***](#) L. Pfeiffer, 1841
- **alternatus mariae**, [***Rabdota alternatus mariae***](#) J.A. Albers, 1850
- **alternatus nigromontanus**, *Bulimus alternatus nigromontanus* W.H. Dall, 1897 - syn of: [***Bulimulus nigromontanus***](#) W.H. Dall, 1897
- **altispira**, *Oxychona altispira* E.C. Von Martens, 1892 - syn of: [***Leptarionta altispira***](#) (E.C. Von Martens, 1892)
- **altoensis**, [***Scutalus phaeocheilus altoensis***](#) A.S.H. Breure & V. Mogollón Ávila, 2010
- **altoperuvianus**, [***Neopetraeus altoperuvianus***](#) L.A. Reeve, 1849
- **altoperuvianus gracilior**, [***Neopetraeus altoperuvianus gracilior***](#) H.A. Pilsbry, 1898
- **altorum**, [***Scutalus revinctus altorum***](#) F. Haas, 1951
- **altorum**, [***Drymaeus expansus altorum***](#) W.K. Weyrauch, 1958
- **altus**, [***Naesirotus altus***](#) (W.H. Dall, 1893)
- **amaenus**, *Bulimus amaeonus* C. Bonnet, 1864 - syn of: [***Bulimulus corumbaensis***](#) H.A. Pilsbry, 1897
- **amandus**, [***Mesembrinus amandus***](#) (L. Pfeiffer, 1855)
- **amastroides**, [***Naesirotus amastroides***](#) C.M.F. Acey, 1887
- **amastroides anceyi**, [***Naesirotus amastroides anceyi***](#) W.H. Dall, 1893
- **ambatensis**, [***Naesirotus quitenis ambatensis***](#) H.A. Rehder, 1940
- **ambustus**, [***Drymaeus ambustus***](#) (L.A. Reeve, 1849)
- **ameghinoi**, [***Peronaeus ameghinoi***](#) H.F.A. von Ihering, 1908
- **ameghinoi madryensis**, *Peronaeus ameghinoi madryensis* D'Orbigny, 1835 - syn of: [***Peronaeus ameghinoi madryensis***](#) D'Orbigny, 1835
- **ameghinoi madrynensis**, [***Peronaeus ameghinoi madrynensis***](#) D'Orbigny, 1835
- **amoenus**, [***Drymaeus amoenus***](#) L. Pfeiffer, 1847
- **anachoreta**, [***Peronaeus anachoreta***](#) L. Pfeiffer, 1856
- **anceps**, [***Drymaeus anceps***](#) J.A. Albers, 1854
- **anceyi**, [***Naesirotus amastroides anceyi***](#) W.H. Dall, 1893
- **andai**, [***Drymaeus andai***](#) F.P. Jousseaume, 1898
- **andicola**, [***Mesembrinus andicola***](#) (L. Pfeiffer, 1847)
- **andivagus**, [***Naesirotus andivagus***](#) W.K. Weyrauch, 1956
- **andoicus**, [***Bostryx andoicus***](#) (P.M.A. Morelet, 1863)
- **angasi**, [***Drymaeus angasi***](#) E.C. Von Martens, 1893
- **angasianus**, *Bulimus angasianus* L. Pfeiffer, 1864 - syn of: [***Bothriembryon angasianus***](#) (L. Pfeiffer, 1864)
- **angelmaldonadoi**, [***Bostryx modestus angelmaldonadoi***](#) W.K. Weyrauch, 1960
- **angiportus**, [***Bostryx angiportus***](#) H.A. Pilsbry, 1932
- **angiportus**, [***Newboldius angiportus***](#) W.K. Weyrauch, 1960
- **angispira**, [***Bostryx obliquiportus angispira***](#) W.K. Weyrauch, 1960
- **angrandi**, [***Scutalus angrandi***](#) P.M.A. Morelet, 1860
- **angrandianus**, *Bostryx angrandianus* H.A. Pilsbry, 1897 - syn of: [***Bostryx radiatus***](#) (P.M.A. Morelet, 1860)
- **anguillensis**, [***Drymaeus anguillensis***](#) L. Pfeiffer, 1865
- **angulobasis**, [***Drymaeus angulobasis***](#) H.A. Pilsbry, 1944
- **angustus**, [***Drymaeus angustus***](#) S.I. Da Costa, 1906
- **angustus**, [***Bulimulus vesicalis angustus***](#) W.K. Weyrauch, 1966
- **annamiticus**, *Bulimus annamiticus* J.C.H. Crosse & P.H. Fischer, 1863 - syn of: [***Amphidromus inversus annamiticus***](#) (J.C.H. Crosse & P.H. Fischer, 1863)
- **annulatus**, [***Drymaeus annulatus***](#) L.A. Reeve, 1849
- **anomalous**, *Bulimus anomalous* C.B. Adams, 1849 - syn of: [***Spiraxis adamsianus***](#) L. Pfeiffer, 1852
- **anomphalus**, [***Bostryx anomphalus***](#) H.A. Pilsbry, 1944
- **anthisanensis**, [***Vermiculatus anthisanensis***](#) (L. Pfeiffer, 1853)
- **anthisanensis subfasciatus**, [***Vermiculatus anthisanensis subfasciatus***](#) (L. Pfeiffer, 1853)
- **antiguensis**, [***Bulimulus antiguensis***](#) A. Catlow & L.A. Reeve, 1845
- **antioquensis**, *Drymaeus antioquensis* L. Pfeiffer, 1855 - syn of: [***Drymaeus baranguillanus***](#) (L. Pfeiffer, 1853)
- **antisana**, [***Naesirotus quitenis antisana***](#) H.A. Rehder, 1942
- **antoni**, *Bulimus antoni* L. Pfeiffer, 1841 - syn of: [***Tornatellides oblongus***](#) (H.E. Anton, 1839)

- **apertus**, *Naesiotus apertus* L. Pfeiffer, 1855 - syn of: [***Naesiotus orbignyi***](#) (L. Pfeiffer, 1846)
- **apertus**, [***Bostryx stelzneri apertus***](#) M.I. Hylton-Scott, 1948
- **apicepunctatus**, [***Drymaeus apicepunctatus***](#) H.B. Preston, 1914
- **apiculatus**, *Bulimus apiculatus* J.E. Gray, 1834 - syn of: [***Mesembrinus elongatus***](#) (J.F. Bolten, 1798)
- **apodemetes**, [***Bulimulus apodemetes***](#) (D'Orbigny, 1835)
- **apodemetes** *dispar*, [***Bulimulus apodemetes dispar***](#) M.I. Hylton-Scott, 1952
- **approximatus**, [***Naesiotus approximatus***](#) W.H. Dall, 1900
- **apurimacensis**, [***Bostryx rhodolarynx apurimacensis***](#) W.H. Dall, 1917
- **apurimacensis**, *Scutalus apurimacensis* W.H. Dall, 1917 - syn of: [***Bostryx rhodolarynx apurimacensis***](#) W.H. Dall, 1917
- **aquilus**, [***Vermiculatus aquilus***](#) (L.A. Reeve, 1848)
- **araozi**, *Bulimulus araozi* W.K. Weyrauch, 1956 - syn of: [***Sphaeroconcha araozi***](#) (W.K. Weyrauch, 1956)
- **arboriferus**, [***Neopetraeus arboriferus***](#) (H.A. Pilsby, 1898)
- **arboriferus latistrigatus**, [***Neopetraeus arboriferus latistrigatus***](#) H.A. Pilsby, 1898
- **arboriferus obesus**, [***Neopetraeus arboriferus obesus***](#) W.K. Weyrauch, 1967
- **arboriferus paucistrigatus**, [***Neopetraeus arboriferus paucistrigatus***](#) W.K. Weyrauch, 1967
- **arboriferus rectistrigatus**, [***Neopetraeus arboriferus rectistrigatus***](#) H.A. Pilsby, 1898
- **arcuatostriatus**, [***Drymaeus arcuatostriatus***](#) (L. Pfeiffer, 1855)
- **arcuatus**, [***Bostryx arcuatus***](#) A.S.H. Breure, 1978
- **argentinus**, *Bulimulus argentinus* C.M.F. Ancey, 1901 - syn of: [***Rhinus argentinus***](#) (C.M.F. Ancey, 1901)
- **armatus**, *Bulimus armatus* J.W. Mighels - syn of: [***Auriculella auricula***](#) A.E.J. Féussac, 1821
- **arnaldoi**, [***Naesiotus arnaldoi***](#) (P.D. Lanzieri & H.E.B. Rezende, 1971)
- **artemisia**, [***Plicolumna artemisia***](#) W.G. Binney, 1861
- **ascendens**, [***Lissoacme derelictus ascendens***](#) H.A. Pilsby, 1944
- **asopeus**, *Bulimus asopeus* J. Gassies, 1871 - syn of: [***Placostylus fibratus***](#) T. Martyn, 1784
- **asperatus**, [***Naesiotus asperatus***](#) J.A. Albers, 1857
- **assimilis**, *Bulimus assimilis* E.A. Rossmässler, 1837 - syn of: [***Peristoma rupestre***](#) I. Krynicki, 1833
- **atacamensis**, [***Peronaeus atacamensis***](#) (L. Pfeiffer, 1856)
- **atahuapla**, [***Neopetraeus atahuapla***](#) (W.L.H. Dohrn, 1863)
- **atlanticus**, [***Aposcutalus atlanticus***](#) (A.V.C. Dutra-Clarke & J.L.M. Leme, 1985)
- **atricallosus**, *Bulimus atricallosus* A.A. Gould, 1843 - syn of: [***Amphidromus atricallosus***](#) A.A. Gould, 1843
- **attenuatus**, [***Mesembrinus attenuatus***](#) L. Pfeiffer, 1853
- **attenuatus pittieri**, [***Mesembrinus attenuatus pittieri***](#) E.C. Von Martens, 1893
- **attenuatus varicosus**, [***Mesembrinus attenuatus varicosus***](#) (L. Pfeiffer, 1851)
- **aulacostylus**, *Bulimus aulacostylus* L. Pfeiffer, 1853 - syn of: [***Eurytus aulacostylus***](#) (L. Pfeiffer, 1853)
- **aurantiostomus**, [***Drymaeus aurantiostomus***](#) F.G. Thompson & J.E. Deisler, 1982
- **aureolus**, [***Drymaeus aureolus***](#) R.J.L. Guppy, 1866
- **aureolus albescens**, [***Drymaeus aureolus albescens***](#) R.J.L. Guppy, 1870
- **aureolus fasciatus**, [***Drymaeus aureolus fasciatus***](#) R.J.L. Guppy, 1871
- **aureolus rawsoni**, *Drymaeus aureolus rawsoni* R.J.L. Guppy, 1871 - syn of: [***Drymaeus rawsoni***](#) (R.J.L. Guppy, 1871)
- **aureus**, [***Scutalus aureus***](#) A.S.H. Breure, 1978
- **aurifluus**, [***Mesembrinus aurifluus***](#) L. Pfeiffer, 1857
- **auris**, [***Drymaeus auris***](#) L. Pfeiffer, 1866
- **aurisleporis**, [***Cochlorina aurisleporis***](#) (J.G. Bruguière, 1789)
- **aurisleporis**, *Cochlorina aurisleporis* H.A. Pilsby, 1898 - syn of: [***Cochlorina aurisleporis intensior***](#) H.A. Pilsby, 1898
- **aurisleporis intensior**, [***Cochlorina aurisleporis intensior***](#) H.A. Pilsby, 1898
- **aurismuris**, [***Cochlorina aurismuris***](#) S. Moricand, 1833
- **aurisratti**, [***Drymaeus aurisratti***](#) R.A. Philippi, 1867
- **aurita**, [***Cochlorina aurita***](#) J.B. von Spix, 1827
- **avellana**, [***Naesiotus avellana***](#) H.H. Beck, 1837
- **avellana**, *Bulimus avellana* J.G. Bruguière, 1789 - syn of: [***Amphibola crenata***](#) (J.F. Gmelin, 1791)
- **avus**, [***Bostryx torallyi avus***](#) J.J. Parodí, 1947
- **azulensis**, [***Peronaeus aguirrei azulensis***](#) (A. Doering, 1884)
- **azulensis**, [***Peronaeus azulensis***](#) C. Fernández, 1970
- **baconi**, *Bulimus baconi* W.H. Benson, 1854 - syn of: [***Bothriembryon bulla***](#) K.T. Menke, 1843
- **badius**, *Scutalus badius* G.B. I Sowerby, 1835 - syn of: [***Vermiculatus bicolor***](#) (G.B. I Sowerby, 1835)
- **baeri**, [***Bostryx baeri***](#) P. Dautzenberg, 1901
- **baezensis**, [***Drymaeus baezensis***](#) J.G. Hidalgo, 1866
- **bahamensis**, [***Drymaeus bahamensis***](#) L. Pfeiffer, 1862
- **bahamensis tortugensis**, [***Drymaeus bahamensis tortugensis***](#) H.A. Pilsby & E.G. Vanatta, 1928
- **baileyi**, [***Rabdopus baileyi***](#) W.H. Dall, 1893
- **bairdii**, *Bulimus bairdii* L.A. Reeve, 1848 - syn of: [***Placostylus fibratus***](#) T. Martyn, 1784
- **bakeri**, *Bulimulus bakeri* G.D. Hanna, 1923 - syn of: [***Naesiotus dentifer lamellifer***](#) H.A. Pilsby, 1897
- **balboa**, [***Drymaeus expansus balboa***](#) H.A. Pilsby, 1926
- **balsanus**, *Bostryx balsanus* P.M.A. Morelet, 1863 - syn of: [***Bostryx nigropileatus***](#) L.A. Reeve, 1849
- **balteatus**, [***Drymaeus acervatus balteatus***](#) H.A. Pilsby, 1898

- bambamarcaensis, [***Naesiotus bambamarcaensis***](#) W.K. Weyrauch, 1960
- barangillanus, [***Drymaeus barangillanus***](#) (L. Pfeiffer, 1853)
- barbadensis, Bulimulus barbadensis L. Pfeiffer, 1853 - syn of: [***Bulimulus fuscus***](#) (L. Guilding, 1828.)
- baroni, [***Scutalus baroni***](#) (H.C. Fulton, 1896)
- baroni, Xenothauma baroni H.C. Fulton, 1896 - syn of: [***Scutalus baroni***](#) (H.C. Fulton, 1896)
- baroni, Drymaeus baroni H.C. Fulton, 1897 - syn of: [***Scutalus cretaceus***](#) L. Pfeiffer, 1855
- bartletti, [***Drymaeus bartletti***](#) A. Adams, 1866
- bartolomensis, [***Naesiotus tanneri bartolomensis***](#) J. Vagvolgyi, 1977
- basiplicatus, [***Naesiotus nux basiplicatus***](#) W.H. Dall & W.H. Ochsner, 1928
- basitorus, [***Drymaeus basitorus***](#) F. Haas, 1951
- bauri, [***Naesiotus bauri***](#) W.H. Dall, 1893
- beattyi, [***Mesembrinus elongatus beattyi***](#) W.J. Clench, 1951
- beckianus, Bulimus beckianus L. Pfeiffer, 1846 - syn of: [***Beckianum beckianum***](#) (L. Pfeiffer, 1846)
- behrendti, Bulimulus behrendti L. Pfeiffer, 1861 - syn of: [***Bulimulus coriaceus***](#) L. Pfeiffer, 1857
- beldingi, [***Naesiotus beldingi***](#) (J.G. Cooper, 1892)
- belltrani, [***Peronaeus agueroi belltrani***](#) W.K. Weyrauch, 1964
- bellus, Drymaeus bellus S.I. Da Costa, 1906 - syn of: [***Drymaeus blandi***](#) H.A. Pilsbry, 1898
- bequaerti, [***Drymaeus bequaerti***](#) W.K. Weyrauch, 1956
- bermudezae, [***Bostryx bermudezae***](#) W.K. Weyrauch, 1958
- bermudezi, Bostryx bermudezi W.K. Weyrauch, 1958 - syn of: [***Bostryx bermudezae***](#) W.K. Weyrauch, 1958
- bernardii, [***Auris bernardii***](#) L. Pfeiffer, 1856
- beyerleanus, [***Drymaeus beyerleanus***](#) L.H. Hupé, 1857
- beyerleanus mitchelli, [***Drymaeus beyerleanus mitchelli***](#) W.H. Dall, 1912
- bicincta, Oxychona bicincta L. Pfeiffer, 1841 - syn of: [***Leptarionta bicincta***](#) (L. Pfeiffer, 1841)
- bicolor, [***Vermiculatus bicolor***](#) (G.B. I Sowerby, 1835)
- bicolor, [***Naesiotus bicolor***](#) W.K. Weyrauch, 1967
- bicolor major, [***Vermiculatus bicolor major***](#) (L. Pfeiffer, 1868)
- bicolor tenuis, [***Vermiculatus bicolor tenuis***](#) (L. Pfeiffer, 1868)
- bifasciata, [***Oxychona bifasciata***](#) E.J. Burrow, 1815
- bifasciata minarum, [***Oxychona bifasciata minarum***](#) C.M.F. Ancey, 1901
- bilabiata, [***Auris bilabiata***](#) (W.J. Broderip & G.B. I Sowerby, 1829)
- bilabiata egregia, [***Auris bilabiata egregia***](#) J.C. Jay, 1836
- bilabiata nigrilabris, [***Auris bilabiata nigrilabris***](#) H.A. Pilsbry, 1896
- bilineatus, [***Bostryx bilineatus***](#) G.B. I Sowerby, 1833
- binghami, [***Bostryx binghami***](#) W.H. Dall, 1910
- binneyanus, [***Neopetraeus binneyanus***](#) L. Pfeiffer, 1857
- binneyanus, [***Rabdopus binneyanus***](#) W.G. Binney, 1859
- binominis, [***Drymaeus binominis***](#) R.J.L. Guppy, 1868
- binominis lascellesianus, Drymaeus binominis lascellesianus E.A. Smith, 1895 - syn of: [***Drymaeus binominis***](#) R.J.L. Guppy, 1868
- binominis lascellianus, Drymaeus binominis lascellianus E.A. Smith, 1895 - syn of: [***Drymaeus binominis***](#) R.J.L. Guppy, 1868
- birabeni, [***Bostryx birabeni***](#) M.I. Hylton-Scott, 1948
- birabenorum, [***Lissoacme birabenorum***](#) M.I. Hylton-Scott, 1948
- bisculptus, [***Bostryx bisculptus***](#) L. Pfeiffer, 1869
- bitaeniatus, Bulimus bitaeniatus P. Nyst, 1845 - syn of: [***Scholvienia bitaeniatus***](#) P. Nyst, 1845
- bivittatus, [***Drymaeus bivittatus***](#) G.B. I Sowerby, 1833
- bizonalis, [***Naesiotus eschariferus bizonalis***](#) C.M.F. Ancey, 1887
- blanchetiana, [***Oxychona blanchetiana***](#) S. Moricand, 1833
- blandi, [***Drymaeus blandi***](#) H.A. Pilsbry, 1898
- blanfordianus, Bulimulus blanfordianus C.M.F. Ancey, 1903 - syn of: [***Thaumastus blanfordianus***](#) (C.M.F. Ancey, 1903)
- blombergi, [***Naesiotus blombergi***](#) N.H. Odhner, 1951
- bogotensis, [***Drymaeus bogotensis***](#) L. Pfeiffer, 1855
- bolivarii, [***Drymaeus bolivarii***](#) (D'Orbigny, 1835)
- bolivianus, [***Drymaeus bolivianus***](#) L. Pfeiffer, 1846
- bolivianus, [***Scutalus bolivianus***](#) W.B. Marshall, 1932
- bombamarcaensis, [***Naesiotus bombamarcaensis***](#) W.K. Weyrauch, 1960
- bonaerensis, Bulimulus bonaerensis D'Orbigny, 1835 - syn of: [***Bulimulus bonariensis***](#) (D'Orbigny, 1835)
- bonaeriensis, Bulimulus bonaerensis D'Orbigny, 1835 - syn of: [***Bulimulus bonariensis***](#) (D'Orbigny, 1835)
- bonairensis, [***Bulimulus mendozanus bonairensis***](#) E.L. Holmberg, 1909
- bonariensis, [***Bulimulus bonariensis***](#) (D'Orbigny, 1835)
- bonariensis sporadicus, Bulimulus bonariensis sporadicus D'Orbigny, 1835 - syn of: [***Bulimulus sporadicus***](#) (D'Orbigny, 1835)
- bonneti, [***Bostryx bonneti***](#) C.M.F. Ancey, 1902
- boosciana, [***Oxychona boosciana***](#) A.E.J. Féussac, 1821
- borealis, [***Mesembrinus uhdeanus borealis***](#) E.C. Von Martens, 1893
- borellii, [***Bostryx borellii***](#) (C.M.F. Ancey, 1897)
- botterii, [***Mesembrinus botterii***](#) J.C.H. Crosse & P.H. Fischer, 1875

- **boucardi**, [**Drymaeus boucardi**](#) S.I. Da Costa, 1907
- **bourcieri**, [**Drymaeus bourcieri**](#) L. Pfeiffer, 1853
- **bourgeoisae**, *Drymaeus bourgeoisae* H.A. Rehder, 1943 - syn of: [**Mesembrinus droueti**](#) L. Pfeiffer, 1857
- **bowkeri**, *Bulimus bowkeri* G.B. I Sowerby, 1890 - syn of: [**Prestonella bowkeri**](#) (G.B. I Sowerby, 1890)
- **brachyplax**, [**Auris melanostoma brachyplax**](#) H.A. Pilsbry, 1896
- **brachysoma**, [**Drymaeus brachysoma**](#) (D'Orbigny, 1835)
- **brachystoma**, *Drymaeus brachystoma* D'Orbigny, 1835 - syn of: [**Drymaeus brachysoma**](#) (D'Orbigny, 1835)
- **branchyplax**, [**Auris melastoma branchyplax**](#) H.A. Pilsbry, 1896
- **branneri**, [**Drymaeus branneri**](#) F.C. Baker, 1914
- **broadwayi**, [**Mesembrinus broadwayi**](#) (E.A. Smith, 1896)
- **broderipii**, *Bulimus broderipii* G.B. I Sowerby, 1832 - syn of: [**Plectostylus broderipii**](#) (G.B. I Sowerby, 1832)
- **broderipii elongata**, *Bulimus broderipii elongata* D'Orbigny, 1837 - syn of: [**Plectostylus broderipii elongata**](#) (D'Orbigny, 1837)
- **broggii**, [**Scutalus broggii**](#) H.A. Pilsbry & A.A. Olsson, 1949
- **bromeliacarum**, [**Bostryx bromeliacarum**](#) H.A. Pilsbry, 1930
- **bromeliacarum grandiportus**, [**Bostryx bromeliacarum grandiportus**](#) W.K. Weyrauch, 1958
- **brownii**, [**Neopetraeus decussatus brownii**](#) H.A. Pilsbry, 1898
- **brunoi**, [**Bulimulus brunoi**](#) H.F.A. von Ihering, 1917
- **bryanti**, *Mesembrinus bryanti* J.G. Cooper, 1891 - syn of: [**Naesiotus rimatus**](#) L. Pfeiffer, 1847
- **bucia**, [**Drymaeus bucia**](#) L. Pfeiffer, 1859
- **buckleyi**, [**Drymaeus buckleyi**](#) (G.B. I Sowerby, 1895)
- **buenavistensis**, [**Bulimulus buenavistensis**](#) H.A. Pilsbry, 1897
- **bugabensis**, [**Mesembrinus bugabensis**](#) (E.C. Von Martens, 1893)
- **bulbulus**, *Bulimus bulbulus* J. Gassies, 1871 - syn of: [**Placostylus fibratus**](#) T. Martyn, 1784
- **cacoctycus**, [**Rabdotus cacoctycus**](#) J.F. Mabille, 1895
- **cacotycus**, *Bulimulus cacotycus* J.F. Mabille, 1895 - syn of: [**Naesiotus excelsus**](#) A.A. Gould, 1853
- **cacticollus**, *Bulimulus cacticollus* L.A. Reeve, 1849 - syn of: [**Bulimulus cacticulus**](#) L.A. Reeve, 1849
- **cacticulus**, [**Bulimulus cacticulus**](#) L.A. Reeve, 1849
- **caktivorus**, [**Drymaeus caktivorus**](#) W.J. Broderip, 1832
- **cactorum**, *Bostryx cactorum* D'Orbigny, 1835 - syn of: [**Lissoacme hennahi**](#) J.E. Gray, 1830
- **calchaquinus**, [**Bostryx calchaquinus**](#) A. Doering, 1879
- **californicus**, [**Plicolumna californicus**](#) J.G. Cooper, 1891
- **californicus**, *Drymaeus californicus* L.A. Reeve, 1848 - syn of: [**Drymaeus ziegleri**](#) L. Pfeiffer, 1847
- **californicus ramentosus**, *Rabdotus californicus ramentosus* J.G. Cooper, 1891 - syn of: [**Plicolumna ramentosus**](#) (J.G. Cooper, 1891)
- **caliginosus**, [**Vermiculatus caliginosus**](#) (L.A. Reeve, 1849)
- **callaoensis**, [**Scutalus versicolor callaoensis**](#) H.A. Pilsbry, 1897
- **calvus**, [**Naesiotus calvus**](#) G.B. I Sowerby, 1833
- **calvus caryonis**, [**Naesiotus calvus caryonis**](#) W.H. Dall & W.H. Ochsner, 1928
- **camachoi**, [**Neopetraeus camachoi**](#) W.K. Weyrauch, 1967
- **canaliculatus**, [**Drymaeus canaliculatus**](#) L. Pfeiffer, 1845
- **canaliferus**, [**Naesiotus canaliferus**](#) P.H. Reibisch, 1892
- **canarius**, [**Drymaeus canarius**](#) L. Pfeiffer, 1867
- **cantatus**, [**Drymaeus cantatus**](#) L.A. Reeve, 1848
- **cantatus medinanus**, [**Drymaeus cantatus medinanus**](#) H.A. Pilsbry, 1935
- **caraibaeorum**, [**Drymaeus caraibaeorum**](#) J.B.P.A. Lamarck, 1822
- **carandaitensis**, [**Bostryx carandaitensis**](#) (H.B. Preston, 1907)
- **carinatus**, [**Bostryx carinatus**](#) A.S.H. Breure, 1978
- **carinatus**, [**Bulimus carinatus**](#) J.G. Bruguière, 1789
- **carinatus trochiformis**, [**Bostryx carinatus trochiformis**](#) A.S.H. Breure, 1978
- **carlucioi**, [**Naesiotus carlucioi**](#) (H.E.B. Rezende & P.D. Lanzieri, 1963)
- **carmen**, *Bulimulus carmen* H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
- **caryonis**, [**Naesiotus calvus caryonis**](#) W.H. Dall & W.H. Ochsner, 1928
- **castaneostrigatus**, [**Drymaeus castaneostrigatus**](#) S.I. Da Costa, 1906
- **castaneus**, *Bulimus castaneus* L. Pfeiffer, 1845 - syn of: [**Eurytus castaneus**](#) (L. Pfeiffer, 1845)
- **castelnaui**, [**Bulimulus castelnaui**](#) (L. Pfeiffer, 1857)
- **castrensis**, [**Drymaeus castrensis**](#) L. Pfeiffer, 1847
- **castus**, [**Mesembrinus castus**](#) (L. Pfeiffer, 1847)
- **castus porrectus**, [**Mesembrinus castus porrectus**](#) E.C. Von Martens, 1893
- **castus xantholeucus**, [**Mesembrinus castus xantholeucus**](#) E.C. Von Martens, 1893
- **catamarcanus**, [**Bostryx catamarcanus**](#) J.J. Parodíz, 1956
- **catamarcanus**, [**Neopetraeus catamarcanus**](#) L. Pfeiffer, 1858
- **catamarcanus orientalis**, [**Neopetraeus catamarcanus orientalis**](#) A.S.H. Breure, 1978
- **catamayensis**, [**Drymaeus catamayensis**](#) K. Miller, 1879
- **catenae**, [**Drymaeus catenae**](#) F. Haas, 1952
- **catharinae**, *Bulimus catharinae* L. Pfeiffer, 1857 - syn of: [**Cyclodontina fusiformis**](#) (K.T. Menke, 1828)
- **cathcartiae**, *Bulimus cathcartiae* L.A. Reeve, 1848 - syn of: [**Plekocheilus cathcartiae**](#) (L.A. Reeve, 1848)

- **catlowae**, *Bulimus catlowae* L. Pfeiffer, 1853 - syn of: ***Naesiotus catlowiae*** L. Pfeiffer, 1853
- **catlowiae**, ***Naesiotus catlowiae*** L. Pfeiffer, 1853
- **caucaensis**, ***Drymaeus caucaensis*** S.I. Da Costa, 1898
- **caucasicus**, *Bulimus caucasicus* L. Pfeiffer, 1852 - syn of: ***Chondrula caucasica*** (L. Pfeiffer, 1852)
- **cavagnaroi**, ***Naesiotus cavagnaroi*** A.G. Smith, 1972
- **cecileae**, ***Drymaeus strigatus cecileae*** S. Morcand, 1858
- **celendinensis**, ***Drymaeus celendinensis*** W.K. Weyrauch, 1956
- **centralis**, ***Naesiotus centralis*** A. Doering, 1879
- **ceralboensis**, ***Rabdotus ceralboensis*** G.D. Hanna, 1923
- **ceratacme**, ***Bostryx ceratacme*** L. Pfeiffer, 1855
- **cercicola**, *Bulimus cercicola* P.M.A. Morelet, 1863 - syn of: ***Bostryx orophilus*** P.M.A. Morelet, 1863
- **cereicola**, *Bulimus cereicola* P.M.A. Morelet, 1863 - syn of: ***Bostryx orophilus*** P.M.A. Morelet, 1863
- **ceroplasta**, ***Bostryx ceroplasta*** H.A. Pilsbry, 1896
- **cerrateae**, *Raphiellus cerrateae* W.K. Weyrauch, 1967 - syn of: ***Naesiotus cerrateae*** W.K. Weyrauch, 1967
- **cerrateae**, ***Naesiotus cerrateae*** W.K. Weyrauch, 1967
- **cerussatus**, ***Drymaeus cerussatus*** L.A. Reeve, 1849
- **chacoensis**, ***Naesiotus montivagus chacoensis*** C.M.F. Ancey, 1897
- **chacoensis**, ***Bostryx chacoensis*** H.B. Preston, 1907
- **chagualensis**, ***Bostryx chagualensis*** H.A. Pilsbry, 1932
- **chamaeleon**, *Bulimus chamaeleon* L. Pfeiffer, 1855 - syn of: ***Drymaeus ambustus*** (L.A. Reeve, 1849)
- **chamayensis**, ***Naesiotus subcostatus chamayensis*** W.K. Weyrauch, 1967
- **chamberlini**, ***Rabdotus chamberlini*** G.D. Hanna, 1923
- **championi**, ***Mesembrinus championi*** E.C. Von Martens, 1893
- **chanchamayensis**, ***Drymaeus chanchamayensis*** J.G. Hidalgo, 1870
- **chaperi**, *Bulimus chaperi* J.C.H. Crosse & P.H. Fischer, 1893 - syn of: ***Drymaeus dombeyanus*** (L. Pfeiffer, 1846)
- **charpentieri**, *Bulimus charpentieri* L. Pfeiffer, 1850 - syn of: ***Cyclodontina charpentieri*** L. Pfeiffer, 1850
- **chemitzioides**, ***Bulimulus chemitzioides*** (E. Forbes, 1850)
- **chemnitzioides**, ***Naesiotus chemnitzioides*** E. Forbes, 1850
- **chemnitzioides**, *Naesiotus chemnitzioides* E. Forbes, 1850 - syn of: ***Naesiotus chemnitzioides*** E. Forbes, 1850
- **chenui**, ***Drymaeus chenui*** R.A. Philippi, 1867
- **chevallieri**, ***Drymaeus chevallieri*** A.S.H. Breure, 1976
- **chiapasensis**, ***Drymaeus chiapasensis*** L. Pfeiffer, 1866
- **chiapensis**, ***Drymaeus chiapensis*** E.C. Von Martens, 1893
- **chiapensis nebulosus**, ***Drymaeus chiapensis nebulosus*** E.C. Von Martens, 1893
- **chiapensis quadrifasciatus**, ***Drymaeus chiapensis quadrifasciatus*** E.C. Von Martens, 1893
- **chicoensis**, ***Drymaeus fallax chicoensis*** A.S.H. Breure, 1977
- **chiletensis**, ***Scutalus chiletensis*** W.K. Weyrauch, 1967
- **chiletensis granulatus**, ***Scutalus chiletensis granulatus*** W.K. Weyrauch, 1967
- **chillu**, ***Suniellus chillu*** A.S.H. Breure, 1978
- **chimborasensis**, ***Drymaeus chimborasensis*** L.A. Reeve, 1848
- **chiriquensis**, ***Mesembrinus chiriquensis*** S.I. Da Costa, 1901
- **chiriquiensis**, *Mesembrinus chiriquiensis* S.I. Da Costa, 1901 - syn of: ***Mesembrinus chiriquensis*** S.I. Da Costa, 1901
- **chloris**, *Bulimus chloris* L.A. Reeve, 1848 - syn of: ***Amphidromus chloris*** L.A. Reeve, 1848
- **christensenii**, ***Naesiotus christensenii*** W.B. Miller & D.M. Reeder, 1984
- **christopheri**, ***Drymaeus multifasciatus christopheri*** H.A. Pilsbry, 1899
- **chrysalis**, ***Naesiotus chrysalis*** L. Pfeiffer, 1847
- **chrysaloides**, ***Bulimulus chrysaloides*** H.A. Pilsbry, 1897
- **chrysomelas**, ***Drymaeus chrysomelas*** E.C. Von Martens, 1867
- **chrysomelas crebristriga**, ***Drymaeus chrysomelas crebristriga*** E.C. Von Martens, 1867
- **chrysomelas raristriga**, ***Drymaeus chrysomelas raristriga*** E.C. Von Martens, 1867
- **chrysostoma**, ***Auris chrysostoma*** S. Morcand, 1836
- **chrysostoma swainsoni**, ***Auris chrysostoma swainsoni*** (L. Pfeiffer, 1845)
- **chusgonensis**, ***Bostryx chusgonensis*** W.K. Weyrauch, 1960
- **chusgonensis sipas**, ***Bostryx chusgonensis sipas*** A.S.H. Breure & V. Mogollón Avila, 2010
- **cicheroi**, ***Bostryx cicheroi*** M.I. Hylton-Scott, 1967
- **cinerarius**, ***Naesiotus cinerarius*** W.H. Dall, 1917
- **cinereus**, ***Naesiotus cinereus*** (L.A. Reeve, 1849)
- **circuliportus**, ***Bostryx circuliportus*** A.S.H. Breure, 1978
- **circuliportus rimacensis**, ***Bostryx circuliportus rimacensis*** A.S.H. Breure, 1978
- **citrinellus**, ***Drymaeus scitulus citrinellus*** L. Pfeiffer, 1853
- **citronellus**, *Bulimus citronellus* G.F. Angas, 1879 - syn of: ***Mesembrinus sulphureus*** (L. Pfeiffer, 1857)
- **clarissimus**, ***Mesembrinus dominicus clarissimus*** H.A. Pilsbry, 1946
- **clarus**, ***Drymaeus clarus*** L. Pfeiffer, 1857
- **clathratus**, ***Drymaeus clathratus*** L. Pfeiffer, 1858
- **clava**, *Bulimus clava* L.A. Reeve, 1849 - syn of: ***Sigmataxis procerus*** C.B. Adams, 1845

- claviformis, [***Bostryx claviformis***](#) F. Haas, 1951
- clavulus, Bulimus clavulus W. Turton, 1831 - syn of: [***Opeas hannensis***](#) (P.C.A.S.L. Rang, 1831)
- cleefi, Drymaeus cleefi A.S.H. Breure & A. Eskens, 1981 - syn of: [***Stenostylus nigrolimbatus***](#) (L. Pfeiffer, 1853)
- climacographus, [***Bostryx climacographus***](#) E.L. Holmberg, 1912
- coagulatus, Scutalus coagulatus L.A. Reeve, 1849 - syn of: [***Scutalus versicolor***](#) H.A. Pilsbry, 1897
- coarctatus, [***Drymaeus coarctatus***](#) L. Pfeiffer, 1845
- cochambalensis, [***Drymaeus scitulus cochambalensis***](#) W.K. Weyrauch, 1916
- cochininchinensis, Bulimus cochininchinensis L. Pfeiffer, 1857 - syn of: [***Amphidromus cochinchinensis***](#) (L. Pfeiffer, 1857)
- cockerianus, Bostryx cockerianus W.H. Dall, 1909 - syn of: [***Bostryx cokerianus***](#) (W.H. Dall, 1909)
- coelestini, [***Diaphanomormus coelestini***](#) F. Haas, 1952
- coelestini obesus, [***Diaphanomormus coelestini obesus***](#) W.K. Weyrauch, 1964.
- coelhoi, [***Bostryx coelhoi***](#) A.S.H. Breure, 1978
- coerulescens, [***Bostryx coerulescens***](#) L. Pfeiffer, 1858
- coerulescens columna, [***Bostryx coerulescens columna***](#) H.A. Pilsbry, 1898
- cognatus, [***Drymaeus cognatus***](#) H.A. Pilsbry, 1901
- cokerianus, [***Bostryx cokerianus***](#) (W.H. Dall, 1909)
- colimensis, [***Drymaeus colimensis***](#) H. Rolle, 1895
- colmeiroi, Bulimus colmeiroi J.G. Hidalgo, 1872 - syn of: [***Stenostylus colmeiroi***](#) J.G. Hidalgo, 1872
- colmeiroi, Drymaeus colmeiroi J.G. Hidalgo, 1872 - syn of: [***Stenostylus colmeiroi***](#) J.G. Hidalgo, 1872
- colombianus, Drymaeus colombianus H.C. Lea, 1838 - syn of: [***Drymaeus columbianus***](#) H.C. Lea, 1838
- coloratus, Bulimus coloratus P. Nyst, 1845 - syn of: [***Eurytus coloratus***](#) (P. Nyst, 1845)
- columbianus, [***Drymaeus columbianus***](#) H.C. Lea, 1838
- columbiensis, [***Mesembrinus columbiensis***](#) (L. Pfeiffer, 1855)
- columellaris, [***Bostryx columellaris***](#) L.A. Reeve, 1849
- columellaris, [***Naesiota columellaris***](#) W.K. Weyrauch, 1967
- columna, [***Bostryx coerulescens columna***](#) H.A. Pilsbry, 1898
- columna, Rabdotus columna O.F. Müller, 1774 - syn of: [***Columna columna***](#) (O.F. Müller, 1774)
- combinai, [***Ornatimormus combinai***](#) W.K. Weyrauch, 1958
- comes, Bulimus comes L. Pfeiffer, 1861 - syn of: [***Amphidromus comes***](#) L. Pfeiffer, 1861
- cominicuclarissimus, Drymaeus cominicuclarissimus H.A. Pilsbry, 1946 - syn of: [***Mesembrinus dominicus clarissimus***](#) H.A. Pilsbry, 1946
- comis, [***Drymaeus comis***](#) H.B. Preston, 1907
- compactus, [***Bostryx compactus***](#) H.C. Fulton, 1901
- compactus, [***Bostryx zilchi compactus***](#) W.K. Weyrauch, 1960
- concolor, [***Drymaeus josephus concolor***](#) E.C. Von Martens, 1893
- concolor, [***Bulimulus exilis concolor***](#) J. Piaget, 1914
- conferta, Bulimus conferta L. Pfeiffer, 1856 - syn of: [***Spiraxis terebella***](#) (C.B. Adams, 1849)
- confinis, Bulimus confinis L.A. Reeve, 1850 - syn of: [***Rabdopus dealbatus***](#) (T. Say, 1821)
- confinus, [***Rabdopus confinus***](#) L.A. Reeve, 1850
- confluens, [***Drymaeus confluens***](#) L. Pfeiffer, 1855
- confusus, Bulimus confusus L.A. Reeve, 1848 - syn of: [***Kuschelenia culminea***](#) (D'Orbigny, 1835)
- conicus, [***Mesembrinus conicus***](#) S.I. Da Costa, 1907
- coniformis, Bulimus coniformis J.G. Bruguère, 1789 - syn of: [***Melampus coffea***](#) (C. Linnaeus, 1758)
- conispirus, [***Bostryx stelzneri conispirus***](#) (A. Doering, 1879)
- conispirus, Scutalus conispirus A. Doering, 1879 - syn of: [***Bostryx stelzneri conispirus***](#) (A. Doering, 1879)
- conispirus minuta, [***Bostryx stelzneri conispirus minuta***](#) J.J. Parodíz, 1948
- conspersus, [***Bostryx conspersus***](#) G.B. I Sowerby, 1833
- constrictus, [***Naesiota constrictus***](#) L.A. Reeve, 1848
- conus, [***Drymaeus conus***](#) H.A. Pilsbry, 1902
- convexus, [***Drymaeus convexus***](#) (L. Pfeiffer, 1855)
- cooperi, Bulimulus cooperi W.H. Dall, 1896 - syn of: [***Rabdopus pilula***](#) W.G. Binney, 1861
- cora, [***Neopetraeus cora***](#) (D'Orbigny, 1835)
- cora unicolor, [***Neopetraeus cora unicolor***](#) L. Pfeiffer, 1881
- coraeformis, [***Scutalus coraeformis***](#) H.A. Pilsbry, 1897
- coraeformis debilisculptus, [***Scutalus coraeformis debilisculptus***](#) W.K. Weyrauch, 1967
- corallina, [***Kora corallina***](#) L.R.L. Simone, 2012
- cordatus, Bulimus cordatus L. Pfeiffer, 1856 - syn of: [***Ischnopupoides cordatus***](#) (L. Pfeiffer, 1856)
- corderoi, [***Bulimulus corderoi***](#) J.J. Parodíz, 1962
- cordillerae, [***Bostryx cordillerae***](#) P. von Strobel, 1874
- coriaceus berendti, Bulimus coriaceus berendti L. Pfeiffer, 1861 - syn of: [***Bulimulus coriaceus***](#) L. Pfeiffer, 1857
- coriaceus, [***Bulimulus coriaceus***](#) L. Pfeiffer, 1857
- corneus, Bulimus corneus G.B. I Sowerby, 1833 - syn of: [***Bulimulus corneus***](#) G.B. I Sowerby, 1833
- corneus, [***Bulimulus corneus***](#) G.B. I Sowerby, 1833
- corneus minor, [***Bulimulus corneus minor***](#) (E.C. Von Martens, 1893)
- corneus nubeculatus, Bulimus corneus nubeculatus L. Pfeiffer, 1853 - syn of: [***Bulimulus corneus***](#) G.B. I Sowerby, 1833
- corpulentus, Bulimus corpulentus J. Gassies, 1871 - syn of: [***Placostylus corpulentus***](#) (J. Gassies, 1871)

- correctus, [**Drymaeus trigonostomus correctus**](#) L. Pfeffer, 1852
- corrugatus, [**Bostryx torallyi corrugatus**](#) J.J. Parodíz, 1947
- corrugatus, [**Bulimus corrugatus**](#) P.P. King, 1831
- corticosus, Bulimus corticosus G.B. III Sowerby, 1895 - syn of: [**Eurytus episcopalis corticosus**](#) (G.B. III Sowerby, 1895)
- corumbaensis, [**Bulimulus corumbaensis**](#) H.A. Pilsbry, 1897
- cosmicus, [**Naesirotus cosmicus**](#) J.F. Mabille, 1895
- costaricensis, [**Drymaeus costaricensis**](#) L. Pfeiffer, 1862
- costellatus, [**Bostryx costellatus**](#) M.I. Hyton-Scott, 1971
- costifer, [**Scutalus costifer**](#) H.A. Pilsbry, 1932
- costifer naggi, [**Scutalus costifer naggi**](#) A.S.H. Breure, 1978
- costulatus, [**Scutalus costulatus**](#) W.K. Weyrauch, 1967
- cotopaxiensis, [**Vermiculatus cotopaxiensis**](#) (L. Pfeiffer, 1853)
- coturnix, Bulimus coturnix G.B. I Sowerby, 1832 - syn of: [**Plectostylus coturnix**](#) (G.B. I Sowerby, 1832)
- cousins, [**Scutalus cousinsi**](#) F.P. Jousseaume, 1887
- cozumelensis, [**Mesembrinus cozumelensis**](#) (H.G. Richards, 1936)
- cracentis, [**Bostryx cracentis**](#) A.S.H. Breure, 1978
- crassilabrum, Bulimus crassilabrum A. Garrett, 1872 - syn of: [**Placostylus gracilis**](#) W.J. Broderip, 1840
- crebristriga, [**Drymaeus chrysomelas crebristriga**](#) E.C. Von Martens, 1867
- cremnobates, Neopetraeus cremnobates H.A. Pilsbry, 1949 - syn of: [**Neopetraeus tessellatus**](#) (R.J. Shuttleworth, 1852)
- cremonthauma, [**Bostryx cremonthauma**](#) H.A. Pilsbry
- crenulatus, Lopesianus crenulatus W.K. Weyrauch, 1958 - syn of: [**Lopesianus crenulatus**](#) W.K. Weyrauch, 1958
- crenulatus, [**Lopesianus crenulatus**](#) W.K. Weyrauch, 1958
- crepundia, [**Naesirotus crepundia**](#) D'Orbigny, 1835
- cretaceus, [**Scutalus cretaceus**](#) L. Pfeiffer, 1855
- crichtoni, [**Newboldius crichtoni**](#) W.J. Broderip, 1836
- crossei, [**Drymaeus lilacinus crossei**](#) E.C. Von Martens, 1885
- crucilineatus, [**Bostryx crucilineatus**](#) W.K. Weyrauch, 1967
- cucullinus, [**Naesirotus cucullinus**](#) W.H. Dall, 1917
- cucullus, [**Mesembrinus cucullus**](#) (P.M.A. Morelet, 1849)
- cucullus gracilior, Scutalus cucullus gracilior P.H. Fischer & J.C.H. Crosse, 1875 - syn of: [**Mesembrinus cucullus**](#) (P.M.A. Morelet, 1849)
- cuernavacensis, [**Drymaeus cuernavacensis**](#) P.H. Fischer & J.C.H. Crosse, 1874
- cuernovacensis, [**Mesembrinus uhdeanus cuernovacensis**](#) J.C.H. Crosse & P.H. Fischer, 1874
- culminea, [**Kuschelenia culminea**](#) (D'Orbigny, 1835)
- culminea edwardsi, [**Kuschelenia culminea edwardsi**](#) (P.M.A. Morelet, 1863)
- culminea subjussieui, [**Kuschelenia culminea subjussieui**](#) H.A. Pilsbry, 1897
- culminea zilchi, [**Kuschelenia culminea zilchi**](#) W.K. Weyrauch, 1967
- cuninculinsulae, Bulimus cuninculinsulae J.C. Cox, 1872 - syn of: [**Placostylus cuninculinsulae**](#) (J.C. Cox, 1872)
- cunyacensis, [**Bostryx cunyacensis**](#) A.S.H. Breure, 1978
- curaccasensis, Bulimus curaccasensis L.A. Reeve, 1849 - Syn of: [**Beckianum beckianum**](#) (L. Pfeiffer, 1846)
- curianianus, [**Drymaeus curianianus**](#) L.A. Reeve, 1849
- currani, [**Oxychona pyramidella currani**](#) P. Bartsch, 1916
- curtus, [**Naesirotus curtus**](#) (P.H. Reibisch, 1892)
- cuspidatus, [**Bostryx cuspidatus**](#) P.M.A. Morelet, 1863
- cuticulus, [**Drymaeus cuticulus**](#) L. Pfeiffer, 1855
- cutisculptus, [**Naesirotus cutisculptus**](#) C.M.F. Ancey, 1901
- cuyanus, [**Bostryx cuyanus**](#) L. Pfeiffer, 1867
- cuzcoensis, [**Drymaeus cuzcoensis**](#) L.A. Reeve, 1849
- cuzcoensis, [**Vermiculatus cuzcoensis**](#) W.K. Weyrauch, 1967
- cuzcoensis marasensis, [**Vermiculatus cuzcoensis marasensis**](#) W.K. Weyrauch, 1967
- cuzcoensis masarensis, Scutalus cuzcoensis masarensis W.K. Weyrauch, 1967 - syn of: [**Vermiculatus cuzcoensis**](#)
[**marasensis**](#) W.K. Weyrauch, 1967
- cygneus, [**Drymaeus cygneus**](#) R.A. Philippi, 1867
- cylindrica, Bulimus cylindrica K.T. Menke, 1828 - syn of: [**Brephulopsis cylindrica**](#) (K.T. Menke, 1828)
- cylindricus, [**Drymaeus cylindricus**](#) S.I. Da Costa, 1901
- cylindricus, [**Pseudoperonaeus cylindricus**](#) W.K. Weyrauch, 1960
- cymatias, [**Naesirotus cymatias**](#) W.H. Dall, 1917
- dacostae, [**Drymaeus dacostae**](#) G.B. I Sowerby, 1892
- dacostianus, [**Drymaeus dacostianus**](#) H.A. Pilsbry, 1898
- dakryodes, [**Drymaeus dakryodes**](#)
- darwini, [**Naesirotus darwini**](#) L. Pfeiffer, 1846
- dealbatus, [**Rabdota dealbatus**](#) (T. Say, 1821)
- dealbatus durangoanus, Rabdotus dealbatus durangoanus E.C. Von Martens, 1893 - syn of: [**Naesirotus durangoanus**](#) (E.C. Von Martens, 1893)
- dealbatus jonesi, [**Rabdota dealbatus jonesi**](#) W.J. Clench, 1937
- dealbatus liquabilis, [**Rabdota dealbatus liquabilis**](#) (L.A. Reeve, 1848)
- dealbatus mooreanus, [**Rabdota dealbatus mooreanus**](#) (L. Pfeiffer, 1868)

- dealbatus neomexicanus, ***Rabdotus dealbatus neomexicanus*** H.A. Pilsbry, 1946
- dealbatus ozarkensis, ***Rabdotus dealbatus ozarkensis*** H.A. Pilsbry & J.H. Ferriss, 1906
- dealbatus pasonis, ***Rabdotus dealbatus pasonis*** H.A. Pilsbry, 1902
- dealbatus ragsdalei, ***Rabdotus dealbatus ragsdalei*** (H.A. Pilsbry, 1890)
- debilis, ***Drymaeus debilis*** H.H. Beck, 1837
- debiliscluptus, ***Scutalus coraeformis debiliscluptus*** W.K. Weyrauch, 1967
- decipiens, Bulimus decipiens J.G. Cooper, 1895 - syn of: ***Rabdotus pilula*** W.G. Binney, 1861
- decoloratus, ***Drymaeus decoloratus*** G.B. I Sowerby, 1833
- decoratus, ***Drymaeus decoratus*** H.C. Lea, 1838
- decoratus goniobasis, ***Drymaeus decoratus goniobasis*** H.A. Pilsbry, 1898
- decussatus, ***Neopetraeus decussatus*** L.A. Reeve, 1849
- decussatus brownii, ***Neopetraeus decussatus brownii*** H.A. Pilsbry, 1898
- decussatus myristicus, ***Neopetraeus decussatus myristicus*** L.A. Reeve, 1849
- delattrei, Otostomus delattrei L. Pfeiffer, 1846 - syn of: ***Drymaeus lattrei*** (L. Pfeiffer, 1846)
- deletangi, ***Naesiotus deletangi*** J.J. Parodíz, 1946
- deletus, ***Mesembrinus droueti deletus*** G.A. Solem, 1955
- delicatus, ***Bostryx delicatus*** R.A. Philippi, 1867
- delphinae, ***Drymaeus strigatus delphinae*** S. Moricand, 1858
- delumbis, ***Bostryx delumbis*** L.A. Reeve, 1849
- demotus, Drymaeus demotus L.A. Reeve, 1850 - syn of: ***Mesembrinus granadensis*** (L. Pfeiffer, 1848)
- dendrita, ***Bulimulus dendrita*** G. Montagu, 1803
- dendritis, Bostryx dendritis P.M.A. Morelet, 1863 - syn of: ***Bostryx dentritis*** (P.M.A. Morelet, 1863)
- dendritoides, Bostryx dendritoides H.A. Pilsbry, 1896 - syn of: ***Bostryx dentritooides*** H.A. Pilsbry, 1896
- denickei, Bostryx denickei J.E. Gray & L.A. Reeve, 1851 - syn of: ***Bostryx reentsi*** R.A. Philippi, 1851
- densestrigatus, ***Ornatimormus henrypilsbryi densestrigatus*** W.K. Weyrauch, 1958
- dentaxis, ***Bostryx dentaxis*** H.A. Pilsbry, 1901
- denticulatus, Bulimus denticulatus G.A. Olivier, 1801 - syn of: ***Bulgarica denticulata*** G.A. Olivier, 1804
- dentifer, ***Naesiotus dentifer*** J.F. Mabille, 1895
- dentifer johnstoni, ***Naesiotus dentifer johnstoni*** (G.D. Hanna, 1923)
- dentifer lamellifer, ***Naesiotus dentifer lamellifer*** H.A. Pilsbry, 1897
- dentifer santacruzensis, ***Naesiotus dentifer santacruzensis*** (G.D. Hanna, 1932)
- dentifer slevini, Naesiotus dentifer slevini G.D. Hanna - syn of: ***Naesiotus dentifer santacruzensis*** (G.D. Hanna, 1932)
- dentritis, ***Bostryx dentritis*** (P.M.A. Morelet, 1863)
- dentritoides, ***Bostryx dentritooides*** H.A. Pilsbry, 1896
- depictus, ***Mesembrinus depictus*** L.A. Reeve, 1849
- depictus ictericus, ***Mesembrinus depictus ictericus*** E.C. Von Martens, 1873
- depstus, ***Bostryx depstus*** L.A. Reeve, 1849
- derelictus, ***Lissoacme derelictus*** W.J. Broderip, 1832
- derelictus ascendens, ***Lissoacme derelictus ascendens*** H.A. Pilsbry, 1944
- deridderi, ***Bulimulus deridderi*** (G. Coppoïs, 1985)
- deroyi, ***Naesiotus deroyi*** A.G. Smith, 1972
- deshayesi, ***Mesembrinus deshayesi*** L. Pfeiffer, 1845
- detritus, Bulimus detritus O.F. Müller, 1774 - syn of: ***Zebra detrita*** (O.F. Müller, 1774)
- devians, ***Bostryx devians*** W.L.H. Dohrn, 1863
- devillei, ***Bostryx devillei*** L. Deville & L.H. Hupé, 1850
- diaphanus, ***Bulimulus diaphanus*** L. Pfeiffer, 1855
- diaphanus fraterculus, ***Bulimulus diaphanus fraterculus*** V.L.V. Potiez & A. Michaud, 1835
- digueti, Bulimus digueti J.F. Mabille, 1895 - syn of: ***Spartocentrum digueti*** (J.F. Mabille, 1895)
- dillwynianus, Bulimus dillwynianus L. Pfeiffer, 1853 - syn of: ***Eurytus dillwynianus*** (L. Pfeiffer, 1853)
- discrepans, ***Mesembrinus discrepans*** (G.B. I Sowerby, 1833)
- dismenicus, Bulimus dismenicus J.F. Mabille, 1895 - syn of: ***Naesiotus beldingi*** (J.G. Cooper, 1892)
- dispar, ***Bulimulus apodemetes dispar*** M.I. Hylton-Scott, 1952
- dissimulans, Bulimus dissimulans H.B. Preston, 1909 - syn of: ***Aeropictus dissimulans*** (H.B. Preston, 1909)
- distorta, Bulimus distorta J.G. Bruguère, 1789 - syn of: ***Eudolichotis distorta*** (J.G. Bruguère, 1789)
- distorta bisuturalis, Auris distorta bisuturalis H.A. Pilsbry, 1896 - syn of: ***Eudolichotis distorta bisuturalis*** (H.A. Pilsbry, 1896)
- distorta panamensis, Auris distorta panamensis H.A. Pilsbry, 1910 - syn of: ***Eudolichotis distorta panamensis*** (H.A. Pilsbry, 1910)
- distortus, ***Auris distortus*** (J.G. Bruguère)
- diversipictus, ***Drymaeus interpictus diversipictus*** H.A. Pilsbry, 1944
- doelloi, ***Bostryx doelloi*** M.I. Hylton-Scott, 1953
- dohrni, Bulimus dohrni L. Pfeiffer, 1863 - syn of: ***Amphidromus dohrni*** F.A. Schilder & M. Schilder, 1938
- doliolum, Bulimus doliolum J.G. Bruguère, 1792 - syn of: ***Sphyramidum doliolum*** (J.G. Bruguère, 1792)
- dombeyanus, ***Drymaeus dombeyanus*** (L. Pfeiffer, 1846)
- dominicanus, ***Drymaeus virginalis dominicanus*** H.A. Pilsbry, 1899
- dominicus, ***Mesembrinus dominicus*** L.A. Reeve, 1850
- dominicus clarissimus, ***Mesembrinus dominicus clarissimus*** H.A. Pilsbry, 1946

- **dominicu**s **hemphilli**, [**Mesembrinus dominicus hemphilli**](#) B.H. Wright, 1889
- dormani, [**Drymaeus dormani**](#) W.G. Binney, 1857
- dormani albida, [**Drymaeus dormani albida**](#) B.H. Wright, 1890
- dormani subfasciatus, [**Drymaeus dormani subfasciatus**](#) T.D.A. Cockerell, 1891
- draparnaudi, [**Drymaeus draparnaudi**](#) L. Pfeiffer, 1847
- droueti, [**Mesembrinus droueti**](#) L. Pfeiffer, 1857
- droueti deletus, [**Mesembrinus droueti deletus**](#) G.A. Solem, 1955
- droueti sporlederi, [**Mesembrinus droueti sporlederi**](#) (L. Pfeiffer, 1866)
- dubius, [**Mesembrinus dubius**](#) (L. Pfeiffer, 1853)
- dukenfieldi, Bulimulus dukenfieldi J.C. Melvill, 1900 - syn of: [**Thaumastus dukinfieldi**](#) (J.C. Melvill, 1900)
- dukinfieldi, Bulimulus dukinfieldi J.C. Melvill, 1900 - syn of: [**Thaumastus dukinfieldi**](#) (J.C. Melvill, 1900)
- duncanus, [**Naesiotus duncanus**](#) W.H. Dall, 1893
- dunkeri, [**Drymaeus dunkeri**](#) L. Pfeiffer, 1846
- dunkeri forreri, [**Drymaeus dunkeri forreri**](#) (A. Mousson, 1883)
- durangoanus, [**Naesiotus durangoanus**](#) (E.C. Von Martens, 1893)
- durangoensis, [**Rabdopus durangoensis**](#) (E.C. Von Martens, 1900)
- durus, [**Naesiotus durus**](#) J.B. von Spix, 1827
- dutaillyi, [**Mesembrinus dutaillyi**](#) (L. Pfeiffer, 1857)
- dux, Bulimus dux L. Pfeiffer, 1861 - syn of: [**Bothriembryon dux**](#) L. Pfeiffer, 1861
- dybuys, [**Drymaeus dybuys**](#) L. Pfeiffer, 1853
- dysoni, [**Bulimulus dysoni**](#) L. Pfeiffer, 1846
- eboreus, [**Mesembrinus multilineatus eboreus**](#) Grimshawe, 1951
- eddystonensis, Bulimus eddystonensis L. Pfeiffer, 1855 - syn of: [**Placostylus eddystonensis**](#) L. Pfeiffer, 1855
- edenensis, [**Naesiotus tanneri edenensis**](#) J. Vagvolgyi, 1977
- edmuelleri, Drymaeus edmuelleri J.A. Albers, 1854 - syn of: [**Drymaeus edmulleri**](#) (J.A. Albers, 1854)
- edmulleri, [**Drymaeus edmulleri**](#) (J.A. Albers, 1854)
- edwardsi, [**Kuschelenia culminea edwardsi**](#) (P.M.A. Morelet, 1863)
- edwardsi, Bulimus edwardsi P.M.A. Morelet, 1863 - syn of: [**Kuschelenia culminea edwardsi**](#) (P.M.A. Morelet, 1863)
- edwardsianus, Bulimus edwardsianus J. Gassies, 1863 - syn of: [**Placostylus caledonicus**](#) S.A.A. Petit De La Saussaye, 1845
- effeminatus, [**Bulimulus effeminatus**](#) L.A. Reeve, 1848
- eganus, [**Bulimulus eganus**](#) L. Pfeiffer, 1853
- egregia, [**Auris bilabiata egregia**](#) J.C. Jay, 1836
- egregia nigrilabris, Auris egregia nigrilabris H.A. Pilsbry, 1896 - syn of: [**Auris bilabiata nigrilabris**](#) H.A. Pilsbry, 1896
- elaeodes, Bulimus elaeodes L. Pfeiffer, 1853 - syn of: [**Eurytus elaeodes**](#) (L. Pfeiffer, 1853)
- elaeodes, [**Naesiotus elaeodes**](#) W.H. Dall, 1917
- elatior, [**Bulimulus elatior**](#) M.I. Hyton-Scott, 1952
- elatus, Rabdotus elatus A.A. Gould, 1853 - syn of: [**Naesiotus excelsus**](#) A.A. Gould, 1853
- elatus, [**Bostryx elatus**](#) R.A. Philippi, 1869
- electrum, [**Mesembrinus electrum**](#) (L.A. Reeve, 1848)
- elegantissimus, [**Drymaeus elegantissimus**](#) A. Mousson, 1873
- elegantulus, [**Naesiotus elegantulus**](#) W.K. Weyrauch, 1956
- elongatus, [**Drymaeus nigrofasciatus elongatus**](#) H.A. Pilsbry, 1898
- elongatus, [**Mesembrinus elongatus**](#) (J.F. Bolten, 1798)
- elongatus beattyi, [**Mesembrinus elongatus beattyi**](#) W.J. Clench, 1951
- elsteri, [**Drymaeus elsteri**](#) S.I. Da Costa, 1901
- emaciatus, [**Bostryx emaciatus**](#) P.M.A. Morelet, 1863
- emeus, [**Mesembrinus emeus**](#) T. Say, 1829
- emeus albivaricosus, Otostomus emeus albivaricosus E.C. Von Martens, 1893 - syn of: [**Mesembrinus emeus**](#) T. Say, 1829
- emeus hypozonus, Otostomus emeus hypozonus E.C. Von Martens, 1893 - syn of: [**Mesembrinus emeus**](#) T. Say, 1829
- endoplax, [**Bostryx endoplax**](#) H.A. Pilsbry, 1944
- endoptyx, [**Bostryx endoptyx**](#) H.A. Pilsbry, 1940
- endospira, [**Scutalus latecolumellaris endospira**](#) H.A. Pilsbry, 1932
- eos, [**Naesiotus eos**](#) N.H. Odhner, 1951
- ephippium, Bulimulus ephippium C.M.F. Ancey, 1904 - syn of: [**Eudioptus ephippium**](#) (C.M.F. Ancey, 1904)
- epicopalisi, Bulimus epicopalisi L. Pfeiffer, 1855 - syn of: [**Eurytus episcopalisi**](#) (L. Pfeiffer, 1855)
- equatorius, Scutalus equatorius L. Pfeiffer, 1853 - syn of: [**Scutalus aequatorius**](#) L. Pfeiffer, 1855
- eques, Bulimus eques P. Fischer, 1891 - syn of: [**Amphidromus atricallosus**](#) A.A. Gould, 1843
- erectus, [**Bulimulus erectus**](#) L.A. Reeve, 1849
- eremathauma, [**Platybostryx eremathauma**](#) H.A. Pilsbry, 1896
- eros, Bulimus eros G.F. Angas, 1878 - syn of: [**Eurytus eros**](#) (G.F. Angas, 1878)
- erosus, [**Lissoacme erosus**](#) (W.J. Broderip, 1832)
- errans, [**Drymaeus josephus errans**](#) H.A. Pilsbry, 1926
- erubescens, Mesembrinus erubescens (L. Pfeiffer, 1847) - syn of: [**Mesembrinus rufescens**](#) J.E. Gray, 1825
- erythrostomus, [**Lissoacme erythrostomus**](#) G.B. I Sowerby, 1833
- eschariferus, [**Naesiotus eschariferus**](#) G.B. I Sowerby, 1833

- **eschariferus bizonalis**, [***Naesiotus eschariferus bizonalis***](#) C.M.F. Ancey, 1887
- **eschariferus pileatus**, [***Naesiotus eschariferus pileatus***](#) W.H. Dall, 1896
- **eschariferus subconoidalis**, [***Naesiotus eschariferus subconoidalis***](#) C.M.F. Ancey, 1887
- **etheridgei**, *Bulimus etheridgei* J.W. Brazier, 1889 - syn of: [***Placostylus bivaricosus***](#) J.S. Gaskoin, 1854
- **eucosmetus**, [***Drymaeus eucosmetus***](#) F. Haas, 1955
- **eudioptus**, [***Bulimulus eudioptus***](#) (H.F.A. von Ihering in H.A. Pilsbry, 1897)
- **eurystomus**, [***Drymaeus eurystomus***](#) R.A. Philippi, 1867
- **eurystomus hamadryas**, [***Drymaeus eurystomus hamadryas***](#) R.A. Philippi, 1867
- **eusteirus**, [***Drymaeus eusteirus***](#) H.A. Pilsbry, 1944
- **eversus**, [***Drymaeus eversus***](#) A. Mousson, 1873
- **excelsus**, [***Naesiotus excelsus***](#) A.A. Gould, 1853
- **excelsus sinaloae**, *Naesiotus excelsus sinaloae* H.A. Pilsbry, 1897 - syn of: [***Naesiotus excelsus***](#) A.A. Gould, 1853
- **excoriatus**, [***Neopetraeus excoriatus***](#) (L. Pfeiffer, 1855)
- **extinctus**, [***Drymaeus extinctus***](#) L. Pfeiffer, 1855
- **exilis**, [***Bulimulus exilis***](#) J.F. Gmelin, 1791
- **exilis concolor**, [***Bulimulus exilis concolor***](#) J. Piaget, 1914
- **eximius**, *Bulimus eximius* J.A. Albers, 1857 - syn of: [***Placostylus fibratus souvillei***](#) P.M.A. Morelet, 1857
- **exornatus**, [***Naesiotus exornatus***](#) L.A. Reeve, 1849
- **exoticus**, [***Drymaeus exoticus***](#) S.I. Da Costa, 1901
- **expansus**, [***Drymaeus expansus***](#) L. Pfeiffer, 1848
- **expansus altorum**, [***Drymaeus expansus altorum***](#) W.K. Weyrauch, 1958
- **expansus balboa**, [***Drymaeus expansus balboa***](#) H.A. Pilsbry, 1926
- **expansus flavidabrum**, [***Drymaeus expansus flavidabrum***](#) W.K. Weyrauch, 1967
- **expansus orcesi**, [***Drymaeus expansus orcesi***](#) W.K. Weyrauch, 1958
- **expansus perenensis**, [***Drymaeus expansus perenensis***](#) S.I. Da Costa, 1901
- **expansus scitus**, *Drymaeus expansus scitus* A. Adams, 1867 - syn of: [***Drymaeus expansus***](#) L. Pfeiffer, 1848
- **expansus subprotractus**, [***Drymaeus expansus subprotractus***](#) H.A. Pilsbry, 1901
- **expansus vanattai**, [***Drymaeus expansus vanattai***](#) H.A. Pilsbry, 1898
- **expatriatus**, [***Drymaeus expatriatus***](#) H.B. Preston, 1909
- **extensus**, [***Bostryx extensus***](#) F. Haas, 1955
- **extraneus**, [***Drymaeus extraneus***](#) F. Haas, 1955
- **eyriesii**, [***Bulimulus eyriesii***](#) H. Drouët, 1859
- **fabrefactus**, [***Drymaeus fabrefactus***](#) L.A. Reeve, 1848
- **facillatus**, *Bulimus facillatus* L.A. Reeve, 1848 - syn of: [***Drymaeus lattrei***](#) (L. Pfeiffer, 1846)
- **falcicula**, *Bulimus falcicula* J. Gassies, 1871 - syn of: [***Placostylus fibratus***](#) T. Martyn, 1784
- **fallax**, [***Drymaeus fallax***](#) L. Pfeiffer, 1853
- **fallax chicoensis**, [***Drymaeus fallax chicoensis***](#) A.S.H. Breure, 1977
- **famatinus**, [***Bostryx famatinus***](#) A. Doering, 1879
- **farrisii**, [***Drymaeus farrisii***](#) L. Pfeiffer, 1858
- **farrisii quadritaeniatus**, [***Drymaeus farrisii quadritaeniatus***](#) W.K. Weyrauch, 1956
- **fasciarum**, [***Drymaeus fasciarum***](#) H.A. Pilsbry, 1939
- **fasciatus**, [***Drymaeus aureolus fasciatus***](#) R.J.L. Guppy, 1871
- **felipponei**, [***Bulimulus felipponei***](#) W.B. Marshall, 1930
- **felix**, [***Drymaeus felix***](#) L. Pfeiffer, 1862
- **fenestratus**, [***Drymaeus fenestratus***](#) L. Pfeiffer, 1846
- **fenestrellus**, [***Mesembrinus fenestrellus***](#) E.C. Von Martens, 1864
- **fenestrellus subunicolor**, *Drymaeus fenestrellus subunicolor* E.C. Von Martens, 1893 - syn of: [***Mesembrinus fenestrellus***](#) E.C. Von Martens, 1864
- **feriatus**, *Bulimus feriatus* L.A. Reeve, 1848 - syn of: [***Mesembrinus granadensis***](#) (L. Pfeiffer, 1848)
- **fernandezae**, [***Maranhoiellus fernandezae***](#) W.K. Weyrauch, 1958
- **ferrugineus**, [***Bostryx ferrugineus***](#) L.A. Reeve, 1849
- **festhameli**, [***Scutalus festhameli***](#) L.H. Hupé, 1854
- **fibratus grammica**, *Bulimus fibratus grammica* J.C.H. Crosse, 1870 - syn of: [***Placostylus fibratus goroensis***](#) (S.M. Souverbie)
- **fidustus**, [***Mesembrinus fidustus***](#) (L.A. Reeve, 1849)
- **filaris**, [***Vermiculatus filaris***](#) (L. Pfeiffer, 1853)
- **filiolus**, [***Neopetraeus filiolus***](#) H.A. Pilsbry, 1897
- **fischeri**, [***Bostryx fischeri***](#) H.A. Pilsbry, 1956
- **fisheri**, *Bostryx fisheri* H.A. Pilsbry, 1956 - syn of: [***Bostryx fischeri***](#) H.A. Pilsbry, 1956
- **flagellatus**, [***Bostryx flagellatus***](#) H.A. Pilsbry, 1896
- **flavescens**, [***Drymaeus liliacea flavescens***](#) A.E.J. Féruccac, 1821
- **flavidulus**, [***Mesembrinus flavidulus***](#) E.A. Smith, 1877
- **flavidus**, [***Mesembrinus flavidus***](#) (K.T. Menke, 1829)
- **flavilabrum**, [***Drymaeus expansus flavilabrum***](#) W.K. Weyrauch, 1967
- **flavotinctus**, [***Mesembrinus vincentinus flavotinctus***](#) H.A. Pilsbry, 1899
- **flexilabris**, *Bulimus flexilabris* L. Pfeiffer, 1853 - syn of: [***Drymaeus bivittatus***](#) G.B. I Sowerby, 1833
- **flexuosus**, [***Drymaeus flexuosus***](#) L. Pfeiffer, 1852

- flexuosus megas, [**Drymaeus flexuosus megas**](#) H.A. Pilsbry, 1944
- florezi, Floreziellus florezi W.K. Weyrauch, 1967 - syn of: [**Bostryx cunyacensis**](#) A.S.H. Breure, 1978
- florezi, [**Phenacotaxus florezi**](#) W.K. Weyrauch, 1967
- floridanus, Bulimus floridanus L. Pfeiffer, 1857 - syn of: [**Mesembrinus umbraticus**](#) (L.A. Reeve, 1849)
- floridianus, [**Drymaeus floridianus**](#) W.G. Binney, 1859
- florschuetzi, [**Naesiotus florschuetzi**](#) A.S.H. Breure, 1978
- flossdorfi, [**Bulimulus flossdorfi**](#) E.L. Holmberg, 1909
- fluctuatus, [**Drymaeus fluctuatus**](#) H.H. Beck, 1837
- fluctuatus litoratus, [**Drymaeus fluctuatus litoratus**](#) H.H. Beck, 1837
- focillatus, Drymaeus focillatus L.A. Reeve, 1848 - syn of: [**Drymaeus lattrei**](#) (L. Pfeiffer, 1846)
- fonsecanus, [**Rabdotus fonsecanus**](#) (F. Haas, 1961)
- fontainii, [**Naesiotus fontainii**](#) (D'Orbigny, 1837)
- fordii, [**Drymaeus fordii**](#) H.A. Pilsbry, 1898
- forneri, [**Drymaeus dunkeri forneri**](#) (A. Mousson, 1883)
- fourmiersi, [**Naesiotus fourmiersi**](#) (D'Orbigny, 1837)
- fragilis, [**Bostryx fragilis**](#) A.S.H. Breure & V. Mogollón Avila, 2010
- fraterculus, [**Bulimulus diaphanus fraterculus**](#) V.L.V. Potiez & A. Michaud, 1835
- frederici, [**Bostryx frederici**](#) A.S.H. Breure, 1978
- fresnoensis, [**Drymaeus fresnoensis**](#) H.A. Pilsbry, 1898
- frivaldskyi, Bulimus frivaldskyi L. Pfeiffer, 1847 - syn of: [**Meijeriella frivaldskyi**](#) (L. Pfeiffer, 1847)
- fucatus, [**Drymaeus fucatus**](#) L.A. Reeve, 1849
- fulgoratus, Bulimus fulgoratus J.C. Jay, 1842 - syn of: [**Placostylus gracilis fulgoratus**](#) (J.C. Jay, 1842)
- fuligineus, [**Bostryx fuligineus**](#) A.S.H. Breure, 1978
- fuligineus, Bulimus fuligineus L. Pfeiffer, 1853 - syn of: [**Santacharis fuligineus**](#) (L. Pfeiffer, 1853)
- fulminans, Bulimus fulminans P. Nyst, 1843 - syn of: [**Plekocheilus fulminans**](#) (P. Nyst, 1843)
- fulminans linterae, Bulimus fulminans linterae G.B. III Sowerby, 1890 - syn of: [**Plekocheilus linterae**](#) (G.B. III Sowerby, 1890)
- funckii, Bulimus funckii P. Nyst, 1843 - syn of: [**Dryptus funckii**](#) P. Nyst, 1843
- funeralis, [**Drymaeus funeralis**](#) J.G. Bruguère, 1789
- fusagasuganus, [**Drymaeus fusagasuganus**](#) H.A. Pilsbry, 1935
- fuscagula, Bulimus fuscagula D'Orbigny, 1835 - syn of: [**Bahiensis fuscagula**](#) (D'Orbigny, 1835)
- fuscobasis, [**Drymaeus fuscobasis**](#) (E.A. Smith, 1877)
- fuscus, [**Bulimulus fuscus**](#) (L. Gilding, 1828.)
- fusoides, [**Drymaeus fusoides**](#) (D'Orbigny, 1835)
- gabbi, [**Mesembrinus gabbi**](#) G.F. Angas, 1879
- gabbi, [**Naesiotus gabbi**](#) J.C.H. Crosse & P.H. Fischer, 1872
- gabbianus, [**Drymaeus gabbianus**](#) W.G. Binney, 1884
- galapaganus, [**Naesiotus galapaganus**](#) (L. Pfeiffer, 1854)
- gayi, [**Peronaeus gayi**](#) H.A. Rehder, 1945
- gayi, Vermiculatus gayi L. Pfeiffer, 1857 - syn of: [**Scutalus revinctus**](#) L.H. Hupé, 1857
- gealei, Bulimus gealei A. Adams, 1867 - syn of: [**Mesembrinus fenestrellus**](#) E.C. Von Martens, 1864
- gelidus, [**Bulimulus gelidus**](#) L.A. Reeve, 1849
- geometricus, [**Drymaeus geometricus**](#) L. Pfeiffer, 1846
- geophilus, [**Naesiotus geophilus**](#) W.K. Weyrauch, 1967
- gerenorum, [**Naesiotus gerenorum**](#) A.S.H. Breure, 1977
- gereti, [**Drymaeus gereti**](#) C.M.F. Ancey, 1901
- germaini, [**Drymaeus germaini**](#) C.M.F. Ancey, 1892
- ghiesbreghti, [**Mesembrinus ghiesbreghti**](#) E.C. Von Martens, 1893
- ghiesbreghti interstitialis, [**Mesembrinus ghiesbreghti interstitialis**](#) E.C. Von Martens, 1893
- ghiesbreghti iodostylus, [**Mesembrinus ghiesbreghti iodostylus**](#) L. Pfeiffer, 1861
- ghiesbreghti stolli, [**Mesembrinus ghiesbreghti stolli**](#) (E.C. Von Martens, 1893)
- ghilanensis, Bulimus ghilanensis J.R. Bourguignat in A. Issel, 1865 - syn of: [**Geminula isselliana**](#) (J.R. Bourguignat in A. Issel, 1865)
- gibber, [**Drymaeus gibber**](#) F. Haas, 1949
- gigantensis, [**Naesiotus gigantensis**](#) C.C. Christensen & W.B. Miller, 1977
- gilderoyi, Naesiotus gilderoyi J.J. Van Mol, 1972 - syn of: [**Naesiotus cavagnaroi**](#) A.G. Smith, 1972
- gittenbergeri, [**Bulimulus gittenbergeri**](#) A.S.H. Breure, 1974
- gladyseae, [**Bostryx gladyseae**](#) M.I. Hylton-Scott, 1967
- glandiniformis, [**Bulimulus glandiniformis**](#) G.B. I Sowerby, 1892
- glaucostomus, [**Drymaeus glaucostomus**](#) J.A. Abers, 1852
- glaucostomus meesi, [**Drymaeus glaucostomus meesi**](#) A.S.H. Breure, 1976
- globosus, [**Bostryx globosus**](#) W.K. Weyrauch, 1967
- glomeratus, [**Bostryx zilchi glomeratus**](#) W.K. Weyrauch, 1960
- goianensis, [**Drymaeus goianensis**](#) A.V.C. Dutra-Clarke & F.V.B.A. Souza, 1991
- goniobasis, [**Drymaeus decoratus goniobasis**](#) H.A. Pilsbry, 1898
- gorgonensis, [**Drymaeus gorgonensis**](#) F. Haas, 1966
- gorrietiensis, Bulimulus gorrietiensis H.A. Pilsbry, 1896 - syn of: [**Lopesianus crenulatus**](#) W.K. Weyrauch, 1958

- **goritiensis**, [**Bulimulus goritiensis**](#) H.A. Pilsbry, 1897
- **goudoti**, [**Suniellus goudoti**](#) (S.A.A. Petit De La Saussaye, 1843)
- **gracilior**, [**Neopetraeus altoperuvianus gracilior**](#) H.A. Pilsbry, 1898
- **gracilior**, [**Drymaeus mexicanus gracilior**](#) L. Pfeiffer, 1848
- **gracilis**, Bulimus gracilis F.W. Hutton, 1834 - syn of: [**Allopeas gracilis**](#) (F.W. Hutton, 1834)
- **gracilis**, [**Bulimulus sporadicus gracilis**](#) M.I. Hylton-Scott, 1948
- **gracillimus**, [**Naesiotus gracillimus**](#) W.K. Weyrauch, 1956
- **granadensis**, [**Mesembrinus granadensis**](#) (L. Pfeiffer, 1848)
- **grandiportus**, [**Bostryx bromeliacum grandiportus**](#) W.K. Weyrauch, 1958
- **grandiventris**, [**Scutalus grandiventris**](#) W.K. Weyrauch, 1960
- **graniger**, [**Bulimulus graniger**](#) H.H. Beck, 1837
- **granulatus**, [**Scutalus chileensis granulatus**](#) W.K. Weyrauch, 1967
- **granulis**, [**Scutalus proteus granulitis**](#) W.J. Broderip, 1832
- **granulosus**, [**Bulimulus granulosus**](#) V.L.V. Potiez & A. Michaud, 1835
- **gratus**, Drymaeus gratus L. Pfeiffer, 1856 - syn of: [**Mesembrinus columbiensis**](#) (L. Pfeiffer, 1855)
- **gravesi**, [**Bulimulus gravesi**](#) P.P. King, 1831
- **gravida**, Bulimus gravida L. Pfeiffer - syn of: [**Laminella gravida**](#) (A.E.J. Féüssac, 1824)
- **grayanus**, Bulimus grayanus L. Pfeiffer, 1845 - syn of: [**Odontostomus grayanus**](#) (L. Pfeiffer, 1845)
- **grenadensis**, [**Drymaeus grenadensis**](#) L. Pfeiffer, 1848
- **griffini**, [**Drymaeus griffini**](#) F. Haas, 1955
- **gruneri**, Drymaeus gruner L. Pfeiffer, 1846 - syn of: [**Drymaeus columbianus**](#) H.C. Lea, 1838
- **guadalupensis**, Bulimus guadalupensis J.G. Bruguère, 1792 - syn of: [**Bulimulus guadelupensis**](#) J.G. Bruguère, 1792
- **guadeloupensis**, Bulimus guadeloupensis J.G. Bruguère, 1792 - syn of: [**Bulimulus guadelupensis**](#) J.G. Bruguère, 1792
- **guadelupensis**, [**Bulimulus guadelupensis**](#) J.G. Bruguère, 1792
- **guadelupensis acutus**, [**Bulimulus guadelupensis acutus**](#) W.E. Leach, 1815
- **guadelupensis alba**, [**Bulimulus guadelupensis alba**](#) G.B. I Sowerby, 1839
- **guarani**, Bulimus guarani D'Orbigny, 1835 - syn of: [**Bahiensis guarani**](#) (D'Orbigny, 1835)
- **gueinzii**, [**Drymaeus queinzii**](#) L. Pfeiffer, 1857
- **guerini**, Bulimus guerini L. Pfeiffer, 1846 - syn of: [**Dryptus querini**](#) (L. Pfeiffer, 1846)
- **guillarmodi**, Oxychona guillarmodi R.J. Shuttleworth, 1852 - syn of: [**Leptarionta guillarmodi**](#) (R.J. Shuttleworth, 1852)
- **guttatus**, [**Lissoacme guttatus**](#)
- **gyrina**, [**Oxychona gyrina**](#) G.P. Deshayes, 1820
- **haasi**, [**Naesiotus haasi**](#) W.K. Weyrauch, 1956
- **haasi**, [**Bostryx haasi**](#) W.K. Weyrauch, 1960
- **haasi**, [**Llaucanianus haasi**](#) W.K. Weyrauch, 1967
- **haasi minor**, [**Bostryx haasi minor**](#) W.K. Weyrauch, 1960
- **habeli**, [**Naesiotus habeli**](#) W.H. Dal, 1892
- **hachensis**, Drymaeus hachensis L.A. Reeve, 1850 - syn of: [**Drymaeus columbianus**](#) H.C. Lea, 1838
- **haematospira**, [**Naesiotus haematospira**](#) H.A. Pilsbry, 1900
- **haenkei**, [**Scutalus haenkei**](#) F. Haas, 1955
- **haitensis**, [**Drymaeus sallei haitensis**](#) H.A. Pilsbry, 1899
- **hamadryas**, [**Drymaeus eurystomus hamadryas**](#) R.A. Philippi, 1867
- **hamiltoni**, [**Bostryx hamiltoni**](#) L.A. Reeve, 1849
- **hannai**, [**Naesiotus hannai**](#) H.A. Pilsbry, 1927
- **haplochrous**, [**Bulimulus haplochrous**](#) L. Pfeiffer, 1855
- **hargravesi**, Bulimus hargravesi J.C. Cox, 1871 - syn of: [**Eumecostylus hargravesi**](#) (J.C. Cox, 1871)
- **harribaueri**, [**Naesiotus harribaueri**](#) E.R. Jacobson, 1958
- **harringtoni**, [**Drymaeus harringtoni**](#) W.B. Marshall, 1930
- **havanensis**, [**Mesembrinus multilineatus havanensis**](#) M.L. Jaume & P.J. Borro, 1941
- **hector**, [**Bostryx stelzneri hector**](#) E.L. Holmberg, 1919
- **hegewischi**, [**Mesembrinus hegewischi**](#) (L. Pfeiffer, 1842)
- **heloicus**, [**Bulimulus heloicus**](#) (D'Orbigny, 1835)
- **hemaerodes**, [**Naesiotus hemaerodes**](#) W.H. Dall, 1917
- **hemphilli**, [**Mesembrinus dominicus hemphilli**](#) B.H. Wright, 1889
- **hendeensis**, [**Kuschelenia alauda hendeensis**](#) (H.A. Pilsbry, 1926)
- **hendersoni**, [**Bulimulus hendersoni**](#) W.B. Marshall, 1931
- **hennahi**, [**Lissoacme hennahi**](#) J.E. Gray, 1830
- **henrypilsbryi**, [**Ornatimormus henrypilsbryi**](#) W.K. Weyrauch, 1958
- **henrypilsbryi densestrigatus**, [**Ornatimormus henrypilsbryi densestrigatus**](#) W.K. Weyrauch, 1958
- **henrypilsbryi pichitacalugaensis**, [**Ornatimormus henrypilsbryi pichitacalugaensis**](#) W.K. Weyrauch, 1958
- **henselii**, [**Drymaeus henselii**](#) E.C. Von Martens, 1868
- **hepaticus**, [**Drymaeus hepaticus**](#) J.A. Albers, 1854
- **hepaticus libertadensis**, [**Drymaeus hepaticus libertadensis**](#) H.A. Pilsbry, 1898
- **hepatostomus**, [**Mesembrinus hepatostomus**](#) L. Pfeiffer, 1861
- **herrerae**, Drymaeus herrerae P. Bartsch, 1907 - syn of: [**Mesembrinus uhdeanus**](#) E.C. Von Martens, 1864

- *herrerae veracruzensis*, *Drymaeus herrerae veracruzensis* P. Bartsch, 1907 - syn of: [**Mesembrinus uhdeanus cuernovacensis**](#) J.C.H. Crosse & P.H. Fischer, 1874
- *hessi*, [**Scutalus hessi**](#) W.B. Marshall, 1932
- *heterogeneus*, [**Mesembrinus heterogeneus**](#) L. Pfeiffer, 1866
- *heterogyrus*, [**Neopetraeus heterogyrus**](#) R.A. Philippi, 1869
- *heynemanni*, [**Mesembrinus inglorius heynemanni**](#) L. Pfeiffer, 1866
- *hiabundus*, [**Drymaeus lattrei hiabundus**](#) E.C. Von Martens, 1893
- *hidalgoi*, [**Drymaeus hidalgoi**](#) S.I. Da Costa, 1898
- *higrohylaeus*, [**Drymaeus higrohylaeus**](#) (D'Orbigny, 1835)
- *hirsutus*, [**Bostryx hirsutus**](#) A.S.H. Breure, 1978
- *hirsutus*, [**Naesiota hirsutus**](#) J. Vagvolgyi, 1977
- *hjalmarsoni*, [**Drymaeus hjalmarsoni**](#) L. Pfeiffer, 1856
- *hoffmanni*, [**Mesembrinus tripictus hoffmanni**](#) E.C. Von Martens, 1893
- *hohenackeri*, *Bulimus hohenackeri* I. Krynicki, 1837 - syn of: [**Georginapaeus hohenackeri**](#) (L. Pfeiffer, 1848)
- *holostomus*, [**Bostryx holostomus**](#) L. Pfeiffer, 1846
- *honduranus*, [**Drymaeus honduranus**](#) E.C. Von Martens, 1893
- *hondurasanus*, [**Mesembrinus hondurasanus**](#) (L. Pfeiffer, 1846)
- *honduratianus*, [**Drymaeus honduratianus**](#) H.B. Tristram, 1861
- *hoodensis*, [**Naesiota hoodensis**](#) W.H. Dall, 1900
- *hortensis*, *Bulimus hortensis* C.B. Adams, 1851 - syn of: [**Allopeas gracilis**](#) (F.W. Hutton, 1834)
- *houelmontensis*, [**Bulimulus houelmontensis**](#) H.P. Mazé, 1883
- *huanucensis*, [**Bostryx huanucensis**](#) A.S.H. Breure, 1978
- *huanucensis poveli*, [**Bostryx huanucensis poveli**](#) A.S.H. Breure, 1978
- *huarazensis*, [**Bostryx huarazensis**](#) H.A. Pilsby, 1944
- *huascensis*, [**Lissoacme huascensis**](#) L.A. Reeve, 1848
- *huayaboensis*, [**Bostryx huayaboensis**](#) P. Dautzenberg, 1901
- *humboldtii*, *Bulimus humboldtii* L.A. Reeve, 1849 - syn of: [**Drymaeus mexicanus**](#) J.B.P.A. Lamarck, 1822
- *humboltii*, [**Drymaeus humboltii**](#) L.A. Reeve, 1849
- *hummelincki*, [**Bulimulus hummelincki**](#) A.S.H. Breure, 1974
- *hyalinoalbida*, [**Mesembrinus moricandi hyalinoalbida**](#) J.C.H. Crosse & P.H. Fischer, 1875
- *hybrida*, [**Bostryx stelzneri hybrida**](#) J.J. Parodíz, 1948
- *hyematus*, [**Drymaeus hyematus**](#) L.A. Reeve, 1848
- *hygrohylaeus*, *Drymaeus hygrohylaeus* D'Orbigny, 1835 - syn of: [**Drymaeus abyssorum**](#) (D'Orbigny, 1835)
- *hyltoni*, [**Drymaeus hyltoni**](#) J.J. Parodíz, 1957
- *hyltonscottae*, [**Bostryx hyltonscottae**](#) J.J. Parodíz, 1956
- *hyppodon*, [**Rabdopus hypodon**](#) H.A. Pilsby, 1897
- *ictericus*, [**Drymaeus poecilus ictericus**](#) (C.M.F. Ancey, 1892)
- *ictericus*, [**Mesembrinus depictus ictericus**](#) E.C. Von Martens, 1873
- *ictericus*, [**Drymaeus lilacinus ictericus**](#) E.C. Von Martens, 1893
- *icterostomus*, [**Drymaeus icterostomus**](#) (E.C. Von Martens, 1901)
- *ignavus*, *Bulimus ignavus* L.A. Reeve, 1849 - syn of: [**Bulimulus unicolor**](#) (G.B. Sowerby, 1833)
- *ignobilis*, [**Bostryx ignobilis**](#) R.A. Philippi, 1867
- *iherminieri*, [**Bulimulus iherminieri**](#) (P. Fischer, 1857)
- *ilheocola*, [**Auris ilheocola**](#) S. Moricand, 1833
- *illheocola*, *Auris illheocola* S. Moricand, 1833 - syn of: [**Auris ilheocola**](#) S. Moricand, 1833
- *illustris*, *Newboldius illustris* H. Rolle, 1905 - syn of: [**Newboldius crichtoni**](#) W.J. Broderip, 1836
- *imeldae*, [**Bostryx imeldae**](#) W.K. Weyrauch, 1960
- *imeldae costifer*, *Bostryx imeldae costifer* W.K. Weyrauch, 1960 - syn of: [**Bostryx imeldae**](#) W.K. Weyrauch, 1960
- *immaculatus*, [**Drymaeus immaculatus**](#) C.B. Adams, 1850
- *imperfectus*, [**Drymaeus imperfectus**](#) (R.J.L. Guppy, 1866)
- *impressus*, *Bulimus impressus* L.A. Reeve, 1849 - syn of: [**Sigmataxis procerus**](#) C.B. Adams, 1845
- *inaequalis*, [**Drymaeus inaequalis**](#) L. Pfeiffer, 1857
- *inaquosum*, [**Bostryx inaquosum**](#) A.S.H. Breure, 1978
- *inca*, [**Newboldius inca**](#) H.A. Pilsby, 1932
- *inca*, [**Drymaeus inca**](#) M. Smith, 1943
- *incarnatus*, *Bulimus incarnatus* L. Pfeiffer, 1855 - syn of: [**Mesembrinus granadensis**](#) (L. Pfeiffer, 1848)
- *inclinatus*, [**Drymaeus inclinatus**](#) L. Pfeiffer, 1862
- *incognitus*, [**Drymaeus incognitus**](#) S.I. Da Costa, 1907
- *inconspicuous*, [**Bulimulus inconspicuous**](#) F. Haas, 1949
- *incrassatus*, *Naesiota incrassatus* L. Pfeiffer, 1853 - syn of: [**Naesiota nux**](#) W.J. Broderip, 1832
- *incrassatus sulcatus*, *Naesiota incrassatus sulcatus* P.H. Reibisch, 1892 - syn of: [**Naesiota nux**](#) W.J. Broderip, 1832
- *indefatigabilis*, [**Naesiota indefatigabilis**](#) W.H. Dall, 1900
- *indistinctus*, *Drymaeus indistinctus* L. Pfeiffer, 1852 - syn of: [**Mesembrinus monilifer**](#) (L.A. Reeve, 1848)
- *inermis*, *Bulimulus inermis* P.M.A. Morelet, 1851 - syn of: [**Leptinaria inermis**](#) (P.M.A. Morelet, 1851)
- *inflatiportus*, [**Bostryx obliquiportus inflatiportus**](#) W.K. Weyrauch, 1960

- **inflatus**, *Bulimus inflatus* J.B.P.A. Lamarck, 1822 - syn of: [**Bothriembryon costulatus**](#) J.B.P.A. Lamarck, 1822
- **inflatus**, *Bulimus inflatus* W.J. Broderip, 1836 - Syn of: [**Bostryx tumidulus**](#) L. Pfeiffer, 1842
- infundibuliformis, [**Bostryx infundibuliformis**](#) J.C. Jay, 1848
- **infundibulum**, [**Bostryx infundibulum**](#) H.A. Pilsbry, 1896
- **infundibulum**, *Bulimus infundibulum* J. Gassies, 1871 - syn of: [**Placostylus fibratus questieri**](#) (J. Gassies, 1869)
- **infundibulum**, *Bostryx infundibulum perforatus* (F. Haas, 1951)
- **infundibulum umbilicatellus**, [**Bostryx infundibulum umbilicatellus**](#) H.A. Pilsbry, 1896
- infuscata, [**Naesiotus rugulosus infuscata**](#) C.M.F. Ancey, 1887
- **inglorius**, [**Mesembrinus inglorius**](#) (L.A. Reeve, 1848)
- **inglorius heynemanni**, [**Mesembrinus inglorius heynemanni**](#) L. Pfeiffer, 1866
- **inscendens**, [**Plicolumna inscendens**](#) W.G. Binney, 1861
- **inscendens alta**, [**Plicolumna inscendens alta**](#) W.H. Dall, 1893
- **inscendens beldingi**, *Rabdopus inscendens beldingi* J.G. Cooper, 1892 - syn of: [**Naesiotus beldingi**](#) (J.G. Cooper, 1892)
- **inscendens bryanti**, *Mesembrinus inscendens bryanti* J.G. Cooper, 1891 - syn of: [**Naesiotus rimatus**](#) L. Pfeiffer, 1847
- **inscendens monticola**, *Leptobrysus inscendens monticola* W.H. Dall, 1893 - syn of: [**Naesiotus rimatus**](#) L. Pfeiffer, 1847
- **insignis**, *Bulimus insignis* S.A.A. Petit De La Saussaye, 1850 - syn of: [**Placostylus fibratus**](#) T. Martyn, 1784
- insulaecygni, [**Drymaeus insulaecygni**](#) W.F. Clapp, 1914
- **insularis chinchesis**, *Bulimulus insularis chinchesis* J.G. Cooper, 1894 - syn of: [**Rabdopus sufflatus**](#) A.A. Gould, 1859
- **intensior**, [**Cochlorina aurisleporis intensior**](#) H.A. Pilsbry, 1898
- **interpictus**, [**Drymaeus interpictus**](#) E.C. Von Martens, 1867
- **interpictus diversipictus**, [**Drymaeus interpictus diversipictus**](#) H.A. Pilsbry, 1944
- **interpunctus**, [**Drymaeus interpunctus**](#) E.C. Von Martens, 1887
- interruptofasciatus, [**Drymaeus interruptofasciatus**](#) J.H. Vernhout, 1914
- **interruptus**, [**Drymaeus interruptus**](#) H.B. Preston, 1909
- interstitialis, [**Mesembrinus ghiesbreghti interstitialis**](#) E.C. Von Martens, 1893
- intrapictus, [**Mesembrinus intrapictus**](#) H.A. Pilsbry, 1930
- **inusatitus**, [**Mesembrinus inusatitus**](#) H.C. Fulton, 1900
- **inutilis**, [**Bulimulus inutilis**](#) L.A. Reeve, 1850
- invalidus, [**Naesiotus invalidus**](#) P.H. Reibisch, 1892
- **involuta**, [**Cochlorina involuta**](#) E.C. Von Martens, 1867
- **iocosensis**, [**Bostryx iocosensis**](#) (P. Dautzenberg, 1901)
- iocosensis, *Peronaeus iocosensis* P. Dautzenberg, 1901 - syn of: [**Bostryx iocosensis**](#) (P. Dautzenberg, 1901)
- iodostomus, [**Drymaeus iodostomus**](#) L. Deville & L.H. Hupé, 1850
- **iodostylus**, [**Mesembrinus ghiesbreghti iodostylus**](#) L. Pfeiffer, 1861
- **iodostylus**, *Bulimus iodostylus* L. Pfeiffer, 1861 - syn of: [**Mesembrinus ghiesbreghti iodostylus**](#) L. Pfeiffer, 1861
- irazuensis, [**Mesembrinus irazuensis**](#) G.F. Angas, 1878
- **irregularis**, [**Bulimulus irregularis**](#) (L. Pfeiffer, 1847)
- ischnus, [**Peronaeus ischnus**](#) (H.A. Pilsbry, 1902)
- **isselianus**, *Bulimus isselianus* J.R. Bourguignat in A. Issel, 1865 - syn of: [**Geminula isseliana**](#) (J.R. Bourguignat in A. Issel, 1865)
- **istapensis**, *Bulimulus istapensis* J.C.H. Crosse & P.H. Fischer, 1873 - syn of: [**Bulimulus unicolor**](#) (G.B. I Sowerby, 1833)
- izozoenensis, [**Bostryx izozoenensis**](#) J.J. Parodíz, 1947
- jacksonensis, *Bulimus jacksonensis* J.C. Cox, 1864 - syn of: [**Tornatellinops jacksonensis**](#) (J.C. Cox, 1864)
- **jacksoni**, [**Naesiotus quitensis jacksoni**](#) H.A. Rehder, 1940
- jacobi, [**Naesiotus jacobi**](#) G.B. I Sowerby, 1833
- jacobi vermiculatus, [**Naesiotus jacobi vermiculatus**](#) W.H. Dall, 1893
- **jamaicensis**, *Bulimus jamaicensis* L.A. Reeve, 1849 - syn of: [**Sigmataxis procerus**](#) C.B. Adams, 1845
- **jansoni**, [**Drymaeus lilacinus jansoni**](#) E.C. Von Martens, 1893
- jervisensis, [**Naesiotus jervisensis**](#) W.H. Dall, 1917
- johnstoni, [**Naesiotus dentifer johnstoni**](#) (G.D. Hanna, 1923)
- johnstoni, *Rabdopus johnstoni* G.D. Hanna, 1923 - syn of: [**Naesiotus dentifer johnstoni**](#) (G.D. Hanna, 1923)
- **jonasi**, [**Mesembrinus jonasi**](#) (L. Pfeiffer, 1846)
- **jonasi stolli**, *Bulimulus jonasi stolli* E.C. Von Martens, 1887 - syn of: [**Mesembrinus ghiesbreghti stolli**](#) (E.C. Von Martens, 1893)
- **jonesi**, [**Rabdopus dealbatus jonesi**](#) W.J. Clench, 1937
- **jorgenseni**, [**Bulimulus jorgenseni**](#) E.L. Holmberg, 1912
- **josephus**, [**Drymaeus josephus**](#) G.F. Angas, 1878
- **josephus concolor**, [**Drymaeus josephus concolor**](#) E.C. Von Martens, 1893
- **josephus errans**, [**Drymaeus josephus errans**](#) H.A. Pilsbry, 1926
- **josephus maculosus**, [**Drymaeus josephus maculosus**](#) E.C. Von Martens, 1893
- **jousseaumei**, [**Drymaeus jousseaumei**](#) P. Dautzenberg, 1901
- **juana**, [**Bostryx juana**](#) (A. Cousin, 1887)
- **juarezi**, *Bulimulus juarezi* L. Pfeiffer, 1866 - syn of: [**Rabdopus sufflatus**](#) A.A. Gould, 1859
- **jujuyensis**, [**Bulimulus jujuyensis**](#) E.L. Holmberg, 1909
- **jullensorum**, [**Naesiotus jullensorum**](#) A.S.H. Breure, 1977
- **junceus**, *Bulimus junceus* A.A. Gould - syn of: [**Opeas operanum**](#) (L. Pfeiffer, 1846)
- **juquileensis**, [**Mesembrinus translucens juquileensis**](#) H.A. Pilsbry, 1899

- **jussieui**, Bulimus jussieui L. Pfeiffer, 1846 - syn of: [**Kuschelenia culminea**](#) (D'Orbigny, 1835)
- **juvenilis**, [**Bulimulus juvenilis**](#) L. Pfeiffer, 1855
- **kathiae**, [**Bostryx kathiae**](#) A.S.H. Breure, 1978
- **kefersteini**, Bulimus kefersteini L. Pfeiffer, 1866 - syn of: [**Mesembrinus attenuatus**](#) L. Pfeiffer, 1853
- **keppelli**, Bulimus keppelli L. Pfeiffer, 1853 - syn of: [**Drymaeus vexillum**](#) W. Wood, 1828
- **kieneri**, Bulimus kieneri L. Pfeiffer, 1846 - syn of: [**Microceramus kieneri**](#) (L. Pfeiffer, 1846)
- **kingii**, Bulimus kingii J.E. Gray, 1825 - syn of: [**Bothriembryon kingii**](#) (J.E. Gray, 1825)
- **knorri**, Bulimus knorri L. Pfeiffer in R.A. Philippi, 1846 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri guttulatus**, Drymaeus knorri guttulatus L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri modesta**, Drymaeus knorri modesta L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri percomis**, Drymaeus knorri percomis L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri quadrifasciatus**, Drymaeus knorri quadrifasciatus L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri sexfasciatus**, Drymaeus knorri sexfasciatus L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **knorri tricolor**, Drymaeus knorri tricolor L.W. Schaufuss, 1881 - syn of: [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **kochi**, [**Scutalus kochi**](#) L. Pfeiffer, 1846
- **koppeli**, [**Drymaeus koppeli**](#) (G.B. I Sowerby, 1892)
- **koroensis**, Bulimus koroensis A. Garrett, 1872 - syn of: [**Euplacostylus koroensis**](#) (A. Garrett, 1872)
- **krebsianus**, [**Bulimulus krebsianus**](#) H.A. Pilsbry, 1897
- **kublerensis**, [**Naesiotus kublerensis**](#) L.A. Chambers, 1986
- **kugleri**, [**Bostryx kugleri**](#) L. Forcart, 1954
- **lacerta**, Bulimus lacerta L. Pfeiffer, 1855 - syn of: [**Eudolichotis lacertus**](#) (L. Pfeiffer, 1855)
- **lachayensis**, [**Scutalus versicolor lachayensis**](#) W.K. Weyrauch, 1967
- **lactarius**, Bulimus lactarius K.T. Menke, 1846 - syn of: [**Rabdopus alternatus**](#) T. Say, 1830
- **lacteus**, [**Drymaeus lacteus**](#) H.C. Lea, 1838
- **lactifluus**, [**Peronaeus lactifluus**](#) L. Pfeiffer, 1857
- **laetus**, [**Mesembrinus laetus**](#) (L.A. Reeve, 1849)
- **laevapex**, [**Naesiotus laevapex**](#) C.C. Christensen & W.B. Miller, 1977
- **lagotis**, [**Cochlorina lagotis**](#) K.T. Menke, 1828
- **lamarckianus**, Bulimus lamarckianus L. Pfeiffer, 1848 - syn of: [**Eurytus coloratus**](#) (P. Nyst, 1845)
- **lamas**, Otostomus lamas H.C. Higgins, 1868 - syn of: [**Eurytus coloratus**](#) (P. Nyst, 1845)
- **lamellifer**, [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
- **lamellifer**, Rabdotus lamellifer H.A. Pilsbry, 1897 - syn of: [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
- **lamellifera**, Bulimus lamellifera E.A. Rossmässler, 1858 - syn of: [**Euchondrus lamellifera**](#) (E.A. Rossmässler, 1858)
- **lapidivagus**, Bulimulus lapidivagus J.F. Mabille, 1895 - syn of: [**Naesiotus spirifer**](#) W.M. Gabb, 1868
- **laraosensis**, [**Bostryx obliquiportus laraosensis**](#) W.K. Weyrauch, 1960
- **latecolumellaris**, [**Scutalus latecolumellaris**](#) H.B. Preston, 1909
- **latecolumellaris**, [**Naesiotellus latecolumellaris**](#) W.K. Weyrauch, 1967
- **latecolumellaris endospira**, [**Scutalus latecolumellaris endospira**](#) H.A. Pilsbry, 1932
- **lateralis**, [**Cochlorina lateralis**](#) K.T. Menke, 1828
- **laterita**, [**Cochlorina laterita**](#) (H.A. Pilsbry, 1898)
- **lateritus**, [**Cochlorina navicularis lateritus**](#) H.A. Pilsbry
- **laticinctus**, [**Drymaeus laticinctus**](#) R.J.L. Guppy, 1868
- **latilabris**, Bulimus latilabris L. Pfeiffer, 1855 - syn of: [**Aeropictus succineoides**](#) (S.A.A. Pett De La Saussaye, 1840)
- **latrior**, [**Drymaeus papyraceus latrior**](#) H. Strebel, 1882
- **latistrigatus**, [**Neopetraeus arboriferus latistrigatus**](#) H.A. Pilsbry, 1898
- **latitesta**, [**Drymaeus latitestata**](#) F. Haas, 1952
- **latizonatus**, [**Mesembrinus multilineatus latizonatus**](#) H.A. Pilsbry, 1936
- **lattrei**, [**Drymaeus lattrei**](#) (L. Pfeiffer, 1846)
- **lattrei hiabundus**, [**Drymaeus lattrei hiabundus**](#) E.C. Von Martens, 1893
- **laurentii**, Bostryx laurentii G.B. I Sowerby, 1833 - syn of: [**Bostryx modestus**](#) W.J. Broderip, 1832
- **lautus**, Drymaeus laetus A.A. Gould, 1856 - syn of: [**Drymaeus fallax**](#) L. Pfeiffer, 1853
- **laxostylus**, [**Drymaeus laxostylus**](#) H. Rolle, 1905
- **leai**, [**Drymaeus leai**](#) H.A. Pilsbry, 1898
- **leeuwinensis**, Bulimus leeuinensis E.A. Smith, 1894 - syn of: [**Bothriembryon leeuinensis**](#) (E.A. Smith, 1894)
- **lehmanni**, [**Bulimulus lehmanni**](#) L. Pfeiffer, 1865
- **lemniscatus**, [**Bostryx lemniscatus**](#) G.P. Deshayes, 1838
- **lentiformis**, [**Bostryx lentiformis**](#) A.S.H. Breure, 1978
- **lentiginosus**, [**Drymaeus lentiginosus**](#) R.A. Philippi, 1869
- **leporis**, [**Cochlorina leporis**](#) J.B.P.A. Lamarck, 1822
- **lesueureanus**, [**Bostryx lesueureanus**](#) (P.M.A. Morelet, 1860)
- **lesueureanus**, Bulimus lesueureanus P.M.A. Morelet, 1860 - syn of: [**Bostryx lesueureanus**](#) (P.M.A. Morelet, 1860)
- **lesueurianus**, Bostryx lesueurianus P.M.A. Morelet, 1860 - syn of: [**Bostryx lesueureanus**](#) (P.M.A. Morelet, 1860)
- **leucomelas**, [**Drymaeus leucomelas**](#) J.A. Albers, 1854
- **leucostictus**, [**Peronaeus leucostictus**](#) R.A. Philippi, 1856
- **leucozonatus**, [**Drymaeus vimineus leucozonatus**](#) (H.H. Beck, 1837)

- **levis**, [**Rabdotus levis**](#) W.H. Dall, 1893
- **Iherminieri**, [**Bulimulus Iherminieri**](#) P. Fischer, 1857
- **libertadensis**, [**Drymaeus hepaticus libertadensis**](#) H.A. Pilsbry, 1898
- **lichenorum**, [**Peronaeus lichenorum**](#) (D'Orbigny, 1835)
- **lichenum**, [**Bostryx lichenum**](#) H.H. Beck, 1837
- **lichnorum**, Bostryx lichnorum D'Orbigny, 1835 - syn of: [**Peronaeus lichenorum**](#) (D'Orbigny, 1835)
- **liebmanni**, Bulimus liebmanni L. Pfeiffer, 1846 - syn of: [**Drymaeus serperastrus**](#) (T. Say, 1829)
- **lilacinus**, [**Drymaeus lilacinus**](#) (L.A. Reeve, 1849)
- **lilacinus crossei**, [**Drymaeus lilacinus crossei**](#) E.C. Von Martens, 1885
- **lilacinus ictericus**, [**Drymaeus lilacinus ictericus**](#) E.C. Von Martens, 1893
- **lilacinus jansoni**, [**Drymaeus lilacinus jansoni**](#) E.C. Von Martens, 1893
- **lilacinus undulosus**, [**Drymaeus lilacinus undulosus**](#) E.C. Von Martens, 1893
- **lilacinus unicolor**, [**Drymaeus lilacinus unicolor**](#) E.C. Von Martens, 1893
- **liliacea**, [**Drymaeus liliacea**](#) A.E.J. Féussac, 1821
- **liliacea flavescens**, [**Drymaeus liliacea flavescens**](#) A.E.J. Féussac, 1821
- **lima**, [**Naesiotus lima**](#) P.H. Reisch, 1892
- **limensis**, Bostryx limensis L.A. Reeve, 1849 - syn of: [**Bostryx modestus**](#) W.J. Broderip, 1832
- **limicolaroides**, [**Drymaeus limicolaroides**](#) F. Haas, 1936
- **limnoides**, [**Bulimulus limnoides**](#) A.E.J. Féussac, 1832
- **limonoicus**, [**Bostryx limonoicus**](#) (D'Orbigny, 1835)
- **limpidus**, [**Drymaeus limpidus**](#) H. Drouët, 1859
- **lineolatus**, [**Mesembrinus lineolatus**](#) (T.A. Conrad, 1855)
- **linostoma**, [**Drymaeus linostoma**](#) (D'Orbigny, 1835)
- **linostoma suprapunctatus**, [**Drymaeus linostoma suprapunctatus**](#) F.C. Baker, 1914
- **linter**, [**Cochlorina navicularis linter**](#) I.H. Jonas, 1844
- **liquabilis**, [**Rabdotus dealbatus liquabilis**](#) (L.A. Reeve, 1848)
- **liquabilis**, Bulimus liquabilis L.A. Reeve, 1848 - syn of: [**Rabdotus dealbatus liquabilis**](#) (L.A. Reeve, 1848)
- **lirinus**, [**Mesembrinus lirinus**](#) P.M.A. Morelet, 1851
- **listeri**, [**Auris listeri**](#) W. Wood, 1828
- **literatus**, [**Drymaeus literatus**](#) J.B. von Spix, 1827
- **lithoicus**, Scutalus lithoicus D'Orbigny, 1835 - syn of: [**Kuschelenia culminea**](#) (D'Orbigny, 1835)
- **lituratus**, [**Drymaeus fluctuatus lituratus**](#) H.H. Beck, 1837
- **livescens**, [**Mesembrinus livescens**](#) (L. Pfeiffer, 1842)
- **lividus**, Bulimus lividus L.A. Reeve, 1850 - syn of: [**Mesembrinus granadensis**](#) (L. Pfeiffer, 1848)
- **lizarasoae**, [**Pseudoperonaeus lizarasoae**](#) W.K. Weyrauch, 1967
- **llaucanensis**, [**Bostryx llaucanensis**](#) W.K. Weyrauch
- **lobbii**, [**Neopetraeus lobbii**](#) L.A. Reeve, 1849
- **lobbii ptychostylus**, [**Neopetraeus lobbii ptychostylus**](#) (L. Pfeiffer, 1858)
- **lolae**, [**Bulimulus lolae**](#) P.H. Scott, 1967
- **lonchostoma**, [**Oxychona lonchostoma**](#) (K.T. Menke, 1828)
- **longinquus**, [**Bostryx longinquus**](#) P.M.A. Morelet, 1863
- **longispira**, [**Bostryx longispira**](#) W.K. Weyrauch, 1960
- **longitudinalis**, [**Scutalus longitudinalis**](#) F. Haas, 1955
- **longostoma**, Oxychona longostoma K.T. Menke, 1828 - syn of: [**Oxychona lonchostoma**](#) (K.T. Menke, 1828)
- **longulus**, Bulimus longulus L. Pfeiffer, 1859 - syn of: [**Bahiensis longula**](#) (L. Pfeiffer, 1859)
- **lopesi**, [**Naesiotus lopesi**](#)
- **lopezi**, Naesiotus lopezi H.E.B. Rezende, P.D. Lanzieri & F. Inada, 1972 - syn of: [**Naesiotus lopesi**](#)
- **lophoicus**, [**Drymaeus lophoicus**](#) (D'Orbigny, 1835)
- **louisae**, [**Bostryx louisae**](#) A.S.H. Breure, 1978
- **loveni**, Bulimus loveni L. Pfeiffer, 1848 - syn of: [**Plekocheilus loveni**](#) (L. Pfeiffer, 1848)
- **loxanus**, [**Mesembrinus loxanus**](#) (H.C. Higgins, 1872)
- **loxensis**, [**Mesembrinus loxensis**](#) (L. Pfeiffer, 1846)
- **lubricus lubricella**, Bulimus lubricus lubricella B. Ziegler in C. Porro, 1838 - syn of: [**Cochlicopa lubricella**](#) (E.A. Rossmässler, 1834)
- **lucidus**, Drymaeus lucidus L.A. Reeve, 1848 - syn of: [**Mesembrinus stramineus**](#) (L. Guiding, 1828)
- **lugubris**, Bulimus lugubris R.W. Dunker, 1882 - syn of: [**Eurytus lugubris**](#) (R.W. Dunker, 1882)
- **luridus**, [**Bostryx luridus**](#) (L. Pfeiffer, 1863)
- **lusorius**, [**Drymaeus lusorius**](#) L. Pfeiffer, 1855
- **lychnorum**, [**Bostryx lychnorum**](#) G.B. I Sowerby, 1838
- **lycodes**, Naesiotus lycodes W.H. Dall, 1917 - syn of: [**Naesiotus lycodus**](#) W.H. Dall, 1917
- **lycodus**, [**Naesiotus lycodus**](#) W.H. Dall, 1917
- **lynchi**, [**Drymaeus lynchi**](#) J.J. Parodí, 1946
- **lyonetiana**, [**Cochlorina lyonetiana**](#) H.C. Küster, 1840
- **macedoi**, [**Scutalus macedoi**](#) W.K. Weyrauch, 1967
- **macgillivrayi**, Bulimus macgillivrayi L. Pfeiffer, 1855 - syn of: [**Placocharis macgillivrayi**](#) (L. Pfeiffer, 1855)
- **maculatus**, Mesembrinus maculatus H.C. Lea, 1838 - syn of: [**Mesembrinus semimaculatus**](#) H.A. Pilsbry, 1898

- maculosus, [**Drymaeus josephus maculosus**](#) E.C. Von Martens, 1893
- maderensis, Bulimus maderensis R.T. Lowe, 1852 - syn of: [**Cochlicopa lubrica**](#) (O.F. Müller, 1774)
- madrynensis, [**Peronaeus ameghinoi madrynensis**](#) D'Orbigny, 1835
- magus, [**Drymaeus magus**](#) J.A. Wagner, 1827
- major, [**Vermiculatus bicolor major**](#) (L. Pfeiffer, 1868)
- major, [**Kuschelenia tupacii major**](#) A. Doering, 1876
- major, [**Drymaeus poecilus major**](#) D'Orbigny, 1836
- malleatus, [**Drymaeus malleatus**](#) S.I. Da Costa, 1898
- manoeli, [**Drymaeus manoeli**](#) S. Moricand, 1833
- manupictus, [**Mesembrinus manupictus**](#) (L.A. Reeve, 1848)
- maranhensis, Bulimus maranhensis J.A. Albers, 1854 - syn of: [**Sultana maranhensis**](#) (J.A. Albers, 1854)
- maranonensis, [**Naesiotus subcostatus maranonensis**](#) A.S.H. Breure, 1978
- marasensis, [**Vermiculatus cuocoensis marasensis**](#) W.K. Weyrauch, 1967
- marcapatensis, [**Drymaeus marcapatensis**](#) A.S.H. Breure, 1979
- marcidus, [**Bulimulus marcidus**](#) L. Pfeiffer, 1853
- mariae, [**Rabdopus alternatus mariae**](#) J.A. Albers, 1850
- mariaenus, [**Drymaeus strigatus mariaenus**](#) H.A. Pilsbry, 1898
- marielinus, [**Drymaeus marielinus**](#) F. Poey, 1851
- mariopenai, [**Scutalus mariopenai**](#) A.S.H. Breure & V. Mogolón Avila, 2010
- marmarinus, [**Drymaeus marmarinus**](#) (D'Orbigny, 1835)
- marmatensis, [**Bulimulus marmatensis**](#) L. Pfeiffer, 1855
- marmoratus, Bulimus marmoratus R.W. Dunker, 1844 - syn of: [**Dryptus marmoratus**](#) (R.W. Dunker, 1844)
- martensi, Bulimus martensi L. Pfeiffer, 1856 - syn of: [**Lamellaxis martensi**](#) (L. Pfeiffer, 1856)
- martensianus, [**Mesembrinus recluzianus martensianus**](#) H.A. Pilsbry, 1899
- martinez, [**Bostryx martinez**](#) M.I. Hilton-Scott, 1965
- martinicensis, Bulimus martinicensis L. Pfeiffer, 1846 - syn of: [**Protoglyptus martinicensis**](#) (L. Pfeiffer, 1846)
- mastersi, Bulimus mastersi J.C. Cox, 1867 - syn of: [**Bothriembryon mastersi**](#) (J.C. Cox, 1867)
- maugeri, Bulimus maugeri W. Wood, 1828 - syn of: [**Anoma nigrescens**](#) (C.B. Adams, 1851)
- mauritianus, Bulimus mauritianus L. Pfeiffer - syn of: [**Allopeas mauritianum**](#) L. Pfeiffer, 1852
- maximiliana, [**Auris maximiliana**](#) S. Moricand, 1836
- mayaorum, [**Mesembrinus mayaorum**](#) H.A. Rehder, 1966
- mazei, Bulimus mazei J.C.H. Crosse, 1874 - syn of: [**Protoglyptus mazei**](#) (J.C.H. Crosse, 1874)
- medinanus, [**Drymaeus cantatus medinanus**](#) H.A. Pilsbry, 1935
- meesi, [**Drymaeus glaucostomus meesi**](#) A.S.H. Breure, 1976
- megas, [**Drymaeus flexuosus megas**](#) H.A. Pilsbry, 1944
- megastomus, [**Drymaeus megastomus**](#) J.J. Parodíz, 1962
- megomphalus, [**Bostryx megomphalus**](#) H.A. Pilsbry, 1944
- mejillonensis, [**Lissoacme mejillonensis**](#) (L. Pfeiffer, 1877)
- melanocheilus, Bulimus melanocheilus P. Nyst, 1845 - syn of: [**Thaumastus melanocheilus**](#) P. Nyst, 1845
- melanoscolops, [**Drymaeus melanoscolops**](#) W.L.H. Dohrn, 1882
- melanostoma, [**Auris melanostoma**](#) (S. Moricand, 1836)
- melanostoma brachyplax, [**Auris melanostoma brachyplax**](#) H.A. Pilsbry, 1896
- melanostoma scalaris, [**Auris melanostoma scalaris**](#) Dhorm, 1883
- melastoma, [**Auris melastoma**](#) W.J. Swainson, 1820
- melastoma brachyplax, [**Auris melastoma brachyplax**](#) H.A. Pilsbry, 1896
- meleagris, Bulimus meleagris L. Pfeiffer, 1853 - syn of: [**Stenostylus meleagris**](#) (L. Pfeiffer, 1853)
- membielinus, [**Drymaeus membielinus**](#) J.C.H. Crosse, 1867
- membranaceus, [**Drymaeus membranaceus**](#) L.A. Reeve, 1849
- mendozanus, [**Bulimulus mendozanus bonairensis**](#) P. von Ströbel, 1874
- mendozanus bonairensis, [**Bulimulus mendozanus bonairensis**](#) E.L. Holmberg, 1909
- menkei, [**Mesembrinus multilineatus menkei**](#) (Ermst C.L. Gruner, 1841)
- menkei, Drymaeus menkei Ermst C.L. Gruner, 1841 - syn of: [**Mesembrinus multilineatus menkei**](#) (Ermst C.L. Gruner, 1841)
- meridanus, [**Mesembrinus meridanus**](#) (L. Pfeiffer, 1846)
- meridionalis, Bulimus meridionalis L.A. Reeve, 1848 - syn of: [**Peronaeus voithianus**](#) (L. Pfeiffer, 1847)
- mesopotamicus, Bulimus mesopotamicus E.C. Von Martens - syn of: [**Zebrina kindermannii**](#) L. Pfeiffer, 1850
- metagyra, [**Bostryx metagyra**](#) H.A. Pilsbry & A.A. Olsson, 1949
- metamorphus, [**Lissoacme metamorphus**](#) (H.A. Pilsbry, 1896)
- mexicanus, [**Drymaeus mexicanus**](#) J.B.P.A. Lamarck, 1822
- mexicanus gracilior, [**Drymaeus mexicanus gracilior**](#) L. Pfeiffer, 1848
- mexicanus primularis, [**Drymaeus mexicanus primularis**](#) (L.A. Reeve, 1849)
- miliaris, [**Drymaeus miliaris**](#) R.A. Philippi, 1867
- millegranus, [**Neopetraeus millegranus**](#) E.C. Von Martens, 1885
- milleri, [**Naesiotus milleri**](#) (L. Hoffman, 1987)
- miltocheilus, Bulimus miltocheilus L.A. Reeve, 1848 - syn of: [**Aspastus miltocheilus**](#) (L.A. Reeve, 1848)
- miltochrous, [**Drymaeus miltochrous**](#) J.A. Albers, 1854

- minarum, [**Oxychona bifasciata minarum**](#) C.M.F. Ancey, 1901
- minimus, Bulimus minimus C.B. Adams, 1849 - syn of: [**Micromena problematica**](#) H.A. Pilsbry, 1907
- minor, [**Bulimulus corneus minor**](#) (E.C. Von Martens, 1893)
- minor, [**Kuschelenia tupacii minor**](#) A. Doering, 1876
- minor, [**Drymaeus poecilus minor**](#) D'Orbigny, 1836
- minor, [**Bostryx haasi minor**](#) W.K. Weyrauch, 1960
- minorina, Berendtia minorina J.F. Mabille, 1895 - syn of: [**Spartocentrum irregularis**](#) W.M. Gabb, 1868
- minutissimus, [**Naesiotus minutissimus**](#) J.J. Parodíz, 1962
- minutus, [**Scutalus minutus**](#) A.S.H. Breure, 1978
- misellus, [**Mesembrinus translucens misellus**](#) H.A. Pilsbry, 1926
- mitchelli, [**Drymaeus beyerleanus mitchelli**](#) W.H. Dall, 1912
- modestus, [**Bostryx modestus**](#) W.J. Broderip, 1832
- modestus angelmaldonadoi, [**Bostryx modestus angelmaldonadoi**](#) W.K. Weyrauch, 1960
- moei, [**Bulimulus moei**](#) J.J. Parodíz, 1962
- mollicellus, [**Bulimulus mollicellus**](#) L.A. Reeve, 1849
- monachus, [**Bulimulus monachus**](#) (L. Pfeiffer, 1857)
- moniezi, [**Bostryx moniezi**](#) P. Dautzenberg, 1896
- moniezi albescens, [**Bostryx moniezi albescens**](#) P. Dautzenberg, 1896
- monilifer, [**Mesembrinus monilifer**](#) (L.A. Reeve, 1848)
- monotaenius, [**Naesiotus nux monotaenius**](#) W.H. Dall & W.H. Ochsner, 1928
- montagnei, [**Drymaeus montagnei**](#) D'Orbigny, 1836
- montagnei, Bulimus montagnei L.A. Reeve, 1848 - syn of: [**Naesiotus pazianus pseudonyma**](#) H.A. Pilsbry, 1898
- montanus, [**Mesembrinus roseatus montanus**](#) H.A. Pilsbry, 1901
- montanus, Bulimus montanus J.P.R. Draparnaud, 1801 - syn of: [**Ena montana**](#) (J.P.R. Draparnaud, 1801)
- montevidensis, Bulimus montevidensis L. Pfeiffer, 1846 - syn of: [**Bulimulus bonariensis**](#) (D'Orbigny, 1835)
- montezuma, [**Naesiotus montezuma**](#) W.H. Dall, 1893
- monticola, [**Bostryx monticola**](#) A. Doering, 1879
- monticola, Bulimus monticola R.A. Philippi, 1869 - syn of: [**Bostryx dentritoides**](#) H.A. Pilsbry, 1896
- monticola, [**Rabdopus monticola**](#) W.H. Dall, 1893
- montivagus, [**Naesiotus montivagus**](#) (D'Orbigny, 1835)
- montivagus chacoensis, [**Naesiotus montivagus chacoensis**](#) C.M.F. Ancey, 1897
- mooreanus, [**Rabdopus dealbatus mooreanus**](#) (L. Pfeiffer, 1868)
- morbidus, [**Drymaeus vexillum morbidus**](#) (R.A. Philippi, 1867)
- mordani, [**Bostryx mordani**](#) A.S.H. Breure, 1978
- morenoi, [**Drymaeus morenoi**](#) H.B. Preston, 1907
- moricandi, [**Mesembrinus moricandi**](#) (L. Pfeiffer, 1847)
- moricandi hyalinoalbida, [**Mesembrinus moricandi hyalinoalbida**](#) J.C.H. Crosse & P.H. Fischer, 1875
- moritinctus, [**Mesembrinus moritinctus**](#) (E.C. Von Martens, 1893)
- mossi, [**Mesembrinus mossi**](#) (E.A. Smith, 1896)
- motaguae, [**Mesembrinus sargi motaguae**](#) E.C. Von Martens, 1893
- moussonii, [**Mesembrinus moussonii**](#) (L. Pfeiffer, 1853)
- muelleggeri, [**Drymaeus muelleggeri**](#) S.G.A. Jaeckel, 1927
- muliebris, [**Mesembrinus muliebris**](#) (L.A. Reeve, 1849)
- multiconspectus, [**Bostryx multiconspectus**](#) A.S.H. Breure, 2008
- multifasciatus, [**Drymaeus multifasciatus**](#) J.B.P.A. Lamarck, 1822
- multifasciatus albicans, [**Drymaeus multifasciatus albicans**](#) H.P. Mazé, 1874
- multifasciatus christopheri, [**Drymaeus multifasciatus christopheri**](#) H.A. Pilsbry, 1899
- multifasciatus imperfectus, Drymaeus multifasciatus imperfectus R.J.L. Guppy, 1866 - syn of: [**Drymaeus imperfectus**](#) (R.J.L. Guppy, 1866)
- multiguttatus, [**Drymaeus multiguttatus**](#) W.K. Weyrauch, 1964
- multilineatus, [**Mesembrinus multilineatus**](#) (T. Say, 1825)
- multilineatus, [**Bostryx multilineatus**](#) A.S.H. Breure, 1978
- multilineatus eboreus, [**Mesembrinus multilineatus eboreus**](#) Grimshawe, 1951
- multilineatus havanensis, [**Mesembrinus multilineatus havanensis**](#) M.L. Jaume & P.J. Borro, 1941
- multilineatus latizonatus, [**Mesembrinus multilineatus latizonatus**](#) H.A. Pilsbry, 1936
- multilineatus menkei, [**Mesembrinus multilineatus menkei**](#) (Ernst C.L. Gruner, 1841)
- multispira, Drymaeus multispira S.I. Da Costa, 1904 - syn of: [**Bostryx torallyi**](#) D'Orbigny, 1835
- multivolvus, [**Bostryx multivolvus**](#) H.A. Pilsbry, 1944
- munsterii, [**Naesiotus munsterii**](#) (D'Orbigny, 1837.)
- murrinus, [**Drymaeus murrinus**](#) L.A. Reeve, 1848
- musivus, Drymaeus musivus L. Pfeiffer, 1855 - syn of: [**Drymaeus strigatus**](#) G.B. I Sowerby, 1833
- mutabilis, [**Scutalus mutabilis**](#) W.J. Broderip, 1832
- mutabilis albo, [**Scutalus mutabilis albo**](#) (W.J. Broderip, 1832)
- myotis, [**Cochlorina myotis**](#) H.H. Beck, 1837
- myristicus, [**Neopetraeus decussatus myristicus**](#) L.A. Reeve, 1849
- naesioticus, [**Naesiotus naesioticus**](#) W.H. Dall, 1896

- **naggsi**, [***Scutalus costifer naggsi***](#) A.S.H. Breure, 1978
- **nana**, [***Scutalus proteus nana***](#) W.J. Broderip, 1832
- **nanus**, *Bulimus nanus* L.A. Reeve, 1849 - syn of: [***Peronaeus pumilio***](#) H.A. Rehder, 1945
- **napo**, *Otostomus napo* G.F. Angas, 1878 - syn of: [***Drymaeus quadrifasciatus***](#) (G.F. Angas, 1878)
- **narcissus**, [***Drymaeus narcissus***](#) J.A. Albers, 1854
- **nasutus**, [***Bulimus nasutus***](#) E.C. Von Martens, 1885
- **navarrensis**, *Bulimus navarrensis* G.F. Angas, 1875 - syn of: [***Drymaeus costaricensis***](#) L. Pfeiffer, 1862
- **navicula**, *Cochlorina navicula* J.A. Wagner in J.B. von Spix, 1827 - syn of: [***Cochlorina navicularis***](#) (J.A. Wagner in J.B. von Spix, 1827)
- **navicularis**, [***Cochlorina navicularis***](#) (J.A. Wagner in J.B. von Spix, 1827)
- **navicularis lateritius**, [***Cochlorina navicularis lateritius***](#) H.A. Pilsbry
- **navicularis linter**, [***Cochlorina navicularis linter***](#) I.H. Jonas, 1844
- **nebulosus**, [***Drymaeus chiapensis nebulosus***](#) E.C. Von Martens, 1893
- **necaxanus**, [***Mesembrinus necaxanus***](#) G.A. Solem, 1955
- **necouensis**, *Bulimus necouensis* J. Gassies, 1871 - syn of: [***Placostylus fibratus alexander***](#) (J.C.H. Crosse, 1855.)
- **neglectus**, *Bulimus neglectus* L. Pfeiffer, 1847 - syn of: [***Bahiensis neglectus***](#) (L. Pfeiffer, 1847)
- **nemorensis**, [***Scutalus nemorensis***](#) R.A. Philippi, 1867
- **neomexicanus**, [***Rabdotus dealbatus neomexicanus***](#) H.A. Pilsbry, 1946
- **nesioticus**, *Naesiotus nesioticus* W.H. Dall, 1896 - syn of: [***Naesiotus naesioticus***](#) W.H. Dall, 1896
- **niceforonis**, [***Drymaeus niceforonis***](#) H.A. Pilsbry, 1939
- **nichollsi**, [***Bulimulus nichollsi***](#) G.F. Angas, 1885
- **nigrilabris**, [***Auris bilabiata nigrilabris***](#) H.A. Pilsbry, 1896
- **nigroapicatus**, [***Drymaeus nigroapicatus***](#) L. Pfeiffer, 1857
- **nigrofasciatus**, [***Drymaeus nigrofasciatus***](#) (L. Pfeiffer, 1846)
- **nigrofasciatus elongatus**, [***Drymaeus nigrofasciatus elongatus***](#) H.A. Pilsbry, 1898
- **nigrogularis**, [***Drymaeus nigrogularis***](#) W.L.H. Dohm, 1882
- **nigrogularis ribeiroi**, [***Drymaeus nigrogularis ribeiroi***](#) H.F.A. von Ihering, 1915
- **nigrolimbatus**, *Drymaeus nigrolimbatus* H.A. Pilsbry, 1898 - syn of: [***Stenostylus nigrolimbatus***](#) (L. Pfeiffer, 1853)
- **nigrolimbatus**, *Bulimus nigrolimbatus* L. Pfeiffer, 1853 - Syn of: [***Stenostylus nigrolimbatus***](#) (L. Pfeiffer, 1853)
- **nigromontanus**, [***Bulimulus nigromontanus***](#) W.H. Dall, 1897
- **nigropileatus**, [***Bostryx nigropileatus***](#) L.A. Reeve, 1849
- **nigroumbilicatus**, [***Drymaeus nigroumbilicatus***](#) H.B. Preston, 1907
- **nigroumbilicatus**, [***Bostryx torallyi nigroumbilicatus***](#) J.J. Parodí, 1947
- **nitelinus**, *Bulimus nitelinus* L.A. Reeve, 1849 - syn of: [***Drymaeus serperastrus***](#) (T. Say, 1829)
- **nitidissimus**, *Bulimus nitidissimus* I. Krynicki, 1833 - syn of: [***Cochlicopa lubrica***](#) (O.F. Müller, 1774)
- **nitidulus**, [***Drymaeus nitidulus***](#) H.H. Beck, 1837
- **nitidulus**, *Bulimus nitidulus* L. Pfeiffer, 1839 - Syn of: [***Pupoides albilabris***](#) C.B. Adams, 1841
- **nitidus**, *Drymaeus nitidus* W.J. Broderip, 1832 - syn of: [***Drymaeus cactivorus***](#) W.J. Broderip, 1832
- **nivalis**, [***Scutalus nivalis***](#) (D'Orbigny, 1835)
- **nobilis**, [***Scutalus nobilis***](#) H.A. Pilsbry & A.A. Olsson, 1949
- **nogellii**, *Bulimus nogellii* J.R. Roth in M. Wagner, 1850 - syn of: [***Ena nogelli***](#) J.R. Roth in M. Wagner, 1850
- **nonogastanus**, [***Bostryx stelzneri nonogastanus***](#) J.J. Parodí, 1948
- **notabilis**, [***Drymaeus notabilis***](#) (S.I. Da Costa, 1906)
- **notatus**, [***Drymaeus notatus***](#) S.I. Da Costa, 1906
- **novoleonis**, [***Rabdotus novoleonis***](#) H.A. Pilsbry, 1953
- **nubeculatus**, *Bulimulus nubeculatus* L. Pfeiffer, 1853 - syn of: [***Bulimulus corneus***](#) G.B. I Sowerby, 1833
- **nubilus**, *Drymaeus nubilus* H.B. Preston, 1903 - syn of: [***Mesembrinus recluzianus***](#) L. Pfeiffer, 1847
- **nuciformis**, [***Naesiotus nuciformis***](#) S.A.A. Pett De La Saussaye, 1853
- **nucinus**, [***Vermiculatus nucinus***](#) (L.A. Reeve, 1850)
- **nucula**, [***Naesiotus nucula***](#) (L. Pfeiffer, 1854)
- **nuculana**, *Naesiotus nuculana* L. Pfeiffer, 1854 - syn of: [***Naesiotus nucula***](#) (L. Pfeiffer, 1854)
- **nudus**, [***Naesiotus nudus***](#) P.H. Reibisch, 1892
- **nux**, [***Naesiotus nux***](#) W.J. Broderip, 1832
- **nux basiplicatus**, [***Naesiotus nux basiplicatus***](#) W.H. Dall & W.H. Ochsner, 1928
- **nux monotaenius**, [***Naesiotus nux monotaenius***](#) W.H. Dall & W.H. Ochsner, 1928
- **nux perchloris**, [***Naesiotus nux perchloris***](#) W.H. Dall & W.H. Ochsner, 1928
- **nystianus**, [***Drymaeus nystianus***](#) L. Pfeiffer, 1853
- **nystianus nigricans**, *Drymaeus nystianus nigricans* A. Cousin, 1887 - syn of: [***Drymaeus nystianus***](#) L. Pfeiffer, 1853
- **obeliscus**, [***Bostryx obeliscus***](#) A. Zlch, 1954
- **obesus**, [***Diaphanomormus coelestini obesus***](#) W.K. Weyrauch, 1964.
- **obesus**, [***Neopetraeus arboriferus obesus***](#) W.K. Weyrauch, 1967
- **obliquiportus**, [***Bostryx obliquiportus***](#) W.K. Weyrauch, 1960
- **obliquiportus angispira**, [***Bostryx obliquiportus angispira***](#) W.K. Weyrauch, 1960
- **obliquiportus inflatiportus**, [***Bostryx obliquiportus inflatiportus***](#) W.K. Weyrauch, 1960
- **obliquiportus laraosensis**, [***Bostryx obliquiportus laraosensis***](#) W.K. Weyrauch, 1960
- **obliquistriatus**, [***Bostryx obliquistriatus***](#) (S.I. Da Costa, 1901)

- **oblitus**, *Bulimus obesus* L.A. Reeve, 1848 - syn of: [***Bahiensis neglectus***](#) (L. Pfeiffer, 1847)
- **oblongus**, *Bulimus oblongus* P.M.A. Morelet, 1863 - syn of: [***Megalobulimus capillaceus***](#) L. Pfeiffer, 1855
- **occidentalis**, [***Drymaeus occidentalis***](#) K. Miller, 1879
- **occultus**, *Bulimus occultus* L.A. Reeve, 1849 - Syn of: [***Bahiensis occultus***](#) (L.A. Reeve, 1849)
- **ochraceus**, [***Vermiculatus ochraceus***](#) (P.M.A. Morelet, 1863)
- **ochraspiris**, *Bulimulus ochraspiris* R.M. Branson & W.D. McCoy, 1965 - syn of: [***Bulimulus unicolor***](#) (G.B. I Sowerby, 1833)
- **ochrocheilus**, [***Drymaeus ochrocheilus***](#) E.A. Smith, 1877
- **ochrostoma**, *Bulimus ochrostoma* A. Garrett, 1872 - syn of: [***Callistocharis ochrostoma***](#) (A. Garrett, 1872)
- **ochsneri**, [***Naesiotus ochsneri***](#) W.H. Dall, 1917
- **octonoides**, *Bulimus octonoides* C.B. Adams, 1845 - syn of: [***Leptopeas micra***](#) (D'Orbigny, 1835)
- **octonoides**, *Bulimus octonoides* D'Orbigny, 1841 - syn of: [***Allopeas gracilis***](#) (F.W. Hutton, 1834)
- **odontostoma**, *Bulimus odontostoma* G.B. I Sowerby, 1824 - syn of: [***Odontostomus gargantua***](#) (A.E.J. Féussac, 1821)
- **olla**, [***Naesiotus olla***](#) W.H. Dall, 1893
- **olmosensis**, [***Bostryx olmosensis***](#) A.S.H. Breure, 1978
- **omissus**, [***Vermiculatus omissus***](#) W.K. Weyrauch, 1967
- **onca**, *Bulimus onca* D'Orbigny, 1837 - syn of: [***Eurytus pentadinus***](#) (D'Orbigny, 1835)
- **operanus**, *Bulimus operanus* L. Pfeiffer, 1846 - Syn of: [***Opeas operanum***](#) (L. Pfeiffer, 1846)
- **orbignyi**, [***Naesiotus orbignyi***](#) (L. Pfeiffer, 1846)
- **orcesi**, [***Drymaeus expansus orcesi***](#) W.K. Weyrauch, 1958
- **oreades**, [***Mesembrinus oreades***](#) (D'Orbigny, 1835)
- **orientalis**, [***Neopetraeus catamarcanus orientalis***](#) A.S.H. Breure, 1978
- **orinus**, [***Naesiotus quitensis orinus***](#) H.A. Rehder, 1940
- **orobaena**, [***Drymaeus orobaena***](#) D'Orbigny, 1835
- **orophilus**, [***Bostryx orophilus***](#) P.M.A. Morelet, 1863
- **orthodoxus**, [***Bulimulus orthodoxus***](#) H. Drouët, 1859
- **orthostoma**, [***Drymaeus orthostoma***](#) E.A. Smith, 1877
- **ortispuenti**, *Scutalus ortispuenti* W.K. Weyrauch, 1967 - syn of: [***Scutalus ortizpuentei***](#) W.K. Weyrauch, 1967
- **ortizi**, [***Bostryx ortizi***](#) W.K. Weyrauch, 1967
- **ortizpuentei**, [***Scutalus ortizpuentei***](#) W.K. Weyrauch, 1967
- **otostomus**, *Bulimus otostomus* L. Pfeiffer, 1855 - syn of: [***Eurytus otostomus***](#) (L. Pfeiffer, 1855)
- **ouensis**, *Bulimus ouensis* J. Gassies, 1870 - syn of: [***Placostylus fibratus***](#) T. Martyn, 1784
- **ouveanus**, *Bulimus ouveanus* Dotzauer in A. Mousson, 1869 - Syn of: [***Placostylus fibratus ouveanus***](#) (Dotzauer in A. Mousson, 1869)
- **ouveanus alba**, *Bulimus ouveanus alba* J.C.H. Crosse, 1874 - syn of: [***Placostylus fibratus ouveanus***](#) (Dotzauer in A. Mousson, 1869)
- **ouveanus sinistrorsa**, *Bulimus ouveanus sinistrorsa* J.C.H. Crosse, 1884 - syn of: [***Placostylus fibratus ouveanus sinistorsa***](#) (J.C.H. Crosse, 1884)
- **oxylabris**, [***Naesiotus oxylabris***](#) (A. Doering, 1879)
- **ozarkensis**, [***Rabdopus dealbatus ozarkensis***](#) H.A. Pilsbry & J.H. Ferriss, 1906
- **pachecensis**, [***Mesembrinus translucens pachecensis***](#) H.A. Pilsbry, 1930
- **pachys**, [***Naesiotus pachys***](#) H.A. Pilsbry, 1897
- **paeteli**, [***Drymaeus paeteli***](#) J.A. Albers, 1854
- **paivanus**, *Bulimus paivanus* L. Pfeiffer, 1866 - syn of: [***Drymaeus serperastrus***](#) (T. Say, 1829)
- **palassus**, [***Drymaeus palassus***](#) A.S.H. Breure & A. Eskens, 1981
- **pallens**, [***Bulimus pallens***](#) L.A. Reeve, 1849
- **pallescens**, [***Naesiotus ustulatus pallescens***](#) W.H. Dall & W.H. Ochsner, 1928
- **pallidior**, [***Naesiotus pallidior***](#) (G.B. I Sowerby, 1833)
- **pallidior**, [***Drymaeus pallidior***](#) W.H. Dall, 1893
- **pallidior striatus**, *Bulimulus pallidior striatus* W.H. Dall, 1893 - syn of: [***Naesiotus pallidior***](#) (G.B. I Sowerby, 1833)
- **pallidus**, [***Naesiotus pallidus***](#) P.H. Reisch, 1892
- **palpaloensis**, *Bulimulus palpaloensis* H. Streb, 1882 - syn of: [***Mesembrinus emeus***](#) T. Say, 1829
- **pampa**, [***Bulimulus sporadicus pampa***](#) H.F.A. von Ihering, 1914
- **pamplonensis**, [***Drymaeus pamplonensis***](#) H.A. Pilsbry, 1939
- **panamensis**, *Drymaeus panamensis* W.J. Broderip, 1832 - syn of: [***Mesembrinus translucens panamensis***](#) W.J. Broderip, 1832
- **panamensis**, [***Mesembrinus translucens panamensis***](#) W.J. Broderip, 1832
- **papillatus**, [***Bostryx rhodolarynx papillatus***](#) (P.M.A. Morelet, 1860)
- **papillatus**, *Bostryx papillatus* P.M.A. Morelet, 1860 - syn of: [***Bostryx rhodolarynx papillatus***](#) (P.M.A. Morelet, 1860)
- **paposensis**, [***Bostryx paposensis***](#) (L. Pfeiffer, 1856)
- **papyraceus**, [***Drymaeus papyraceus***](#) J. Mawe, 1823
- **papyraceus latior**, [***Drymaeus papyraceus latior***](#) H. Streb, 1882
- **papyraceus papyrifactus**, [***Drymaeus papyraceus papyrifactus***](#) H.A. Pilsbry, 1898
- **papyrascens**, [***Drymaeus papyrascens***](#) H.A. Pilsbry, 1892
- **papyrifactus**, [***Drymaeus papyraceus papyrifactus***](#) H.A. Pilsbry, 1898
- **parallelus**, *Bulimus parallelus* L. Pfeiffer, 1857 - syn of: [***Bahiensis occultus***](#) (L.A. Reeve, 1849)
- **parvicignyi**, *Drymaeus parvicignyi* H.A. Pilsbry, 1930 - syn of: [***Drymaeus parvicygni***](#) H.A. Pilsbry, 1930
- **parvicygni**, [***Drymaeus parvicygni***](#) H.A. Pilsbry, 1930
- **parvus**, [***Drymaeus parvus***](#) H.C. Lea, 1838

- pasonis, [**Rabdoto dealbatus pasonis**](#) H.A. Pilsbry, 1902
- patagonicus, Bulimus patagonicus D'Orbigny, 1835 - syn of: [**Plagiodontes patagonica**](#) (D'Orbigny, 1835)
- patasensis, [**Neopetraeus patasensis**](#) (L. Pfeiffer, 1859)
- patriarcha, Bulimus patriarcha W.G. Binney, 1858 - syn of: [**Rabdoto schiedeanus**](#) L. Pfeiffer, 1841
- patricius, Bulimus patricius L.A. Reeve, 1849 - syn of: [**Drymaeus lilacinus**](#) (L.A. Reeve, 1849)
- paucicostatus, [**Bostryx spiculatus paucicostatus**](#) A.S.H. Breure, 1978
- paucipunctus, [**Drymaeus acervatus paucipunctus**](#) H.A. Pilsbry, 1898
- paucistrigatus, [**Neopetraeus arboriferus paucistrigatus**](#) W.K. Weyrauch, 1967
- pauli, [**Bostryx pauli**](#) A.S.H. Breure, 1978
- pazianus, [**Naesiotus pazianus**](#) (D'Orbigny, 1835)
- pazianus pseudonyma, [**Naesiotus pazianus pseudonyma**](#) H.A. Pilsbry, 1898
- peakei, Scutalus peakei A.S.H. Breure, 1978 - syn of: [**Vermiculatus peaki**](#) (A.S.H. Breure, 1978)
- peaki, [**Vermiculatus peaki**](#) (A.S.H. Breure, 1978)
- pealianus, [**Drymaeus pealianus**](#) H.C. Lea, 1838
- pecosensis, [**Rabdoto schiedeanus pecosensis**](#) H.A. Pilsbry & J.H. Ferriss, 1897
- pectinatus, [**Bostryx spiculatus pectinatus**](#) W.H. Dall, 1912
- peelii, [**Drymaeus peelii**](#) L.A. Reeve, 1859
- peliostomus, [**Bostryx peliostomus**](#) R.A. Philippi, 1867
- pentadinus, Bulimus pentadinus D'Orbigny, 1835 - syn of: [**Eurytus pentadinus**](#) (D'Orbigny, 1835)
- pentlandi, [**Scutalus pentlandi**](#) L.A. Reeve, 1849
- percandidus, [**Drymaeus poecilus percandidus**](#) W.H. Dall, 1912
- perchloris, [**Naesiotus nux perchloris**](#) W.H. Dall & W.H. Ochsner, 1928
- perdix, Bulimus perdix L. Pfeiffer, 1848 - syn of: [**Eurytus perdix**](#) (L. Pfeiffer, 1848)
- perductorum, [**Mesembrinus perductorum**](#) H.A. Rehder, 1943
- pereirai, [**Drymaeus pereirai**](#) J.J. Parodíz, 1958
- perenensis, [**Drymaeus expansus perenensis**](#) S.I. Da Costa, 1901
- perforatus, [**Bostryx infundibulum perforatus**](#) (F. Haas, 1951)
- pergracilis, [**Drymaeus pergracilis**](#) H. Rolle, 1905
- perhirsutus, [**Plicolumna perhirsutus**](#) W.B. Miller, C.C. Christensen & B. Roth, 1990
- peristomatus, [**Bostryx stelzneri peristomatus**](#) A. Doering, 1879
- peristomatus paraconispirus, [**Bostryx stelzneri peristomatus paraconispirus**](#) J.J. Parodíz, 1948
- perlucidus, [**Drymaeus perlucidus**](#) J.B. von Spix, 1827
- perrus, [**Naesiotus perrus**](#) W.H. Dall, 1917
- perspectivus, [**Naesiotus perspectivus**](#) (L. Pfeiffer, 1846)
- pertristis, [**Mesembrinus pertristis**](#) (H.A. Pilsbry, 1898)
- peruvianus, [**Bostryx peruvianus**](#) H.A. Pilsbry, 1944
- peruvianus, [**Bulimulus peruvianus**](#) J.G. Bruguère, 1792
- perversibilis, [**Mesembrinus perversibilis**](#) (L. Pfeiffer, 1853)
- perversus, [**Mesembrinus semimaculatus perversus**](#) H.A. Pilsbry, 1926
- perviabilis, Mesembrinus perviabilis L. Pfeiffer, 1853 - syn of: [**Mesembrinus perversibilis**](#) (L. Pfeiffer, 1853)
- pervius, [**Bulimulus pervius**](#) (L. Pfeiffer, 1853)
- pessulatus, Bulimus pessulatus L.A. Reeve, 1848 - syn of: [**Bulimulus apodemetes**](#) (D'Orbigny, 1835)
- petasites, [**Drymaeus petasites**](#) K. Miller, 1878
- petenensis, Bulimus petenensis P.M.A. Morelet, 1851 - syn of: [**Bulimulus unicolor**](#) (G.B. I Sowerby, 1833)
- petiti, [**Vermiculatus petiti**](#) (L. Pfeiffer, 1846)
- phaeocheilus, [**Scutalus phaeocheilus**](#) F. Haas, 1955
- phaeocheilus altoensis, [**Scutalus phaeocheilus altoensis**](#) A.S.H. Breure & V. Mogollón Avila, 2010
- philippi, [**Peronaeus philippi**](#) H.A. Rehder, 1945
- philippii, Bulimus philippii L. Pfeiffer, 1842 - syn of: [**Bostryx modestus**](#) W.J. Broderip, 1832
- phlegonis, Naesiotus phlegonis W.H. Dall & W.H. Ochsner, 1928 - syn of: [**Naesiotus ustulatus**](#) G.B. I Sowerby, 1833
- phorcus, Bulimus phorcus J.R. Bourguignat, 1855 - syn of: [**Thoanteus gibber**](#) (I. Krynicki, 1833)
- phryne, Bulimus phryne L. Pfeiffer, 1863 - syn of: [**Drymaeus murrinus**](#) L.A. Reeve, 1848
- physoides, Bulimus physoides L.A. Reeve, 1849 - syn of: [**Bothriembryon melo**](#) (J.R.C. Quoy & J.P. Gaimard, 1832)
- pichitacalugaensis, [**Ornatimormus henrypilsbryi pichitacalugaensis**](#) W.K. Weyrauch, 1958
- picturata, [**Drymaeus picturata**](#) A.E.J. Féussac, 1821
- pictus, [**Bostryx pictus**](#) (L. Pfeiffer, 1855)
- piescheli, Drymaeus piescheli E.C. Von Martens, 1864 - syn of: [**Drymaeus fenestratus**](#) L. Pfeiffer, 1846
- pileatus, [**Naesiotus eschariferus pileatus**](#) W.H. Dall, 1896
- pilosus, [**Vermiculatus pilosus**](#) W.K. Weyrauch, 1967
- pilsbryi, [**Rabdoto pilsbryi**](#) (J.H. Ferriss, 1925)
- pilsbryi, [**Drymaeus pilsbryi**](#) J. Zetek, 1934
- pilsbryi, [**Naesiotus pilsbryi**](#) W.K. Weyrauch, 1958
- pilsbryi, Drymaeus pilsbryi W.K. Weyrauch, 1956 - syn of: [**Ornatimormus henrypilsbryi**](#) W.K. Weyrauch, 1958
- pilula, [**Rabdoto pilula**](#) W.G. Binney, 1861
- pinchoti, [**Mesembrinus rufescens pinchoti**](#) H.A. Pilsbry, 1930

- **pinicola**, *Bulimus pinicola* J. Gassies, 1870 - syn of: [***Placostylus fibratus questieri***](#) (J. Gassies, 1869)
- **pinzonensis**, [***Naesiotus pinzonensis***](#) J. Vagvolgyi, 1977
- **pinzonopsis**, [***Naesiotus pinzonopsis***](#) J. Vagvolgyi, 1977
- **piperitus**, *Bulimus piperitus* G.B. I Sowerby, 1837 - syn of: [***Eurytus piperitus***](#) (G.B. I Sowerby, 1837)
- **pittieri**, [***Mesembrinus attenuatus pittieri***](#) E.C. Von Martens, 1893
- **piuranus**, [***Bostryx piuranus***](#) J.A. Albers, 1854
- **placitus**, [***Bostryx placitus***](#) A.S.H. Breure, 1978
- **planibasis**, [***Drymaeus planibasis***](#) H.A. Pilsbry, 1932
- **planissimus**, [***Discobostryx planissimus***](#) H.A. Pilsbry & A.A. Olsson, 1949
- **planospira**, [***Naesiotus rugulosus planospira***](#) C.M.F. Ancey, 1887
- **platycheilus**, [***Bostryx platycheilus***](#) F. Haas, 1955
- **platystomus**, [***Neopetraeus platystomus***](#) L. Pfeiffer, 1858
- **plectostylus**, *Bulimus plectostylus* L. Pfeiffer, 1848 - syn of: [***Eurytus plectostylus***](#) (L. Pfeiffer, 1848)
- **plicatoliratus**, *Drymaeus plicatoliratus* S.I. Da Costa, 1898 - syn of: [***Drymaeus convexus***](#) (L. Pfeiffer, 1855)
- **plicatalus**, *Bulimulus plicatalus* L. Pfeiffer & S. Clessin, 1881 - syn of: [***Bulimulus pliculatus***](#) (L. Pfeiffer, 1857)
- **pliculatus**, [***Bulimulus pliculatus***](#) (L. Pfeiffer, 1857)
- **pliculosus**, [***Bulimulus pliculosus***](#) C.M.F. Ancey, 1901
- **ploegerorum**, [***Bostryx ploegerorum***](#) A.S.H. Breure, 1978
- **pluto**, [***Scutalus pluto***](#) J.C.H. Crosse, 1869
- **pluvialis**, [***Mesembrinus pluvialis***](#) (L. Pfeiffer, 1862)
- **pluviatilis**, [***Drymaeus pluviatilis***](#) L. Pfeiffer, 1862
- **pochutlensis**, [***Mesembrinus tryoni pochutlensis***](#) P.H. Fischer & J.C.H. Crosse, 1875
- **poecillus**, *Drymaeus poecillus* D'Orbigny, 1835 - syn of: [***Drymaeus poecilus***](#) (D'Orbigny, 1835)
- **poecilus**, [***Drymaeus poecilus***](#) (D'Orbigny, 1835)
- **poecilus ictericus**, [***Drymaeus poecilus ictericus***](#) (C.M.F. Ancey, 1892)
- **poecilus major**, [***Drymaeus poecilus major***](#) D'Orbigny, 1836
- **poecilus minor**, [***Drymaeus poecilus minor***](#) D'Orbigny, 1836
- **poecilus percandidus**, [***Drymaeus poecilus percandidus***](#) W.H. Dall, 1912
- **poecilus sanctanensis**, [***Drymaeus poecilus sanctanensis***](#) W.H. Dall, 1912
- **poecilus tricinctus**, [***Drymaeus poecilus tricinctus***](#) J.J. Parodíz, 1962
- **pollonerae**, [***Naesiotus pollonerae***](#) C.M.F. Ancey, 1897
- **polymorphus**, *Bulimus polymorphus* D'Orbigny, 1837 - syn of: [***Vermiculatus bicolor***](#) (G.B. I Sowerby, 1835)
- **ponsonbyi**, [***Drymaeus ponsonbyi***](#) S.I. Da Costa, 1907
- **orrectus**, [***Mesembrinus castus porrectus***](#) E.C. Von Martens, 1893
- **pouysseguri**, [***Bulimulus pouysseguri***](#) E.L. Holmberg, 1912
- **poveli**, [***Bostryx huanucensis poveli***](#) A.S.H. Breure, 1978
- **praetermissus**, *Bulimus praetermissus* W.T. Blanford & H.F. Blanford, 1861 - syn of: [***Rhachis praetermissa***](#) (W.T. Blanford & H.F. Blanford, 1861)
- **praetextus**, [***Drymaeus praetextus***](#) (L.A. Reeve, 1850)
- **prepunguis**, [***Naesiotus prepunguis***](#) J. Vagvolgyi, 1977
- **prestoni**, *Drymaeus prestoni* S.I. Da Costa, 1906 - syn of: [***Mesembrinus tripictus hoffmanni***](#) E.C. Von Martens, 1893
- **prestoni cancellata**, *Drymaeus prestoni cancellata* S.I. Da Costa, 1906 - syn of: [***Mesembrinus tripictus hoffmanni***](#) E.C. Von Martens, 1893
- **primigenius**, [***Bostryx primigenius***](#) A.S.H. Breure, 2008
- **primula**, *Bulimus primula* L.A. Reeve, 1848 - syn of: [***Mesembrinus studeri***](#) (L. Pfeiffer, 1847)
- **primularis**, [***Drymaeus mexicanus primularis***](#) (L.A. Reeve, 1849)
- **productus**, [***Bostryx productus***](#) R.A. Philippi, 1867
- **prolatus**, [***Bulimulus prolatus***](#) A.A. Gould, 1846
- **promethus**, [***Scutalus prometheus***](#) J.C.H. Crosse, 1869
- **prosopidis**, [***Bulimulus prosopidis***](#) E.L. Holmberg, 1912
- **proteiformis**, [***Scutalus proteiformis***](#) W.L.H. Dohrn, 1863
- **proteus**, *Bulimus proteus* W.G. Binney, 1869 - syn of: [***Naesiotus montezuma***](#) W.H. Dall, 1893
- **proteus**, [***Scutalus proteus***](#) W.J. Broderip, 1832
- **proteus granulis**, [***Scutalus proteus granulis***](#) W.J. Broderip, 1832
- **proteus nana**, [***Scutalus proteus nana***](#) W.J. Broderip, 1832
- **protractus**, [***Drymaeus protractus***](#) L. Pfeiffer, 1855
- **pruinosis**, [***Lissoacme pruinosa***](#) (G.B. I Sowerby, 1833)
- **pseudelatus**, [***Drymaeus pseudelatus***](#) F. Haas, 1951
- **pseudobesus**, [***Drymaeus pseudobesus***](#) A.S.H. Breure, 1979
- **pseudofusoides**, [***Drymaeus pseudofusoides***](#) S.I. Da Costa, 1906
- **pseudonyma**, [***Naesiotus pazianus pseudonyma***](#) H.A. Pilsbry, 1898
- **ptyalum**, [***Bostryx ptyalum***](#) W.H. Dall, 1919
- **ptychostylus**, [***Neopetraeus lobii ptychostylus***](#) (L. Pfeiffer, 1858)
- **ptychostylus**, *Bulimus ptychostylus* L. Pfeiffer, 1858 - syn of: [***Neopetraeus lobii ptychostylus***](#) (L. Pfeiffer, 1858)
- **pubescens**, [***Bulimulus pubescens***](#) S. Moricand, 1846
- **puellaris**, [***Mesembrinus puellaris***](#) (L.A. Reeve, 1850)
- **pulchellus**, [***Drymaeus pulchellus***](#)

- **pulcherrimus**, [**Drymaeus pulcherrimus**](#) A. Adams, 1867
- **pulicarius**, [**Bulimulus pulicarius**](#) H.H. Beck, 1837
- **pulicarius**, Bulimus pulicarius L.A. Reeve, 1848 - syn of: [**Eurytus pulicarius**](#) (L.A. Reeve, 1848)
- **pumilio**, [**Peronaeus pumilio**](#) H.A. Rehder, 1945
- **pumilum**, Bulimus pumilum L. Pfeiffer, 1840 - syn of: [**Opeas hannensis**](#) (P.C.A.S.L. Rang, 1831)
- **pumilus**, [**Bostryx spiculatus pumilus**](#) A.S.H. Breure, 1978
- **punctatus**, [**Drymaeus punctatus**](#) S.I. Da Costa, 1907
- **punctatus albida**, [**Drymaeus punctatus albida**](#) S.I. Da Costa, 1907
- **punctatus ventricosa**, [**Drymaeus punctatus ventricosa**](#) S.I. Da Costa, 1907
- **puncticulatus**, [**Drymaeus puncticulatus**](#) L. Pfeiffer, 1857
- **punctilineatus**, Scutalus punctilineatus F. Haas, 1951 - syn of: [**Bostryx pictus**](#) (L. Pfeiffer, 1855)
- **punctustriatus**, [**Naesiotus punctustriatus**](#) J.J. Parodíz, 1946
- **puntanus**, [**Bostryx puntanus**](#) J.J. Parodíz, 1947
- **pupiformis**, [**Peronaeus pupiformis**](#) (W.J. Broderip, 1832)
- **pupooides**, Bulimus pupooides H.E. Anton, 1839 - syn of: [**Omphalotropis pupoides**](#) (H.E. Anton, 1839)
- **purissimus**, [**Mesembrinus vincentinus purissimus**](#) H.A. Pilsbry, 1899
- **purpuratus**, [**Vermiculatus purpuratus**](#) (L.A. Reeve, 1849)
- **purus**, [**Drymaeus strigatus purus**](#) H.A. Pilsbry, 1898
- **pustulosus**, [**Peronaeus pustulosus**](#) (W.J. Broderip, 1832)
- **pygmaeus**, [**Bostryx pygmaeus**](#) W.K. Weyrauch, 1960
- **pygmaeus costatus**, Bostryx pygmaeus costatus W.K. Weyrauch, 1960 - syn of: [**Bostryx pygmaeus**](#) W.K. Weyrauch, 1960
- **pyramidalis**, [**Scutalus pyramidalis**](#) A.S.H. Breure, 1978
- **pyramidella**, [**Oxychona pyramidella**](#) (J.A. Wagner, 1827)
- **pyramidella currani**, [**Oxychona pyramidella currani**](#) P. Bartsch, 1916
- **pyrgidium**, [**Bostryx pyrgidium**](#) F. Haas, 1955
- **pyrgiscus**, Bulimus pyrgiscus L. Pfeiffer - syn of: [**Opeas operanum**](#) (L. Pfeiffer, 1846)
- **pyrostomus**, Bulimus pyrostomus L. Pfeiffer, 1860 - syn of: [**Santacharis salomonis**](#) (L. Pfeiffer, 1853)
- **quadricolor**, Bulimus quadricolor L. Pfeiffer, 1847 - syn of: [**Aeropictus quadricolor**](#) (L. Pfeiffer, 1847)
- **quadrifasciatus**, [**Drymaeus quadrifasciatus**](#) (G.F. Angas, 1878)
- **quadrifasciatus**, [**Drymaeus chiapensis quadrifasciatus**](#) E.C. Von Martens, 1893
- **quadrifasciatus**, [**Drymaeus farrisi quadrifasciatus**](#) W.K. Weyrauch, 1956
- **quechuarum**, [**Vermiculatus quechuarum**](#) (A.J. Crawford, 1939)
- **quitensis**, [**Naesiotus quitensis**](#) L. Pfeiffer, 1847
- **quitensis ambatensis**, [**Naesiotus quitensis ambatensis**](#) H.A. Rehder, 1940
- **quitensis antisana**, [**Naesiotus quitensis antisana**](#) H.A. Rehder, 1942
- **quitensis jacksoni**, [**Naesiotus quitensis jacksoni**](#) H.A. Rehder, 1940
- **quitensis orinus**, [**Naesiotus quitensis orinus**](#) H.A. Rehder, 1940
- **quitensis rufescens**, [**Naesiotus quitensis rufescens**](#) J. Germain, 1910
- **quitensis vermiculatus**, [**Naesiotus quitensis vermiculatus**](#) H.A. Rehder, 1940
- **rabidensis**, [**Naesiotus rabidensis**](#) W.H. Dall, 1917
- **rabuti**, [**Drymaeus rabuti**](#) F.P. Jousseaume, 1898
- **radiatus**, [**Bostryx radiatus**](#) (P.M.A. Morelet, 1860)
- **radiatus**, Bulimus radiatus J.G. Bruguère, 1789 - syn of: [**Zebrina detrita**](#) (O.F. Müller, 1774)
- **ragsdalei**, [**Rabdoto dealbatus ragsdalei**](#) (H.A. Pilsbry, 1890)
- **ragsdalei**, Rabdotus ragsdalei H.A. Pilsbry, 1890 - syn of: [**Rabdoto dealbatus ragsdalei**](#) (H.A. Pilsbry, 1890)
- **raimondianus**, [**Bostryx raimondianus**](#) H.A. Pilsbry, 1896
- **ramentosus**, [**Plicolumna ramentosus**](#) (J.G. Cooper, 1891)
- **ramosae**, [**Naesiotus ramosae**](#) M.I. Hylton-Scott, 1952
- **raristriga**, [**Drymaeus chrysomelas raristriga**](#) E.C. Von Martens, 1867
- **rawsoni**, [**Drymaeus rawsoni**](#) (R.J.L. Guppy, 1871)
- **raynevalianus**, Bulimus raynevalianus J.R. Bourguignat - syn of: [**Meijeriella frivaldszkyi**](#) (L. Pfeiffer, 1847)
- **recedens**, [**Drymaeus recedens**](#) (L. Pfeiffer, 1864)
- **recluzianus**, [**Mesembrinus recluzianus**](#) L. Pfeiffer, 1847
- **recluzianus lineolatus**, Otosomus recluzianus lineolatus T.A. Conrad, 1855 - syn of: [**Mesembrinus lineolatus**](#) (T.A. Conrad, 1855)
- **recluzianus martensianus**, [**Mesembrinus recluzianus martensianus**](#) H.A. Pilsbry, 1899
- **recognitus**, Bulimulus recognitus J.F. Mabille, 1895 - syn of: [**Rabdoto sufflatus**](#) A.A. Gould, 1859
- **reconditus**, Bulimus reconditus L.A. Reeve, 1849 - syn of: [**Bostryx nigropileatus**](#) L.A. Reeve, 1849
- **rectilinearis**, [**Mesembrinus rectilinearis**](#) (L. Pfeiffer, 1855)
- **rectistrigatus**, [**Neopetraeus arboriferus rectistrigatus**](#) H.A. Pilsbry, 1898
- **reedi**, [**Bostryx reedi**](#) J.J. Parodíz, 1947
- **reentsi**, [**Bostryx reentsi**](#) R.A. Philippi, 1851
- **regularis**, [**Drymaeus regularis**](#) H.C. Fulton, 1905
- **rehderi**, [**Drymaeus rehderi**](#) J.J. Parodíz, 1962
- **rehderi**, [**Elatibostryx rehderi**](#) W.K. Weyrauch, 1960
- **reibischii**, [**Naesiotus reibischii**](#) W.H. Dall, 1895

- **retusus**, *Bulimus retusus* G.A. Olivier, 1801 - syn of: [**Albinaria retusa**](#) (G.A. Olivier, 1801)
- **revinctus**, [**Scutalus revinctus**](#) L.H. Hupé, 1857
- **revinctus altorum**, [**Scutalus revinctus altorum**](#) F. Haas, 1951
- **revolutus**, *Bulimus revolutus* E.A. Rossmässler, 1837 - syn of: [**Thoanteus gibber**](#) (I. Krynicki, 1833)
- **revolutus**, *Bulimus revolutus* L. Parreyss in I. Krynicki, 1833 - syn of: [**Thoanteus gibber**](#) (I. Krynicki, 1833)
- **rex**, [**Drymaeus rex**](#) A.S.H. Breure, 2009
- **rhabdotus**, [**Naesiota rhabdotus**](#) F. Haas, 1951
- **rhoodsi**, [**Drymaeus rhoodsi**](#) H.A. Pilsbry, 1932
- **rhodacme**, [**Peronaeus rhodacme**](#) (L. Pfeiffer, 1842)
- **rhodinostoma**, *Bulimus rhodinostoma* D'Orbigny, 1835 - syn of: [**Bahiensis rhodinostoma**](#) (D'Orbigny, 1835)
- **rhodolarynx**, [**Bostryx rhodolarynx**](#) (L.A. Reeve, 1849)
- **rhodolarynx apurimacensis**, [**Bostryx rhodolarynx apurimacensis**](#) W.H. Dall, 1917
- **rhodolarynx papillatus**, [**Bostryx rhodolarynx papillatus**](#) (P.M.A. Morelet, 1860)
- **rhodospira**, [**Auris rhodospira**](#) V.L.V. Potiez & A. Michaud, 1835
- **rhodospira vulgaris**, [**Auris rhodospira vulgaris**](#) S. Moricand, 1836
- **rhodostomus**, *Bulimus rhodostomus* J.E. Gray, 1834 - syn of: [**Bothriembryon rhodostomus**](#) (J.E. Gray, 1834)
- **rhodotrema**, *Bulimus rhodotrema* E.C. Von Martens, 1868 - syn of: [**Mesembrinus tripictus**](#) J.A. Albers, 1857
- **ribeiroi**, [**Drymaeus nigrogularis ribeiroi**](#) H.F.A. von Ihering, 1915
- **ridleyi**, *Bulimus ridleyi* E.A. Smith, 1890 - syn of: [**Hyperaulax ridleyi**](#) (E.A. Smith, 1890)
- **riisei**, [**Bulimulus riisei**](#) L. Pfeiffer, 1855
- **rimacensis**, [**Bostryx circuliportus rimacensis**](#) A.S.H. Breure, 1978
- **rimatus**, [**Naesiota rimatus**](#) L. Pfeiffer, 1847
- **ringens**, *Bulimus ringens* R.W. Dunker, 1847 - syn of: [**Bahiensis ringens**](#) (R.W. Dunker, 1847)
- **rivasii**, [**Naesiota rivasii**](#) (D'Orbigny, 1837)
- **rocayanus**, [**Naesiota rocayanus**](#) (D'Orbigny, 1835)
- **rodriguezae**, [**Bostryx rodriguezae**](#) W.K. Weyrauch, 1967
- **rosaceus**, *Bulimus rosaceus* P.M.A. Morelet, 1863 - syn of: [**Megalobulimus capillaceus**](#) L. Pfeiffer, 1855
- **rosalbus**, [**Drymaeus rosalbus**](#) H.A. Pilsbry, 1932
- **roseatus**, [**Mesembrinus roseatus**](#) (L.A. Reeve, 1848)
- **roseatus montanus**, [**Mesembrinus roseatus montanus**](#) H.A. Pilsbry, 1901
- **rosenbergi**, [**Drymaeus rosenbergi**](#) S.I. Da Costa, 1906
- **roseolabrum**, *Bulimus roseolabrum* E.A. Smith, 1877 - syn of: [**Eurytus roseolabratum**](#) (E.A. Smith, 1877)
- **rouaulti**, *Bostryx rouaulti* L.H. Hupé, 1854 - syn of: [**Lissoacme rouaulti**](#) (L.H. Hupé, 1857)
- **rouaulti**, [**Lissoacme rouaulti**](#) (L.H. Hupé, 1857)
- **rubellus**, [**Drymaeus vexillum rubellus**](#) (W.J. Broderip, 1832)
- **rubescens**, [**Bostryx rubescens**](#) L.A. Reeve, 1848
- **rubrifasciatus**, *Bulimus rubrifasciatus* L.A. Reeve, 1848 - syn of: [**Bulimulus guadelupensis**](#) J.G. Bruguère, 1792
- **rubrovariegatus**, [**Drymaeus rubrovariegatus**](#) H.C. Higgins, 1868
- **rudis**, [**Mesembrinus rudis**](#) H.E. Anton, 1839
- **rudisculptus**, [**Bostryx rudisculptus**](#) J.J. Parodíz, 1956
- **rudistriatus**, *Lissoacme rudistriatus* F. Haas, 1955 - syn of: [**Bostryx abancayensis rudistriatus**](#) F. Haas, 1955
- **rudistriatus**, [**Bostryx abancayensis rudistriatus**](#) F. Haas, 1955
- **rufescens**, [**Naesiota quitensis rufescens**](#) J. Germain, 1910
- **rufescens**, [**Mesembrinus rufescens**](#) J.E. Gray, 1825
- **rufescens pinchoti**, [**Mesembrinus rufescens pinchoti**](#) H.A. Pilsbry, 1930
- **rufolineatus**, [**Drymaeus rufolineatus**](#) H. Drouët, 1859
- **rugatinus**, [**Naesiota rugatinus**](#) W.H. Dall, 1917
- **rugatus**, *Bulimus rugatus* A. Garrett, 1872 - syn of: [**Placostylus gracilis**](#) W.J. Broderip, 1840
- **rugifer**, *Naesiota rugifer* H.H. Beck, 1837 - syn of: [**Naesiota rugiferus**](#) (G.B. I Sowerby, 1833)
- **rugiferus**, [**Naesiota rugiferus**](#) (G.B. I Sowerby, 1833)
- **rugistriatus**, [**Drymaeus rugistriatus**](#) F. Haas, 1952
- **rugosa**, [**Drymaeus rugosa**](#) A. Valenciennes, 1827
- **rugulosus**, [**Naesiota rugulosus**](#) (G.B. I Sowerby, 1838)
- **rugulosus infuscata**, [**Naesiota rugulosus infuscata**](#) C.M.F. Ancey, 1887
- **rugulosus planospira**, [**Naesiota rugulosus planospira**](#) C.M.F. Ancey, 1887
- **rupicolus**, *Bulimus rupicolus* L.A. Reeve, 1848 - syn of: [**Bulimulus prolatus**](#) A.A. Gould, 1846
- **rushii**, [**Bulimulus rushii**](#) H.A. Pilsbry
- **rusticellus**, [**Bostryx rusticellus**](#) (P.M.A. Morelet, 1860)
- **saccatus**, [**Drymaeus strigatus saccatus**](#) (L. Pfeiffer, 1855)
- **saccatus**, *Drymaeus saccatus* L. Pfeiffer, 1855 - syn of: [**Drymaeus strigatus saccatus**](#) (L. Pfeiffer, 1855)
- **sachesei**, *Bostryx sachesei* J.A. Albers, 1854 - syn of: [**Drymaeus sachsei**](#) J.A. Albers, 1854
- **sachsei**, [**Drymaeus sachsei**](#) J.A. Albers, 1854
- **saeronius**, [**Naesiota saeronius**](#) W.H. Dall, 1917
- **sagasteguii**, [**Bostryx sagasteguii**](#) F. Haas, 1966
- **sallei**, [**Drymaeus sallei**](#) H.A. Pilsbry, 1899

- *sallei haitensis*, [**Drymaeus sallei haitensis**](#) H.A. Pilsbry, 1899
- *salomonis*, Bulimus salomonis L. Pfeiffer, 1853 - syn of: [**Santacharis salomonis**](#) (L. Pfeiffer, 1853)
- *sanborni*, [**Vermiculatus sanborni**](#) (F. Haas, 1947)
- *sanchristovalensis*, Bulimus sanchristovalensis J.C. Cox, 1870 - syn of: [**Eumecostylus sanchristovalensis**](#) (J.C. Cox, 1870)
- *sanctaeluciae*, Bulimus sanctaeluciae E.A. Smith, 1889 - syn of: [**Protoglyptus sanctaeluciae**](#) (E.A. Smith, 1889)
- *sanctaemartha*, [**Drymaeus sanctaemartha**](#) H.A. Pilsbry, 1901
- *sanctanensis*, [**Drymaeus poecilus sanctanensis**](#) W.H. Dal, 1912
- *sandwicensis*, [**Bostryx sandwicensis**](#) L. Pfeiffer, 1846
- *sanmarcoensis*, [**Rabdotus sanmarcoensis**](#) H.A. Pilsbry & H.N. Lowe, 1932
- *sanmarcosensis*, Bulimulus sanmarcosensis H.A. Pilsbry & H.N. Lowe, 1932 - syn of: [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
- *sanmiguelensis*, Bulimulus sanmiguelensis H.G. Richards, 1937 - syn of: [**Bulimulus unicolor**](#) (G.B. I Sowerby, 1833)
- *santacruzensis*, [**Naesiotus dentifer santacruzensis**](#) (G.D. Hanna, 1932)
- *santacruzensis*, Rabdotus santacruzensis G.D. Hanna, 1932 - syn of: [**Naesiotus dentifer santacruzensis**](#) (G.D. Hanna, 1932)
- *sarcodes*, [**Bulimulus sarcodes**](#) L. Pfeiffer, 1846
- *sardodes*, Bulimulus sardodes L. Pfeiffer, 1846 - syn of: [**Bulimulus sarcodes**](#) L. Pfeiffer, 1846
- *sargi*, [**Mesembrinus sargi**](#) J.C.H. Crosse & P.H. Fischer, 1875
- *sargi motaguae*, [**Mesembrinus sargi motaguae**](#) E.C. Von Martens, 1893
- *scaber*, [**Bostryx stelzneri scaber**](#) J.J. Parodíz, 1948
- *scabiosus*, [**Peronaeus scabiosus**](#) (G.B. I Sowerby, 1833)
- *scalaricosta*, [**Bostryx scalaricosta**](#) P.M.A. Morelet, 1860
- *scalaricostatus*, [**Bostryx tubulatus scalaricostatus**](#) (P.M.A. Morelet, 1860)
- *scalaricostus*, [**Bostryx tabulatus scalaricostus**](#) P.M.A. Morelet, 1860
- *scalariformis*, [**Bostryx scalariformis**](#) W.J. Broderip, 1832
- *scalaris*, [**Auris melanostoma scalaris**](#) Dhom, 1883
- *scalaroides*, Bulimus scalaroides L. Pfeiffer, 1867 - syn of: [**Bostryx aequicostata**](#) H.A. Rehder, 1945
- *scalesiana*, [**Naesiotus scalesiana**](#) A.G. Smith, 1972
- *scarabus*, Bulimus scarabus J.A. Albers, 1854 - syn of: [**Placostylus scarabus**](#) (J.A. Albers, 1854)
- *schiedeanus*, [**Rabdotus schiedeanus**](#) L. Pfeiffer, 1841
- *schiedeanus pecosensis*, [**Rabdotus schiedeanus pecosensis**](#) H.A. Pilsbry & J.H. Ferriss, 1897
- *schmidti*, [**Drymaeus schmidti**](#) (L. Pfeiffer, 1854)
- *schomburgki*, Bulimus schomburgki L. Pfeiffer, 1860 - syn of: [**Amphidromus schomburgki**](#) (L. Pfeiffer, 1860)
- *schunkei*, [**Drymaeus schunkei**](#) F. Haas, 1949
- *scitulus*, [**Drymaeus scitulus**](#) L.A. Reeve, 1849
- *scitulus citrinellus*, [**Drymaeus scitulus citrinellus**](#) L. Pfeiffer, 1853
- *scitulus cochambalensis*, [**Drymaeus scitulus cochambalensis**](#) W.K. Weyrauch, 1916
- *scitus*, Otostomus scitus A. Adams, 1867 - syn of: [**Drymaeus expansus**](#) L. Pfeiffer, 1848
- *scolioides*, [**Drymaeus scolioides**](#) P. Dautzenberg, 1901
- *scoloides*, Drymaeus scolioides P. Dautzenberg, 1901 - syn of: [**Drymaeus scolioides**](#) P. Dautzenberg, 1901
- *scotophilus*, Bostryx scotophilus W.K. Weyrauch, 1967 - syn of: [**Bostryx scotophilus**](#) W.K. Weyrauch, 1967
- *scotophilus*, [**Bostryx scotophilus**](#) W.K. Weyrauch, 1967
- *sculpturatus*, [**Naesiotus sculpturatus**](#) L. Pfeiffer, 1846
- *scutulus*, Bulimus scutulus J.W. Mighels - syn of: [**Leptachatina scutilus**](#) J.W. Mighels, 1845
- *scutulatus*, [**Bostryx scutulatus**](#) W.J. Broderip, 1832
- *scytodes*, Bulimus scytodes L. Pfeiffer, 1853 - syn of: [**Aeropictus veranyi**](#) (L. Pfeiffer, 1848)
- *sellersi*, Bulimus sellersi J.C. Cox, 1871 - syn of: [**Aspastus sellersi**](#) (J.C. Cox, 1871)
- *sellii*, [**Drymaeus sellii**](#) (H.B. Preston, 1909)
- *semicinctus*, [**Bulimulus semicinctus**](#) H.A. Pilsbry, 1897
- *semifasciatus*, [**Drymaeus semifasciatus**](#) A. Mousson, 1869
- *semimaculatus*, [**Mesembrinus semimaculatus**](#) H.A. Pilsbry, 1898
- *semimaculatus perversus*, [**Mesembrinus semimaculatus perversus**](#) H.A. Pilsbry, 1926
- *semipellucidus*, [**Mesembrinus semipellucidus**](#) H.B. Tristram, 1861
- *semistriatus*, [**Drymaeus semistriatus**](#) F. Haas, 1955
- *semistriatus*, Bulimus semistriatus P.M.A. Morelet, 1851 - syn of: [**Leptopeas semistriatum**](#) (P.M.A. Morelet, 1851)
- *sentatus*, [**Drymaeus sentatus**](#)
- *sepulchralis*, [**Bulimulus sepulchralis**](#) F. Poey, 1850
- *sepulcralis*, Bulimulus sepulcralis F. Poey, 1850 - syn of: [**Bulimulus sepulchralis**](#) F. Poey, 1850
- *serenus*, [**Drymaeus serenus**](#) R.A. Philippi, 1867
- *serotinus*, [**Bostryx serotinus**](#) (P.M.A. Morelet, 1860)
- *serotinus subroseus*, [**Bostryx serotinus subroseus**](#) R.A. Philippi, 1869
- *serperastrus*, [**Drymaeus serperastrus**](#) (T. Say, 1829)
- *serperastus*, Drymaeus serperastus T. Say, 1829 - syn of: [**Drymaeus serperastrus**](#) (T. Say, 1829)
- *serpesratrum*, Drymaeus serpesratrum T. Say, 1829 - syn of: [**Drymaeus serperastrus**](#) (T. Say, 1829)
- *serratus*, [**Drymaeus serratus**](#) (L. Pfeiffer, 1855)
- *shattucki*, [**Mesembrinus shattucki**](#) J.C. Bequaert & W.J. Clench, 1931
- *shattucki cozumelensis*, Drymaeus shattucki cozumelensis H.G. Richards, 1936 - syn of: [**Mesembrinus cozumelensis**](#) (H.G. Richards, 1936)

- **shuttleworthi**, *Bulimus shuttleworthi* J.A. Albers, 1854 - syn of: [**Methorthalicus shuttleworthi**](#) (J.A. Albers, 1854)
- **signatus**, [**Otostomus signatus**](#) J.B. von Spix, 1827
- **signifer**, [**Mesembrinus signifer**](#) (L. Pfeiffer, 1855)
- **silvaevagus**, [**Naesiotus silvaevagus**](#) W.K. Weyrauch, 1960
- **silvanus**, [**Drymaeus silvanus**](#) A. Zilch, 1953
- **similaris**, [**Drymaeus similaris**](#) S. Moricand, 1856
- **simplex**, [**Bulimulus simplex**](#) H.H. Beck, 1837
- **simplex**, *Bulimus simplex* L.H. Hupé, 1857 - syn of: [**Bostryx tyleri**](#) W.H. Dall, 1912
- **simpliculus**, [**Bostryx simpliculus**](#) L. Pfeiffer, 1855
- **simrothi**, [**Naesiotus simrothi**](#) (P.H. Reibisch, 1892)
- **simula**, *Bulimus simula* P.M.A. Morelet, 1851 - syn of: [**Simpulopsis simula**](#) (P.M.A. Morelet, 1851)
- **simulans**, [**Scutalus simulans**](#) M.I. Hyton-Scott, 1951
- **sinamarinus**, *Bulimus sinamarinus* J.G. Bruguère, 1792 - syn of: [**Pomacea sinamarina**](#) (J.G. Bruguère, 1792)
- **singularis**, *Bulimus singularis* P.M.A. Morelet, 1857 - syn of: [**Placostylus porphyrostomus**](#) (L. Pfeiffer, 1851)
- **sinuata**, [**Auris sinuata**](#) (J.A. Albers, 1854)
- **siolii**, [**Drymaeus siolii**](#) F. Haas, 1952
- **sipas**, [**Bostryx chusgonensis sipas**](#) A.S.H. Breure & V. Mogollón Avilla, 2010
- **sisalensis**, *Bulimus sisalensis* P.M.A. Morelet, 1849 - syn of: [**Mesembrinus multilineatus**](#) (T. Say, 1825)
- **smeurorum**, *Bulimulus smeurorum* A.S.H. Breure, 1974 - syn of: [**Bostryx tyleri**](#) W.H. Dall, 1912
- **smidti**, [**Scutalus smidti**](#) F. Haas, 1955
- **smithii**, [**Drymaeus smithii**](#) S.I. Da Costa, 1898
- **snodgrassi**, [**Naesiotus snodgrassi**](#) W.H. Dall, 1900
- **solidus**, [**Drymaeus solidus**](#) (H.B. Preston, 1907)
- **solutus**, [**Bostryx solutus**](#) F.H. Troschel, 1847
- **sonorensis**, [**Rabdopus sonorensis**](#) H.A. Pilsbry, 1928
- **sophiae**, [**Drymaeus sophiae**](#) A.S.H. Breure, 1979
- **sophieae**, *Bostryx sophiae* A.S.H. Breure, 1979 - syn of: [**Drymaeus sophiae**](#) A.S.H. Breure, 1979
- **sordidus**, [**Scutalus sordidus**](#) G.P. Deshayes, 1838
- **sordidus**, *Bulimus sordidus* R.P. Lesson, 1826 - syn of: [**Scutalus proteus**](#) W.J. Broderip, 1832
- **sororcula**, [**Mesembrinus translucens sororcula**](#) H.A. Pilsbry, 1926
- **souvillei** gatopensis, *Bulimus souvillei* gatopensis J.C.H. Crosse, 1870 - syn of: [**Placostylus fibratus questieri**](#) (J. Gassies, 1869)
- **souzalopesi**, [**Drymaeus souzalopesi**](#) W.K. Weyrauch, 1965
- **sowerbyi**, [**Bulimus sowerbyi**](#) L. Pfeiffer, 1847
- **spadiceus**, [**Drymaeus spadiceus**](#) S.I. Da Costa, 1906
- **speciosus**, *Bulimus speciosus* L. Pfeiffer, 1855 - syn of: [**Plekocheilus speciosus**](#) (L. Pfeiffer, 1855)
- **spectatus**, [**Drymaeus spectatus**](#) L.A. Reeve, 1849
- **spiculatus**, [**Bostryx spiculatus**](#) P.M.A. Morelet, 1860
- **spiculatus florezi**, *Bostryx spiculatus florezi* W.K. Weyrauch, 1967 - syn of: [**Bostryx cunyacensis**](#) A.S.H. Breure, 1978
- **spiculatus paucicostatus**, [**Bostryx spiculatus paucicostatus**](#) A.S.H. Breure, 1978
- **spiculatus pectinatus**, [**Bostryx spiculatus pectinatus**](#) W.H. Dall, 1912
- **spiculatus pumilus**, [**Bostryx spiculatus pumilus**](#) A.S.H. Breure, 1978
- **spirifer**, [**Naesiotus spirifer**](#) W.M. Gabb, 1868
- **spirifer orthelasmus**, *Bulimulus spirifer* orthelasmus H.A. Pilsbry, 1898 - syn of: [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
- **sporadicus**, [**Bulimulus sporadicus**](#) (D'Orbigny, 1835)
- **sporadicus gracilis**, [**Bulimulus sporadicus gracilis**](#) M.I. Hyton-Scott, 1948
- **sporadicus montevidensis**, *Bulimulus sporadicus* montevidensis H.A. Pilsbry, 1898 - syn of: [**Bulimulus gelidus**](#) L.A. Reeve, 1849
- **sporadicus pampa**, [**Bulimulus sporadicus pampa**](#) H.F.A. von Ihering, 1914
- **sporadicus subtropicalis**, [**Bulimulus sporadicus subtropicalis**](#) A. Doering, 1879
- **sporlederi**, [**Mesembrinus droueti sporlederi**](#) (L. Pfeiffer, 1866)
- **sporlederi**, *Bulimulus sporlederi* L. Pfeiffer, 1866 - syn of: [**Mesembrinus droueti sporlederi**](#) (L. Pfeiffer, 1866)
- **spretus**, *Bulimus spretus* R.A. Philippi, 1869 - syn of: [**Bostryx raimondianus**](#) H.A. Pilsbry, 1896
- **steadmani**, [**Naesiotus steadmani**](#) L.A. Chambers, 1986
- **steerei**, [**Scutalus steerei**](#) H.A. Pilsbry, 1900
- **stelzneri**, [**Bostryx stelzneri**](#) A. Doering, 1879
- **stelzneri apertus**, [**Bostryx stelzneri apertus**](#) M.I. Hyton-Scott, 1948
- **stelzneri conispirus**, [**Bostryx stelzneri conispirus**](#) (A. Doering, 1879)
- **stelzneri conispirus minuta**, [**Bostryx stelzneri conispirus minuta**](#) J.J. Parodíz, 1948
- **stelzneri hector**, [**Bostryx stelzneri hector**](#) E.L. Holmberg, 1919
- **stelzneri hybrida**, [**Bostryx stelzneri hybrida**](#) J.J. Parodíz, 1948
- **stelzneri nonogastanus**, [**Bostryx stelzneri nonogastanus**](#) J.J. Parodíz, 1948
- **stelzneri peristomatus**, [**Bostryx stelzneri peristomatus**](#) A. Doering, 1879
- **stelzneri peristomatus paraconispirus**, [**Bostryx stelzneri peristomatus paraconispirus**](#) J.J. Parodíz, 1948
- **stelzneri scaber**, [**Bostryx stelzneri scaber**](#) J.J. Parodíz, 1948
- **stelzneri tinogastanus**, [**Bostryx stelzneri tinogastanus**](#) J.J. Parodíz, 1948
- **stenacme**, *Bulimus stenacme* L. Pfeiffer, 1857 - syn of: [**Bostryx nigropileatus**](#) L.A. Reeve, 1849

- **stenogyroides**, [**Bulimulus stenogyroides**](#) R.J.L. Guppy, 1868
- steyermarki, [**Drymaeus steyermarki**](#) F. Haas, 1955
- stigmaticus, [**Drymaeus stigmaticus**](#) R.A. Philippi, 1867
- stilbe, [**Bulimulus stilbe**](#) H.A. Pilsbry, 1901
- stolli, [**Mesembrinus ghiesbreghti stolli**](#) (E.C. Von Martens, 1893)
- stramineus, [**Mesembrinus stramineus**](#) (L. Guldin, 1828)
- strangei, Bulimus strangei L. Pfeiffer, 1855 - syn of: [**Placostylus strangei**](#) (L. Pfeiffer, 1855)
- striatella, Bulimus striatella C.B. Adams, 1845 - syn of: [**Spiraxis terebella**](#) (C.B. Adams, 1849)
- striatellus, Bostryx striatellus H.H. Beck - syn of: [**Bostryx striatus**](#) (P.P. King, 1832)
- striatulus, Bostryx striatulus G.B. I Sowerby, 1833 - syn of: [**Bostryx modestus**](#) W.J. Broderip, 1832
- striatus, [**Bostryx striatus**](#) (P.P. King, 1832)
- strigatus, [**Drymaeus strigatus**](#) G.B. I Sowerby, 1833
- strigatus cecileae, [**Drymaeus strigatus cecileae**](#) S. Moricand, 1858
- strigatus delphinae, [**Drymaeus strigatus delphinae**](#) S. Moricand, 1858
- strigatus mariaenus, [**Drymaeus strigatus mariaenus**](#) H.A. Pilsbry, 1898
- strigatus marieanus, Drymaeus strigatus marieanus H.A. Pilsbry, 1898 - syn of: [**Drymaeus strigatus mariaenus**](#) H.A. Pilsbry, 1898
- strigatus purus, [**Drymaeus strigatus purus**](#) H.A. Pilsbry, 1898
- strigatus saccatus, [**Drymaeus strigatus saccatus**](#) (L. Pfeiffer, 1855)
- strobeli, [**Bostryx strobeli**](#) J.J. Parodíz, 1956
- struthiolaris, [**Auris struthiolaris**](#) K.T. Menke, 1830
- studeri, [**Mesembrinus studeri**](#) (L. Pfeiffer, 1847)
- stuebeli, Bulimus stuebeli E.C. Von Martens, 1885 - syn of: [**Eurytus episcopalalis stuebeli**](#) (E.C. Von Martens, 1885)
- styliger, [**Bostryx styliger**](#) H.H. Beck, 1837
- subcactorum, [**Bostryx subcactorum**](#) H.A. Pilsbry, 1896
- subconoidalis, [**Naesiota eschariferus subconoidalis**](#) C.M.F. Ancey, 1887
- subcostatus, [**Naesiota subcostatus**](#) (F. Haas, 1948)
- subcostatus chamayensis, [**Naesiota subcostatus chamayensis**](#) W.K. Weyrauch, 1967
- subcostatus maranonensis, [**Naesiota subcostatus maranonensis**](#) A.S.H. Breure, 1978
- subcylindricus exiguus, Bulimus subcylindricus exiguus A. Moquin-Tandon, 1855 - syn of: [**Cochlicopa lubrica**](#) (O.F. Müller, 1774)
- subeffusus, [**Drymaeus subeffusus**](#) R.A. Philippi, 1869
- subelatus, [**Bostryx subelatus**](#) F. Haas, 1948
- subfasciatus, [**Vermiculatus anthisanensis subfasciatus**](#) (L. Pfeiffer, 1853)
- subfasciatus, Scutalus subfasciatus L. Pfeiffer, 1853 - syn of: [**Vermiculatus anthisanensis subfasciatus**](#) (L. Pfeiffer, 1853)
- subfasciatus, [**Drymaeus dormani subfasciatus**](#) T.D.A. Cockerell, 1891
- subfloccosus, [**Mesembrinus translucens subfloccosus**](#) H.A. Pilsbry, 1899
- subhybridus, [**Drymaeus subhybridus**](#) S.I. Da Costa, 1906
- subinterruptus, [**Drymaeus subinterruptus**](#) L. Pfeiffer, 1853
- subjussieu, [**Kuschelenia culminea subjussieu**](#) H.A. Pilsbry, 1897
- subpellucidus, [**Drymaeus subpellucidus**](#) (E.A. Smith, 1877)
- subprotractus, [**Drymaeus expansus subprotractus**](#) H.A. Pilsbry, 1901
- subroseus, [**Bostryx serotinus subroseus**](#) R.A. Philippi, 1869
- subsemiclausus, [**Drymaeus subsemiclausus**](#) S.A.A. Petit De La Saussaye, 1843
- subsimilaris, [**Drymaeus subsimilaris**](#) H.A. Pilsbry, 1898
- subspirifer, Rabdotus subspirifer J.F. Mabille, 1895 - syn of: [**Naesiota altus**](#) (W.H. Dall, 1893)
- subtropicalis, [**Bulimulus sporadicus subtropicalis**](#) A. Doering, 1879
- subulatus, Bulimus subulatus E.A. Rossmässler, 1837 - syn of: [**Brephulopsis subulata**](#) (E.A. Rossmässler, 1837)
- subventricosus, [**Drymaeus subventricosus**](#) S.I. Da Costa, 1901
- succinea, [**Drymaeus succinea**](#) H.A. Pilsbry, 1901
- sufflatus, [**Rabdopus sufflatus**](#) A.A. Gould, 1859
- sufflatus chinensis, Rabdotus sufflatus chinensis J.G. Cooper, 1894 - syn of: [**Rabdopus sufflatus**](#) A.A. Gould, 1859
- sufflatus insularis, Rabdotus sufflatus insularis J.G. Cooper, 1892 - syn of: [**Rabdopus sufflatus**](#) A.A. Gould, 1859
- sugillatus, Bulimus sugillatus L. Pfeiffer, 1857 - syn of: [**Naesiota rivasi**](#) (D'Orbigny, 1837)
- sulcosus, [**Mesembrinus sulcosus**](#) L. Pfeiffer, 1841
- sulcosus botterii, Otostomus sulcosus botterii J.C.H. Crosse & P.H. Fischer, 1875 - syn of: [**Mesembrinus botterii**](#) J.C.H. Crosse & P.H. Fischer, 1875
- sulfureus, Drymaeus sulfureus L. Pfeiffer, 1857 - syn of: [**Mesembrinus sulphureus**](#) (L. Pfeiffer, 1857)
- sulfureus gracilior, Drymaeus sulfureus gracilior E.C. Von Martens, 1893 - syn of: [**Mesembrinus sulphureus**](#) (L. Pfeiffer, 1857)
- sulfureus obesus, Drymaeus sulfureus obesus E.C. Von Martens, 1893 - syn of: [**Mesembrinus sulphureus**](#) (L. Pfeiffer, 1857)
- sulphureus, [**Mesembrinus sulphureus**](#) (L. Pfeiffer, 1857)
- sultanus, Bulimus sultanus J.C.H. Crosse & P.H. Fischer, 1863 - syn of: [**Amphidromus perversus**](#) C. Linnaeus, 1758
- superbus, [**Multifasciatus superbus**](#) W.K. Weyrauch, 1967
- superfasciatus, Bulimus superfasciatus J. Gassies, 1871 - syn of: [**Placostylus fibratus**](#) T. Martyn, 1784
- superstriatus, Bulimus superstriatus G.B. III Sowerby, 1890 - syn of: [**Eurytus superstriatus**](#) (G.B. III Sowerby, 1890)
- suprapunctatus, [**Drymaeus linostoma suprapunctatus**](#) F.C. Baker, 1914
- surinamensis, [**Drymaeus surinamensis**](#) J.H. Vernhout, 1914
- swainsoni, [**Auris chrysostoma swainsoni**](#) (L. Pfeiffer, 1845)

- **swainsoni**, *Bulimus swainsoni* L. Pfeiffer, 1845 - syn of: [**Auris chrysostoma swainsoni**](#) (L. Pfeiffer, 1845)
- **sykesi**, [**Drymaeus sykesi**](#) S.I. Da Costa, 1906
- **tabulatus**, [**Bostryx tabulatus**](#) P.M.A. Morelet, 1860
- **tabulatus scalaricostus**, [**Bostryx tabulatus scalaricostus**](#) P.M.A. Morelet, 1860
- **tamboensis**, [**Bostryx turritus tamboensis**](#) A. Zlich, 1953
- **tanneri**, [**Naesiotus tanneri**](#) W.H. Dall, 1895
- **tanneri bartolomensis**, [**Naesiotus tanneri bartolomensis**](#) J. Vagvolgyi, 1977
- **tanneri edenensis**, [**Naesiotus tanneri edenensis**](#) J. Vagvolgyi, 1977
- **tantalus**, *Bulimus tantalus* L. Pfeiffer, 1868 - syn of: [**Chondrus zebra**](#) (A.E.J. Féruccac, 1821)
- **taquinensis**, *Bulimus taquinensis* L. Pfeiffer, 1855 - syn of: [**Plekocheilus taquinensis**](#) L. Pfeiffer, 1855
- **tarmensis**, *Reclasta tarmensis* W.K. Weyrauch, 1967 - syn of: [**Bostryx pictus**](#) (L. Pfeiffer, 1855)
- **tasmanicus**, *Bulimus tasmanicus* L. Pfeiffer, 1853 - syn of: [**Bothriembryon tasmanicus**](#) (L. Pfeiffer, 1853)
- **taylori**, [**Berendtia taylori**](#) (L. Pfeiffer, 1861)
- **taylorianus**, *Bulimus taylorianus* L.A. Reeve, 1849 - syn of: [**Eurytus taylorianus**](#) (L.A. Reeve, 1849)
- **tener**, *Bulimus tener* E.A. Rossmässler, 1837 - syn of: [**Peristoma merdueniana**](#) I. Krynicki, 1833
- **tentaculatus**, *Bulimus tentaculatus* C. Linnaeus, 1758 - syn of: [**Bithynia tentaculata**](#) (C. Linnaeus, 1758)
- **tenuilabris**, [**Mesembrinus tenuilabris**](#) (L. Pfeiffer, 1866)
- **tenuis**, [**Vermiculatus bicolor tenuis**](#) (L. Pfeiffer, 1868)
- **tenuissimus**, [**Bulimulus tenuissimus**](#) (D'Orbigny, 1835)
- **tenuissimus puellaris**, *Bulimulus tenuissimus puellaris* L.A. Reeve, 1850 - syn of: [**Mesembrinus puellaris**](#) (L.A. Reeve, 1850)
- **tepicensis**, [**Mesembrinus uhdeanus tepicensis**](#) E.C. Von Martens, 1893
- **terebra**, *Pleuropyrgus terebra* P.H. Reisch, 1892 - syn of: [**Naesiotus habeli**](#) W.H. Dall, 1892
- **terebralis**, *Bulimus terebralis* L. Pfeiffer, 1842 - syn of: [**Peronaeus ischnus**](#) (H.A. Pilsby, 1902)
- **teres**, *Bulimus teres* G.A. Olivier, 1801 - syn of: [**Albinaria teres**](#) (G.A. Olivier, 1801)
- **tessellatus**, [**Neopetraeus tessellatus**](#) (R.J. Shuttleworth, 1852)
- **tessellatus perincassatus**, *Neopetraeus tessellatus perincassatus* H.A. Pilsby, 1898 - syn of: [**Neopetraeus tessellatus**](#) (R.J. Shuttleworth, 1852)
- **thamnoicus**, [**Scutalus thamnoicus**](#) (D'Orbigny, 1835)
- **theodosianus**, *Bulimus theodosianus* J.R. Bourguignat, 1876 - syn of: [**Brephulopsis bidens**](#) I. Krynicki, 1833
- **thompsonii**, *Bulimus thompsonii* L. Pfeiffer, 1845 - syn of: [**Kara thompsoni**](#) (L. Pfeiffer, 1845)
- **thoreyi**, [**Bulimulus thoreyi**](#) H.H. Beck, 1837
- **tigrinus**, [**Drymaeus tigrinus**](#) S.I. Da Costa, 1898
- **tigris**, [**Drymaeus vexillum tigris**](#) W.J. Broderip, 1832
- **tinogastanus**, [**Bostryx stelzneri tinogastanus**](#) J.J. Parodíz, 1948
- **tonosiensis**, [**Mesembrinus translucens tonosiensis**](#) H.A. Pilsby, 1930
- **torallyi**, [**Bostryx torallyi**](#) D'Orbigny, 1835
- **torallyi avus**, [**Bostryx torallyi avus**](#) J.J. Parodíz, 1947
- **torallyi corrugatus**, [**Bostryx torallyi corrugatus**](#) J.J. Parodíz, 1947
- **torallyi nigroumbilicatus**, [**Bostryx torallyi nigroumbilicatus**](#) J.J. Parodíz, 1947
- **torallyi peruvianus**, *Bostryx torallyi peruvianus* H.A. Pilsby, 1944 - Syn of: [**Bostryx peruvianus**](#) H.A. Pilsby, 1944
- **torticollis**, *Bulimus torticollis* G.A. Olivier, 1801 - syn of: [**Albinaria torticollis**](#) (G.A. Olivier, 1801)
- **tortoranus**, [**Bostryx tortoranus**](#) A. Doering, 1879
- **tortuganus**, [**Naesiotus tortuganus**](#) W.H. Dall, 1893
- **tortugensis**, [**Drymaeus bahamensis tortugensis**](#) H.A. Pilsby & E.G. Vanatta, 1928
- **totonacus**, [**Mesembrinus totonacus**](#) H. Strebel, 1882
- **toucheanus**, *Bulimus toucheanus* P.M. Heude, 1890 - syn of: [**Bithynia toucheana**](#) (P.M. Heude, 1890)
- **translucens**, [**Mesembrinus translucens**](#) (W.J. Broderip, 1832)
- **translucens alternans**, [**Mesembrinus translucens alternans**](#) (H.H. Beck, 1837)
- **translucens juquileensis**, [**Mesembrinus translucens juquileensis**](#) H.A. Pilsby, 1899
- **translucens misellus**, [**Mesembrinus translucens misellus**](#) H.A. Pilsby, 1926
- **translucens pachecensis**, [**Mesembrinus translucens pachecensis**](#) H.A. Pilsby, 1930
- **translucens panamensis**, [**Mesembrinus translucens panamensis**](#) W.J. Broderip, 1832
- **translucens sororcula**, [**Mesembrinus translucens sororcula**](#) H.A. Pilsby, 1926
- **translucens subfloccosus**, [**Mesembrinus translucens subfloccosus**](#) H.A. Pilsby, 1899
- **translucens tonosiensis**, [**Mesembrinus translucens tonosiensis**](#) H.A. Pilsby, 1930
- **translucidus**, [**Drymaeus translucidus**](#) W.K. Weyrauch, 1967
- **transparens**, [**Bulimulus transparens**](#) L.A. Reeve, 1849
- **tribalteatus**, [**Drymaeus tribalteatus**](#) L.A. Reeve, 1848
- **trichodes**, [**Naesiotus trichodes**](#) (D'Orbigny, 1835)
- **tricinctus**, [**Drymaeus poecilus tricinctus**](#) J.J. Parodíz, 1962
- **tricinctus**, [**Bostryx tricinctus**](#) L.A. Reeve, 1848
- **tricingulatus**, [**Drymaeus tricingulatus**](#) H.E. Anton, 1839
- **trifasciatus**, [**Bulimulus trifasciatus**](#) W.E. Leach, 1814
- **trigonostomus**, [**Drymaeus trigonostomus**](#) I.H. Jonas, 1844
- **trigonostomus correctus**, [**Drymaeus trigonostomus correctus**](#) L. Pfeiffer, 1852
- **trimarianus**, [**Mesembrinus trimarianus**](#) (E.C. Von Martens, 1893)

- **trindadensis**, *Bulimulus trindadensis* A.S.H. Breure & A.C. dos Santos Coelho, 1976 - syn of: [**Vegrandinia trindadensis**](#)
- **trinidadensis**, [***Bulimulus trinidadensis***](#) A.S.H. Breure & A.C. dos Santos Coelho, 1976
- **trinitarius**, *Drymaeus trinitarius* E.A. Smith, 1896 - syn of: [***Drymaeus imperfectus***](#) (R.J.L. Guppy, 1866)
- **tripictus**, [***Mesembrinus tripictus***](#) J.A. Albers, 1857
- **tripictus hoffmanni**, [***Mesembrinus tripictus hoffmanni***](#) E.C. Von Martens, 1893
- **tristis**, *Bulimus tristis* L. Pfeiffer, 1855 - syn of: [***Mesembrinus pertristis***](#) (H.A. Pilsbry, 1898)
- **trivittatus**, [***Drymaeus trivittatus***](#) A. Mousson, 1873
- **trochiformis**, [***Bostryx carinatus trochiformis***](#) A.S.H. Breure, 1978
- **trogonius**, [***Naesiota trogonius***](#) W.H. Dall, 1917
- **tropicalis**, [***Mesembrinus tropicalis***](#) (P.M.A. Morelet, 1849)
- **troscheli**, [***Suniellus troscheli***](#) (R.A. Philippi, 1867)
- **trujillensis**, [***Drymaeus trujillensis***](#) R.A. Philippi, 1867
- **tryoni**, [***Mesembrinus tryoni***](#) J.C.H. Crosse & P.H. Fischer, 1875
- **tryoni pochutlensis**, [***Mesembrinus tryoni pochutlensis***](#) P.H. Fischer & J.C.H. Crosse, 1875
- **tryonianus**, *Bulimus tryonianus* R. Tate, 1870 - syn of: [***Leptopeas micra***](#) (D'Orbigny, 1835)
- **tschudii**, [***Bostryx tschudii***](#) F.H. Troschel, 1852
- **tubulatus**, [***Bostryx tubulatus***](#) (P.M.A. Morelet, 1860)
- **tubulatus scalaricostatus**, [***Bostryx tubulatus scalaricostatus***](#) (P.M.A. Morelet, 1860)
- **tubulatus scalaricostus**, *Bostryx tubulatus scalaricostus* P.M.A. Morelet, 1860 - Syn of: [***Bostryx tubulatus scalaricostatus***](#) (P.M.A. Morelet, 1860)
- **tubulaxis**, [***Naesiota tubulaxis***](#) H.A. Pilsbry, 1930
- **tumidulus**, [***Bostryx tumidulus***](#) L. Pfeiffer, 1842
- **tupacii**, [***Kuschelenia tupacii***](#) (D'Orbigny, 1835)
- **tupacii major**, [***Kuschelenia tupacii major***](#) A. Doering, 1876
- **tupacii minor**, [***Kuschelenia tupacii minor***](#) A. Doering, 1876
- **turneri**, *Bulimus turneri* L. Pfeiffer, 1860 - syn of: [***Poecilocharis turneri***](#) (L. Pfeiffer, 1860)
- **turritellatus**, [***Bulimulus turritellatus***](#) H.H. Beck, 1837
- **turritus**, [***Bostryx turritus***](#) (W.J. Broderip, 1832)
- **turritus**, [***Rhaphiellus turritus***](#) W.K. Weyrauch, 1967
- **turritus tamboensis**, [***Bostryx turritus tamboensis***](#) A. Zich, 1953
- **tusagasuganus**, [***Drymaeus tusagasuganus***](#) H.A. Pilsbry, 1935
- **tyleri**, [***Bostryx tyleri***](#) W.H. Dall, 1912
- **ucayalensis**, [***Bulimulus ucayalensis***](#) J.C.H. Crosse, 1871
- **uhdeanus**, [***Mesembrinus uhdeanus***](#) E.C. Von Martens, 1864
- **uhdeanus borealis**, [***Mesembrinus uhdeanus borealis***](#) E.C. Von Martens, 1893
- **uhdeanus cuernovacensis**, [***Mesembrinus uhdeanus cuernovacensis***](#) J.C.H. Crosse & P.H. Fischer, 1874
- **uhdeanus tepeccensis**, *Mesembrinus uhdeanus tepeccensis* E.C. Von Martens, 1893 - syn of: [***Mesembrinus uhdeanus tepicensis***](#) E.C. Von Martens, 1893
- **uhdeanus tepicensis**, [***Mesembrinus uhdeanus tepicensis***](#) E.C. Von Martens, 1893
- **umbilicaris**, [***Ataxias umbilicaris***](#) (L.F.A. Souleyet, 1842)
- **umbilicatellus**, [***Bostryx infundibulum umbilicatellus***](#) H.A. Pilsbry, 1896
- **umbraticus**, [***Mesembrinus umbraticus***](#) (L.A. Reeve, 1849)
- **undulatus**, [***Drymaeus undulatus***](#) L. Goulding, 1828
- **undulosus**, [***Drymaeus lilacinus undulosus***](#) E.C. Von Martens, 1893
- **unicolor**, [***Bulimulus unicolor***](#) (G.B. I Sowerby, 1833)
- **unicolor**, [***Drymaeus lilacinus unicolor***](#) E.C. Von Martens, 1893
- **unicolor**, [***Neopetraeus cora unicolor***](#) L. Pfeiffer, 1881
- **unicolor petenensis**, *Bulimus unicolor petenensis* P.M.A. Morelet, 1851 - syn of: [***Bulimulus unicolor***](#) (G.B. I Sowerby, 1833)
- **unifasciatus**, [***Naesiota unifasciatus***](#) G.B. I Sowerby, 1833
- **unilamellata**, *Bulimus unilamellata* D'Orbigny, 1842 - syn of: [***Leptinaria unilamellata***](#) (D'Orbigny, 1842)
- **uranops**, [***Cochlorina uranops***](#) H.A. Pilsbry, 1898
- **uruguayanus**, [***Bulimulus vesicalis uruguayanus***](#) H.A. Pilsbry, 1897
- **ustulatus**, [***Naesiota ustulatus***](#) G.B. I Sowerby, 1833
- **ustulatus pallescens**, [***Naesiota ustulatus pallescens***](#) W.H. Dall & W.H. Ochsner, 1928
- **ustulatus phlegonis**, *Naesiota ustulatus phlegonis* W.H. Dall & W.H. Ochsner, 1928 - syn of: [***Naesiota ustulatus***](#) G.B. I Sowerby, 1833
- **vadum**, [***Neopetraeus vadum***](#) H.A. Pilsbry, 1898
- **vanattai**, [***Drymaeus expansus vanattai***](#) H.A. Pilsbry, 1898
- **variabilis**, [***Bostryx variabilis***](#) D. Herm, 1970
- **varians**, [***Drymaeus vexillum varians***](#) (W.J. Broderip, 1832)
- **varians**, [***Scutalus varians***](#) H.C. Küster, 1844
- **varicosus**, [***Mesembrinus attenuatus varicosus***](#) (L. Pfeiffer, 1851)
- **varicosus**, *Bulimus varicosus* L. Pfeiffer, 1851 - syn of: [***Mesembrinus attenuatus varicosus***](#) (L. Pfeiffer, 1851)
- **variegatus**, *Bulimus variegatus* J.G. Bruguère, 1789 - syn of: [***Punctacteon variegatus***](#) (J.G. Bruguère, 1789)
- **vegetus**, *Bulimulus vegetus* A.A. Gould, 1853 - syn of: [***Naesiota pallidior***](#) (G.B. I Sowerby, 1833)
- **vegetus vegexspiza**, *Bulimulus vegetus vegexspiza* J.G. Cooper, 1894 - syn of: [***Naesiota pallidior***](#) (G.B. I Sowerby, 1833)
- **venezuelensis**, [***Drymaeus venezuelensis***](#) E.C. Von Martens, 1893

- venosus, [**Drymaeus venosus**](#) L.A. Reeve, 1848
- ventricosa, [**Drymaeus punctatus ventricosa**](#) S.I. Da Costa, 1907
- ventricosus, [**Drymaeus ventricosus**](#) H.B. Preston, 1907
- ventrosus, [**Naesiotus ventrosus**](#) P.H. Reibisch, 1892
- venustus, [**Naesiotus venustus**](#) P.H. Reibisch, 1892
- veranyi, Bulimus veranyi L. Pfeiffer, 1848 - syn of: [**Aeropictus veranyi**](#) (L. Pfeiffer, 1848)
- vermiculatus, [**Naesiotus quitensis vermiculatus**](#) H.A. Rehder, 1940
- vermiculatus, [**Naesiotus jacobi vermiculatus**](#) W.H. Dall, 1893
- vernhouti, [**Drymaeus vernhouti**](#) A.S.H. Breure, 1976
- verrucosus, Naesiotus verrucosus L. Pfeiffer, 1855 - syn of: [**Naesiotus nux**](#) W.J. Broderip, 1832
- versicolor, [**Scutalus versicolor**](#) H.A. Pilsbry, 1897
- versicolor callaoensis, [**Scutalus versicolor callaoensis**](#) H.A. Pilsbry, 1897
- versicolor lachayensis, [**Scutalus versicolor lachayensis**](#) W.K. Weyrauch, 1967
- veruculum, [**Bostryx veruculum**](#) P.M.A. Morelet, 1860
- veseyianus, [**Naesiotus veseyianus**](#) W.H. Dall, 1893
- vesicalis, [**Bulimulus vesicalis**](#) (L. Pfeiffer, 1853)
- vesicalis, Bulimus vesicalis A.A. Gould, 1853 - Syn of: [**Rabdotox sufflatus**](#) A.A. Gould, 1859
- vesicalis angustus, [**Bulimulus vesicalis angustus**](#) W.K. Weyrauch, 1966
- vesicalis uruguayanus, [**Bulimulus vesicalis uruguayanus**](#) H.A. Pilsbry, 1897
- vespertinus, [**Drymaeus vespertinus**](#) L. Pfeiffer, 1858
- vestalis, [**Naesiotus vestalis**](#) J.A. Albers, 1854
- vexillum, [**Drymaeus vexillum**](#) W. Wood, 1828
- vexillum morbidus, [**Drymaeus vexillum morbidus**](#) (R.A. Philippi, 1867)
- vexillum rubellus, [**Drymaeus vexillum rubellus**](#) (W.J. Broderip, 1832)
- vexillum tigris, [**Drymaeus vexillum tigris**](#) W.J. Broderip, 1832
- vexillum varians, [**Drymaeus vexillum varians**](#) (W.J. Broderip, 1832)
- viarius, [**Bostryx viarius**](#) (H.A. Pilsbry, 1932)
- viatorum, [**Bulimulus viatorum**](#) E.L. Holmberg, 1909
- vicinus, [**Drymaeus vicinus**](#) H.B. Preston, 1907
- vilchezii, [**Bostryx vilchezii**](#) W.K. Weyrauch, 1960
- villavicencioensis, [**Drymaeus villavicencioensis**](#) A.S.H. Breure, 1977
- vimineus, [**Drymaeus vimineus**](#) S. Moricand, 1833
- vimineus leucozonatus, [**Drymaeus vimineus leucozonatus**](#) (H.H. Beck, 1837)
- vincentinus, [**Mesembrinus vincentinus**](#) (L. Pfeiffer, 1846)
- vincentinus flavotinctus, [**Mesembrinus vincentinus flavotinctus**](#) H.A. Pilsbry, 1899
- vincentinus purissimus, [**Mesembrinus vincentinus purissimus**](#) H.A. Pilsbry, 1899
- violaceus, [**Drymaeus violaceus**](#) A. Mousson, 1873
- virginalis, [**Drymaeus virginalis**](#) L. Pfeiffer, 1856
- virginalis, Bulimus virginalis P.M.A. Morelet, 1860 - syn of: [**Lissoacme hennahi**](#) J.E. Gray, 1830
- virginalis dominicanus, [**Drymaeus virginalis dominicanus**](#) H.A. Pilsbry, 1899
- virgo, [**Drymaeus virgo**](#) H.C. Lea, 1838
- virgula, [**Bostryx virgula**](#) F. Haas, 1951
- virgulatus, [**Drymaeus virgulatus**](#) A.E.J. Féruccac, 1822
- virgulorum, [**Bostryx virgulorum**](#) P.M.A. Morelet, 1863
- viridis, Bulimus viridis J.L.M. Poiret, 1801 - syn of: [**Bythinella viridis**](#) (J.L.M. Poiret, 1801)
- vittatus, [**Bostryx vittatus**](#) (W.J. Broderip, 1832)
- vittatus, [**Otostomus vittatus**](#) J.B. von Spk, 1827
- voithianus, [**Peronaeus voithianus**](#) (L. Pfeiffer, 1847)
- volsus, [**Drymaeus volsus**](#) H.C. Fulton, 1907
- vulgaris, [**Auris rhodospira vulgaris**](#) S. Moricand, 1836
- waldoschmitti, [**Drymaeus waldoschmitti**](#) J.J. Parodiz, 1962
- webbi, [**Bostryx webbi**](#) F. Haas, 1951
- weddellii, [**Scutalus weddellii**](#) L.H. Hupé, 1857
- weeksii, [**Drymaeus weeksii**](#) H.A. Pilsbry, 1926
- weyrauchi, Neopetraeus weyrauchi H.A. Pilsbry, 1944 - syn of: [**Neopetraeus tessellatus**](#) (R.J. Shuttleworth, 1852)
- weyrauchi, [**Platybostryx weyrauchi**](#) H.A. Pilsbry, 1944
- wiebesi, [**Bulimulus wiebesi**](#) A.S.H. Breure, 1978
- willi, Bulimus willi W.L.H. Dohrn, 1883 - syn of: [**Moricandia willi**](#) (W.L.H. Dohrn, 1883)
- williamsi, [**Bostryx williamsi**](#) L. Pfeiffer, 1858
- willinki, [**Naesiotus willinki**](#) A.S.H. Breure, 1978
- willinki, [**Bostryx willinki**](#) W.K. Weyrauch, 1964
- wintleii, [**Drymaeus wintleii**](#) J. Finch, 1929
- wolfi, [**Naesiotus wolfi**](#) (P.H. Reibisch, 1892)
- woodwardi, [**Bostryx woodwardi**](#) (L. Pfeiffer, 1857)
- xantholeucus, [**Mesembrinus castus xantholeucus**](#) E.C. Von Martens, 1893

- **xanthostomus**, [**Drymaeus xanthostomus**](#) (D'Orbigny, 1835)
 - **xantusi**, [**Naesiotus xantusi**](#) W.G. Binney, 1861
 - **xantusi levis**, *Naesiotus xantusi levis* W.H. Dall, 1893 - syn of: [**Rabdotus levis**](#) W.H. Dall, 1893
 - **ximenez**, *Bulimus ximenez* G.D. Hanna, 1923 - syn of: [**Naesiotus dentifer lamellifer**](#) H.A. Pilsbry, 1897
 - **yapacanensis**, [**Drymaeus yapacanensis**](#) A.S.H. Breure & A. Eskens, 1981
 - **yungasensis**, [**Drymaeus yungasensis**](#) (D'Orbigny, 1837)
 - **zebra**, *Bulimus zebra* G.A. Olivier, 1801 - syn of: [**Chondrus zebrula**](#) (A.E.J. Féussac, 1821)
 - **zeledoni**, *Bulimus zeledoni* W.H. Dall, 1893 - syn of: [**Drymaeus josephus concolor**](#) E.C. Von Martens, 1893
 - **zhorquiensis**, *Drymaeus zhorquiensis* G.F. Angas, 1879 - syn of: [**Drymaeus zhorquinensis**](#) (G.F. Angas, 1879)
 - **zhorquinensis**, [**Drymaeus zhorquinensis**](#) (G.F. Angas, 1879)
 - **zhorquinensis**, *Oxychona zhorquinensis* G.F. Angas, 1879 - syn of: [**Leptarionta zhorquinensis**](#) (G.F. Angas, 1879)
 - **ziczac**, [**Drymaeus ziczac**](#) S.I. Da Costa, 1898
 - **ziegleri**, [**Drymaeus ziegleri**](#) L. Pfeiffer, 1847
 - **zilchi**, [**Drymaeus zilchi**](#) F. Haas, 1955
 - **zilchi**, [**Bostryx zilchi**](#) W.K. Weyrauch, 1958
 - **zilchi**, [**Kuschelenia culminea zilchi**](#) W.K. Weyrauch, 1967
 - **zilchi compactus**, [**Bostryx zilchi compactus**](#) W.K. Weyrauch, 1960
 - **zilchi glomeratus**, [**Bostryx zilchi glomeratus**](#) W.K. Weyrauch, 1960
 - **zingarensis**, [**Drymaeus zingarensis**](#) B.L. Restrepo & A.S.H. Breure, 1987
 - **zoographicus**, [**Drymaeus zoographicus**](#) (D'Orbigny, 1835)
-

Class: GASTROPODA

--- Clade: HETEROBRANCHIA-PULMONATA-EUPULMONATA-STYLOMMAТОPHORA-SIGMURETHRA-ORTHALICOIDEA

----- Family: **BULIMULIDAE** Tryon, 1867

Habitat= Land, Taxonomic order

Taxa=1866, Genus=18, Subgenus=38, Species=1020, Subspecies=250, Synonyms=539, Images=692

Genus: **Auris** J.B. von Spix, 1827 (syn: Pachytotus - 12 SP, 9 IMG)



3884960285
Auris
bernardii

L. Pfeiffer, 1856
Brasil, Bahia




3882200000
Auris
bilabiata

(W.J. Broderip & G.B. I Sowerby, 1829)
Brasil, Bahia
46,1 mm




3882204000
Auris
bilabiata
egregia

J.C. Jay, 1836
Brasil, Bahia



3884960293
Auris
bilabiata
nigriabris

H.A. Pilsbry, 1896
Brasil, Bahia
35,4 mm



synonyms:

- *Auris egregia nigriabris* H.A. Pilsbry, 1896




3884968203
Auris
chrysostoma

S. Moricand, 1836
Brasil, Bahia
53,3 mm



3884960405
Auris
chrysostoma
swainsoni

(L. Pfeiffer, 1845)
Bahia, Brasil



synonyms:

- *Bulinus swainsoni* L. Pfeiffer, 1845




5664000029
Auris
distortus

(J.G. Bruguère)
Venezuela, Puerto Cabello





3882204010
Auris
ilheocola
S. Moricand, 1833
Brasil, Pimenteiras
60 mm




synonyms:

- *Auris ilheocola* S. Moricand, 1833



3884960309
Auris
listeri
W. Wood, 1828
Florida



3884960333
Auris
maximiliana
S. Moricand, 1836
Brasil


No Georeferenced data available



3884960349
Auris
melanostoma
(S. Moricand, 1836)
Brasil, Bahia
57,8 mm



3884968200
Auris
melanostoma
brachyplax
H.A. Pilsby, 1896
Bahia, Brasil



3884960341
Auris
melanostoma
scalaris
Dhom, 1883
Brasil

No Georeferenced data available



3882200010
Auris
melastoma
W.J. Swainson, 1820
Brasil, Bahia
52,3 mm



3884960357
Auris
melastoma
brachyplax
H.A. Pilsby, 1896
South America

No Georeferenced data available



3884960389
**Auris
rhodospira**
V.L.V. Potiez & A. Michaud, 1835
Brasil
No Georeferenced data available



3884960381
**Auris
rhodospira
vulgaris**
S. Moricand, 1836
South America
No Georeferenced data available



5812000413
**Auris
sinuata**
(J.A. Albers, 1854)
Venezuela




3884960397
**Auris
struthiolaris**
K.T. Menke, 1830
South America
No Georeferenced data available

Genus: Berendtia J.C.H. Crosse & P. Fischer, 1869 (1 SP, 1 IMG)



3884960413
**Berendtia
taylori**
(L. Pfeiffer, 1861)
Peru, Cajamarca
48,7 mm


synonyms:

- *Urocoptis newcomiana* W.M. Gabb, 1868
- *Balea taylori* L. Pfeiffer, 1861

Genus: Bostryx F.H. Troschel, 1847 (syn: Floreziellus, Kionoptyx, Naesiotellus, Geopygus - 180 SP, 123 IMG)



5664000092
**Bostryx
abancayensis**
H.A. Plsby, 1944
Peru, Cuzco




3884956317
**Bostryx
abancayensis
rudistriatus**
F. Haas, 1955
Peru, Apurimac
18 mm


synonyms:

- *Lissoacme rudistriatus* F. Haas, 1955



3884954821
Bostryx acalles
(L. Pfeiffer, 1853)
Peru
10 mm



synonyms:

- *Lissoacme acalles* H.A. Pilsbry, 1896

- *Bulimus acalles* L. Pfeiffer, 1853



3884954829
Bostryx acme
F. Haas, 1955
Peru, Apurimac



3880200000
Bostryx acromelas
P.M.A. Morelet, 1845
Peru, Cuzco
19,9 mm



3884954837
Bostryx aequicostata
H.A. Rehder, 1945
South America


No Georeferenced data available

synonyms:



- *Bulimus scalaroides* L. Pfeiffer, 1867



5664000004
Bostryx aguilarii
W.K. Weyrauch, 1967
Peru, Lima



3884954877
Bostryx aileenae
A.S.H. Breure, 1978
Peru, Lima
14,9 mm



5812000219
Bostryx alausiensis
(A. Cousin, 1887)
Ecuador
24,3 mm



synonyms:

- *Lissoacme alausiensis* A. Cousin, 1887
- *Thaumastus alausiensis* A. Cousin, 1887



3880200005
Bostryx albicans
(W.J. Broderip, 1832)
Chile, Caldera
19,5 mm






388020400
Bostryx
albus
G.B. I Sowerby, 1833
Chile, Coquimbo
15 mm




3884954893
Bostryx
andoicus
(P.M.A. Morelet, 1863)
Peru, Junin
29,5 mm



3884954901
Bostryx
angiporus
H.A. Pilsbry, 1932
Peru, Chagual
21,53 mm



3884954917
Bostryx
anomphalus
H.A. Pilsbry, 1944
Peru, Chosica
19 mm




3884954933
Bostryx
arcuatus
A.S.H. Breure, 1978
Peru



3884954949
Bostryx
baeri
P. Dautzenberg, 1901
Peru
13,6 mm



3884954965
Bostryx
bermudezae
W.K. Weyrauch, 1958
Quichao, Peru
19 mm



synonyms:

- *Bostryx bermudezi* W.K. Weyrauch, 1958



3884954981
Bostryx
bilineatus
G.B. I Sowerby, 1833
Ecuador
13 mm






3884954989
**Bostryx
binghami**

W.H. Dall, 1910
Peru, Rio Pampas




3884954997
**Bostryx
birabeni**

M.I. Hyton-Scott, 1948
Argentina, Jujuy
26,6 mm




3884955005
**Bostryx
bisculptus**

L. Pfeiffer, 1869
Peru
18 mm





3884955013
**Bostryx
bonneti**

C.M.F. Ancey, 1902
Bolivia
21,9 mm



3884960989
**Bostryx
borellii**

(C.M.F. Ancey, 1897)
Bolivia
28,8 mm




3884955029
**Bostryx
bromeliacarum**

H.A. Plisby, 1930
Peru, Lima





3884955021
**Bostryx
bromeliacarum
grandiporatus**
W.K. Weyrauch, 1958

Peru



3884955045
**Bostryx
calchaquinus**

A. Doering, 1879
Argentina





3884961133
Bostryx
carandaiensis

(H.B. Preston, 1907)

Bolivia
32,1 mm



3884955061
Bostryx
carinatus

A.S.H. Breure, 1978

Peru



3884955053
Bostryx
carinatus
trochiformis

A.S.H. Breure, 1978



Peru



3884955069
Bostryx
catamarcanus

J.J. Parodíz, 1956


Argentina



3884955077
Bostryx
ceratacme

L. Pfeiffer, 1855


Ecuador, Quito
18 mm



3884955093
Bostryx
ceroplasta

H.A. Pilsbry, 1896



Peru



3884955101
Bostryx
chacoensis

H.B. Preston, 1907


Bolivia
30,1 mm



3884955109
Bostryx
chagualensis

H.A. Pilsbry, 1932

Peru, Chagual
15 mm



no
IMAGES
available

3884955117
Bostryx chusgonensis
W.K. Weyrauch, 1960
Peru, La Libertad





no
IMAGES
available
to be checked

3884968261
Bostryx chusgonensis sipes
A.S.H. Breure & V. Mogolón Avila, 2010

No Georeferenced data available

3884955125
Bostryx cicheroi
M.I. Hylton-Scott, 1967
Argentina

no
IMAGES
available
to be checked



3884955141
Bostryx circuliporus
A.S.H. Breure, 1978
Peru
15 mm




3884955133
Bostryx circuliporus rimacensis
A.S.H. Breure, 1978
Peru



3884955149
Bostryx claviformis
F. Haas, 1951
Peru



3884955157
Bostryx climacographus
E.L. Holmberg, 1912
Argentina




3884955173
Bostryx coelhoi
A.S.H. Breure, 1978
Peru





3884955189
***Bostryx
coerulescens***

L. Pfeiffer, 1858
Peru, Cajamarca




3884955181
***Bostryx
coerulescens
columna***

H.A. Plößner, 1898
Peru



5664000005
***Bostryx
cokerianus***

(W.H. Dall, 1909)
Peru, Independencia Bay




synonyms:

- *Bostryx cockerianus* W.H. Dall, 1909



388495197
***Bostryx
columellaris***

L.A. Reeve, 1849
Peru
9 mm



3884955205
***Bostryx
compactus***

H.C. Fulton, 1901
Bolivia
16 mm





3884955221
***Bostryx
conspersus***

G.B. I Sowerby, 1833
Peru, Lima
15 mm





3884955229
***Bostryx
cordillerae***

P. von Ströbel, 1874
Argentina



3884955237
***Bostryx
costellatus***

M.I. Hylton-Scott, 1971
Argentina



no
IMAGES
available

3884955245
Bostryx
cracentis
A.S.H. Breure, 1978
South America

No Georeferenced data available

no
IMAGES
available
to be checked

3884955253
Bostryx
cremonthauma
H.A. Pilsbry
South America

No Georeferenced data available

no
IMAGES
available

3884955261
Bostryx
crucilinеatus
W.K. Weyrauch, 1967
Peru, Lima



5664000003
Bostryx
cunyanensis
A.S.H. Breure, 1978
Peru, Apurimac
26,8 mm



synonyms:

- Floreziellus florezi W.K. Weyrauch, 1967
- Bostryx spiculatus florezi W.K. Weyrauch, 1967


no
IMAGES
available
to be checked

3884955285
Bostryx
cupidatus
P.M.A. Morelet, 1863
Peru



no
IMAGES
available
to be checked

3884955293
Bostryx
cuyanus
L. Pfeiffer, 1867
Argentina



no
IMAGES
available
to be checked

3884955309
Bostryx
delicatulus
R.A. Philippi, 1867
Peru



3884955317
Bostryx
delumbis
L.A. Reeve, 1849
Peru
21,2 mm





3884955349
Bostryx dentaxis
H.A. Pilsbry, 1901
Peru



3884968208
Bostryx dentritis
(P.M.A. Morelet, 1863)
Peru
16 mm



synonyms:

- *Bostryx dendritis* P.M.A. Morelet, 1863





3884955333
Bostryx dentritooides
H.A. Pilsbry, 1896
South America

No Georeferenced data available



3880204005
Bostryx depstus
L.A. Reeve, 1849
Bolivia, Cochabamba
18 mm




3884955373
Bostryx devians
W.L.H. Dohm, 1863
Peru
14,9 mm



3884955381
Bostryx devillei
L. Deville & L.H. Hupé, 1850
Peru



3884955389
Bostryx doelloi
M.I. Hyton-Scott, 1953
Argentina



3884955397
Bostryx elatus
R.A. Philippi, 1869
Peru






3884955405
Bostryx emaciatus
P.M.A. Morelet, 1863
Peru, Cuzco
21,7 mm



3884955413
Bostryx endoplax
H.A. Pilsbry, 1944
Peru, Apurimac
13 mm




3884955421
Bostryx endoptyx
H.A. Pilsbry, 1940
Peru, Huanuco



3884955445
Bostryx extensus
F. Haas, 1955
Peru, Apurimac
27,39 mm



3884955453
Bostryx famatinus
A. Doering, 1879
Argentina



3884955461
Bostryx ferrugineus
L.A. Reeve, 1849
Peru
19 mm



3884955469
Bostryx fischeri
H.A. Pilsbry, 1956
Peru, Junin



synonyms:

- *Bostryx fisheri* H.A. Pilsbry, 1956



3884955477
Bostryx flagellatus
H.A. Pilsbry, 1896
Peru
19 mm





3884968262
Bostryx fragilis

A.S.H. Breure & V. Mogollón Avilla, 2010
Peru, Tumbes




3884955485
Bostryx frederici

A.S.H. Breure, 1978
Peru




3884955493
Bostryx fuligineus

A.S.H. Breure, 1978
Peru




3884955509
Bostryx gladycae

M.I. Hyton-Scott, 1967
Argentina



3884955517
Bostryx globosus

W.K. Weyrauch, 1967
Peru, Lima



3884955533
Bostryx haasi

W.K. Weyrauch, 1960
Peru, La Libertad



5664000002
Bostryx haasi minor
W.K. Weyrauch, 1960

Peru, Lima



3884955549
Bostryx hamiltoni

L.A. Reeve, 1849
Peru, Puno
15 mm





3884955565
Bostryx
hisutus

A.S.H. Breure, 1978
Peru, Cajamarca
11,8 mm



3884955573
Bostryx
holostomus

L. Pfeiffer, 1846
Bolivia



3884955589
Bostryx
huanucensis

A.S.H. Breure, 1978
Peru
21,26 mm



3884955581
Bostryx
huanucensis
povelli

A.S.H. Breure, 1978
Peru



3884955597
Bostryx
huarazensis

H.A. Plsby, 1944
Peru, Huaylas Ancash




3884955613
Bostryx
huayaboensis

P. Dautzenberg, 1901
Peru



3884955621
Bostryx
hyltonscottae

J.J. Parodíz, 1956
Argentina



3884955629
Bostryx
ignobilis

R.A. Philippi, 1867
Peru





3884955637
Bostryx imeldae
W.K. Weyrauch, 1960
Peru, Lima




synonyms:


- *Bostryx imeldae costifer* W.K. Weyrauch, 1960



3884955645
Bostryx inaquosum
A.S.H. Breure, 1978
Chile




3884955661
Bostryx infundibuliformis
J.C. Jay, 1848
Bolivia



3884968177
Bostryx infundibulum
H.A. Plsby, 1896
Peru
17,3 mm




3884956053
Bostryx infundibulum perforatus
(F. Haas, 1951)
Peru, Junin
16 mm



3884968173
Bostryx infundibulum umbilicatellus
H.A. Plsby, 1896
Peru
15 mm



3884955685
Bostryx iocensis
(P. Dautzenberg, 1901)
Peru
13 mm



synonyms:

- *Peronaeus iocensis* P. Dautzenberg, 1901



3884955701
Bostryx izozoenensis
J.J. Parodíz, 1947
Bolivia






3884955709
Bostryx juana
(A. Cousin, 1887)
Ecuador
19,1 mm



synonyms:


- Thaumastus juana A. Cousin, 1887




3884955717
Bostryx kathiae
A.S.H. Breure, 1978
Peru, Lima
17,5 mm




3884955725
Bostryx kugleri
L. Forcart, 1954
Venezuela




3884955727
Bostryx lemniscatus
G.P. Deshayes, 1838
Peru



3884955765
Bostryx lentiformis
A.S.H. Breure, 1978
Argentina




3884955773
Bostryx lesueureanus
(P.M.A. Morelet, 1860)
Peru
21 mm



synonyms:

- Bulimus lesueureanus P.M.A. Morelet, 1860

- Bostryx lesueurianus P.M.A. Morelet, 1860




3884955789
Bostryx lichenum
H.H. Beck, 1837
South America

No Georeferenced data available



3884955813
Bostryx limonoicus
(D'Orbigny, 1835)
Bolivia
15,8 mm



synonyms:

- Helix limonoica D'Orbigny, 1835




5812000115
***Bostryx
llaucanensis***
W.K. Weyrauch
Peru



3884955829
***Bostryx
longinquisus***
P.M.A. Morelet, 1863
Peru
24 mm



3884955837
***Bostryx
longispira***
W.K. Weyrauch, 1960
Peru, Lima



3884955845
***Bostryx
louisae***
A.S.H. Breure, 1978
Peru
15,59 mm





5822000516
***Bostryx
luridus***
(L. Pfeiffer, 1863)
Ecuador
21,7 mm




3884955853
***Bostryx
lychnorum***
G.B. I Sowerby, 1838
South America


No Georeferenced data available



3884955861
***Bostryx
martinezii***
M.I. Hylton-Scott, 1965
Argentina, Cordoba



3884955869
***Bostryx
megomphalus***
H.A. Plsby, 1944
Peru, Huancavelica





3884955885
Bostryx metagyra

H.A. Pilsbry & A.A. Olsson, 1949

Peru
7,1 mm



3884955901
Bostryx modestus

W.J. Broderip, 1832

Lima, Peru
26 mm



synonyms:

- *Bostryx laurentii* G.B. Sowerby, 1833
- *Bostryx limensis* L.A. Reeve, 1849
- *Bostryx striatus* G.B. Sowerby, 1833


- *Bulimus philippii* L. Pfeiffer, 1842



3884955893
Bostryx modestus
angelmaldonadoi

W.K. Weyrauch, 1960


Peru, Lima
12 mm



3884955917
Bostryx moniezi

P. Dautzenberg, 1896

Bolivia
12,4 mm



3884955909
Bostryx moniezi
albescens

P. Dautzenberg, 1896



Peru



3884955925
Bostryx monticola

A. Doering, 1879


Argentina
13 mm



3884955933
Bostryx mordani

A.S.H. Breure, 1978


Peru, Lima
22,5 mm



5812000124
Bostryx multiconspicuus

A.S.H. Breure, 2008


Peru, Lima





5822000480
Bostryx
multilineatus

A.S.H. Breure, 1978
Peru, Ancash
29,5 mm




3884955941
Bostryx
multivolvus

H.A. Pilsbry, 1944
Peru, Apurimac
22 mm



3884955949
Bostryx
nigropileatus

L.A. Reeve, 1849
Peru, Cajamarca
22 mm



synonyms:

- *Bostryx balsanus* P.M.A. Morelet, 1863
- *Bulimus reconditus* L.A. Reeve, 1849

- *Bulimus stenacme* L. Pfeiffer, 1857




3884955957
Bostryx
obeliscus

A. Zilch, 1954
Peru




3884955989
Bostryx
obliquiportus

W.K. Weyrauch, 1960
Peru, Lima




3884955965
Bostryx
obliquiportus
angispira

W.K. Weyrauch, 1960
Peru, Lima




3884955973
Bostryx
obliquiportus
inflatiportus

W.K. Weyrauch, 1960
Peru



3884955981
Bostryx
obliquiportus
laraoensis

W.K. Weyrauch, 1960
Peru






5664000009

**Bostryx
obliquistriatus**

(S.I. Da Costa, 1901)

Peru, Cajamarca
28,9 mm

3884955997

**Bostryx
olmosensis**

A.S.H. Breure, 1978


Peru



3884956005

**Bostryx
ophophilus**

P.M.A. Morelet, 1863

Peru, Ancash
20,7 mm**synonyms:**

- Bulimus albicobr P.M.A. Morelet, 1863
- Bulimus cercicola P.M.A. Morelet, 1863


- Bulimus cercicola P.M.A. Morelet, 1863



3884956013

**Bostryx
ortizi**


W.K. Weyrauch, 1967

Peru, Cajamarca
17,7 mm

3884956029

**Bostryx
paposensis**

(L. Pfeiffer, 1856)

Chile, Atacama
21,2 mm

3884956037

**Bostryx
pauli**

A.S.H. Breure, 1978


Peru, Ancash
18 mm

3884956045

**Bostryx
peliostomus**

R.A. Philippi, 1867


Peru, Cajamarca



3884956069

**Bostryx
peruvianus**

H.A. Pilsbry, 1944


Peru, Cajamarca
19 mm**synonyms:**

- Bostryx torallyi peruvianus H.A. Pilsbry, 1944



3884968191
Bostryx pictus
(L. Pfeiffer, 1855)

Peru, Cuzco
14,09 mm



synonyms:

● Scutalus punctilineatus F. Haas, 1951

● Reclasta tarmensis W.K. Weyrauch, 1967




3884956093
Bostryx piuranus
J.A. Albers, 1854

Peru
26 mm



3884956101
Bostryx placitus
A.S.H. Breure, 1978
Peru




3884956117
Bostryx platycheilus
F. Haas, 1955
Peru, Cajamarca




3884956125
Bostryx ploegerorum
A.S.H. Breure, 1978
Peru




5812000123
Bostryx primigenius
A.S.H. Breure, 2008
Peru, Lima, El Infernillo



3884956133
Bostryx productus
R.A. Philippi, 1867
Peru
12 mm





3884956149
Bostryx ptyalum
W.H. Dall, 1919
Peru, Rio Pampas





3884956173
***Bostryx
puntanus***
J.J. Parodíz, 1947
Argentina



3884956197
***Bostryx
pygmaeus***
W.K. Weyrauch, 1960
Peru, Lima
8,4 mm




synonyms:

- *Bostryx pygmaeus costatus* W.K. Weyrauch, 1960



3884956213
***Bostryx
pygidium***
F. Haas, 1955
Peru, Apurimac



3884968211
***Bostryx
radiatus***
(P.M.A. Morelet, 1860)
Peru, Cuzco
20 mm



synonyms:

- *Bostryx angrandianus* H.A. Pilsbry, 1897



3884956221
***Bostryx
raimondianus***
H.A. Pilsbry, 1896
Peru




synonyms:


- *Bulimus spretus* R.A. Philippi, 1869



3884956237
***Bostryx
reedi***
J.J. Parodíz, 1947
Argentina



3884956245
***Bostryx
reentzi***
R.A. Philippi, 1851
Peru, Lima
22 mm



synonyms:

- *Orthalicus denekiei* C.B. Adams
- *Bostryx denekiei* J.E. Gray & L.A. Reeve, 1851





3884956277
***Bostryx
rhodolarynx***
(L.A. Reeve, 1849)
Peru, Lambayeque
34,5 mm





3884954925
Bostryx
rhodolarynx
apurimacensis
W.H. Dall, 1917
Peru, Apurimac




synonyms:

- Scutalus apurimacensis W.H. Dall, 1917



3884956269
Bostryx
rhodolarynx
papillatus
(P.M.A. Morelet, 1860)
Peru
22,7 mm



synonyms:

- Bostryx papillatus P.M.A. Morelet, 1860



3884956285
Bostryx
rodiguezae
W.K. Weyrauch, 1967
Lima, Peru
23 mm




3884956301
Bostryx
rubescens
L.A. Reeve, 1848
South America

No Georeferenced data available



3884956309
Bostryx
rudisculptus
J.J. Parodíz, 1956
Argentina



3884956325
Bostryx
rusticulus
(P.M.A. Morelet, 1860)
Peru
19,9 mm



3884956333
Bostryx
sagasteguii
F. Haas, 1966
Peru





3884956341
Bostryx
sandwicensis
L. Pfeiffer, 1846
Bolivia





3884956357
Bostryx scalaricosta
P.M.A. Morelet, 1860
Peru, Cuzco
15 mm



3884956365
Bostryx scalariformis
W.J. Broderip, 1832
Peru, Lima
13,8 mm




5664000010
Bostryx scotophilus
W.K. Weyrauch, 1967
Peru, Lima
18,1 mm



synonyms:


- *Bostryx scotophilus* W.K. Weyrauch, 1967




3884956381
Bostryx scutulatus
W.J. Broderip, 1832
Bolivia





3884956389
Bostryx serotinus
(P.M.A. Morelet, 1860)
Peru
33,8 mm



3884956581
Bostryx serotinus subroseus
R.A. Philippi, 1869
Peru, Huanuco



3884956397
Bostryx simpliculus
L. Pfeiffer, 1855
Bolivia
18,9 mm





3884956413
Bostryx solutus
F.H. Troschel, 1847
Peru, Lima
8,66 mm







3884956461
Bostryx spiculatus
P.M.A. Morelet, 1860
Peru, Cuzco
19 mm



3884956437
Bostryx spiculatus paucicostatus
A.S.H. Breure, 1978
Peru, Cuzco
14 mm





3884956445
Bostryx spiculatus pectinatus
W.H. Dall, 1912
Ollantaytambo, Peru
21 mm




3884956453
Bostryx spiculatus pumilus
A.S.H. Breure, 1978
Peru





3883000000
Bostryx stelzneri
A. Doering, 1879
Argentina, San Luis Province
23,3 mm




3884956469
Bostryx stelzneri apertus
M.I. Hylton-Scott, 1948
Argentina




3884968205
Bostryx stelzneri conispirus
(A. Doering, 1879)
Argentina




3884956477
Bostryx stelzneri conispirus minuta
J.J. Parodiz, 1948
Argentina








3884968258
Bostryx stelzneri hector
E.L. Holmgren, 1919
Argentina
26 mm




3884956485
Bostryx stelzneri hybrida
J.J. Parodiz, 1948
Argentina




3884956493
Bostryx stelzneri nonogastanus
J.J. Parodiz, 1948
Argentina




3884956501
Bostryx stelzneri peristomatus
A. Doering, 1879
Argentina, San Luis Province
24,2 mm





3884956509
Bostryx stelzneri peristomatus paraconispinus
J.J. Parodiz, 1948
Argentina




3884956517
Bostryx stelzneri scaber
J.J. Parodiz, 1948
Argentina



3884956525
Bostryx stelzneri tinogastanus
J.J. Parodiz, 1948
Argentina



3884968196
Bostryx striatus
(P.P. King, 1832)
Peru





synonyms:

- *Bostryx striatulus* H.H. Beck



3884956549
Bostryx strobeli
J.J. Parodíz, 1956
Argentina



3884956557
Bostryx styliger
H.H. Beck, 1837
South America


No Georeferenced data available



3884956565
Bostryx subcactorum
H.A. Plsby, 1896
Chile, Antofagasta



3884956573
Bostryx subelatus
F. Haas, 1948
Peru, Huanuco




3884968185
Bostryx tabulatus
P.M.A. Morelet, 1860
Peru



3884968181
Bostryx tabulatus scalaricostus
P.M.A. Morelet, 1860
Peru, Cuzco
15 mm



3880204015
Bostryx torallyi
D'Orbigny, 1835
Jujuy, Argentina
23 mm





synonyms:

- *Drymaeus multispira* S.I. Da Costa, 1904





3884956605
Bostryx torallyi avus
J.J. Parodíz, 1947
Argentina









3884956613
***Bostryx*
torallyi
*corrugatus***
J.J. Parodiz, 1947
Argentina



3884956621
***Bostryx*
torallyi
*nigroumbilicatus***
J.J. Parodiz, 1947
Argentina



3884956629
***Bostryx*
*tortoranus***
A. Doering, 1879
Argentina
24 mm




3884956637
***Bostryx*
*tricinctus***
L.A. Reeve, 1848
South America
19,2 mm

No Georeferenced data available



3884956645
***Bostryx*
*tschudii***
F.H. Troschel, 1852
Peru, Huanuco
10 mm



5664000011
***Bostryx*
*tubulatus***
(P.M.A. Morelet, 1860)

No Georeferenced data available



5664000053
***Bostryx*
tubulatus
*scalaricostatus***
(P.M.A. Morelet, 1860)
Peru
15,5 mm




synonyms:

- *Bostryx tubulatus scalaricostatus* P.M.A. Morelet, 1860



3884956677
***Bostryx*
*tumidulus***
L. Pfeiffer, 1842
Peru, Huanuco
22,7 mm



synonyms:

- *Bulimus inflatus* W.J. Broderip, 1836



3880204020

Bostryx turritus

(W.J. Broderip, 1832)


Peru, Cajamarca
17 mm

3884956685

Bostryx turritus tamboensis

A. Zilch, 1953

Peru



3884956693

Bostryx tyleri

W.H. Dall, 1912

Peru

**synonyms:**

- *Bulimus simplex* L.H. Hupé, 1857
- *Bulimulus smeurorum* A.S.H. Breure, 1974



5664000032

Bostryx variabilis

D. Herm, 1970

No Georeferenced data available

3884956709

Bostryx veruculum


(P.M.A. Morelet, 1860)

Peru
24,5 mm

3880200030

Bostryx viarius


(H.A. Pilsbry, 1932)

Peru, Cajamarca
15 mm

3884956717

Bostryx vilchezii

(W.K. Weyrauch, 1960)


Peru, Amazonas Province
7 mm

3884956733

Bostryx virgula

(F. Haas, 1951)

Peru







3884956741
Bostryx
virgultorum

P.M.A. Morelet, 1863

Peru, Cuzco



5812000122
Bostryx
vittatus

(W.J. Broderip, 1832)

Peru



synonyms:
• *Buliminus styliger* H.H. Beck, 1837



3884956749
Bostryx
webbi

F. Haas, 1951

Peru



3884956765
Bostryx
williamsi

L. Pfeiffer, 1858



Cuba
16,82 mm



3884956773
Bostryx
willinksi

W.K. Weyrauch, 1964

Argentina, Catamarca
18 mm



5822000522
Bostryx
woodwardi

(L. Pfeiffer, 1857)

Peru
31 mm



3884956797
Bostryx
zilchi

W.K. Weyrauch, 1958

Peru, Lima
18,7 mm



3884956781
Bostryx
zilchi
compactus


W.K. Weyrauch, 1960

Peru, Lima






3884956789
Bostryx
zilchi
glomeratus
W.K. Weyrauch, 1960
Peru, Lima



Subgenus: Bostryx (Ataxus) J.A. Albers, 1850 (1 SP, 1 IMG)



5664000069
Ataxus
umbilicaris
(L.F.A. Souleyet, 1842)
Chile, Cobija
13,3 mm



Subgenus: Bostryx (Discobostryx) H.A. Pilsbry & A.A. Olsson, 1949 (1 SP, 1 IMG)




3884956109
Discobostryx
planissimus
H.A. Pilsbry & A.A. Olsson, 1949
Peru



Subgenus: Bostryx (Elatibostryx) W.K. Weyrauch, 1958 (1 SP, 1 IMG)



3884956253
Elatibostryx
rehderi
W.K. Weyrauch, 1960
Peru, Lima
10,45 mm





Subgenus: Bostryx (Lissoacme) H.A. Pilsbry, 1896 (12 SP, 11 IMG)





3884954845
Lissoacme
affinis
W.J. Broderip, 1832
Bolivia
27,5 mm



5822000479
Lissoacme
birabenorum
M.I. Hyton-Scott, 1948
Argentina, Tucuman
18 mm



3884955365
Lissoacme
derelictus
W.J. Broderip, 1832
Bolivia
18,4 mm




**no
IMAGES
available**
to be checked

3884955357
**Lissoacme
derelictus
ascendens**
H.A. Pilsby, 1944
Peru, Junin



3884968209
**Lissoacme
erosus**
(W.J. Broderip, 1832)
Chile, Iquique
18,7 mm



3884955437
**Lissoacme
erythrostomus**
G.B. I Sowerby, 1833
Guadeloupe
22 mm



5664000008
**Lissoacme
guttatus**
(W.J. Broderip in W.J. Broderip,
& G.B. I Sowerby, 1832)
Chile, Cobija
24,2 mm



3884955557
**Lissoacme
hennahi**
J.E. Gray, 1830
Peru
24,4 mm



synonyms:

- *Bostryx cactorum* D'Orbigny, 1835
- *Bulinus virginalis* P.M.A. Morelet, 1860


- *Helix cactorum* D'Orbigny, 1835



3884955605
**Lissoacme
huascensis**
L.A. Reeve, 1848
Chile, Huasco
19,1 mm



3884955877
**Lissoacme
mejillonenensis**
(L. Pfeiffer, 1877)
Chile, Atacama
24,1 mm



**no
IMAGES
available**
to be checked

5664000031
**Lissoacme
metamorphus**
(H.A. Pilsby, 1896)
Chile

No Georeferenced data available



3884956141
Lissocome pruinosus
(G.B. I Sowerby, 1833)
Chile, Coquimbo
13,5 mm



3884956293
Lissocome rouaulti
(L.H. Hupé, 1857)
Chile, Coquimbo



synonyms:

- *Bostryx roualti* L.H. Hupé, 1854

Subgenus: Bostryx (Multifasciatus) W.K. Weyrauch, 1958 (1 SP, 1 IMG)



3884956589
Multifasciatus superbus
W.K. Weyrauch, 1967
Peru, Lima
33 mm



Subgenus: Bostryx (Peronaeus) J.A. Albers, 1850 (18 SP, 19 IMG)



3884954861
Peronaeus agueroi
W.K. Weyrauch, 1960
Peru, Lima



3884954853
Peronaeus agueroi bellatrani
W.K. Weyrauch, 1964
Peru, Lima



3884968225
Peronaeus aguirrei
(A. Doering, 1884)
Argentina, Buenos Aires
16 mm





synonyms:

- *Discoleus aguirrei* A. Doering, 1884



3884968149
Peronaeus aguirrei azulensis
(A. Doering, 1884)
Argentina, Sierra Baya
22 mm




synonyms:

- *Discoleus azulensis* A. Doering, 1884



3880200010
Peronaeus ameghinoi

H.F.A. von Ihering, 1908
Argentina, Río Negro
21,3 mm





synonyms:

- *Discoleus ameguinoi* H.F.A. von Ihering, 1908



3880200015
Peronaeus ameghinoi madryensis
(D'Orbigny, 1835)

Argentina, Chubut
19 mm




synonyms:

- *Peronaeus ameghinoi madryensis* D'Orbigny, 1835
- *Discoleus madryensis* D'Orbigny, 1835




3880200025
Peronaeus anachoreta

L. Pfeiffer, 1856
Chile, Caldera
19,2 mm




3884954941
Peronaeus atacamensis

(L. Pfeiffer, 1856)
Chile, Atacama
19 mm



3884968227
Peronaeus azulensis

C. Femández, 1970
Argentina
22 mm




3884955501
Peronaeus gayi

H.A. Rehder, 1945
Antofagasta, Chile



3884955693
Peronaeus ischnus

(H.A. Pilsbry, 1902)
Chile, Coquimbo
19,8 mm



synonyms:

- *Bulimus terebralis* L. Pfeiffer, 1842



3884955733
Peronaeus lactifluus

L. Pfeiffer, 1857
Bolivia
16,2 mm





3884955781
**Peronaeus
leucostictus**

R.A. Philippi, 1856
Chile



5664000030
**Peronaeus
lichenorum**

(D'Orbigny, 1835)
Chile, Cobija
15,8 mm



synonyms:


- *Helix lichenorum* D'Orbigny, 1835

- *Bostryx lichenorum* D'Orbigny, 1835



5664000068
**Peronaeus
philippi**

H.A. Rehder, 1945
Rio Copiapo, Chile



3884956157
**Peronaeus
pumilio**

H.A. Rehder, 1945
Chile, Chanaral
11 mm



synonyms:

- *Bulinus nanus* L.A. Reeve, 1849





3884956181
**Peronaeus
pupiformis**

(W.J. Broderip, 1832)
Chile, Coquimbo
23,5 mm




3884956189
**Peronaeus
pustulosus**

(W.J. Broderip, 1832)
Chile, Huasco
16,4 mm




3884956261
**Peronaeus
rhodacme**

(L. Pfeiffer, 1842)
Chile, Vallenar
13,1 mm



3884956349
**Peronaeus
scabiosus**

(G.B. I Sowerby, 1833)
Chile, Atacama
15,9 mm






3884960245
Peronaeus
voithianus

(L. Pfeiffer, 1847)

Chile
19,1 mm



synonyms:

- *Bulimus meridionalis* L.A. Reeve, 1848


Subgenus: Bostryx (Phenacotaxus) W.H. Dall, 1912 (1 SP, 1 IMG)



5822000438
Phenacotaxus
florezi

W.K. Weyrauch, 1967

Peru, Cuzco
17,7 mm




Subgenus: Bostryx (Platybostryx) H.A. Pilsbry, 1896 (2 SP, 1 IMG)



3884955429
Platybostryx
eremothauma

H.A. Pilsbry, 1896


Chile, Caldera
9,6 mm




3884956757
Platybostryx
weyrauchi

H.A. Pilsbry, 1944

Peru, Junin




Subgenus: Bostryx (Pseudoperonaeus) W.K. Weyrauch, 1958 (2 SP, 1 IMG)



3884955301
Pseudoperonaeus
cylindricus

W.K. Weyrauch, 1960



Peru, Lima



3884955821
Pseudoperonaeus
lizarsoae

W.K. Weyrauch, 1967

Peru, Huanuco
17,5 mm





Genus: Bulimulus W.E. Leach, 1814 (syn: Leptomerus, Loboa - 91 SP, 58 IMG)



5664000040
Bulimulus
adserseni

(G. Coppois, 1985)

Galapagos islands



**no
IMAGES
available**
to be checked

3884954029
**Bulimulus
antiguensis**


A. Catlow & L.A. Reeve, 1845
South America

No Georeferenced data available



3880000000
**Bulimulus
apodemetes**

(D'Orbigny, 1835)
Argentina, Cordoba
21,3 mm




synonyms:

- *Helix apodemeta* D'Orbigny, 1835

- *Bulimus pessulatus* L.A. Reeve, 1848

**no
IMAGES
available**
to be checked

3884954037
**Bulimulus
apodemetes
dispar**
M.I. Hylton-Scott, 1952
Argentina



3884954069
**Bulimulus
bonariensis**
(D'Orbigny, 1835)
Uruguay
24 mm




synonyms:

- *Bulimus bonaerensis* D'Orbigny, 1835
- *Bulimus montevideensis* L. Pfeiffer, 1846

- *Bulimus bonaerensis* D'Orbigny, 1835



3884954077
**Bulimulus
brunoi**
H.F.A. von Ihering, 1917
Brasil, Trindade Island
17 mm




**no
IMAGES
available**
to be checked

3884954085
**Bulimulus
buenaventensis**
H.A. Plisby, 1897
French Guyana



3884954093
**Bulimulus
cacticulus**
L.A. Reeve, 1849
Venezuela
24,4 mm




synonyms:

- *Bulimus cacticulus* L.A. Reeve, 1849

**no
IMAGES
available**
to be checked

5664000013
**Bulimulus
castelnauii**
(L. Pfeiffer, 1857)

No Georeferenced data available




5664000096

**Bulimulus
chemitzoides**

(E. Forbes, 1850)

Galápagos Islands



3884957853

**Bulimulus
chrysalooides**

H.A. Pilsbry, 1897

Martinique

**synonyms:**

- Protoglyptus chrysabides H.A. Pilsbry, 1897




3884954109

**Bulimulus
corderoi**

J.J. Parodíz, 1962

Uruguay

24 mm



3884954117

**Bulimulus
coriaceus**

L. Pfeiffer, 1857

Oaxaca, Mexico
17,1 mm**synonyms:**

- Bulimulus behrendti L. Pfeiffer, 1861
- Bulimulus coriaceus berendti L. Pfeiffer, 1861



3884954133

**Bulimulus
cornutus**


G.B. I Sowerby, 1833

Guatemala

**synonyms:**

- Bulimulus cornutus G.B. I Sowerby, 1833
- Bulimulus cornutus nubeculatus L. Pfeiffer, 1853

- Bulimulus nubeculatus L. Pfeiffer, 1853




3884954125

**Bulimulus
cornutus
minor**

(E.C. Von Martens, 1893)



Veracruz, Mexico



3884954149

**Bulimulus
corumbaensis**

H.A. Pilsbry, 1897

Corumba, Brasil
16 mm**synonyms:**

- Bulimus amaeonus C. Bonnet, 1864



3884954157

**Bulimulus
dendrita**


G. Montagu, 1803

South America


No Georeferenced data available



5664000044
Bulimulus
deridderi
(G. Coppois, 1985)
Galapagos islands



3884954181
Bulimulus
diaphanus
L. Pfeiffer, 1855
Saint Thomas, Barbados




3884954173
Bulimulus
diaphanus
V.L.V. Potiez & A. Michaud, 1835
Dominica




3884954197
Bulimulus
dysoni
L. Pfeiffer, 1846
Honduras
19,2 mm




3884954205
Bulimulus
effeminatus
L.A. Reeve, 1848
Colombia
31,1 mm




3884954213
Bulimulus
eganus
L. Pfeiffer, 1853
Amazonia



3884954221
Bulimulus
elatior
M.I. Hylton-Scott, 1952
Argentina



3884954237
Bulimulus
erectus
L.A. Reeve, 1849
Venezuela, Margarita Island
16 mm






3884958037
Bulimulus
euioptus

(H.F.A. von Ihering in H.A. Pilsby
1897)

Brasil, São Paulo



synonyms:


- *Protoglyptus euioptus* H.F.A. von Ihering in H.A. Pilsby, 1897



3880000050
Bulimulus
exilis

J.F. Gmelin, 1791

Guadalupe
13 mm




3884954245
Bulimulus
exilis
concolor
J. Paget, 1914
South America

No Georeferenced data available





3884954253
Bulimulus
eyriesii
H. Drouët, 1859
French Guyana




3884954261
Bulimulus
felipponei
W.B. Marshal, 1930
Uruguay



3880000010
Bulimulus
flossdorfi
E.L. Holberg, 1909
Argentina, Formosa
27,2 mm



3884954045
Bulimulus
fuscus
(L. Gilding, 1828.)
Barbados
21,3 mm




synonyms:

- *Bulimulus barbadensis* L. Pfeiffer, 1853



3884954285
Bulimulus
gelidus
L.A. Reeve, 1849
Ecuador
31,4 mm



synonyms:

- *Bulimulus sporadicus montevidensis* H.A. Pilsby, 1898



3884954293
**Bulimulus
gittenbergeri**
A.S.H. Breure, 1974
Saint Kits and Nevis




3884954301
**Bulimulus
glandiniformis**
G.B. I Sowerby, 1892
Colombia



5812000118
**Bulimulus
gorritensis**
H.A. Plsby, 1897
Uruguay




3884956981
**Bulimulus
graniger**
H.H. Beck, 1837
Chile



3884956989
**Bulimulus
granulosus**
V.L.V. Potiez & A. Michaud, 1835
Peru



3884957013
**Bulimulus
gravesi**
P.P. King, 1831
Chile



3884954317
**Bulimulus
guadelupensis**
J.G. Bruguière, 1792
Guadeloupe
17 mm



synonyms:

- Helix exilis J.F. Gmelin, 1791
- Bulimulus guadeupensis J.G. Bruguière, 1792

- Bulimulus guadelupensis J.G. Bruguière, 1792
- Bulimus rubrifasciatus L.A. Reeve, 1848



3884968232
**Bulimulus
guadelupensis
acutus**
W.E. Leach, 1815
Dominican Republic
20,3 mm



**no
IMAGES
available**
to be checked

3884954309
**Bulimulus
guadelupensis
alba**
G.B. I Sowerby, 1839
Brasil

No Georeferenced data available



3884954325
**Bulimulus
haplochrous**

L. Pfeiffer, 1855
Colombia
28,6 mm



5812000119
**Bulimulus
heloicus**

(D'Orbigny, 1835)
Bolivia
25,6 mm



synonyms:
● *Helix heloica* D'Orbigny, 1835



5812000222
**Bulimulus
hendersoni**

W.B. Marshall, 1931
Rio Negro, Uruguay



**no
IMAGES
available**
to be checked

3884954341
**Bulimulus
houelmontensis**

H.P. Mazé, 1883
Guadeloupe



3880000020
**Bulimulus
hummelincki**



A.S.H. Breure, 1974
Barbuda
16 mm



**no
IMAGES
available**
to be checked



5812000414
**Bulimulus
ihermirieri**


(P. Fischer, 1857)
Guadeloupe



3884954365
**Bulimulus
inconspicuous**

F. Haas, 1949
Peru, Loreto





3884954389
Bulimulus
inutilis

L.A. Reeve, 1850
Central America
16,5 mm

No Georeferenced data available





3880000025
Bulimulus
irregularis

(L. Pfeiffer, 1847)
Ecuador
17 mm





3880000030
Bulimulus
jorgensenii

E.L. Holmberg, 1912
Argentina, Misiones
23,9 mm



3884954405
Bulimulus
jujuyensis

E.L. Holmberg, 1909
Argentina




3884954413
Bulimulus
juvenilis

L. Pfeiffer, 1855
Colombia
19,5 mm





3884954421
Bulimulus
krebssianus

H.A. Pilsbry, 1897
USA, New Jersey





3884954429
Bulimulus
lehmanni

L. Pfeiffer, 1865
Virgin Islands, Anguilla




3884954437
Bulimulus
iherminieri

P. Fischer, 1857
Guadeloupe




**no
IMAGES
available**


388495445
**Bulimulus
limnoides**
A.E.J. Férrussac, 1832
Guadeloupe




388000035
**Bulimulus
lolae**
P.H. Scott, 1967
Argentina, Cordoba
26,5 mm



3884954453
**Bulimulus
marcidus**
L. Pfeiffer, 1853
Brasil, Brasilia
22 mm




3884954461
**Bulimulus
marmatensis**
L. Pfeiffer, 1855
Colombia
18 mm



**no
IMAGES
available**

to be checked


3884954485
**Bulimulus
mendozanus**
P. von Ströbel, 1874
Argentina



**no
IMAGES
available**

to be checked


3884954477
**Bulimulus
mendozanus
bonairensis**
E.L. Holmberg, 1909
Argentina



**no
IMAGES
available**


to be checked

3884954493
**Bulimulus
moei**
J.J. Parodíz, 1962
Argentina



3884954501
**Bulimulus
mollicellus**
L.A. Reeve, 1849
South America
17,2 mm

No Georeferenced data available



3884963221
Bulimulus
monachus

(L. Pfeiffer, 1857)

Peru
23 mm



3884954517
Bulimulus
nichollsi

G.F. Angas, 1885

Dominica



3884958821
Bulimulus
nigromontanus

W.H. Dall, 1897

Mexico, Sonora



synonyms:

- *Bulimulus alternatus nigromontanus* W.H. Dall, 1897



3884954549
Bulimulus
orthodoxus

H. Drouët, 1859

French Guyana



3884957237
Bulimulus
peruvianus

J.G. Bruguière, 1792


Chile, Tome
27,6 mm



3884954557
Bulimulus
pervius

(L. Pfeiffer, 1853)


West Indies
24,3 mm



3884954581
Bulimulus
plicatus

(L. Pfeiffer, 1857)

Bolivia
23 mm



synonyms:

- *Bulimulus plicatus* L. Pfeiffer & S. Clessin, 1881



3884968212
Bulimulus
pliculosus



C.M.F. Ancey, 1901

Brasil
22 mm

No Georeferenced data available



3884954589
**Bulimulus
pouysseguri**
E.L. Holmberg, 1912
Argentina



3884957269
**Bulimulus
prolatus**
A.A. Gould, 1846
Chile



synonyms:
● *Bulimulus rupiculus* L.A. Reeve, 1848



3884954597
**Bulimulus
prosopidus**
E.L. Holmberg, 1912
Bolivia



3884954605
**Bulimulus
pubescens**
S. Moricand, 1846
Brasil, Bahia
19 mm





3884957277
**Bulimulus
pulicarius**
H.H. Beck, 1837
Ecuador
40,2 mm




3884954613
**Bulimulus
riisei**
L. Pfeiffer, 1855
Saint Croix
16 mm



3880000055
**Bulimulus
rushii**
H.A. Pilsby
Uruguay
21 mm



3884954629
**Bulimulus
sarcodes**
L. Pfeiffer, 1846
Honduras




synonyms:
● *Bulimulus sardodes* L. Pfeiffer, 1846



3884954645
Bulimulus
semicinctus

H.A. Pilsbry, 1897
Guadeloupe



3884954653
Bulimulus
sepulchralis

F. Poey, 1850
Cuba




synonyms:

- *Bulimulus sepulcralis* F. Poey, 1850




3884954661
Bulimulus
simplex

H.H. Beck, 1837
Antilles



3880000045
Bulimulus
sporadicus

(D'Orbigny, 1835)
Argentina, Cordoba
21,7 mm



synonyms:


- *Bulimulus bonariensis* sporadicus D'Orbigny, 1835

- *Helix* *sporadica* D'Orbigny, 1835




3884954677
Bulimulus
sporadicus
gracilis

M.I. Hyton-Scott, 1948
Argentina




3884954685
Bulimulus
sporadicus
pampa

H.F.A. von Ihering, 1914
Argentina




3884954693
Bulimulus
sporadicus
subtropicalis

A. Doering, 1879
Argentina




5812000129
Bulimulus
stenogyroides

R.J.L. Guppy, 1868
Dominica






5664000034
***Bulimulus
stilbe***
H.A. Plsby, 1901
Brasil, Sao Paulo



3884954709
***Bulimulus
tenuissimus***
(D'Orbigny, 1835)
Uruguay
19 mm



3884954717
***Bulimulus
thoreyi***
H.H. Beck, 1837
Bolivia




3884954725
***Bulimulus
transparens***
L.A. Reeve, 1849
Venezuela
22,7 mm




3884954733
***Bulimulus
trifasciatus***
W.E. Leach, 1814
West Indies



3884968215
***Bulimulus
trinidadensis***
A.S.H. Breure,
& A.C. dos Santos Coelho, 1976
Brasil, Trindade Island
10 mm



3884968157
***Bulimulus
turritellatus***
H.H. Beck, 1837
Bolivia
17 mm



synonyms:

- *Helix turritella* D'Orbigny, 1835



3884954749
***Bulimulus
ucayalensis***
J.C.H. Crosse, 1871
Ecuador
20,4 mm





3884954765
Bulimulus
unicolor
(G.B. I Sowerby, 1833)
Yucatán, Mexico
12 mm



synonyms:


- *Bulimus ignavus* L.A. Reeve, 1849
- *Bulimulus istapensis* J.C.H. Crosse & P.H. Fischer, 1873
- *Bulimus petenensis* P.M.A. Morelet, 1851
- *Bulimulus unicolor petenensis* P.M.A. Morelet, 1851
- *Bulimulus ochraspis* R.M. Branson & W.D. McCoy, 1965
- *Bulimulus sanmiguelensis* H.G. Richards, 1937





3884954789
Bulimulus
vesicalis
(L. Pfeiffer, 1853)
Uruguay, Montevideo




3884954773
Bulimulus
vesicalis
angustus
W.K. Weyrauch, 1966
Brasil, Rio Grande do Sul




3884954781
Bulimulus
vesicalis
uruguayanus
H.A. Pilsbry, 1897
Argentina
20 mm




3884954797
Bulimulus
viatorum
E.L. Holmberg, 1909
Bolivia



3884954805
Bulimulus
wiebesi
A.S.H. Breure, 1978
Grenada



Genus: *Bulimus* J.G. Bruguère, 1792 (5 SP, 2 IMG)



3740050028
Bulimus
carinatus
J.G. Bruguère, 1789

No Georeferenced data available



3884956909
Bulimus
corrugatus
P.P. King, 1831
Chile





5822000526
**Bulimus
nasutus**
E.C. Von Martens, 1885
Brasil

No Georeferenced data available



5822000517
**Bulimus
pallens**
L.A. Reeve, 1849
unknown locality
17,9 mm

No Georeferenced data available



5822000519
**Bulimus
sowerbyi**
L. Pfeiffer, 1847
Colombia
21,7 mm



Genus: Cochlorina G. Jan, 1830 (syn: Zapagius - 12 SP, 10 IMG)



3882350000
**Cochlorina
aurisleporis**
(J.G. Bruguière, 1789)
Brasil, Espírito Santo
34 mm



3882350005
**Cochlorina
aurisleporis
intensor**
H.A. Pilsbry, 1898
Brasil, Espírito Santo
33 mm




synonyms:

- *Cochlorina aurisleporis* H.A. Pilsbry, 1898



3882350025
**Cochlorina
aurismuris**
S. Moricand, 1833
Brasil, Rio de Janeiro
34 mm



3884960421
**Cochlorina
aurita**
J.B. von Spix, 1827
Brasil

No Georeferenced data available



3884960429
**Cochlorina
involuta**
E.C. Von Martens, 1867
Brasil, Minas Gerais
29,3 mm



**no
IMAGES
available**
to be checked

3884960437
***Cochlorina
lagotis***

K.T. Menke, 1828
South America

No Georeferenced data available



3882350010
***Cochlorina
lateralis***

K.T. Menke, 1828
Brasil, Guarapari
34 mm



3884968216
***Cochlorina
laterita***

(H.A. Pilsby, 1898)
Brasil
30 mm

No Georeferenced data available



3884960453
***Cochlorina
leporis***

J.B.P.A. Lamarck, 1822
Brasil
36,1 mm

No Georeferenced data available



3884960461
***Cochlorina
lyonetiana***

H.C. Küster, 1840
Brasil

No Georeferenced data available



3884960469
***Cochlorina
myotis***

H.H. Beck, 1837
South America

No Georeferenced data available



3882350015
***Cochlorina
navicularis***

(J.A. Wagner in J.B. von Spix, 1827)
Brasil, Bahia
30,5 mm



synonyms:

- *Cochlorina navicula* J.A. Wagner in J.B. von Spix, 1827



3882350035
***Cochlorina
navicularis
lateritus***
H.A. Pilsby

Brasil, Guarapari
25 mm



no
IMAGES
available
to be checked

3884960477
Cochlorina
navicularis
linter
I.H. Jonas, 1844

No Georeferenced data available



3882350020
Cochlorina
uranops
H.A. Pilsbry, 1898
Brasil, Minas Gerais
30 mm




Genus: Drymaeus J.A. Albers, 1850 (syn: Gonognathus, Hamadryas, Mormus, Semiclausaria - 322 SP, 194 IMG)



3884960501
Drymaeus
abruptus
H. Rolle, 1905
Peru, Huancabamba
42,5 mm



3884960509
Drymaeus
abscessus
L. Pfeiffer, 1855
Ecuador, Quito
27,8 mm



3884960517
Drymaeus
abyssorum
(D'Orbigny, 1835)
Bolivia
43,7 mm



synonyms:

- *Helix abyssorum* D'Orbigny, 1835
- *Helix hygrohylaea* D'Orbigny, 1835

- *Drymaeus hygrohylaeus* D'Orbigny, 1835



3884960541
Drymaeus
acervatus
L. Pfeiffer, 1857
Brasil, Sao Paul
32 mm



3884960525
Drymaeus
acervatus
balteatus
H.A. Pilsbry, 1898
Brasil

No Georeferenced data available



3884960533
Drymaeus
acervatus
paucipunctatus
H.A. Pilsbry, 1898
Brasil



No Georeferenced data available



3884960549

**Drymaeus
acobambensis**


W.K. Weyrauch, 1967

Peru, Huancavelica
30 mm

3884960557

**Drymaeus
acuminatus**


S.I. Da Costa, 1906

Brasil, Mato Grosso
33,4 mm

3884960565

**Drymaeus
aequatorianus**


E.A. Smith, 1877

Ecuador
28,8 mm

3884960581

**Drymaeus
labastrinus**



S.I. Da Costa, 1906

Colombia
33 mm

3884960589

**Drymaeus
albolabiatus**

(E.A. Smith, 1877)

Ecuador
34 mm

3884960613

**Drymaeus
alsophilus**

R.A. Philippi, 1867

Peru



3884960621

**Drymaeus
altenai**

A.S.H. Breure, 1976

Surinam


No Georeferenced data available



3884960653

**Drymaeus
ambustus**

(L.A. Reeve, 1849)

Ecuador
29 mm**synonyms:**

- *Bulimus chamaeleon* L. Pfeiffer, 1855

**no
IMAGES
available**
to be checked

3884960661
**Drymaeus
amoenus**
L. Pfeiffer, 1847
Venezuela



**no
IMAGES
available**
to be checked

3884960669
**Drymaeus
anceps**
J.A. Albers, 1854
Colombia



**no
IMAGES
available**
to be checked

3884960677
**Drymaeus
andai**
F.P. Jousseaume, 1898
Ecuador



**no
IMAGES
available**
to be checked

3884960693
**Drymaeus
angasi**
E.C. Von Martens, 1893
Costa Rica




**no
IMAGES
available**
to be checked

3884960701
**Drymaeus
anguillensis**
L. Pfeiffer, 1865
Anguilla

No Georeferenced data available



3884960709
**Drymaeus
angulobasis**
H.A. Plsby, 1944
Peru, Huanchaco




3884960717
**Drymaeus
angustus**
S.I. Da Costa, 1906
Colombia
31,5 mm



**no
IMAGES
available**
to be checked

3884960725
**Drymaeus
annulatus**
L.A. Reeve, 1849
Bolivia





3884960741
Drymaeus
apicepunctatus

H.B. Preston, 1914

Peru
17,5 mm



3884960757
Drymaeus
arcuatostriatus

(L. Pfeiffer, 1855)

Peru
27,6 mm



5664000014
Drymaeus
aurantiostomus

F.G. Thompson & J.E. Deisler, 1982

No Georeferenced data available



3884960813
Drymaeus
aureolus

R.J.L. Guppy, 1866

Trinidad
23,2 mm



3884960789
Drymaeus
aureolus
albescens

R.J.L. Guppy, 1870

Trinidad



3884960797
Drymaeus
aureolus
fasciatus

R.J.L. Guppy, 1871



Trinidad



3884960829
Drymaeus
auris

L. Pfeiffer, 1866


Venezuela
39 mm



3884960837
Drymaeus
aurisratti

R.A. Philippi, 1867

Peru
32,9 mm






3884960845
**Drymaeus
baezensis**
J.G. Hidalgo, 1866
Ecuador



3884960861
**Drymaeus
bahamensis**
L. Pfeiffer, 1862
Haiti



3884960853
**Drymaeus
bahamensis
tortugensis**
H.A. Pilsby & E.G. Vanatta, 1928
Haiti



3884960733
**Drymaeus
baranguillanus**
(L. Pfeiffer, 1853)
Colombia
29,6 mm



synonyms:
● Drymaeus antioquensis L. Pfeiffer, 1855




3884960877
**Drymaeus
bartletti**
A. Adams, 1866
Peru
28,5 mm



3884960885
**Drymaeus
basitorus**
F. Haas, 1951
Peru



3884960901
**Drymaeus
bequaerti**
W.K. Weyrauch, 1956
Peru, Cajamarca




3884960917
**Drymaeus
beyerleanus**
L.H. Hupé, 1857
Peru





3884960909
**Drymaeus
beyerleanus
mitchelli**
W.H. Dall, 1912

Chinche, Peru



3884960933
**Drymaeus
binominis**
R.J.L. Guppy, 1868

Grenada
22,1 mm



synonyms:


- *Drymaeus binominis lascellesianus* E.A. Smith, 1895

- *Drymaeus binominis lascellianus* E.A. Smith, 1895



3884960941
**Drymaeus
bivittatus**
G.B. I Sowerby, 1833

Brasil, Amazon River
19 mm



synonyms:

- *Bulimus flexilabris* L. Pfeiffer, 1853



3884960949
**Drymaeus
blandi**
H.A. Pilsbry, 1898

Ecuador




synonyms:

- *Drymaeus bellus* S.I. Da Costa, 1906



3884960957
**Drymaeus
bogotensis**
L. Pfeiffer, 1855

Colombia



3884960965
**Drymaeus
boliviari**
(D'Orbigny, 1835)

Bolivia, Cochabamba




synonyms:

- *Helix boliviari* D'Orbigny, 1835




3884960973
**Drymaeus
boliviarius**
L. Pfeiffer, 1846

Venezuela, Merida
33 mm



3884961005
**Drymaeus
boucardi**
S.I. Da Costa, 1907

Panama, Chiriqui
26,9 mm






3884961013
**Drymaeus
bourcieri**

L. Pfeiffer, 1853

Ecuador
23,9 mm



3884961029
**Drymaeus
brachysoma**

(D'Orbigny, 1835)

Bolivia



synonyms:



- *Helix brachysoma* D'Orbigny, 1835
- *Drymaeus brachystoma* D'Orbigny, 1835



3884961037
**Drymaeus
branneri**

F.C. Baker, 1914

Brasil, Madeira



3884961053
**Drymaeus
bucia**

L. Pfeiffer, 1859

Brasil

No Georeferenced data available



3884961061
**Drymaeus
buckleyi**

(G.B. I Sowerby, 1895)


Ecuador
27 mm



3884961077
**Drymaeus
cacticorvus**

W.J. Broderip, 1832

Colombia
28,8 mm



synonyms:


- *Drymaeus nitidus* W.J. Broderip, 1832



3884961093
**Drymaeus
canaliculatus**

L. Pfeiffer, 1845

Peru, Piura
36 mm



3884961101
**Drymaeus
canarius**

L. Pfeiffer, 1867

Peru






3884961117
Drymaeus cantatus

L.A. Reeve, 1848
Colombia, Bogotà




3884961109
Drymaeus cantatus medinanus
H.A. Pilsbry, 1935

Colombia



3884961125
Drymaeus caraibaorum

J.B.P.A. Lamarck, 1822
Antilles



3884961141
Drymaeus castaneostriatus


S.I. Da Costa, 1906
Peru
20,4 mm



3884961149
Drymaeus castrensis


L. Pfeiffer, 1847
South America

No Georeferenced data available




3884961181
Drymaeus catamensis

K. Miller, 1879
Ecuador



3884961189
Drymaeus catenae

F. Haas, 1952
Peru



3884961197
Drymaeus caucaensis

S.I. Da Costa, 1898
Colombia
34,8 mm





3884961213
Drymaeus
celandinensis

W.K. Weyrauch, 1956
Peru, Cajamarca



3884961221
Drymaeus
cerussatus

L.A. Reeve, 1849
South America

No Georeferenced data available



3884961245
Drymaeus
chanchamayensis

J.G. Hidalgo, 1870
Peru



3884961261
Drymaeus
chenui

R.A. Philippi, 1867
Peru
29 mm




3884961269
Drymaeus
chevallieri

A.S.H. Breure, 1976
French Guyana



3884961277
Drymaeus
chiapensis

L. Pfeiffer, 1866
Mexico





3884961301
Drymaeus
chiapensis

E.C. Von Martens, 1893
Chiapas, Mexico



3884961285
Drymaeus
chiapensis
nebulosus

E.C. Von Martens, 1893
Ciudad Mexico



no
IMAGES
available

3884961293
**Drymaeus
chiapensis**
quadriascutatus
E.C. Von Martens, 1893
Veracruz, Mexico





3884961309
**Drymaeus
chimborasensis**
L.A. Reeve, 1848
Colombia
39,7 mm



no
IMAGES
available

to be checked

3884961341
**Drymaeus
chrysomelas**
E.C. Von Martens, 1867
Amazonia



no
IMAGES
available

to be checked

3884961325
**Drymaeus
chrysomelas**
crebristriga
E.C. Von Martens, 1867
Amazone

No Georeferenced data available



3884961333
**Drymaeus
chrysomelas**
raristriga
E.C. Von Martens, 1867
Amazone

No Georeferenced data available



3884961357
**Drymaeus
clarus**
L. Pfeiffer, 1857
Peru
15,9 mm



3884961365
**Drymaeus
clathratus**
L. Pfeiffer, 1858
Peru
30 mm



3884961381
**Drymaeus
coarctatus**
L. Pfeiffer, 1845
Brasil
34,6 mm

No Georeferenced data available



3884961405
Drymaeus
cognatus

H.A. Pilsbry, 1901


Colombia
42 mm



3884961413
Drymaeus
columensis

H. Rolle, 1895


Mexico, Colima
29,1 mm



3884961429
Drymaeus
columbianus

H.C. Lea, 1838

Colombia, Magdalena River
26,4 mm



synonyms:

- *Drymaeus columbianus* H.C. Lea, 1838
- *Drymaeus hachensis* L.A. Reeve, 1850

- *Drymaeus grunerii* L. Pfeiffer, 1846



3884961453
Drymaeus
comis

H.B. Preston, 1907

Colombia



3884961461
Drymaeus
confluens

L. Pfeiffer, 1855

Colombia
39,5 mm



3884961477
Drymaeus
conus

H.A. Pilsbry, 1902

South America


No Georeferenced data available



3884961485
Drymaeus
convexus


(L. Pfeiffer, 1855)

Ecuador
34 mm



synonyms:



- *Drymaeus plicatiliratus* S.I. Da Costa, 1898



3884961501
Drymaeus
costaricensis

L. Pfeiffer, 1862

Nicaragua



synonyms:

- *Bulimus navarensis* G.F. Angas, 1875

**no
IMAGES
available**
to be checked

3884961509
**Drymaeus
cuernavacensis**
P.H. Fischer & J.C.H. Crosse, 1874
Mexico



**no
IMAGES
available**
to be checked

3884961517
**Drymaeus
curiananus**
L.A. Reeve, 1849
Venezuela



3884961525
**Drymaeus
cuticulus**
L. Pfeiffer, 1855
Brasil, Rio de Janeiro
27,5 mm



3884961533
**Drymaeus
cuzcoensis**
L.A. Reeve, 1849
Peru, Cuzco
26,6 mm




3884961541
**Drymaeus
cygneus**
R.A. Philippi, 1867
Peru



3884961549
**Drymaeus
cylindricus**
S.I. Da Costa, 1901
Peru
30,6 mm



3884961557
**Drymaeus
dacostae**
G.B. I Sowerby, 1892
Colombia
26,3 mm




3884961565
**Drymaeus
dacostianus**
H.A. Pilsby, 1898
South America

No Georeferenced data available



5822000564
Drymaeus
dakryodes

R.B. Salvador, D.C. Cavallari,
& L.R.L. Simone, 2015
Brasil, Goiás
40 mm



3884961573
Drymaeus
debilis

H.H. Beck, 1837
South America

No Georeferenced data available





3884961581
Drymaeus
decoloratus

G.B. I Sowerby, 1833
Peru



3884961597
Drymaeus
decoratus

H.C. Lea, 1838
Colombia, Bogotá



3884961589
Drymaeus
decoratus
goniobasis
H.A. Pilsbry, 1898

Colombia



3884961653
Drymaeus
dombeyanus



(L. Pfeiffer, 1846)
Jalisco, Mexico
44 mm



3882450005
Drymaeus
dormani


W.G. Binney, 1857
Florida

● Helix dombeyana L. Pfeiffer, 1846



3884961661
Drymaeus
dormani
albida

B.H. Wright, 1890
Florida



**no
IMAGES
available**
to be checked

3884961669
**Drymaeus
dormani
subfasciatus**
T.D.A. Cockerell, 1891
South America

No Georeferenced data available

**no
IMAGES
available**

3884961677
**Drymaeus
draparnaudi**
L. Pfeiffer, 1847
Bolivia




3884961709
**Drymaeus
dunkeri**
L. Pfeiffer, 1846
Michoacan, Mexico
18 mm



**no
IMAGES
available**

5812000105
**Drymaeus
dunkeri
forneri**
(A. Mousson, 1883)
Chihuahua, Mexico



3884961725
**Drymaeus
dybuys**
L. Pfeiffer, 1853
Colombia



**no
IMAGES
available**
to be checked

5664000035
**Drymaeus
edmulleri**
(J.A. Albers, 1854)

No Georeferenced data available




3884961749
**Drymaeus
elegantissimus**
A. Mousson, 1873
South America

No Georeferenced data available



3884961781
**Drymaeus
elsteri**
S.I. Da Costa, 1901
Amazonas Province, Peru



**no
IMAGES
available**
to be checked

3884961805
**Drymaeus
eucosmetus**
F. Haas, 1955
Peru, Lambayeque



3884961813
**Drymaeus
eurystomus**
R.A. Philippi, 1867
Peru
30,56 mm



3884962317
**Drymaeus
eurystomus
hamadryas**
R.A. Philippi, 1867
Peru
29 mm



**no
IMAGES
available**
to be checked

3884961821
**Drymaeus
eusteurus**
H.A. Pilsbry, 1944
Peru



**no
IMAGES
available**
to be checked

3884961829
**Drymaeus
eversus**
A. Mousson, 1873
South America

No Georeferenced data available



**no
IMAGES
available**
to be checked

3884961837
**Drymaeus
extinctus**
L. Pfeiffer, 1855
St. Croix



No Georeferenced data available



3884961845
**Drymaeus
exoticus**
S.I. Da Costa, 1901
Colombia
24,8 mm



3884961909
**Drymaeus
expansus**
L. Pfeiffer, 1848
Bolivia




synonyms:


- *Drymaeus expansus scitus* A. Adams, 1867
- *Otostomus scitus* A. Adams, 1867




3884961853
**Drymaeus
expansus
altorum**
W.K. Weyrauch, 1958
Peru, Junin



3884961861
**Drymaeus
expansus
balboa**
H.A. Pilsbry, 1926
Panama




3884961869
**Drymaeus
expansus
flavilabrum**
W.K. Weyrauch, 1967
Peru, Ucayali river
42 mm



3884961877
**Drymaeus
expansus
orcesi**
W.K. Weyrauch, 1958
Ecuador



3884961885
**Drymaeus
expansus
perenensis**
S.I. Da Costa, 1901
Peru, Junin
45,8 mm




3884961893
**Drymaeus
expansus
subprotractus**
H.A. Pilsbry, 1901
Peru



3884961901
**Drymaeus
expansus
vanattai**
H.A. Pilsbry, 1898
Peru
38 mm




3884961917
**Drymaeus
expatriatus**
H.B. Preston, 1909
Bolivia
28,1 mm





3884961925
**Drymaeus
extraneus**

F. Haas, 1955
Venezuela




3884961933
**Drymaeus
fabrefactus**

L.A. Reeve, 1848
Colombia
38,5 mm



3884961957
**Drymaeus
fallax**

L. Pfeiffer, 1853
Ecuador
25,4 mm




synonyms:

- *Drymaeus laetus* A.A. Gould, 1856



3884961949
**Drymaeus
fallax
chicoensis**
A.S.H. Breure, 1977

Colombia




3884961973
**Drymaeus
farrisi**

L. Pfeiffer, 1858
Peru, Cajamarca
48,09 mm





3884961965
**Drymaeus
farrisi**
quadritaeniatus
W.K. Weyrauch, 1956

Peru, La Libertad




3884961981
**Drymaeus
fasciarum**
H.A. Pilsbry, 1939

Colombia



3884961989
**Drymaeus
felix**
L. Pfeiffer, 1862

Colombia, Cundinamarca
32 mm






3884961997
Drymaeus
fenestratus

L. Pfeiffer, 1846

Colima, Mexico
44 mm



synonyms:

- *Drymaeus pleschii* E.C. Von Martens, 1864



3884962061
Drymaeus
flexuosus

L. Pfeiffer, 1852

Venezuela
30,3 mm






3884962053
Drymaeus
flexuosus
megas
H.A. Pilsbry, 1944

Colombia



3884962077
Drymaeus
floridianus
W.G. Binney, 1859

Florida



3884962093
Drymaeus
fluctuatus
H.H. Beck, 1837

South America

No Georeferenced data available



3884962085
Drymaeus
fluctuatus
lituratus
H.H. Beck, 1837

South America

No Georeferenced data available



3884962109
Drymaeus
fordii
H.A. Pilsbry, 1898

South America



No Georeferenced data available



3884962125
Drymaeus
fresnoensis

H.A. Pilsbry, 1898

Colombia, Fresno





3884962133
Drymaeus fuscatus

L.A. Reeve, 1849

Colombia
23,5 mm



3884962141
Drymaeus funeralis

J.G. Bruguière, 1789

South America


No Georeferenced data available



5812000217
Drymaeus fusagasuganus

H.A. Plsby, 1935

Colombia



3884962149
Drymaeus fuscobasis

(E.A. Smith, 1877)

Peru

28,7 mm



synonyms:

- *Liostracus fuscobasis* E.A. Smith, 1877



3884962157
Drymaeus fusoides

(D'Orbigny, 1835)

Ecuador



synonyms:


- *Helix fusoides* D'Orbigny, 1835



3884962173
Drymaeus gabianus

W.G. Binney, 1884

Costa Rica



3884962189
Drymaeus geometricus

L. Pfeiffer, 1846

Colombia



3884962197
Drymaeus gereti

C.M.F. Ancey, 1901


Brasil

15 mm


No Georeferenced data available



3884962205
Drymaeus germani
C.M.F. Aney, 1892
Brasil, São Paulo
27,4 mm



3884962237
Drymaeus gibber
F. Haas, 1949
Peru, Huanuco




3884962253
Drymaeus glaucostomus
J.A. Albers, 1852
Venezuela



3884962245
Drymaeus glaucostomus meesi
A.S.H. Breure, 1976
Surinam


No Georeferenced data available




5664000094
Drymaeus goianensis
A.V.C. Dutra-Clarke,
& F.V.B.A. Souza, 1991
Brasil, Pernambuco





3884962261
Drymaeus gorgonensis
F. Haas, 1966
Colombia



3884962277
Drymaeus grenadensis
L. Pfeiffer, 1848
Grenada



3884962285
Drymaeus griffini
F. Haas, 1955
Venezuela





3884962301
Drymaeus
gueinzii

L. Pfeiffer, 1857



Peru
25 mm



3884962325
Drymaeus
harringtoni

W.B. Marshal, 1930

Salta, Argentina



3884962373
Drymaeus
henselii

E.C. Von Martens, 1868

Brasil, Rio Grande do Sul
25,8 mm



3884962389
Drymaeus
hepaticus

J.A. Albers, 1854

Colombia



3884962381
Drymaeus
hepaticus
libertadensis
H.A. Pilsby, 1898

South America

No Georeferenced data available



3884962437
Drymaeus
hidalgovi

S.I. Da Costa, 1898



Ecuador
36,7 mm



3884968153
Drymaeus
higrohylaeus

(D'Orbigny, 1835)



Argentina
27 mm



3884962445
Drymaeus
hjalmarsoni


L. Pfeiffer, 1856

Puerto Rico







3884962453
**Drymaeus
honduranus**
E.C. Von Martens, 1893
Honduras



3884962469
**Drymaeus
hondurianus**
H.B. Tristram, 1861
Guatemala



3884962477
**Drymaeus
humboldtii**
L.A. Reeve, 1849
Mexico




3884962485
**Drymaeus
hyematus**
L.A. Reeve, 1848
South America

No Georeferenced data available



3884962501
**Drymaeus
hyltoni**
J.J. Parodíz, 1957
Salta, Argentina
38 mm




5664000016
**Drymaeus
icterostomus**
(E.C. Von Martens, 1901)
Brasil

No Georeferenced data available



3884962517
**Drymaeus
immaculatus**
C.B. Adams, 1850
Jamaica



3884963325
**Drymaeus
imperfectus**
(R.J.L. Guppy, 1866)
Trinidad and Tobago
24 mm



synonyms:

- *Drymaeus multifasciatus imperfectus* R.J.L. Guppy, 1866
- *Drymaeus trinitarius* E.A. Smith, 1896



3884962525
**Drymaeus
inaequalis**

L. Pfeiffer, 1857


Ecuador
26,4 mm



3884962533
**Drymaeus
inca**

M. Smith, 1943

Peru, Junin



3884962549
**Drymaeus
inclinatus**

L. Pfeiffer, 1862



Colombia
33,1 mm



3884962557
**Drymaeus
incognitus**

S.I. Da Costa, 1907

Colombia, Bogota
29,8 mm



3884962581
**Drymaeus
insulaecygni**

W.F. Clapp, 1914

West Indies



3884962597
**Drymaeus
interictus**

E.C. Von Martens, 1867



Peru, Chanchamayo
30 mm



3884962589
**Drymaeus
interictus
diversipictus**

H.A. Pilsby, 1944



Peru



3884962605
**Drymaeus
interpunctus**



E.C. Von Martens, 1887

Brasil, Sao Paulo
26 mm





3884962613
**Drymaeus
interruptofasciatus**
J.H. Verhout, 1914
Suriname



3884962621
**Drymaeus
interruptus**
H.B. Preston, 1909
Venezuela
24,5 mm



3884962645
**Drymaeus
iodostomus**
L. Deville & L.H. Hupé, 1850
Peru





3884962701
**Drymaeus
josephus**
G.F. Angas, 1878
Bocas del Toro, Panama



3884962677
**Drymaeus
josephus
concolor**
E.C. Von Martens, 1893
Costa Rica




3884962685
**Drymaeus
josephus
errans**
H.A. Pilsbry, 1926
Panama



3884962693
**Drymaeus
josephus
maculosus**
E.C. Von Martens, 1893
Costa Rica



3884962709
**Drymaeus
jousseaumei**
P. Dautzenberg, 1901
Peru, Hualaga
47,6 mm






3884962789
Drymaeus
koppeli
(G.B. I Sowerby, 1892)

Colombia
25,5 mm



3884962797
Drymaeus
lacteus
H.C. Lea, 1838

Venezuela




3884962821
Drymaeus
laticinctus
R.J.L. Guppy, 1868

Dominica



3884962829
Drymaeus
latitesta
F. Haas, 1952

Peru



3884962845
Drymaeus
latrei
(L. Pfeiffer, 1846)

Guatemala
42,6 mm





3884962837
Drymaeus
latrei
hiabundus
E.C. Von Martens, 1893

Guatemala



3884962861
Drymaeus
laxostylus
H. Rolle, 1905

Peru, Huancabamba
39,9 mm



3884962869
Drymaeus
leai
H.A. Pilsbry, 1898

South America

No Georeferenced data available

**no
IMAGES
available**
to be checked

3884962877
**Drymaeus
lentiginosus**
R.A. Philippi, 1869
Peru



**no
IMAGES
available**

3884962885
**Drymaeus
leucomelas**
J.A. Albers, 1854
Colombia



3884962941
**Drymaeus
lilacinus**
(L.A. Reeve, 1849)
Nicaragua
45,5 mm




synonyms:

- *Bulimus patricius* L.A. Reeve, 1849


**no
IMAGES
available**

3884962901
**Drymaeus
lilacinus
crossei**
E.C. Von Martens, 1885
Guatemala



**no
IMAGES
available**

3884962909
**Drymaeus
lilacinus
ictericus**
E.C. Von Martens, 1893
Guatemala




3884962917
**Drymaeus
lilacinus
jansoni**
E.C. Von Martens, 1893
Nicaragua
45,7 mm




**no
IMAGES
available**

3884962925
**Drymaeus
lilacinus
undulosus**
E.C. Von Martens, 1893
Guatemala




**no
IMAGES
available**

3884962933
**Drymaeus
lilacinus
unicolor**
E.C. Von Martens, 1893
Guatemala






3884962957
**Drymaeus
iliacea**
A.E.J. Férrusac, 1821
Puerto Rico



3884962949
**Drymaeus
iliacea
flavescens**
A.E.J. Férrusac, 1821
Puerto Rico




3884962965
**Drymaeus
limicolarioroides**
F. Haas, 1936
Brasil

No Georeferenced data available



3884962973
**Drymaeus
limpidus**
H. Drouët, 1859
French Guyana




3884962997
**Drymaeus
linostoma**
(D'Orbigny, 1835)
Bolivia
29,7 mm



synonyms:
● Helix linostoma D'Orbigny, 1835



3884962989
**Drymaeus
linostoma
suprapunctatus**
F.C. Baker, 1914
Brasil, Madeira




3884963021
**Drymaeus
literatus**
J.B. von Spix, 1827
Brasil

No Georeferenced data available



3884963045
**Drymaeus
lophoicus**
(D'Orbigny, 1835)
Bolivia
32,7 mm





synonyms:
● Helix lophoica D'Orbigny, 1835



3884963077
Drymaeus
lusorius

L. Pfeiffer, 1855

Amazonia
23 mm




3884963085
Drymaeus
lynchi

J.J. Parodiz, 1946

Brasil
27,8 mm

No Georeferenced data available



3884963093
Drymaeus
magus

J.A. Wagner, 1827

Brasil, São Paulo



3884963101
Drymaeus
malleatus

S.I. Da Costa, 1898

Bolívia
34,5 mm



3882454025
Drymaeus
manoeli

S. Moricand, 1833

Brasil, Recife
27 mm



to be checked

3884963117
Drymaeus
marcapatensis

A.S.H. Breure, 1979

South America

No Georeferenced data available



to be checked

3884963125
Drymaeus
marielinus

F. Poey, 1851

Cuba



3884963133
Drymaeus
marmorinus

(D'Orbigny, 1835)

Bolívia
37,9 mm



synonyms:

- *Helix marmorina* D'Orbigny, 1835

no
IMAGES
available

3884963149
Drymaeus
megastomus

J.J. Parodíz, 1962
Costa Rica



no
IMAGES
available
to be checked

3884963157
Drymaeus
melanoscolops

W.L.H. Dohrn, 1882
Brasil

No Georeferenced data available

no
IMAGES
available

3884963165
Drymaeus
membielinus

J.C.H. Crosse, 1867
Colombia



no
IMAGES
available

3884963173
Drymaeus
membranaceus

L.A. Reeve, 1849
South America

No Georeferenced data available



3884963197
Drymaeus
mexicanus

J.B.P.A. Lamarck, 1822
Peru, Cajamarca
19 mm



synonyms:


- *Bulinus humboldti* L.A. Reeve, 1849

no
IMAGES
available

to be checked

3884963189
Drymaeus
mexicanus
gracilior

L. Pfeiffer, 1848
Mexico



3884968187
Drymaeus
mexicanus
primularis

(L.A. Reeve, 1849)
Peru
32 mm



no
IMAGES
available

to be checked

3884963205
Drymaeus
miliaris

R.A. Philippi, 1867
Peru



**no
IMAGES
available**
to be checked

3884963213
Drymaeus
miltochrous
J.A. Albers, 1854
Colombia





3884963229
Drymaeus
montagnei
D'Orbigny, 1836
Bolivia, Santa Cruz
23,3 mm



**no
IMAGES
available**
to be checked

3884963245
Drymaeus
morenoi
H.B. Preston, 1907
Argentina



**no
IMAGES
available**
to be checked



3884963293
Drymaeus
muelleggeri
S.G.A. Jaeckel, 1927
Brasil

No Georeferenced data available



**no
IMAGES
available**
to be checked

3884963333
Drymaeus
multifasciatus
J.B.P.A. Lamarck, 1822
Guadeloupe



**no
IMAGES
available**
to be checked


3884963309
Drymaeus
multifasciatus
albicans
H.P. Mazé, 1874
Martinique




**no
IMAGES
available**
to be checked

3884963317
Drymaeus
multifasciatus
christopheri
H.A. Pilsbry, 1899
St. Kitts

No Georeferenced data available



3884963341
Drymaeus
multiguttatus
W.K. Weyrauch, 1964
Peru, Huanuco







3884963381
Drymaeus
murrinus

L.A. Reeve, 1848

Colombia, Bogotá
37,1 mm



synonyms:



- *Bulimus phryne* L. Pfeiffer, 1863



3884963405
Drymaeus
narcissus

J.A. Albers, 1854


Colombia



3884963429
Drymaeus
niceforonis

H.A. Plisby, 1939



Colombia



3884963437
Drymaeus
nigroapicatus

L. Pfeiffer, 1857

Bolivia



3884963453
Drymaeus
nigrofasciatus

(L. Pfeiffer, 1846)

Colombia



3884963445
Drymaeus
nigrofasciatus
elongatulus
H.A. Plisby, 1898

South America

No Georeferenced data available



3884963469
Drymaeus
nigrogularis

W.L.H. Dohrn, 1882

Brasil
34 mm

No Georeferenced data available




3884963461
Drymaeus
nigrogularis
ribeiroi
H.F.A. von Ihering, 1915

Brasil

No Georeferenced data available



3884963477
**Drymaeus
nigroumbilicatus**
H.B. Preston, 1907
Bolivia



3884963493
**Drymaeus
nitidulus**
H.H. Beck, 1837
South America

No Georeferenced data available



3884963509
**Drymaeus
notabilis**
(S.I. Da Costa, 1906)

Colombia
32,8 mm



3884963517
**Drymaeus
notatus**

S.I. Da Costa, 1906
Colombia
34,5 mm



3884963541
**Drymaeus
nyctianus**

L. Pfeiffer, 1853
Ecuador
21,4 mm



synonyms:

- Thaumastus nyctianus L. Pfeiffer, 1853
- Thaumastus nyctianus nigricans A. Cousin, 1887

- Drymaeus nyctianus nigricans A. Cousin, 1887



3884963549
**Drymaeus
occidentalis**

K. Miller, 1879
Ecuador




3884963557
**Drymaeus
ochrocheilus**

E.A. Smith, 1877
Ecuador
37,1 mm



3884963573
**Drymaeus
orobaena**

D'Orbigny, 1835
Bolivia





3884963581
Drymaeus
orthostoma

E.A. Smith, 1877

Ecuador
34,7 mm



3884963589
Drymaeus
paeteli

J.A. Albers, 1854

Peru



3884963605
Drymaeus
palassus

A.S.H. Breure & A. Eskens, 1981


Peru



3884963613
Drymaeus
pallidior

W.H. Dall, 1893


Costa Rica



3884963645
Drymaeus
pampلونensis

H.A. Plisby, 1939


Colombia



3882450020
Drymaeus
papyraceus

J. Mawe, 1823

Uruguay
36,2 mm



3884963661
Drymaeus
papyraceus
lator

H. Strelbel, 1882

Brasil

No Georeferenced data available



3882454000
Drymaeus
papyraceus
papyrifactus

H.A. Plisby, 1898

Brasil

No Georeferenced data available



3882450025
Drymaeus
papyrascens

H.A. Pilsbry, 1892

Uruguay
31 mm



5812000218
Drymaeus
parvicygni

H.A. Pilsbry, 1930

Honduras, Swan Islands



synonyms:

- *Drymaeus parvicygni* H.A. Pilsbry, 1930



3884963677
Drymaeus
parvus

H.C. Lea, 1838

Colombia
18 mm



3884963709
Drymaeus
pealianus

H.C. Lea, 1838

Colombia



3884963717
Drymaeus
peleii

L.A. Reeve, 1859


Ecuador



3884963733
Drymaeus
pereirai

J.J. Parodíz, 1958



Bolivia



3884963741
Drymaeus
pergracilis

H. Rolle, 1905


Peru, Cuzco
33,2 mm



3882454005
Drymaeus
perlucidus

J.B. von Spix, 1827


Espirito Santo, Brasil





3884963765
Drymaeus petasites

K. Miller, 1878
Ecuador



3884963781
Drymaeus picturata



A.E.J. Féussac, 1821
South America

No Georeferenced data available



3884963813
Drymaeus pilosryi

J. Zetek, 1934
Panama




3884963821
Drymaeus planbasis

H.A. Pilsbry, 1932
Ecuador




3884963837
Drymaeus pluviatilis

L. Pfeiffer, 1862
Costa Rica





3882450030
Drymaeus poecilus

(D'Orbigny, 1835)
Brasil, Mato Grosso
26,6 mm





3884963845
Drymaeus poecilus ictericus

(C.M.F. Ancey, 1892)
Brasil, Mato Grosso
28,1 mm



3884963853
Drymaeus poecilus major

D'Orbigny, 1836
Bolivia






3884963861
**Drymaeus
poecilus
minor**
D'Orbigny, 1836
Bolivia




3884963869
**Drymaeus
poecilus
percandidus**
W.H. Dall, 1912
Peru, Chirche



3884963877
**Drymaeus
poecilus
sanctanaeensis**
W.H. Dall, 1912
Peru




3884963885
**Drymaeus
poecilus
tricinctus**
J.J. Parodíz, 1962
Bolivia




3884963893
**Drymaeus
ponsonbyi**
S.I. Da Costa, 1907
Peru
33,5 mm




3884963901
**Drymaeus
praetextus**
(L.A. Reeve, 1850)
Peru, Cajamarca
39 mm



3884963949
**Drymaeus
protractus**
L. Pfeiffer, 1855
Tarapoto, Peru
37,3 mm



3884963957
**Drymaeus
pseudelatus**
F. Haas, 1951
Peru, Apurimac



**no
IMAGES
available**
to be checked

3884963965
**Drymaeus
pseudobesus**
A.S.H. Breure, 1979
South America

No Georeferenced data available



3884963973
**Drymaeus
pseudofusoides**
S.I. Da Costa, 1906
Colombia
33,6 mm



**no
IMAGES
available**
to be checked

5664000017
**Drymaeus
pulchellus**
(W.J. Broderip in W.J. Broderip,
& G.B. I Sowerby, 1832)

No Georeferenced data available



3884963989
**Drymaeus
pulcherrimus**
A. Adams, 1867
Peru
39,1 mm



3884964013
**Drymaeus
punctatus**
S.I. Da Costa, 1907
Peru, Junin
35,1 mm




**no
IMAGES
available**
to be checked

3884963997
**Drymaeus
punctatus
albida**
S.I. Da Costa, 1907
Peru




**no
IMAGES
available**
to be checked

3884964005
**Drymaeus
punctatus
ventricosa**
S.I. Da Costa, 1907
Peru



**no
IMAGES
available**
to be checked

3884964021
**Drymaeus
punctulatus**
L. Pfeiffer, 1857
Bolivia





3884964029
Drymaeus quadrifasciatus

(G.F. Angas, 1878)

Ecuador
28,9 mm



synonyms:

- *Otostomus napo* G.F. Angas, 1878



3884964037
Drymaeus rabuti

F.P. Jousseaume, 1898

Peru
28 mm



3884960805
Drymaeus rawsoni

(R.J.L. Guppy, 1871)

Tobago Island
23,7 mm



synonyms:

- *Drymaeus aureolus rawsoni* R.J.L. Guppy, 1871



3884964045
Drymaeus recedens

(L. Pfeiffer, 1864)

Peru
27,3 mm



3884964077
Drymaeus regularis

H.C. Fulton, 1905


Peru
28,33 mm



5812000225
Drymaeus rehderi

J.J. Parodíz, 1962


Chile, Valdivia



5664000036
Drymaeus rex

A.S.H. Breure, 2009

No Georeferenced data available



3884964093
Drymaeus rhoadsi



H.A. Plsby, 1932

Ecuador



**no
IMAGES
available**
to be checked

3884964109
**Drymaeus
rosalbus**
H.A. Pilsby, 1932
Peru, Chanchamayo



3884964133
**Drymaeus
rosenbergi**
S.I. Da Costa, 1906
Peru
19 mm



3884964149
**Drymaeus
rubrovariegatus**
H.C. Higgins, 1868
Peru
32,8 mm



**no
IMAGES
available**
to be checked

3884964181
**Drymaeus
rufolineatus**
H. Drouët, 1859
French Guyana



**no
IMAGES
available**
to be checked

3884964189
**Drymaeus
rugistratus**
F. Haas, 1952
Peru



**no
IMAGES
available**
to be checked

3884964197
**Drymaeus
rugosa**
A. Valenciennes, 1827
South America

No Georeferenced data available



3884964213
**Drymaeus
sachsei**
J.A. Albers, 1854
Peru, Piura
23,3 mm




synonyms:

- *Bostryx sachesei* J.A. Albers, 1854



3884964229
**Drymaeus
sallei**
H.A. Pilsby, 1899
Dominican Republic






3884964221
Drymaeus
sallaei
haitensis

H.A. Pilsbry, 1899


Haiti



3884964237
Drymaeus
sanctaemarthae

H.A. Pilsbry, 1901



Colombia



3884964261
Drymaeus
schmidtii

(L. Pfeiffer, 1854)

Peru




3884964269
Drymaeus
schunkei

F. Haas, 1949

Peru

27 mm




3882454015
Drymaeus
scitulus

L.A. Reeve, 1849

Quito, Ecuador


28 mm



3884964277
Drymaeus
scitulus
citrinellus

L. Pfeiffer, 1853

French Guyana



3884968192
Drymaeus
scitulus
cochambalensis

W.K. Weyrauch, 1916

Cajamarca, Peru

29,6 mm



3884964293
Drymaeus
scolioides

P. Dautzenberg, 1901

Peru

40,7 mm



synonyms:

- *Drymaeus scolioides* P. Dautzenberg, 1901



3884964301
Drymaeus sellii
(H.B. Preston, 1909)

Guyana
24 mm



3884964309
Drymaeus semifasciatus
A. Mousson, 1869
South America

No Georeferenced data available




3884964341
Drymaeus semistriatus

F. Haas, 1955
Brasil, São Paulo




5664000095
Drymaeus sentatus
Á. De Oliveira, Silveira e Sá,
& E.C. de A. Bessa, 1992
Paraná, Brasil



3884964349
Drymaeus serenus
R.A. Philippi, 1867
Peru



3884964357
Drymaeus serperastrus
(T. Say, 1829)
Mexico, Campeche
31 mm



synonyms:

- Bulimus liebmanni L. Pfeiffer, 1846
- Bulimus nitelinus L.A. Reeve, 1849
- Drymaeus serperastus T. Say, 1829

- Bulimus paivanus L. Pfeiffer, 1866
- Drymaeus serpesratrum T. Say, 1829



3884964365
Drymaeus serratus
(L. Pfeiffer, 1855)
Peru
26,3 mm



3884964397
Drymaeus silvanus
A. Zilch, 1953
Peru




**no
IMAGES
available**

3884964405
**Drymaeus
similaris**
S. Moricand, 1856
Peru



**no
IMAGES
available**
to be checked


3884964413
**Drymaeus
siolii**
F. Haas, 1952
Jamaica



3884964429
**Drymaeus
smithii**
S.I. Da Costa, 1898
Colombia
29,5 mm



5822000520
**Drymaeus
solidus**
(H.B. Preston, 1907)
Colombia, Bogotá
32,8 mm




**no
IMAGES
available**
to be checked

3884964437
**Drymaeus
sophiae**
A.S.H. Breure, 1979
South America


No Georeferenced data available




3884964455
**Drymaeus
souzalopesi**
W.K. Weyrauch, 1965
Brasil, Goyas



3884964453
**Drymaeus
spadiceus**
S.I. Da Costa, 1906
Colombia, Bogotá
37,3 mm




3884964461
**Drymaeus
spectatus**
L.A. Reeve, 1849
Colombia
39,2 mm



**no
IMAGES
available**

3884964477
**Drymaeus
steyermarki**

F. Haas, 1955
Venezuela



synonyms:


- Eurytus steyermarki F. Haas, 1955

**no
IMAGES
available**

to be checked



3884964485
**Drymaeus
stigmaticus**

R.A. Philippi, 1867
Peru



3884964525
**Drymaeus
strigatus**

G.B. I Sowerby, 1833
Peru, Hualaga
24,6 mm



synonyms:

- Drymaeus musivus L. Pfeiffer, 1855

**no
IMAGES
available**

to be checked

3884961205
**Drymaeus
strigatus
cecileae**

S. Moricand, 1858
Peru




3884961605
**Drymaeus
strigatus
delphinae**

S. Moricand, 1858
Peru



3884964509
**Drymaeus
strigatus
marianus**

H.A. Pilsbry, 1898
Peru



synonyms:


- Drymaeus strigatus marianus H.A. Pilsbry, 1898

**no
IMAGES
available**

to be checked

3884964517
**Drymaeus
strigatus
purus**

H.A. Pilsbry, 1898
Peru



3884964205
**Drymaeus
strigatus
saccatus**

(L. Pfeiffer, 1855
Peru



synonyms:

- Drymaeus saccatus L. Pfeiffer, 1855

**no
IMAGES
available**
to be checked

3884964541
**Drymaeus
subeffusus**
R.A. Philippi, 1869
Peru




3884964549
**Drymaeus
subhydrus**
S.I. Da Costa, 1906
Peru
49,1 mm



3884964557
**Drymaeus
subinterruptus**
L. Pfeiffer, 1853
Bolivia
36,7 mm



3884964565
**Drymaeus
subpellucidus**
(E.A. Smith, 1877)
Ecuador
20 mm



**no
IMAGES
available**
to be checked

3884964573
**Drymaeus
subsemiclausus**
S.A.A. Petit De La Saussaye, 1843
South America

No Georeferenced data available

**no
IMAGES
available**

3884964581
**Drymaeus
subsimilaris**
H.A. Pilsbry, 1898
Valdivia, Colombia




3884964589
**Drymaeus
subventricosus**
S.I. Da Costa, 1901
Colombia, Bogotà
30,1 mm




**no
IMAGES
available**
to be checked

3884964597
**Drymaeus
succinea**
H.A. Pilsbry, 1901
Amazonia



**no
IMAGES
available**
to be checked


3884964637
**Drymaeus
surinamensis**
J.H. Verhout, 1914
Suriname




3884964645
**Drymaeus
sykesii**
S.I. Da Costa, 1906
Colombia, Bogotà
51,7 mm



5822000521
**Drymaeus
tigrinus**
S.I. Da Costa, 1898
Ecuador
20,8 mm




3884964733
**Drymaeus
translucidus**
W.K. Weyrauch, 1967
Peru, Huanuco





**no
IMAGES
available**
to be checked

3884964741
**Drymaeus
tribalteatus**
L.A. Reeve, 1848
Colombia



**no
IMAGES
available**
to be checked

3884964749
**Drymaeus
tricinctulus**
H.E. Anton, 1839
Panama, Saboja Island



3884964757
**Drymaeus
trigonostomus**
I.H. Jonas, 1844
Venezuela
34,1 mm



synonyms:

- *Bulinus knorri* L. Pfeiffer in R.A. Philippi, 1846
- *Drymaeus knorri guttulatus* L.W. Schaufuss, 1881
- *Drymaeus knorri percomis* L.W. Schaufuss, 1881
- *Drymaeus knorri sexfasciatus* L.W. Schaufuss, 1881

- *Drymaeus knorri modesta* L.W. Schaufuss, 1881
- *Drymaeus knorri quadrifasciatus* L.W. Schaufuss, 1881
- *Drymaeus knorri tricolor* L.W. Schaufuss, 1881

**no
IMAGES
available**
to be checked

3884961493
**Drymaeus
trigonostomus
correctus**
L. Pfeiffer, 1852
Venezuela



**no
IMAGES
available**
to be checked

3884964797
**Drymaeus
trivittatus**
A. Mousson, 1873
South America


No Georeferenced data available




3884964813
**Drymaeus
trujillensis**
R.A. Philippi, 1867
Peru
29,2 mm





3884964837
**Drymaeus
tusagasugananus**
H.A. Pilsbry, 1935
Colombia



3884964877
**Drymaeus
undulatus**
L. Goding, 1828
Grenadines, Saint Vincent





3884964901
**Drymaeus
venezuelensis**
E.C. Von Martens, 1893
Venezuela



3884964909
**Drymaeus
venosus**
L.A. Reeve, 1848
Venezuela



3884964917
**Drymaeus
ventricosus**
H.B. Preston, 1907
Colombia



3884964925
**Drymaeus
vernhouti**
A.S.H. Breure, 1976
South America

No Georeferenced data available



3884964933
Drymaeus
vespertinus

L. Pfeiffer, 1858

Peru
34,6 mm



3882454035
Drymaeus
vexillum

W. Wood, 1828

Peru, Cajamarca
34 mm




synonyms:

- *Bulinus keppeli* L. Pfeiffer, 1853



3884968235
Drymaeus
vexillum
moribus
(R.A. Philippi, 1867)

Peru, Cajamarca
27 mm



3882450035
Drymaeus
vexillum
rubellus
(W.J. Broderip, 1832)

Peru
27 mm




3884964669
Drymaeus
vexillum
tigris
W.J. Broderip, 1832

Peru




3884968236
Drymaeus
vexillum
varians
(W.J. Broderip, 1832)

Peru
29 mm




3884964941
Drymaeus
vicinus
H.B. Preston, 1907

Colombia



3884964949
Drymaeus
villavicencioensis
A.S.H. Breure, 1977

Colombia





3882454020
Drymaeus
vimineus
S. Morandi, 1833
Brasil, Bahia




3884968237
Drymaeus
vimineus
leucozonatus
(H.H. Beck, 1837)
Brasil
21 mm


No Georeferenced data available




3884964981
Drymaeus
violaceus
A. Mousson, 1873
Colombia



3884964997
Drymaeus
virginalis
L. Pfeiffer, 1856
Venezuela
18 mm





3884964989
Drymaeus
virginalis
dominicanus
H.A. Plisby, 1899
Dominica




3884965005
Drymaeus
virgo
H.C. Lea, 1838
Colombia



3884965029
Drymaeus
virgulatus
A.E.J. Férrussac, 1822
Virgin Islands
25 mm



3884965037
Drymaeus
volsus
H.C. Fulton, 1907
Ecuador
30,3 mm





3884965045
Drymaeus
waldoschmitti

J.J. Parodíz, 1962

Peru



3884965053
Drymaeus
weeksii

H.A. Plsby, 1926

Peru



3884965061
Drymaeus
wintleii

J. Finch, 1929


Ecuador
21,7 mm



3884965069
Drymaeus
xanthostomus

(D'Orbigny, 1835)

Bolivia
43,8 mm



synonyms:
● Helix xanthostoma D'Orbigny, 1835



3884965077
Drymaeus
yapacanensis

A.S.H. Breure & A. Eskens, 1981

Venezuela



3884965085
Drymaeus
yungasensis

(D'Orbigny, 1837)


Bolivia
32,6 mm



3884965101
Drymaeus
zhorquiniensis

(G.F. Angas, 1879)

Costa Rica
46,1 mm



synonyms:
● Drymaeus zhorquiensis G.F. Angas, 1879



3884965109
Drymaeus
ziczac

S.I. Da Costa, 1898

Colombia
26,5 mm





3884965117
Drymaeus ziegleri

L. Pfeiffer, 1847

Sinaloa, Mexico
19 mm



synonyms:

- *Drymaeus californicus* L.A. Reeve, 1848



3884965133
Drymaeus zilchi

F. Haas, 1955

Peru
29,63 mm



5664000026
Drymaeus zingarensis

B.L. Restrepo & A.S.H. Breure, 1987


Colombia
25,2 mm



3884965141
Drymaeus zoographicus

(D'Orbigny, 1835)


Bolivia
31,7 mm



synonyms:

- *Helix zoographica* D'Orbigny, 1835

Subgenus: Drymaeus (Diaphanomormus) W.K. Weyrauch, 1964 (1 SP, 1 IMG)



3884961397
Diaphanomormus coelestini

F. Haas, 1952


Peru



5822000395
Diaphanomormus coelestini obesus

W.K. Weyrauch, 1964.

Peru, Huanuco




Subgenus: Drymaeus (Mesembrinus) J.A. Albers, 1850 (89 SP, 75 IMG)



3884960573
Mesembrinus aestivalis

(L. Pfeiffer, 1857)



Peru
16,9 mm



3884960597
Mesembrinus albostriatus

H. Strehel, 1882

Oaxaca, Mexico






3884960645
Mesembrinus amandus

(L. Pfeiffer, 1855)
Venezuela
30 mm




3884960685
Mesembrinus andicola

(L. Pfeiffer, 1847)
Bolivia



3884960781
Mesembrinus attenuatus

L. Pfeiffer, 1853
Veracruz, Mexico
34 mm




synonyms:

- *Bulinus kefersteini* L. Pfeiffer, 1866




3884960773
Mesembrinus attenuatus

pittieri
E.C. von Martens, 1893
Costa Rica



5812000107
Mesembrinus attenuatus
varicosus
(L. Pfeiffer, 1851)

Veracruz, Mexico
35,5 mm




synonyms:

- *Bulinus varicosus* L. Pfeiffer, 1851



3884960821
Mesembrinus aurifluus

L. Pfeiffer, 1857
Veracruz, Mexico
21,8 mm



3884960997
Mesembrinus botterii

J.C.H. Crosse & P.H. Fischer, 1875
Veracruz, Mexico



synonyms:

- *Otostomus sulcatus botterii* J.C.H. Crosse & P.H. Fischer, 1875



3884961045
Mesembrinus broadwayi

(E.A. Smith, 1896)
Trinidad
11,9 mm





3884961069
Mesembrinus
bugabensis

(E.C. Von Martens, 1893)

Panama, Chiriquí
26,3 mm



3884961173
Mesembrinus
castus

(L. Pfeiffer, 1847)

Guatemala
19 mm



3884961157
Mesembrinus
castus
orrectus

E.C. Von Martens, 1893


Guatemala



3884961165
Mesembrinus
castus
xantholeucus

E.C. Von Martens, 1893

Guatemala



3884961237
Mesembrinus
championi

E.C. Von Martens, 1893


Guatemala
27 mm



3884961317
Mesembrinus
chiriquensis

S.I. Da Costa, 1901

Panama
29,1 mm



5822000514
Mesembrinus
columbiensis

(L. Pfeiffer, 1855)



Colombia
28 mm



3884961469
Mesembrinus
conicus

S.I. Da Costa, 1907

Mexico, Oaxaca
17,5 mm



**no
IMAGES
available**

3884964373
**Mesembrinus
cozumelensis**

(H.G. Richards, 1936)
Yucatan, Mexico




synonyms:

- *Drymaeus shattucki cozumelensis* H.G. Richards, 1936



5664000025
**Mesembrinus
cucullus**

(P.M.A. Morelet, 1849)
Yucatan, Mexico
31,7 mm




synonyms:

- *Scutalus cucullus gracilior* P.H. Fischer & J.C.H. Crosse, 1875



3884961629
**Mesembrinus
depictus**


L.A. Reeve, 1849
Venezuela
27,9 mm



**no
IMAGES
available**

3884961621
**Mesembrinus
depictus
ictericus**

E.C. Von Martens, 1873
Venezuela




to be checked



3884961637
**Mesembrinus
deshayesi**

L. Pfeiffer, 1845
Colombia
44,5 mm



3884961645
**Mesembrinus
discrepans**


(G.B. I Sowerby, 1833)
Costa Rica
20,7 mm



**no
IMAGES
available**

3882450000
**Mesembrinus
dominiculus**


L.A. Reeve, 1850
Florida



**no
IMAGES
available**

3884961445
**Mesembrinus
dominiculus
clarissimus**

H.A. Pilsby, 1946
Florida




synonyms:

- *Drymaeus dominicus clarissimus* H.A. Pilsby, 1946



3884962341
Mesembrinus dominicus hemphilli
B.H. Wright, 1889

Florida
17 mm



3884961693
Mesembrinus drouetti
L. Pfeiffer, 1857

Veracruz, Mexico




synonyms:

- Drymaeus bourgeoisae H.A. Rehder, 1943



3884961685
Mesembrinus drouetti deleetus
G.A. Solem, 1955

Veracruz, Mexico



3884964469
Mesembrinus drouetti sporlederi
(L. Pfeiffer, 1866)

Veracruz, Mexico




synonyms:

- Bulimulus sporlederi L. Pfeiffer, 1866



3884961701
Mesembrinus dubius
(L. Pfeiffer, 1853)

Colombia
27,1 mm



3884961717
Mesembrinus dutaillyi
(L. Pfeiffer, 1857)



Brasil
30,8 mm

No Georeferenced data available




3884961741
Mesembrinus electrum
(L.A. Reeve, 1848)

Venezuela
29,6 mm



3884961773
Mesembrinus elongatus
(J.F. Bolten, 1798)

Curaçao Island
23 mm



synonyms:

- Bulimus apiculatus J.E. Gray, 1834
- Helix elongata J.F. Bolten, 1798

**no
IMAGES
available**
to be checked

3884961765
**Mesembrinus
elongatus
beattyi**
W.J. Clench, 1951
Puerto Rico



3884961789
**Mesembrinus
emeus**
T. Say, 1829
Veracruz, Mexico
19,3 mm



synonyms:

- *Otostomus emeus albivaricosus* E.C. Von Martens, 1893
- *Otostomus emeus hypozonus* E.C. Von Martens, 1893

- *Bulimus palpaloensis* H. Strehel, 1882



3884962013
**Mesembrinus
fenestrellus**
E.C. Von Martens, 1864
Michoacan, Mexico
26,4 mm




synonyms:

- *Drymaeus fenestrellus subunicolor* E.C. Von Martens, 1893

- *Bulimus gealei* A. Adams, 1867



3884962021
**Mesembrinus
fidustus**
(L.A. Reeve, 1849)
Ecuador
22,5 mm



3884962029
**Mesembrinus
flavidulus**
E.A. Smith, 1877
Ecuador
21,4 mm




synonyms:


- *Lobstracus flavidulus* E.A. Smith, 1877



3884962037
**Mesembrinus
flavidus**
(K.T. Menke, 1829)
Venezuela
23,4 mm





3884962165
**Mesembrinus
gabbi**
G.F. Angas, 1879
Costa Rica
20,6 mm



**no
IMAGES
available**



3884967973
**Mesembrinus
ghiesbreghti**
E.C. Von Martens, 1893
Guatemala



**no
IMAGES
available**

3884962229
**Mesembrinus
ghiesbreghtii
interstitialis**
E.C. Von Martens, 1893

Guatemala



3884962653
**Mesembrinus
ghiesbreghtii
iodostylus**
L. Pfeiffer, 1861

Oaxaca, Mexico
32,2 mm



synonyms:

- *Bulimus iodostylus* L. Pfeiffer, 1861

**no
IMAGES
available**

3884962213
**Mesembrinus
ghiesbreghtii
stolli**
(E.C. Von Martens, 1893)

Guatemala




synonyms:

- *Bulimus jonasi stolli* E.C. Von Martens, 1887



3884961613
**Mesembrinus
granadensis**
(L. Pfeiffer, 1848)

Venezuela
31,8 mm



synonyms:


- *Drymaeus demotus* L.A. Reeve, 1850
- *Bulimus feriatus* L.A. Reeve, 1848
- *Bulimus iividus* L.A. Reeve, 1850

- *Bulimus incarnatus* L. Pfeiffer, 1855

**no
IMAGES
available**

3884962333
**Mesembrinus
hegewischi**
(L. Pfeiffer, 1842)

Oaxaca, Mexico



3884962397
**Mesembrinus
hepatostomus**

L. Pfeiffer, 1861

Mexico, Oaxaca
30,1 mm



**no
IMAGES
available**

3884962421
**Mesembrinus
heterogeneus**

L. Pfeiffer, 1866


Nayarit, Mexico



3884962461
**Mesembrinus
hondurasanus**


L. Pfeiffer, 1846

Honduras
25,6 mm









synonyms:

- *Drymaeus alternans honduranus* L. Pfeiffer, 1846

3884962573
Mesembrinus
inglorius(L.A. Reeve, 1848)
Oaxaca, Mexico
25,6 mm3884962429
Mesembrinus
inglorius
heynemani
L. Pfeiffer, 1866

Veracruz, Mexico

3884962629
Mesembrinus
intrapictusH.A. Plsby, 1930
Panama3884962637
Mesembrinus
inusitatusH.C. Fulton, 1900
Costa Rica
28,3 mm3884962661
Mesembrinus
irazuensisG.F. Angas, 1878
Costa Rica3884962669
Mesembrinus
jonasi(L. Pfeiffer, 1846)
Guatemala
26,6 mm3884962805
Mesembrinus
laetus(L.A. Reeve, 1849)
Colombia
26,6 mm5812000106
Mesembrinus
lineolatus(T.A. Conrad, 1855)
Costa Rica**synonyms:**


- *Otosomus recluzianus lineolatus* T.A. Conrad, 1855



3884963005
Mesembrinus
lirinus

P.M.A. Morelet, 1851


Guatemala
30,2 mm



3884963029
Mesembrinus
livescens

(L. Pfeiffer, 1842)

Puebla, Mexico
22,5 mm



3884963053
Mesembrinus
loxanus

(H.C. Higgins, 1872)

Ecuador



3884963061
Mesembrinus
loxensis

(L. Pfeiffer, 1846)


Ecuador
34,7 mm



3884963109
Mesembrinus
manupictus

(L.A. Reeve, 1848)

Venezuela
33,3 mm



3884963141
Mesembrinus
mayaorum

H.A. Rehder, 1966



Cozumel Island, Mexico



3884963181
Mesembrinus
meridanus

(L. Pfeiffer, 1846)

Venezuela
35,9 mm



3884962565
Mesembrinus
monilifer

(L.A. Reeve, 1848)

South America
26,3 mm

No Georeferenced data available


synonyms:

- Drymaeus indistinctus L. Pfeiffer, 1852



3884963261
Mesembrinus
moricandi

(L. Pfeiffer, 1847)
Guatemala
23,6 mm



3884963253
Mesembrinus
moricandi
hyalinoalbida

J.C.H. Crosse & P.H. Fischer, 1875
Chiapas, Mexico



3884963269
Mesembrinus
moritinctus

(E.C. Von Martens, 1893)
Acapulco, Mexico
25,2 mm




3884963277
Mesembrinus
mossi

(E.A. Smith, 1896)
Trinidad
21,8 mm




3884963285
Mesembrinus
moussonii

(L. Pfeiffer, 1853)
Haiti
26 mm





3884963301
Mesembrinus
muliebris

(L.A. Reeve, 1849)
Colombia
29,9 mm



3882450015
Mesembrinus
multilineatus


(T. Say, 1825)
Florida
24,1 mm



to be checked

3884963349
Mesembrinus
multilineatus
eboreus


Grimshawe, 1951
Florida






3884963373
**Mesembrinus
multilineatus
havanensis**
M.L. Jaume & P.J. Borro, 1941

Cuba




3884963357
**Mesembrinus
multilineatus
latizonatus**
H.A. Pilsby, 1936

Florida
23,5 mm



3882450010
**Mesembrinus
multilineatus
menkei**
(Ermst C.L. Gruner, 1841)

Venezuela
25 mm




synonyms:

- Drymaeus menkei Ermst C.L. Gruner, 1841




3884963421
**Mesembrinus
necaxanus**
G.A. Solem, 1955

Puebla, Mexico



3884963565
**Mesembrinus
oreades**
(D'Orbigny, 1835)

Argentina, Corrientes
31,6 mm



synonyms:

- Helix oreades D'Orbigny, 1835




3884963725
**Mesembrinus
perductorum**

H.A. Rehder, 1943
Guerrero, Mexico



3884963749
**Mesembrinus
pertristis**
(H.A. Pilsby, 1898)

Colombia
29,3 mm



synonyms:

- Bulimus tristis L. Pfeiffer, 1855



3884963757
**Mesembrinus
pervariabilis**
(L. Pfeiffer, 1853)

Colombia
33,3 mm



synonyms:

- Mesembrinus pervariabilis L. Pfeiffer, 1853

**no
IMAGES
available**

5812000108
**Mesembrinus
pluvialis**

(L. Pfeiffer, 1862)
Costa Rica



3884968145
**Mesembrinus
puellaris**

(L.A. Reeve, 1850)
Brasil, Pernambuco
16 mm



synonyms:

- *Bulimus tenuissimus puellaris* L.A. Reeve, 1850



3884964061
**Mesembrinus
recluzianus**

L. Pfeiffer, 1847
Chiapas, Mexico
22,3 mm



synonyms:

- *Drymaeus nubilus* H.B. Preston, 1903

**no
IMAGES
available**


3884964053
**Mesembrinus
recluzianus
martensiensis**
H.A. Pilsbry, 1899

Costa Rica




3884964069
**Mesembrinus
rectilinearis**

(L. Pfeiffer, 1855)
Peru, Tarapoto
23,9 mm



3884968121
**Mesembrinus
roseatus**

(L.A. Reeve, 1848)
Venezuela
35,6 mm




**no
IMAGES
available**

to be checked

3884964117
**Mesembrinus
roseatus
montanus**
H.A. Pilsbry, 1901



Colombia



**no
IMAGES
available**

3884964157
**Mesembrinus
rudis**

H.E. Anton, 1839
Oaxaca, Mexico






3884964173
Mesembrinus
rufescens

J.E. Gray, 1825

Jamaica
24,2 mm




synonyms:

- Mesembrinus erubescens (L. Pfeiffer, 1847)



3884964165
Mesembrinus
rufescens
pinchoti

H.A. Pilsby, 1930
Nicaragua, Old Providence Island




3884964253
Mesembrinus
sargi

J.C.H. Crosse & P.H. Fischer, 1875
Guatemala





3884964245
Mesembrinus
sargi
motagueae

E.C. Von Martens, 1893
Guatemala



3884964325
Mesembrinus
semimaculatus

H.A. Pilsby, 1898
Panama




synonyms:

- Mesembrinus maculatus H.C. Lea, 1838





3884964317
Mesembrinus
semimaculatus
perversus

H.A. Pilsby, 1926
Panama





3884964333
Mesembrinus
semipellucidus

H.B. Tristram, 1861
Nicaragua



3884964381
Mesembrinus
shattucki

J.C. Bequaert & W.J. Clench, 1931
Yucatan, Mexico






3884964389
Mesembrinus signifer

(L. Pfeiffer, 1855)

Venezuela
32,9 mm



3884963069
Mesembrinus stramineus

(L. Gilding, 1828)

Ecuador
18,6 mm



synonyms:


- *Drymaeus lucidus* L.A. Reeve, 1848



3884964533
Mesembrinus studeri

(L. Pfeiffer, 1847)

Colombia
25 mm



synonyms:

- *Bulimus primula* L.A. Reeve, 1848



3884964605
Mesembrinus sulcosus

L. Pfeiffer, 1841


Veracruz, Mexico
37 mm



3884964629
Mesembrinus sulphureus

(L. Pfeiffer, 1857)

Veracruz, Mexico
25 mm



synonyms:

- *Bulimus citronellus* G.F. Angas, 1879
- *Drymaeus sulfureus* L. Pfeiffer, 1857
- *Drymaeus sulfureus obesus* E.C. Von Martens, 1893


- *Drymaeus sulfureus gracilior* E.C. Von Martens, 1893



3884964653
Mesembrinus tenuilabris

(L. Pfeiffer, 1866)


Venezuela
30,2 mm



3884964677
Mesembrinus totonacus

H. Strelbel, 1882



Veracruz, Mexico



3884964725
Mesembrinus translucens

(W.J. Broderip, 1832)

Panama





5812000110
Mesembrinus
translucens
alternans
(H.H. Beck, 1837)

Belize
23 mm




synonyms:

- Drymaeus alternans H.H. Beck, 1837



3884960629
Mesembrinus
translucens
juquilensis
H.A. Pilsbry, 1899
Oaxaca, Mexico





synonyms:


- Drymaeus alternans juquilensis H.A. Pilsbry, 1899




3884964685
Mesembrinus
translucens
misellus
H.A. Pilsbry, 1926
Panama



3884964693
Mesembrinus
translucens
pachecensis
H.A. Pilsbry, 1930
Panama




3884963653
Mesembrinus
translucens
panamensis
W.J. Broderip, 1832
Panama
18,2 mm





synonyms:




- Drymaeus panamensis W.J. Broderip, 1832





3884964701
Mesembrinus
translucens
sororcula
H.A. Pilsbry, 1926
Panama



3884964709
Mesembrinus
translucens
subfloccosus
H.A. Pilsbry, 1899
Nicaragua



3884964717
Mesembrinus
translucens
tonosiensis
H.A. Pilsbry, 1930
Panama



to be checked



3884964765
Mesembrinus
trimarianus

(E.C. Von Martens, 1893)
Mexico, Tres Marias Islands
31,5 mm



3884964789
Mesembrinus
tripictus

J.A. Albers, 1857
Costa Rica



synonyms:

- *Bulimus rhodotrema* E.C. Von Martens, 1868



3884964781
Mesembrinus
tripictus
hoffmanni

E.C. Von Martens, 1893
Costa Rica
18,1 mm




synonyms:

- *Drymaeus prestoni* S.I. Da Costa, 1906
- *Drymaeus prestoni cancellata* S.I. Da Costa, 1906



3884964805
Mesembrinus
tropicalis

(P.M.A. Morelet, 1849)
Campeche, Mexico
27,5 mm





3884964829
Mesembrinus
tryoni

J.C.H. Crosse & P.H. Fischer, 1875
Sinaloa, Mexico




3884964821
Mesembrinus
tryoni
pochutlensis

P.H. Fischer & J.C.H. Crosse, 1875
Pochutla, Mexico




3884964861
Mesembrinus
uhdeanus

E.C. Von Martens, 1864
Hidalgo, Mexico




synonyms:

- *Drymaeus herrerae* P. Bartsch, 1907




3884964845
Mesembrinus
uhdeanus
borealis

E.C. Von Martens, 1893
Durango, Mexico



**no
IMAGES
available**

5812000109
**Mesembrinus
uhdeanus
cuernovacensis**
J.C.H. Crosse & P.H. Fischer, 1874
Cuernavaca, Mexico



synonyms:

- *Drymaeus herrae veracruzensis* P. Bartsch, 1907

**no
IMAGES
available**

3884964853
**Mesembrinus
uhdeanus
tepicensis**
E.C. Von Martens, 1893
Jalisco, Mexico



synonyms:

- *Mesembrinus uhdeanus tepeccensis* E.C. Von Martens, 1893



5822000482
**Mesembrinus
umbraticus**
(L.A. Reeve, 1849)
Peru, Rio Jequelepeque
12,6 mm




synonyms:

- *Bulimus floridanus* L. Pfeiffer, 1857



3884964973
**Mesembrinus
vincentinus**
(L. Pfeiffer, 1846)
Trinidad and Tobago



**no
IMAGES
available**

to be checked

3884964957
**Mesembrinus
vincentinus
flavotinctus**
H.A. Pilsbry, 1899
Trinidad



**no
IMAGES
available**

to be checked

3884964955
**Mesembrinus
vincentinus
purissimus**
H.A. Pilsbry, 1899
Trinidad




Subgenus: Drymaeus (Ornatimormus) W.K. Weyrauch, 1958 (2 SP, 1 IMG)

**no
IMAGES
available**

3884961437
**Ornatimormus
combinai**
W.K. Weyrauch, 1958
Peru, Junin



3884962365
**Ornatimormus
henrypilsbryi**
W.K. Weyrauch, 1958
Peru, Junin
26 mm



synonyms:

- *Drymaeus pilsbryi* W.K. Weyrauch, 1956



3884962349
Ornatimormus henrypilsbryi densemarginatus
W.K. Weyrauch, 1958

Peru, Junin



3884962357
Ornatimormus henrypilsbryi pichitacalugaensis
W.K. Weyrauch, 1958

Peru, Junin

**Genus: *Kuschelenia* M.I. Hylton-Scott, 1951 (3 SP, 7 IMG)**

3884959573
Kuschelenia alauda

L.H. Hupé, 1857
Peru
30 mm


**synonyms:**

- *Scutalus alaudus* L.H. Hupé, 1857





3884968251
Kuschelenia alauda hendeensis
(H.A. Pilsbry, 1926)

Peru, Oroya
31 mm



3884959773
Kuschelenia culminea

(D'Orbigny, 1835)
Bolivia
28 mm

**synonyms:**


- *Bulimus confusus* L.A. Reeve, 1848
- *Bulimus jussieui* L. Pfeiffer, 1846
- *Scutalus lithocerus* D'Orbigny, 1835

- *Helix lithoica* D'Orbigny, 1835



5822000515
Kuschelenia culminea edwardsi
(P.M.A. Morelet, 1863)

Peru, Huancavelica
29 mm

**synonyms:**

- *Bulimus edwardsi* P.M.A. Morelet, 1863



3884959757
Kuschelenia culminea subjussieui
H.A. Pilsbry, 1897

Peru
28 mm






3884959765
Kuschelenia
culminea
zilchi
W.K. Weyrauch, 1967
Peru, Lima



3881850000
Kuschelenia
tupacii
(D'Orbigny, 1835)
Argentina, Tucuman
48 mm




synonyms:


- *Helix tupacii* D'Orbigny, 1835



3884960197
Kuschelenia
tupacii
major
A. Doering, 1876
Argentina



3884960205
Kuschelenia
tupacii
minor
A. Doering, 1876
Argentina



Genus: Lopesianus W.K. Weyrauch, 1958 (1 SP, 0 IMG)



3884962585
Lopesianus
crenulatus
W.K. Weyrauch, 1958
Brasil, Cabo Frio




synonyms:

- *Lopesianus crenulatus* W.K. Weyrauch, 1958
- *Bulinulus gorriensis* H.A. Pilsbry, 1896

Genus: Naesiotus J.A. Albers, 1850 (syn: Adenodia, Granella, Graniza, Granucis, Nesiotes, Nesiotus, Nucisus, Ochsneria, Olinodia, Pelecostoma, Pleuropyrgus, Reclasta, Saeronia, Stemmodiscus - 138 SP, 78 IMG)



5812000521
Naesiotus
achatellinus
(E. Forbes, 1850)
Galapagos Islands
19 mm



synonyms:

- *Bulinulus achatellinus* E. Forbes, 1850
- *Naesiotus achatellinus* E. Forbes, 1850



3884957653
Naesiotus
adelphus
W.H. Dall, 1917
Galápagos Islands





5664000041
Naesiotus
akamatus
(W.H. Dall, 1917)

Galápagos Islands



synonyms:

- *Naesiotus acamatus* W.H. Dall, 1917



3884957661
Naesiotus
albemarlensis
W.H. Dall, 1917
Galápagos Islands
14,5 mm



synonyms:

- *Bulimus albermalensis* W.H. Dall, 1917



3884957669
Naesiotus
alethorhytidus
W.H. Dall, 1917
Galápagos Islands



3884959317
Naesiotus
altus
(W.H. Dall, 1893)
Mexico, Baja California




synonyms:


- *Rabdotus subspirifer* J.F. Mabille, 1895




3884957685
Naesiotus
amastroides
C.M.F. Ancey, 1887
Galápagos Islands
9 mm




3884957677
Naesiotus
amastroides
anceyi
W.H. Dall, 1893
Galápagos Islands



3884957693
Naesiotus
andivagus
W.K. Weyrauch, 1956
Peru, Cajamarca
15 mm



3884957709
Naesiotus
approximatus
W.H. Dall, 1900
Galápagos Islands





5664000042
Naesiotus arnoldoi

(P.D. Lanzieri & H.E.B. Rezende, 1971)
Trindade Island, Brasil



3884957725
Naesiotus asperatus


J.A. Albers, 1857
Galápagos Islands



3884957733
Naesiotus avellana


H.H. Beck, 1837
South America

No Georeferenced data available





5664000020
Naesiotus bambamarcaensis

W.K. Weyrauch, 1960
Peru, Cajamarca





3884957741
Naesiotus bauri

W.H. Dall, 1893
Galápagos Islands



3884959085
Naesiotus beldingi


(J.G. Cooper, 1892)
Mexico, Baja California



- *Rabdotus incendens beldingi* J.G. Cooper, 1892



3884954973
Naesiotus bicolor

W.K. Weyrauch, 1967
Peru, Cuzco
9,2 mm



3884957749
Naesiotus blombergi

N.H. Odhner, 1951
Galápagos Islands




**no
IMAGES
available**
to be checked

3884957757
***Naesiotus
bombarcaensis***
W.K. Weyrauch, 1960
Peru




**no
IMAGES
available**
to be checked

3884957781
***Naesiotus
calvus***
G.B. I Sowerby, 1833
Galápagos Islands




**no
IMAGES
available**
to be checked

3884957773
***Naesiotus
calvus
caryonis***
W.H. Dall & W.H. Ochsner, 1928
Galápagos Islands




**no
IMAGES
available**
to be checked

3884957789
***Naesiotus
caniferus***
P.H. Reisch, 1892
Galápagos Islands



3884957797
***Naesiotus
carlucioi***
(H.E.B. Rezende & P.D. Lanzieri, 1963)
Brasil, Goias
25,2 mm



synonyms:

- *Protoglyptus carlucioi* H.E.B. Rezende & P.D. Lanzieri, 1963



3884957805
***Naesiotus
catlowiae***
L. Pfeiffer, 1853
Ecuador
21,5 mm




synonyms:

- *Bulimulus catlowae* L. Pfeiffer, 1853



3884957813
***Naesiotus
cavagnaroi***
A.G. Smith, 1972
Galápagos Islands
25,4 mm




synonyms:

- *Naesiotus gilderoyi* J.J. Van Mol, 1972

**no
IMAGES
available**
to be checked

3884957821
***Naesiotus
centralis***
A. Doering, 1879
Argentina



**no
IMAGES
available**

3884957829
***Naesiotus*
*cerratae***
W.K. Weyrauch, 1967
Peru, Ancash




synonyms:

- *Raphiellus cerratae* W.K. Weyrauch, 1967



3884957837
***Naesiotus*
*chemnitzoides***
E. Forbes, 1850
Galápagos Islands
18,5 mm





synonyms:

- *Naesiotus chemnitzoides* E. Forbes, 1850

**no
IMAGES
available**

3881400000
***Naesiotus*
*christensenii***
W.B. Miller & D.M. Reeder, 1984
Arizona





3884957845
***Naesiotus*
*chrysalis***
L. Pfeiffer, 1847
Martinique
31,6 mm




**no
IMAGES
available**

3884957861
***Naesiotus*
*cinerarius***
W.H. Dall, 1917
Galápagos Islands




3884957869
***Naesiotus*
*cinereus***
(L.A. Reeve, 1849)
Bolivia
15,5 mm




**no
IMAGES
available**

5822000383
***Naesiotus*
*columellaris***
W.K. Weyrauch, 1967
Peru, Lima
9 mm



**no
IMAGES
available**

3884957885
***Naesiotus*
*constrictus***
L.A. Reeve, 1848
Venezuela



to be checked

**no
IMAGES
available**

3884958925
***Naesiotus
cosmicus***

J.F. Mabille, 1895
Mexico, Baja California



3884957893
***Naesiotus
crepundia***

D'Orbigny, 1835
Bolivia
26,6 mm





synonyms:

- *Helix crepundia* L.A. Reeve, 1848



3884957909
***Naesiotus
cucullinus***

W.H. Dall, 1917
Galápagos Islands
17,7 mm



3884955277
***Naesiotus
curtus***

(P.H. Reisch, 1892)
Galápagos
10 mm



3884957925
***Naesiotus
cutisculptus***

C.M.F. Ancey, 1901
Brasil
9,4 mm





No Georeferenced data available





3884957933
***Naesiotus
cymatias***

W.H. Dall, 1917
Galápagos Islands





3884957941
***Naesiotus
darwini***

L. Pfeiffer, 1846
Galápagos Islands



3884957949
***Naesiotus
deletangi***

J.J. Parodíz, 1946
Argentina



**no
IMAGES
available**

3884958981
***Naesiotus
dentifer***
J.F. Mabille, 1895
Mexico, Tortugas Island



**no
IMAGES
available**

3884959109
***Naesiotus
dentifer
johnstoni***
(G.D. Hanna, 1923)
Baja California




synonyms:

- *Rabdotox johnstoni* G.D. Hanna, 1923



3884959141
***Naesiotus
dentifer
lamellifer***
H.A. Pilsbry, 1897
Baja California
31,7 mm



synonyms:

- *Bulimulus bakeri* G.D. Hanna, 1923
- *Bulimulus carmen* H.A. Pilsbry & H.N. Lowe, 1932
- *Bulimulus sammarcosensis* H.A. Pilsbry & H.N. Lowe, 1932
- *Bulimulus ximenez* G.D. Hanna, 1923

- *Rabdotox lamellifer* H.A. Pilsbry, 1897
- *Bulimulus spirifer orthelasmus* H.A. Pilsbry, 1898



3884959269
***Naesiotus
dentifer
santacruzensis***
(G.D. Hanna, 1932)
Baja California



synonyms:

- *Naesiotus dentifer slevini* G.D. Hanna
- *Rabdotox santacruzensis* G.D. Hanna, 1932




to be checked

3884957957
***Naesiotus
deroyi***
A.G. Smith, 1972
Galápagos Islands




to be checked

3884957965
***Naesiotus
duncanus***
W.H. Dall, 1893
Galápagos Islands



3881500010
***Naesiotus
durangoanus***
(E.C. Von Martens, 1893)
USA, New Mexico
18 mm



synonyms:

- *Rabdotox dealbatus durangoanus* E.C. Von Martens, 1893




3884957973
Naesiotus
durus

J.B. von Spix, 1827
Brasil, Rio Grande do Norte
33,4 mm




3884957981
Naesiotus
elaeodes

W.H. Dall, 1917
Galápagos Islands




3884957989
Naesiotus
elegantulus

W.K. Weyrauch, 1956
Peru, Cajamarca





3884957997
Naesiotus
eos

N.H. Odhner, 1951
Galápagos Islands





3884958029
Naesiotus
eschariferus

G.B. I Sowerby, 1833
Galápagos Islands
15 mm





3884958005
Naesiotus
eschariferus
bizonalis

C.M.F. Ancey, 1887
Galápagos Islands
16 mm





3884958013
Naesiotus
eschariferus
pileatus

W.H. Dall, 1896
Galápagos Islands



3884958021
Naesiotus
eschariferus
subconoidalis

C.M.F. Ancey, 1887
Galápagos Islands




**no
IMAGES
available**

3884959029

***Naesiotus
excelsus***

A.A. Gould, 1853

California



synonyms:

- *Bulinulus cacoty whole J.F. Mabille, 1895*
- *Naesiotus excelsus shalae H.A. Pilsbry, 1897*

- *Rabdoto elatus A.A. Gould, 1853*


**no
IMAGES
available**

3884958045

***Naesiotus
exornatus***

L.A. Reeve, 1849

Bolivia



**no
IMAGES
available**

3884958061

***Naesiotus
florschuetzi***

A.S.H. Breure, 1978

Ecuador




3884954269

***Naesiotus
fontainii***

(D'Orbigny, 1837)

Ecuador

13,2 mm




5812000116

***Naesiotus
formiersi***

(D'Orbigny, 1837)

Argentina, Corrientes



**no
IMAGES
available**

3884959037

***Naesiotus
gabbi***

J.C.H. Crosse & P.H. Fischer, 1872

Baja California



3881400005

***Naesiotus
galapaganus***

(L. Pfeiffer, 1854)

Galápagos Islands

11 mm



**no
IMAGES
available**

3884958069

***Naesiotus
geophilus***

W.K. Weyrauch, 1967



Peru



to be checked




3884958077
Naesiotus gerenorum
A.S.H. Breure, 1977
Colombia




3884959045
Naesiotus gigantensis
C.C. Christensen & W.B. Miller, 1977
Baja California





3884958093
Naesiotus gracillimus
W.K. Weyrauch, 1956
Peru, Huanuco



3884958101
Naesiotus haasi
W.K. Weyrauch, 1956
Peru, Cajamarca



3884958109
Naesiotus habeli
W.H. Dall, 1892
Galápagos Islands
19,1 mm



synonyms:

- *Pleuropyrgus terebra* P.H. Reisch, 1892



3884958117
Naesiotus haematospira
H.A. Plsby, 1900
Peru





synonyms:


- *Protoglyptus haematospira* H.A. Plsby, 1900



3884959053
Naesiotus hannai
H.A. Plsby, 1927
Baja California



3884959061
Naesiotus harribaueri
E.R. Jacobson, 1958
Baja California





3884958125
Naeiotus
hemaeerodes

W.H. Dall, 1917
Galápagos Islands
11 mm



3884958133
Naeiotus
hirsutus

J. Vagvolgyi, 1977
Galápagos Islands



3884958141
Naeiotus
hoodensis

W.H. Dall, 1900
Galápagos Islands




3884958165
Naeiotus
indefatigabilis

W.H. Dall, 1900
Galápagos Islands



3884958173
Naeiotus
invalidus

P.H. Reisch, 1892
Galápagos Islands



3884958189
Naeiotus
jacobi

G.B. I Sowerby, 1833
Galápagos Islands
9 mm



3884958181
Naeiotus
jacobi
vermiculatus
W.H. Dall, 1893

Galápagos Islands



3884958197
Naeiotus
jervisensis

W.H. Dall, 1917
Galápagos Islands





3884958205
***Naesiotus
jullensorum***
A.S.H. Breure, 1977
Colombia




5664000045
***Naesiotus
kublerensis***
L.A. Chambers, 1986
Galápagos Islands



3884959133
***Naesiotus
laeavapex***
C.C. Christensen & W.B. Miller, 1977
Baja California



3884958213
***Naesiotus
lima***
P.H. Reisch, 1892
Galápagos Islands



3884958221
***Naesiotus
lopesi***
H.E.B. Rezende, P.D. Lanzieri,
& F. Inada, 1972
Brasil

No Georeferenced data available




3884958229
***Naesiotus
lycodus***
W.H. Dall, 1917
Galápagos Islands
10 mm




synonyms:



- *Naesiotus lopesi* H.E.B. Rezende, P.D. Lanzieri & F. Inada, 1972



5812000111
***Naesiotus
milleri***
(L. Hoffman, 1987)
Mexico, Sonora



3884958253
***Naesiotus
minutissimus***
J.J. Parodíz, 1962
Bolivia



**no
IMAGES
available**

3884958261
***Naesiotus
montezuma***

W.H. Dall, 1893

California



synonyms:

- *Rabdotox acholus* J.F. Mabille, 1895
- *Bulinus proteus* W.G. Binney, 1869



3884958269
***Naesiotus
montivagus***

(D'Orbigny, 1835)

Bolivia
20,5 mm



synonyms:

- *Helix montivaga* D'Orbigny, 1835



3884958277
***Naesiotus
montivagus
chacoensis***

C.M.F. Ancey, 1897

Bolivia
20,9 mm



5822000513
***Naesiotus
munsterii***

(D'Orbigny, 1837.)

Bolivia
21,7 mm



synonyms:

- *Helix camba* D'Orbigny, 1837



3884968223
***Naesiotus
nesioticus***

W.H. Dall, 1896

Galápagos Islands
11 mm



synonyms:


- *Naesiotus nesioticus* W.H. Dall, 1896



3884958293
***Naesiotus
nuciiformis***

S.A.A. Petit De La Saussaye, 1853



Galápagos Islands



5664000047
***Naesiotus
nucula***

(L. Pfeiffer, 1854)

Galapagos
11,25 mm




synonyms:

- *Naesiotus nuculana* L. Pfeiffer, 1854



3884958309
***Naesiotus
nudus***
P.H. Reisch, 1892
Galápagos Islands



3884958341
***Naesiotus
nux***
W.J. Broderip, 1832
Galápagos Islands
19 mm




synonyms:

- *Naesiotus incrassatus* L. Pfeiffer, 1853
- *Naesiotus incrassatus sulcatus* P.H. Reisch, 1892


- *Naesiotus verrucosus* L. Pfeiffer, 1855



3884958317
***Naesiotus
nux
basiplicatus***
W.H. Dal & W.H. Ochsner, 1928
Galápagos Islands



3884958325
***Naesiotus
nux
monotaenius***
W.H. Dal & W.H. Ochsner, 1928
Galápagos Islands



3884958333
***Naesiotus
nux
perchloris***
W.H. Dal & W.H. Ochsner, 1928
Galápagos Islands



3884958349
***Naesiotus
ochsneri***
W.H. Dall, 1917
Galápagos Islands



3881400010
***Naesiotus
olla***
W.H. Dall, 1893
Galápagos Islands
8 mm



3884954541
***Naesiotus
orbignyi***
(L. Pfeiffer, 1846)
Bolivia
18,1 mm




synonyms:

- *Naesiotus apertus* L. Pfeiffer, 1855



3884968224
Naesiotus
oxyblaris

(A. Doering, 1879)
Argentina, Cordoba
18 mm



synonyms:

- *Protoglyptus oxyblaris* A. Doering, 1879



3884958357
Naesiotus
pachys

H.A. Pilsbry, 1897
Brasil, Bahia



synonyms:

- *Protoglyptus pachys* H.A. Pilsbry, 1897



3884959189
Naesiotus
pallidior

(G.B. I Sowerby, 1833)
Baja California



synonyms:

- *Bulimus pallidior striatus* W.H. Dall, 1893
- *Bulimus vegetus* A.A. Gould, 1853

- *Bulimus vegetus vegexspiza* J.G. Cooper, 1894




3884958365
Naesiotus
pallidus

P.H. Reisch, 1892
Galápagos Islands
11,3 mm



3884967997
Naesiotus
pazianus

(D'Orbigny, 1835)
Bolivia
24,3 mm



synonyms:

- *Helix paziana* D'Orbigny, 1835



3884963701
Naesiotus
pazianus
pseudonyma
H.A. Pilsbry, 1898

South America

No Georeferenced data available



3884958373
Naesiotus
perrus

W.H. Dall, 1917
Galápagos Islands







3884958381
Naesiotus
perspectivus

(L. Pfeiffer, 1846)

Galapagos islands
15,7 mm



3884958397
Naesiotus
pilsbryi

W.K. Weyrauch, 1956



Peru, Huancayo
13 mm



3884958405
Naesiotus
pinzonensis

J. Vagvolgyi, 1977

Galápagos Islands



3884958413
Naesiotus
pinzonopsis

J. Vagvolgyi, 1977


Galápagos Islands



3884958421
Naesiotus
pollonerae

C.M.F. Ancey, 1897

Jujuy, Argentina
18 mm



3884958429
Naesiotus
prepinguis

J. Vagvolgyi, 1977

Galápagos Islands





no
IMAGES
available

to be checked

3884958437
Naesiotus
punctustriatus

J.J. Parodíz, 1946


Argentina



3880000040
Naesiotus
quitenensis

L. Pfeiffer, 1847



Ecuador, Chimborazo
23,2 mm






3884958445
Naesiotus
quitenensis
ambatensis
H.A. Rehder, 1940

Tungurahua, Ecuador




3884958453
Naesiotus
quitenensis
antisana
H.A. Rehder, 1942

Pichincha, Ecuador




3884958461
Naesiotus
quitenensis
jacksoni
H.A. Rehder, 1940

Pichincha, Ecuador



3884958469
Naesiotus
quitenensis
orinus
H.A. Rehder, 1940

Chimborazo, Ecuador



3884958477
Naesiotus
quitenensis
rufescens
J. German, 1910

Ecuador





3884958485
Naesiotus
quitenensis
vermiculatus
H.A. Rehder, 1940

Ecuador




3884958493
Naesiotus
rabidensis
W.H. Dall, 1917

Galápagos Islands





3884958501
Naesiotus
ramosae
M.I. Hylton-Scott, 1952

Argentina






3884958509
Naesiotus
reibischii
W.H. Dall, 1895
Galápagos Islands
10 mm



3884958517
Naesiotus
rhabdotus
F. Haas, 1951
Peru



3884959253
Naesiotus
rimatus
L. Pfeiffer, 1847
Mexico, Guerrero
33,1 mm



synonyms:

- Mesembrinus bryanti J.G. Cooper, 1891
- Leptobryrus incendens monticola W.H. Dall, 1893

- Mesembrinus incendens bryanti J.G. Cooper, 1891



3884958525
Naesiotus
rivasi
(D'Orbigny, 1837)
Bolivia, Santa Cruz
12 mm



synonyms:

- Bulimus sugillatus L. Pfeiffer, 1857



3884958533
Naesiotus
rocayanus
(D'Orbigny, 1835)
Bolivia, Santa Cruz
22,9 mm



synonyms:

- Helix rociana D'Orbigny, 1835



3884958541
Naesiotus
rugatinus
W.H. Dall, 1917
Galápagos Islands



3881400015
Naesiotus
rugiferus
(G.B. I Sowerby, 1833)
Galápagos Islands
10 mm




synonyms:

- Naesiotus rugifer H.H. Beck, 1837




3884958573
Naesiotus
rugulosus
(G.B. I Sowerby, 1838)
Galápagos Islands
20,5 mm







3884958557
Naeziotus rugulosus infuscata
C.M.F. Aney, 1887
Galápagos Islands



3884958565
Naeziotus rugulosus planospira
C.M.F. Aney, 1887
Galápagos Islands



3884958581
Naeziotus saeronius
W.H. Dall, 1917
Galápagos Islands



3884958605
Naeziotus scalesiana
A.G. Smith, 1972
Galápagos Islands




3884958613
Naeziotus sculpturatus
L. Pfeiffer, 1846
Galápagos Islands 14,1 mm



3884958621
Naeziotus silvaevagus
W.K. Weyrauch, 1960
Peru, Junin



3881400020
Naeziotus simrothi
(P.H. Reisch, 1892)
Galápagos Islands 10 mm



3884958629
Naeziotus snodgrassi
W.H. Dall, 1900
Galápagos Islands



**no
IMAGES
available**

3884959309
***Naesiotus
spirifer***
W.M. Gabb, 1868
Baja California



synonyms:

- *Bulimus lapidivagus* J.F. Mabille, 1895

**no
IMAGES
available**

to be checked

5664000049
***Naesiotus
steadmani***
L.A. Chambers, 1986

No Georeferenced data available



synonyms:

- *Protoglyptus subcostatus* F. Haas, 1948





3884958637
***Naesiotus
subcostatus***
(F. Haas, 1948)
Cajamarca, Peru



**no
IMAGES
available**

to be checked


3884958645
***Naesiotus
subcostatus
chamayensis***
W.K. Weyrauch, 1967
Cajamarca, Peru
11 mm




**no
IMAGES
available**

to be checked

3884958653
***Naesiotus
subcostatus
maranonensis***
A.S.H. Breure, 1978
Peru



3884958677
***Naesiotus
tanneri***
W.H. Dall, 1895
Galápagos Islands





3884958661
***Naesiotus
tanneri
bartolomensis***
J. Vagvölgyi, 1977
Galápagos Islands



to be checked

3884958669
***Naesiotus
tanneri
edenensis***
J. Vagvölgyi, 1977
Galápagos Islands



**no
IMAGES
available**

3884958693
***Naesiotus
tortuganus***

W.H. Dall, 1893
Galápagos Islands



3884958701
***Naesiotus
trichodes***

(D'Orbigny, 1835)
Bolivia, Santa Cruz
20,8 mm



synonyms:


- *Helix trichoda* D'Orbigny, 1835

**no
IMAGES
available**

to be checked

3884958709
***Naesiotus
trogonius***

W.H. Dall, 1917
Galápagos Islands



**no
IMAGES
available**

to be checked

3884958717
***Naesiotus
tubulaxis***

H.A. Pilsbry, 1930
Bolivia




3884958725
***Naesiotus
unifasciatus***

G.B. I Sowerby, 1833
Galápagos Islands
17,2 mm



3884958741
***Naesiotus
ustulatus***

G.B. I Sowerby, 1833
Galápagos Islands
15,2 mm



synonyms:

- *Naesiotus phlegonis* W.H. Dall & W.H. Ochsner, 1928
- *Naesiotus ustulatus phlegonis* W.H. Dall & W.H. Ochsner, 1928

**no
IMAGES
available**

to be checked


3884958749
***Naesiotus
ustulatus
pallidescens***

W.H. Dall & W.H. Ochsner, 1928
Galápagos Islands





3884958757
***Naesiotus
ventrosus***

P.H. Reisch, 1892
Galápagos Islands
18,4 mm






3884958765
Naesiotus
venustus
P.H. Reisch, 1892
Galápagos Islands




3884959365
Naesiotus
veseyianus
W.H. Dall, 1893
Baja California
39,7 mm



3884958781
Naesiotus
vestalis
J.A. Albers, 1854
Colombia



3884958789
Naesiotus
willinki
A.S.H. Breure, 1978
Argentina



3881400025
Naesiotus
wolffi
(P.H. Reisch, 1892)
Galápagos Islands
11 mm



3884959381
Naesiotus
xantusi
W.G. Binney, 1861
Baja California



Subgenus: **Naesiotus (Naesiotellus)** W.K. Weyrauch, 1967 (1 SP, 1 IMG)




3884955741
Naesiotellus
latecolumellaris
W.K. Weyrauch, 1967
Peru, Lima
14 mm



Subgenus: **Naesiotus (Raphiellus)** L. Pfeiffer, 1856 (1 SP, 1 IMG)



5822000481
Raphiellus
turritus
W.K. Weyrauch, 1967
Peru, Cajamarca
10 mm




Genus: **Neopetraeus** E.C. Von Martens, 1885 (17 SP, 21 IMG)



3884965301
Neopetraeus
altoperuvianus

L.A. Reeve, 1849

Peru, Cajamarca
42,11 mm



3884965293
Neopetraeus
altoperuvianus
gracilior

H.A. Pilsbry, 1898


Peru
41 mm



3883004010
Neopetraeus
arboriferus

(H.A. Pilsbry, 1898)


Cajamarca, Peru
40 mm



3884965309
Neopetraeus
arboriferus
latistrigatus

H.A. Pilsbry, 1898


Peru, Cajamarca
41 mm



3884965317
Neopetraeus
arboriferus
obesus

W.K. Weyrauch, 1967

Peru, Cajamarca
43,5 mm



3884965325
Neopetraeus
arboriferus
paucistrigatus

W.K. Weyrauch, 1967



Peru, La Libertad
36 mm



3884965333
Neopetraeus
arboriferus
rectistrigatus

H.A. Pilsbry, 1898



Peru
36 mm



5822000496
Neopetraeus
atahuallpa

(W.L.H. Dohm, 1863)

Peru, Hualaga
38,5 mm





3884965349
**Neopetraeus
binneyanus**

L. Pfeiffer, 1857

Peru
21 mm



3884965357
**Neopetraeus
camachoai**

W.K. Weyrauch, 1967

Peru, Cajamarca



3884965373
**Neopetraeus
catamarcanus**

L. Pfeiffer, 1858

Peru



3884965365
**Neopetraeus
catamarcanus
orientalis**
A.S.H. Breure, 1978

Peru
48,4 mm



3884965389
**Neopetraeus
cora**

(D'Orbigny, 1835)
Cajamarca, Peru
37 mm



synonyms:
● *Helix cora* D'Orbigny, 1835




3884965381
**Neopetraeus
cora
unicolor**
L. Pfeiffer, 1881

Peru



3884965413
**Neopetraeus
decussatus**

L.A. Reeve, 1849
Peru, Cajamarca
37,7 mm



3884965405
**Neopetraeus
decussatus
brownii**
H.A. Plisby, 1898

Peru





3884968188
Neopetraeus
decussatus
myristicus
L.A. Reeve, 1849

Cajamarca, Peru
36,4 mm




3884965421
Neopetraeus
excoriatus

(L. Pfeiffer, 1855)
Peru
38,4 mm




3884965429
Neopetraeus
filiolus

H.A. Plisby, 1897
Peru




3884965437
Neopetraeus
heterogyrus

R.A. Philippi, 1869
Peru



3884965445
Neopetraeus
lobbii

L.A. Reeve, 1849
Peru, Cajamarca
38,78 mm



3884965477
Neopetraeus
lobbii
ptychostylus
(L. Pfeiffer, 1858)

Peru
46,7 mm



synonyms:

- *Bulinus ptychostylus* L. Pfeiffer, 1858



3884965453
Neopetraeus
millegranus

E.C. Von Martens, 1885
Peru
41 mm



3883004000
Neopetraeus
patasensis

(L. Pfeiffer, 1859)
Peru, Huaylas Ancash





3884965469
Neopetraeus
platystomus

L. Pfeiffer, 1858


Peru, Vina
34 mm



3883004005
Neopetraeus
tessellatus

(R.J. Shuttleworth, 1852)

Huallanca, Peru
25,8 mm



synonyms:

- *Neopetraeus cremnobates* H.A. Pilsbry, 1949
- *Neopetraeus tessellatus perincrassatus* H.A. Pilsbry, 1898


- *Neopetraeus weyrauchi* H.A. Pilsbry, 1944



3884965493
Neopetraeus
vadum

H.A. Pilsbry, 1898

Peru, Cajamarca




Genus: Newboldius H.A. Pilsbry, 1932 (3 SP, 1 IMG)



3884965509
Newboldius
angiporitus

W.K. Weyrauch, 1960



Peru, Junin



3884965517
Newboldius
crichtoni

W.J. Broderip, 1836

Peru, Huancabamba
71,3 mm



synonyms:

- *Newboldius illustris* H. Rolle, 1905



3884965533
Newboldius
inca

H.A. Pilsbry, 1932

Peru



Genus: Otostomus H.H. Beck, 1837 (2 SP, 2 IMG)



3883100000
Otosomus
signatus

J.B. von Spix, 1827

Brasil, Bahia
35,8 mm



388310005
Otosomus
vittatus

J.B. von Spix, 1827

Brasil, Bahia
42,1 mm**Genus: Oxychona** O.A.L. Mörch, 1852 (6 SP, 5 IMG)3884965549
Oxychona
bifasciata

E.J. Burrow, 1815

Bahia, Brasil
15,3 mm3884965541
Oxychona
bifasciata
minarum

C.M.F. Ancey, 1901

Brasil

No Georeferenced data available

3884965557
Oxychona
blanchetiana

S. Moricand, 1833

Brasil

No Georeferenced data available

3884965565
Oxychona
boosciana

A.E.J. Féussac, 1821

South America

No Georeferenced data available


3884965573
Oxychona
gyrina

G.P. Deshayes, 1820

Bahia, Brasil

3883150000
Oxychona
lonchostoma


(K.T. Menke, 1828)

Brasil, Itabuna
20 mm**synonyms:**

- Oxychona longostoma K.T. Menke, 1828

3883154000
Oxychona
pyramidella

(J.A. Wagner, 1827)

Brasil, Bahia
15 mm





5812000224
Oxychona
pyramidella
currani
P. Bartsch, 1916
Brasil, Bahia



Genus: Rabdotus J.A. Albers, 1850 (syn: Globulinus, Orthotomium, Rhabdotus - 20 SP, 12 IMG)



3881500000
Rabdotus
alternatus
T. Say, 1830
Mexico, Monterrey
47 mm



synonyms:

- *Bulimus lactarius* K.T. Menke, 1846



3884958813
Rabdotus
alternatus
albidus
T.D.A. Cockerel, 1891
USA, Texas




3884954021
Rabdotus
alternatus
mariae
J.A. Albers, 1850
USA, Texas
29,2 mm




3884958837
Rabdotus
baileyi
W.H. Dall, 1893
Mexico, Guaymas Sonora
29,5 mm



3884958853
Rabdotus
binneyanus
W.G. Binney, 1859
Texas



3884958861
Rabdotus
cacotycus
J.F. Mabille, 1895
Mexico



3884958885
Rabdotus
ceraldoensis
G.D. Hanna, 1923
Baja California



**no
IMAGES
available**

3884958893
**Rabdotus
chamberlini**



G.D. Hanna, 1923
Baja California



**no
IMAGES
available**
to be checked

3884958909
**Rabdotus
confinis**

L.A. Reeve, 1850
Texas



3881500005
**Rabdotus
dealbatus**

(T. Say, 1821)
Mexico, Nuevo León
26 mm



synonyms:

- *Bulinus confinis* L.A. Reeve, 1850
- *Helix dealbata* T. Say, 1821

**no
IMAGES
available**
to be checked



3884958933
**Rabdotus
dealbatus
jonesi**

W.J. Clench, 1937
Alabama



3884959157
**Rabdotus
dealbatus
liquabilis**

(L.A. Reeve, 1848)
Texas




synonyms:

- *Bulinus liquabilis* L.A. Reeve, 1848



3884968250
**Rabdotus
dealbatus
mooreanus**

(L. Pfeiffer, 1868)
Texas
28 mm



**no
IMAGES
available**
to be checked

3884958941
**Rabdotus
dealbatus
neomexicanus**

H.A. Pilsby, 1946
Mescalero, New Mexico




3884958949
**Rabdotus
dealbatus
ozarkensis**

H.A. Pilsby & J.H. Ferriss, 1906
Texas
24,5 mm






3884958957
**Rabdotus
dealbatus
pasonis**
H.A. Pilsbry, 1902
Texas



5812000226
**Rabdotus
dealbatus
ragsdalei**
(H.A. Pilsbry, 1890)
Kinney County, Texas
18,3 mm



synonyms:
● *Rabdotus ragsdalei* H.A. Pilsbry, 1890




5812000121
**Rabdotus
durangoensis**
(E.C. Von Martens, 1900)
Mexico, Durango





5812000113
**Rabdotus
fonsecanus**
(F. Haas, 1961)
Gulf de Fonseca



3884959069
**Rabdotus
hypodon**
H.A. Pilsbry, 1897
Mexico



3884959373
**Rabdotus
levis**
W.H. Dall, 1893
Baja California
20,7 mm



synonyms:
● *Naesiotus xantusi levis* W.H. Dall, 1893




3884959173
**Rabdotus
monticola**
W.H. Dall, 1893
South America

No Georeferenced data available




3884959181
**Rabdotus
novoleonis**
H.A. Pilsbry, 1953
Mexico




**no
IMAGES
available**

5812000112
**Rabdotus
pilsbryi**
(J.H. Ferriss, 1925)
Mexico, Chihuahua



**no
IMAGES
available**

3884959213
**Rabdotus
pilula**
W.G. Binney, 1861
California




synonyms:

- *Bulimus cooperi* W.H. Dall, 1896

- *Bulimus decipiens* J.G. Cooper, 1895

**no
IMAGES
available**

3884959261
**Rabdotus
sanmarcoensis**
H.A. Pilsbry & H.N. Lowe, 1932
Mexico



3884954637
**Rabdotus
schiedeanus**
L. Pfeiffer, 1841
USA, Texas
21,5 mm




synonyms:

- *Bulimus alternatus hesperius* H.A. Pilsbry & J.H. Ferriss, 1924

- *Bulimus patriarcha* W.G. Binney, 1858



3884968228
**Rabdotus
schiedeanus
pecosensis**
H.A. Pilsbry & J.H. Ferriss, 1897
Texas
28,3 mm



**no
IMAGES
available**

3884959293
**Rabdotus
sonorensis**
H.A. Pilsbry, 1928
Mexico



3884959341
**Rabdotus
sufflatus**
A.A. Gould, 1859
Baja California
28,3 mm



synonyms:

- *Bulimus insularis chinchesis* J.G. Cooper, 1894
- *Bulimus recognitus* J.F. Mabille, 1895
- *Rabdotus sufflatus insularis* J.G. Cooper, 1892

- *Bulimus juarezi* L. Pfeiffer, 1866
- *Rabdotus sufflatus chinchesis* J.G. Cooper, 1894
- *Bulimus vesicalis* A.A. Gould, 1853

Subgenus: Rabdotus (Maranhoniellus) W.K. Weyrauch, 1958 (1 SP, 1 IMG)



3884958053
Maranhoniellus
fernandezae

W.K. Weyrauch, 1958
Peru, Amazonas Province
14 mm



Subgenus: Rabdotus (Plicolumna) J.G. Cooper, 1895 (syn: Pseudorhoda - 6 SP, 4 IMG)



5664000027
Plicolumna
abbreviatus

(J.G. Cooper, 1892)
Baja California
22,2 mm



3884958829
Plicolumna
artemisia

W.G. Binney, 1861
Baja California
26,1 mm





3884967941
Plicolumna
californicus

J.G. Cooper, 1891
California, USA



3884959101
Plicolumna
incendens

W.G. Binney, 1861
Baja California
40,8 mm



3884959077
Plicolumna
incendens
alta



W.H. Dal, 1893
South America

No Georeferenced data available




5812000114
Plicolumna
perihirsutus

W.B. Miller, C.C. Christensen,
& B. Roth, 1990
Baja California



3884958869
Plicolumna
ramentosus

(J.G. Cooper, 1891)
Baja California
21,6 mm



synonyms:

- Rabdotus californicus ramentosus J.G. Cooper, 1891

Genus: Scutalus J.A. Albers, 1850 (syn: Bocourtia, Xenothauma - 44 SP, 28 IMG)



3884959557
Scutalus acharous
F. Haas, 1952
Bolivia



3884959565
Scutalus aequatorius
L. Pfeiffer, 1855
Ecuador
35,1 mm



synonyms:

- *Scutalus equatorius* L. Pfeiffer, 1853




3884959581
Scutalus angrandi
P.M.A. Morelet, 1860
Peru
44,6 mm



3884959605
Scutalus aureus
A.S.H. Breure, 1978
Peru



3884959621
Scutalus baroni
(H.C. Fulton, 1896)
Peru, Cajamarca
25 mm




synonyms:

- *Xenothauma baroni* H.C. Fulton, 1896



3884959637
Scutalus boliviensis
W.B. Marshal, 1932
Bolivia, Oruro



3884959645
Scutalus broggii
H.A. Pilsby & A.A. Olsson, 1949
Peru, Huacho



3884959661
Scutalus chileensis
W.K. Weyrauch, 1967
Peru, Cajamarca
47 mm





3884959653
Scutalus
chilensis
granulatus

W.K. Weyrauch, 1967

Peru



3884959701
Scutalus
coraeformis

H.A. Pilsbry, 1897

Peru



3884959693
Scutalus
coraeformis
debilisculptus

W.K. Weyrauch, 1967

Peru, Cajamarca
35,6 mm



3884959717
Scutalus
costifer

H.A. Pilsbry, 1932

Peru
23,5 mm



3884959709
Scutalus
costifer
naggi

A.S.H. Breure, 1978

Peru



3884959725
Scutalus
costulatus

W.K. Weyrauch, 1967

Peru



3884959741
Scutalus
cousini

F.P. Jousseaume, 1887



Ecuador



3884959749
Scutalus
cretaceus

L. Pfeiffer, 1855

Peru




synonyms:


- Drymaeus baroni H.C. Fulton, 1897



3884959821
Scutalus festhameli
L.H. Hupé, 1954
Chile




3884959853
Scutalus grandiventris
W.K. Weyrauch, 1960
Peru, Cajamarca
54,1 mm



3884959861
Scutalus haenkei
F. Haas, 1955
Bolivia



3884959877
Scutalus hessi
W.B. Marshal, 1932
Bolivia, Oruro



3884959893
Scutalus kochi
L. Pfeiffer, 1846
Chile




3884959901
Scutalus latecolumellaris
H.B. Preston, 1909
Peru
54 mm



3884959805
Scutalus latecolumellaris endospira
H.A. Pilsby, 1932
Peru, La Libertad




3884959917
Scutalus longitudinalis
F. Haas, 1955
Argentina, Ayacucho





3884959925
Scutalus
macedoi

W.K. Weyrauch, 1967
Peru, Junin
18 mm



3884968263
Scutalus
mariopenai

A.S.H. Breure & V. Mogollón Avila, 2010
Catzcal, Ancash, Peru



3884959941
Scutalus
minutus

A.S.H. Breure, 1978
Peru



3884959949
Scutalus
mutabilis

W.J. Broderip, 1832
Peru
28 mm



5664000054
Scutalus
mutabilis
albo

(W.J. Broderip, 1832)
Peru
28 mm

No Georeferenced data available





3884959957
Scutalus
nemorensis

R.A. Philippi, 1867
Peru
30 mm



5664000023
Scutalus
nivalis

(D'Orbigny, 1835)
Bolivia



3884959965
Scutalus
nobilis

H.A. Pilsbry & A.A. Olsson, 1949
Peru



synonyms:

- *Helix nivalis* D'Orbigny, 1835



566400024
Scutalus
ortizpuentei
W.K. Weyrauch, 1967
Peru, Cajamarca
48,3 mm



synonyms:


- *Scutalus ortizpuentei* W.K. Weyrauch, 1967




3884960013
Scutalus
pentlandi
L.A. Reeve, 1849
Peru
25 mm



3884960029
Scutalus
phaeocheilus
F. Haas, 1955
Peru



3884968260
Scutalus
phaeocheilus
altoensis
A.S.H. Breure & V. Mogollón Avilla, 2010
Peru




3884960045
Scutalus
pluto
J.C.H. Crosse, 1869
Peru
42,4 mm



3884960061
Scutalus
prometheus
J.C.H. Crosse, 1869
South America

No Georeferenced data available




3884960069
Scutalus
proteiformis
W.L.H. Dohrn, 1863
South America

No Georeferenced data available



3884960077
Scutalus
proteus
W.J. Broderip, 1832
Peru, Lima
51,93 mm



synonyms:

- *Bulinus sordidus* R.P. Lesson, 1826

**no
IMAGES
available**

to be checked

5664000055
**Scutalus
proteus
granulis**

W.J. Broderip, 1832

Peru
51 mm

No Georeferenced data available

**no
IMAGES
available**

to be checked

5664000056
**Scutalus
proteus
nana**

W.J. Broderip, 1832

Peru
51 mm

No Georeferenced data available

**no
IMAGES
available**

to be checked

3884960093
**Scutalus
pyramidalis**

A.S.H. Breure, 1978

Peru



3884960117
**Scutalus
revinctus**

L.H. Hupé, 1857

Chile
23 mm



synonyms:

- Vermiculatus gayi L. Pfeiffer, 1857

**no
IMAGES
available**

to be checked

3884960109
**Scutalus
revinctus
altorum**

F. Haas, 1951

Peru



**no
IMAGES
available**

to be checked

3884960133
**Scutalus
simulans**

M.I. Hylton-Scott, 1951

Bolivia



**no
IMAGES
available**

to be checked

3884960141
**Scutalus
smidti**

F. Haas, 1955

Peru



**no
IMAGES
available**

to be checked

3884960149
**Scutalus
sordidus**

G.P. Deshayes, 1838

Peru





3884960157
Scutalus steerei
H.A. Pilsbry, 1900
Peru, Cajamarca



3884960181
Scutalus thamnoicus
(D'Orbigny, 1835)
Bolivia
26 mm



synonyms:

- *Helix thamnoica* D'Orbigny, 1835



3884960213
Scutalus varians
H.C. Küster, 1844
Peru



388496117
Scutalus versicolor
H.A. Pilsbry, 1897
Peru



synonyms:


- *Scutalus coagulatus* L.A. Reeve, 1849




3884960221
Scutalus versicolor callaoensis
H.A. Pilsbry, 1897
Peru
35 mm



3884960229
Scutalus versicolor lachayensis
W.K. Weyrauch, 1967
Peru
24 mm



3884960253
Scutalus weddellii
L.H. Hupé, 1857
Peru



Subgenus: Scutalus (Aposcutalus) A.V.C. Dutra-Clarke & J.L.M. Leme 1985 (1 SP, 0 IMG)



5664000028
Aposcutalus atlanticus
(A.V.C. Dutra-Clarke,
& J.L.M. Leme, 1985)
Brasil

No Georeferenced data available

Subgenus: Scutalus (Suniellus) A.S.H. Breure, 1978 (4 SP, 1 IMG)




5822000539
Suniellus
adriani
A.S.H. Breure, 2011
Ecuador
32,5 mm



3884959669
Suniellus
chillu
A.S.H. Breure, 1978
Bolivia



3884959845
Suniellus
goudoti
(S.A.A. Petit De La Saussaye, 1843)
Colombia



3884960189
Suniellus
troscheli
(R.A. Philippi, 1867)
Peru



Subgenus: Scutalus (Vermiculatus) A.S.H. Breure, 1978 (16 SP, 17 IMG)



3884959589
Vermiculatus
ansianensis
(L. Pfeiffer, 1853)
Ecuador
40,2 mm



3884960173
Vermiculatus
ansianensis
subfasciatus
(L. Pfeiffer, 1853)
Ecuador
22,7 mm



synonyms:
● Scutalus subfasciatus L. Pfeiffer, 1853



3884959597
Vermiculatus
aquilus
(L.A. Reeve, 1848)
Peru
27,1 mm



3884959629
Vermiculatus
bicolor
(G.B. I Sowerby, 1835)
Peru
23,6 mm



synonyms:

- *Scutalus badius* G.B. I Sowerby, 1835
- *Helix polymorpha* D'Orbigny, 1835

- *Bulimus polymorphus* D'Orbigny, 1837



5664000057
Vermiculatus
bicolor
major
(L. Pfeiffer, 1868)
Peru

No Georeferenced data available




5664000058
Vermiculatus
bicolor
tenuis
(L. Pfeiffer, 1868)
Peru

No Georeferenced data available



3884957765
Vermiculatus
caliginosus
(L.A. Reeve, 1849)

Ecuador
35,4 mm




3884959733
Vermiculatus
cotopaxiensis
(L. Pfeiffer, 1853)

Ecuador
33,9 mm




3884959789
Vermiculatus
cuzcoensis
W.K. Weyrauch, 1967

Peru, Cuzco
30 mm



3884959781
Vermiculatus
cuzcoensis
marasensis
W.K. Weyrauch, 1967

Peru, Cuzco

**synonyms:**

- *Scutalus cuzcoensis masarensis* W.K. Weyrauch, 1967



3884959829
Vermiculatus
filaris
(L. Pfeiffer, 1853)

South America


No Georeferenced data available




3884959973
Vermiculatus
nucinus
(L.A. Reeve, 1850)

South America
36,8 mm


No Georeferenced data available



3884959981
Vermiculatus
ochraceus
(P.M.A. Morelet, 1863)
Peru, Cuzco
36 mm



3884959989
Vermiculatus
omissus
W.K. Weyrauch, 1967
Peru, Huananca




3884960005
Vermiculatus
peaki
(A.S.H. Breure, 1978)
Peru, Huaylas Ancash
23,5 mm



synonyms:
● Scutalus peaki A.S.H. Breure, 1978




3884960021
Vermiculatus
petiti
(L. Pfeiffer, 1846)
Bolivia
36 mm




3884960037
Vermiculatus
pilosus
W.K. Weyrauch, 1967
Peru, Junin
16 mm





3884960035
Vermiculatus
purpuratus
(L.A. Reeve, 1849)
Peru, Cajamarca
37,3 mm



3884960101
Vermiculatus
quechuarum
(A.J. Crawford, 1939)
Peru, Puno
21,5 mm




3884960125
Vermiculatus
sanborni
(F. Haas, 1947)
Pasco, Peru
10 mm






5812000232
Kora
corallina
L.R.L. Simone, 2012
Brasil, Bahia
43 mm



Genus: Llaucanianus W.K. Weyrauch, 1967 (syn: Ilaucanianus - 1 SP, 1 IMG)



3884955541
Llaucanianus
haasi
W.K. Weyrauch, 1967
Cajamarca, Peru
30 mm



synonyms:

- Orthalicus haasi W.K. Weyrauch, 1967

Family: BULIMULIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at
<http://www.bagniliggia.it/WMSD/FamilyMap/BULIMULIDAEmap.htm>

please note that this is not the complete coverage of this family
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 1106 from a total of 1270