

WMSDB - Worldwide Mollusc Species Data Base



Family: HARPIDAE

Class: GASTROPODA

--- Clade: CAENOGASTROPODA-HYPSOGASTROPODA-NEOGASTROPODA-MURICOIDEA

----- Family: **HARPIDAE** Brönn, 1849 (Sea)

- Alphabetic order - when **first name** is in bold the species has images
Taxa=124, Genus=4, Subgenus=4, Species=51, Subspecies=9, Synonyms=55, Images=59

- **amabile**, [**Morum amabile**](#) T. Shikama, 1973
- **amoretta**, Harpa amorella P.F. Röding, 1798 - syn of: [**Harpa amorella**](#) P.F. Röding, 1798
- **amoretta**, [**Harpa amorella**](#) P.F. Röding, 1798
- **amoretta crassa**, [**Harpa amorella crassa**](#) (C.F.F. von Krauss, 1848)
- **amoretta gracilis**, Harpa amorella gracilis W.J. Broderip & G.B. I Sowerby, 1829 - syn of: [**Harpa gracilis**](#) W.J. Broderip & G.B. I Sowerby, 1829
- **amoretta minor**, [**Harpa amorella minor**](#) J.B.P.A. Lamarck, 1822
- **articularis**, [**Harpa articularis**](#) J.B.P.A. Lamarck, 1822
- **bayeri**, [**Morum bayeri**](#) E.J. Petuch, 2001
- **berschaueri**, [**Morum berschaueri**](#) E.J. Petuch & R. Myers, 2015
- **bruuni**, [**Morum bruuni**](#) (A.W.B. Powell, 1958)
- **cabriti**, [**Harpa cabriti**](#) J.B.P.A. Lamarck, 1816
- **cabriti ventricosa**, [**Harpa cabriti ventricosa**](#) J.B.P.A. Lamarck, 1816
- **cancellata**, Harpa cancellata P.F. Röding, 1798 - syn of: [**Harpa davidis**](#) P.F. Röding, 1798
- **cancellatum**, [**Morum cancellatum**](#) (G.B. I Sowerby, 1825)
- **celinamarumai**, Morum celinamarumai S. Kosuge, 1981 - syn of: [**Morum joelgreenei**](#) W.K. Emerson, 1981
- **cithara**, Morum cithara R.B. Watson, 1881 - syn of: [**Morum uchiyamai**](#) J.T. Kuroda & T. Habe, 1961
- **clatratum**, [**Morum clatratum**](#) P. Bouchet, 2002
- **conoidalis**, [**Harpa major conoidalis**](#) J.B.P.A. Lamarck, 1822
- **costata**, [**Harpa costata**](#) (C. Linnaeus, 1758)
- **costata laetifica**, [**Harpa costata laetifica**](#) (C. Linnaeus, 1758)
- **costata lutea**, [**Harpa costata lutea**](#) L. Bozzetti, 2012
- **crassa**, [**Harpa amorella crassa**](#) (C.F.F. von Krauss, 1848)
- **crenata**, [**Harpa crenata**](#) W.J. Swainson, 1822
- **davidis**, [**Harpa davidis**](#) P.F. Röding, 1798
- **delectum**, Morum delectum T.A. Garrard, 1961 - syn of: [**Morum bruuni**](#) (A.W.B. Powell, 1958)
- **delicata**, Harpa delicata G. Perry, 1811 - syn of: [**Harpa articularis**](#) J.B.P.A. Lamarck, 1822
- **dennisoni**, [**Morum dennisoni**](#) (L.A. Reeve, 1842)
- **dennisoni**, Morum dennisoni auct. non L.A. Reeve, 1842 - syn of: [**Morum lindae**](#) E.J. Petuch, 1987
- **dominguense**, Morum dominguense auct. non G.B. II Sowerby, 1850 - syn of: [**Morum lindae**](#) E.J. Petuch, 1987
- **doris**, [**Harpa doris**](#) P.F. Röding, 1798
- **doris robusta**, [**Harpa doris robusta**](#) P.F. Röding, 1798
- **exquisita**, [**Astroharpa exquisita**](#) (T. Iredale, 1931)
- **exquisitum**, [**Morum exquisitum**](#) (A. Adams & L.A. Reeve, 1848)
- **fatimae**, Oniscidia fatimae G.T. Poppe & T. Brulet, 1999 - syn of: [**Morum fatimae**](#) G.T. Poppe & T. Brulet, 1999
- **fatimae**, [**Morum fatimae**](#) G.T. Poppe & T. Brulet, 1999
- **fulvomichaelensis**, [**Harpa fulvomichaelensis**](#) Orga, 1999
- **goodwini**, [**Harpa goodwini**](#) H.A. Rehder, 1993
- **gracilis**, [**Harpa gracilis**](#) W.J. Broderip & G.B. I Sowerby, 1829
- **grande**, [**Morum grande**](#) (A. Adams, 1853)
- **grandiformis**, Harpa grandiformis G. Perry, 1811 - syn of: [**Harpa major**](#) P.F. Röding, 1798
- **grandis**, Oniscia grandis A. Adams, 1853 - syn of: [**Morum grande**](#) (A. Adams, 1853)
- **harpa**, [**Harpa harpa**](#) (C. Linnaeus, 1758)
- **harpula**, Harpa harpula W.J. Swainson - syn of: [**Harpa major**](#) P.F. Röding, 1798
- **imperialis**, Harpa imperialis J.B.P.A. Lamarck, 1822 - syn of: [**Harpa costata**](#) (C. Linnaeus, 1758)
- **inerme**, [**Morum inerme**](#) F.Jr. Lorenz, 2014
- **ivojardai**, [**Harpa major ivojardai**](#) T. Cossignani, 2013
- **janae**, [**Morum janae**](#) D. Monsecour & F.Jr. Lorenz, 2011
- **janae**, Oniscidia janae D. Monsecour & F.Jr. Lorenz, 2011 - syn of: [**Morum janae**](#) D. Monsecour & F.Jr. Lorenz, 2011
- **joelgreenei**, [**Morum joelgreenei**](#) W.K. Emerson, 1981
- **kajiyamai**, [**Harpa kajiyamai**](#) T. Habe, 1970
- **kawamurai**, [**Harpa major kawamurai**](#) T. Habe, 1973
- **kolaceki**, [**Harpa kolaceki**](#) T. Cossignani, 2011
- **kurzi**, [**Morum kurzi**](#) E.J. Petuch, 1979
- **laetifica**, [**Harpa costata laetifica**](#) (C. Linnaeus, 1758)
- **lamarcki**, Morum lamarcki G.P. Deshayes, 1844 - syn of: [**Morum purpureum**](#) P.F. Röding, 1798
- **learorum**, [**Astroharpa learorum**](#) M.R. Hart & A. Limpus, 1998
- **ligata**, Harpa ligata K.T. Menke, 1828 - syn of: [**Harpa major**](#) P.F. Röding, 1798

- **lindae**, [**Morum lindae**](#) E.J. Petuch, 1987
- **loisae**, [**Austroharpa loisae**](#) H.A. Rehder, 1973
- **lorenzi**, [**Morum lorenzi**](#) D. Monsecour, 2011
- **lorenzi**, *Oniscidia lorenzi* D. Monsecour, 2011 - syn of: [**Morum lorenzi**](#) D. Monsecour, 2011
- **lutea**, [**Harpa costata lutea**](#) L. Bozzetti, 2012
- **macandrewi**, [**Morum macandrewi**](#) (G.B. III Sowerby, 1889)
- **macdonaldi**, [**Morum macdonaldi**](#) W.K. Emerson, 1981
- **major**, [**Harpa major**](#) P.F. Röding, 1798
- **major conoidalis**, [**Harpa major conoidalis**](#) J.B.P.A. Lamarck, 1822
- **major ivojardai**, [**Harpa major ivojardai**](#) T. Cossignani, 2013
- **major kawamurai**, [**Harpa major kawamurai**](#) T. Habe, 1973
- **mattewsi**, *Morum mattewsi* W.K. Emerson, 1967 - syn of: [**Morum matthewsi**](#) W.K. Emerson, 1967
- **matthewsi**, [**Morum matthewsi**](#) W.K. Emerson, 1967
- **minor**, [**Harpa amouretta minor**](#) J.B.P.A. Lamarck, 1822
- **multicostata**, *Harpa multicostata* G.B. I Sowerby, 1822 - syn of: [**Harpa costata**](#) (C. Linnaeus, 1758)
- **nablum**, *Harpa nablum* O.A.L. Mörch, 1852 - syn of: [**Harpa davidis**](#) P.F. Röding, 1798
- **ninomiyai**, [**Morum ninomiyai**](#) W.K. Emerson, 1986
- **nobilis**, *Harpa nobilis* J.B.P.A. Lamarck, 1822 - syn of: [**Harpa harpa**](#) (C. Linnaeus, 1758)
- **oblonga**, *Harpa oblonga* H.C.F. Schumacher, 1817 - syn of: [**Harpa amouretta**](#) P.F. Röding, 1798
- **oblunga**, *Harpa oblunga* H.C.F. Schumacher, 1817 - syn of: [**Harpa amouretta**](#) P.F. Röding, 1798
- **oniscus**, [**Morum oniscus**](#) (C. Linnaeus, 1767)
- **oniscus strombiformis**, *Morum oniscus strombiformis* L.A. Reeve, 1842 - syn of: [**Morum strombiformis**](#) (L.A. Reeve, 1842)
- **ponderosum**, [**Morum ponderosum**](#) (S.C.T. Hanley, 1858)
- **praeclarum**, [**Morum praeclarum**](#) J.C. Melvill, 1919
- **praeclarum**, *Oniscidia praeclarum* J.C. Melvill, 1919 - syn of: [**Morum praeclarum**](#) J.C. Melvill, 1919
- **praeclarum**, *Morum praeclarum* J.C. Melvill, 1919 - syn of: [**Morum praeclarum**](#) J.C. Melvill, 1919
- **punctata**, [**Austroharpa punctata**](#) (J.C. Verco, 1896)
- **purpureum**, [**Morum purpureum**](#) P.F. Röding, 1798
- **reum**, *Morum reum* P.F. Röding, 1798 - syn of: [**Morum oniscus**](#) (C. Linnaeus, 1767)
- **rivoliana**, *Harpa rivoliana* R.P. Lesson - syn of: [**Harpa crenata**](#) W.J. Swainson, 1822
- **robusta**, [**Harpa doris robusta**](#) P.F. Röding, 1798
- **rosea**, *Harpa rosea* J.B.P.A. Lamarck, 1816 - syn of: [**Harpa doris**](#) P.F. Röding, 1798
- **roseum**, [**Morum roseum**](#) P. Bouchet, 2002
- **scriba**, *Harpa scriba* A. Valenciennes, 1832 - syn of: [**Harpa crenata**](#) W.J. Swainson, 1822
- **solida**, *Harpa solida* A. Adams, 1854 - syn of: [**Harpa amouretta**](#) P.F. Röding, 1798
- **solidula**, *Harpa solidula* A. Adams, 1854 - syn of: [**Harpa amouretta**](#) P.F. Röding, 1798
- **striata**, *Harpa striata* J.B.P.A. Lamarck, 1816 - syn of: [**Harpa cabriti**](#) J.B.P.A. Lamarck, 1816
- **striatula**, *Harpa striatula* A. Adams, 1854 - syn of: [**Harpa major**](#) P.F. Röding, 1798
- **strombiforme**, *Morum strombiforme* L.A. Reeve, 1842 - syn of: [**Morum strombiformis**](#) (L.A. Reeve, 1842)
- **strombiformis**, [**Morum strombiformis**](#) (L.A. Reeve, 1842)
- **teramachii**, [**Morum teramachii**](#) J.T. Kuroda & T. Habe, 1961
- **testudinalis**, *Harpa testudinalis* L.A. Reeve - Syn of: [**Harpa crenata**](#) W.J. Swainson, 1822
- **tuberculatum**, [**Morum tuberculatum**](#) (L.A. Reeve, 1842)
- **uchiayamai**, [**Morum uchiayamai**](#) J.T. Kuroda & T. Habe, 1961
- **urniformis**, *Harpa urniformis* G. Perry, 1811 - syn of: [**Harpa cabriti ventricosa**](#) J.B.P.A. Lamarck, 1816
- **veleroae**, [**Morum veleroae**](#) W.K. Emerson, 1968
- **ventricosa**, [**Harpa cabriti ventricosa**](#) J.B.P.A. Lamarck, 1816
- **ventricosa**, *Harpa ventricosa* J.B.P.A. Lamarck, 1816 - syn of: [**Harpa cabriti ventricosa**](#) J.B.P.A. Lamarck, 1816
- **vicdani**, [**Morum vicdani**](#) W.K. Emerson, 1995
- **virginalis**, *Harpa virginalis* J.E. Gray in G.B. Sowerby, 1870 - syn of: [**Harpa amouretta**](#) P.F. Röding, 1798
- **vulgaris**, *Harpa vulgaris* H.C.F. Schumacher, 1817 - syn of: [**Harpa major**](#) P.F. Röding, 1798
- **watanabei**, [**Morum watanabei**](#) S. Kosuge, 1981
- **watsoni**, *Morum watsoni* S.P. Dance & W.K. Emerson, 1967 - syn of: [**Morum uchiayamai**](#) J.T. Kuroda & T. Habe, 1961
- **wilsoni**, [**Austroharpa wilsoni**](#) H.A. Rehder, 1973

Class: GASTROPODA


--- Clade: CAENOGASTROPODA-HYPSOGASTROPODA-NEOGASTROPODA-MURICOIDEA

----- Family: HARPIDAE Bronn, 1849


Habitat= Sea, Taxonomic order

Taxa=124, Genus=4, Subgenus=4, Species=51, Subspecies=9, Synonyms=55, Images=59

SubFamily: HARPINAE - Genus: **Austroharpa** H.J. Finlay, 1931 (5 SP, 5 IMG)



SubFamily: HARPINAE - Genus: **Harpa** P.F. Röding, 1798 (syn: Harpalis, Harparia, LyraGriffith - 14 SP, 23 IMG)






1990200280
Harpa
amouretta
minor
J.B.P.A. Lamarck, 1822
Sinai Peninsula, Egypt
33 mm



1990000015
Harpa
articulata
J.B.P.A. Lamarck, 1822
Philippines, Bohol Island
92,4 mm



synonyms:
● Harpa delicata G. Perry, 1811




1990000020
Harpa
cabriti
J.B.P.A. Lamarck, 1816
Mogadiscio
95 mm



synonyms:
● Harpa striata J.B.P.A. Lamarck, 1816



1990000080
Harpa
cabriti
ventricosa
J.B.P.A. Lamarck, 1816
Natal Bay, Mozambique
96 mm




synonyms:
● Harpa uniformis G. Perry, 1811

● Harpa ventricosa J.B.P.A. Lamarck, 1816



1990000030
Harpa
costata
(C. Linnaeus, 1758)
South Madagascar
83,7 mm




synonyms:
● Harpa imperialis J.B.P.A. Lamarck, 1822


● Harpa multicostata G.B. Sowerby, 1822




1990200290
Harpa
costata
laetifica
(C. Linnaeus, 1758)
Mauritius
36 mm



5308000099
Harpa
costata
lutea
L. Bozzetti, 2012
South Madagascar
84 mm



1990000035
Harpa
crenata
W.J. Swainson, 1822
Mexico, Mazatlan
77,7 mm



synonyms:

- *Harpa rivoliana* R.P. Lesson
- *Harpa testudinalis* L.A. Reeve

- *Harpa scriba* A. Valenciennes, 1832



1990004000
Harpa
davidis
P.F. Röding, 1798
Philippines, Zamboanga
75 mm

**synonyms:**

- *Harpa cancellata* P.F. Röding, 1798
- *Harpa nabium* O.A.L. Mörch, 1852




1990000040
Harpa
doris
P.F. Röding, 1798
Senegal
58 mm

**synonyms:**


- *Harpa rosea* J.B.P.A. Lamarck, 1816




1990200310
Harpa
doris
robusta
P.F. Röding, 1798
Sao Tomé Island
48 mm





1990200536
Harpa
fulvomichaelsenensis
Orga, 1999
Somala
34,5 mm



1990200320
Harpa
goodwini
H.A. Rehder, 1993
Hawaii
82 mm




1990000050
Harpa
gracilis
W.J. Broderip & G.B. I Sowerby, 1829
Indonesia, Maruri island
55 mm

**synonyms:**

- *Harpa amouretta gracilis* W.J. Broderip & G.B. I Sowerby, 1829



1990000055
Harpa
harpa
(C. Linnaeus, 1758)
Philippines, Olongo Island
96 mm

**synonyms:**


- *Harpa nobilis* J.B.P.A. Lamarck, 1822



1990000060
Harpa kajiyamai

T. Habe, 1970

Philippines, Aliguay Island
43,2 mm



5308000006
Harpa kolaceki

T. Cossignani, 2011

Marquesas Islands, Nuku Hiva
31,3 mm



1990000070
Harpa major

P.F. Röding, 1798

Taiwan
111,9 mm



synonyms:

- *Harpa grandiformis* G. Perry, 1811
- *Harpa ligata* K.T. Menke, 1828
- *Harpa vulgaris* H.C.F. Schumacher, 1817

- *Harpa harpula* W.J. Swainson
- *Harpa striatula* A. Adams, 1854



1990200330
Harpa major conoidalis

J.B.P.A. Lamarck, 1822


East China Sea
69 mm



5308000007
Harpa major ivojardai

T. Cossignani, 2013

Marquesas Islands, Nuku Hiva



1990000075
Harpa major kawamurai

T. Habe, 1973

Philippines, Zamboanga
55 mm




SubFamily: MORUMINAE - **Genus: Morum** P.F. Röding, 1798 (syn: Ersina, Lambidium, Oniscia, Plesionicia, Thelostoma - 32 SP, 31 IMG)



1990200000
Morum amabile

T. Shikama, 1973


Philippines, Balut Island
35,6 mm



1990200095
Morum bayeri

E.J. Petuch, 2001

Brasil, Salvador Bahia
20 mm



no
IMAGES
available

5308000010
**Morum
berschaueri**

Petuch & R. Myers, 2015

No Georeferenced data available



1990200005
**Morum
bruuni**

(A.W.B. Powell, 1958)
New Caledonia, Norfolk Ridge
34,75 mm



synonyms:

- *Morum delectum* T.A. Garrard, 1961



1990200010
**Morum
cancellatum**

(G.B. I Sowerby, 1825)
Taiwan
47,9 mm



1990200080
**Morum
clatratum**

P. Bouchet, 2002
Marquesas
57 mm




1990200015
**Morum
dennisoni**

(L.A. Reeve, 1842)
Colombia
59,6 mm





1990200370
**Morum
exquisitum**

(A. Adams & L.A. Reeve, 1848)
Philippines, Cebu
37 mm



1990200085
**Morum
fatimae**

G.T. Poppe & T. Brulet, 1999
Mozambique
14,5 mm





synonyms:

- *Oniscidia fatimae* G.T. Poppe & T. Brulet, 1999



1990200020
**Morum
grande**

(A. Adams, 1853)
Philippines, Balicasag Island
54,3 mm




synonyms:

- *Oniscia grandis* A. Adams, 1853





5308000008
**Morum
inerme**

F.Jr. Lorenz, 2014
Indian Ocean, Nazareth Bank



5308000004
**Morum
janae**

D. Monsecour & F.Jr. Lorenz, 2011
Tuamotu
13,6 mm




synonyms:

- *Oniscidia janae* D. Monsecour & F.Jr. Lorenz, 2011



1990200025
**Morum
joelgreenei**

W.K. Emerson, 1981
Philippines, Balut Island
38 mm




synonyms:

- *Morum celinamarumai* S. Kosuge, 1981



1990200030
**Morum
kurzi**

E.J. Petuch, 1979
Philippines, Balut Island
28 mm



1990200390
**Morum
lindae**

E.J. Petuch, 1987
Bahamas
36 mm



synonyms:



- *Morum dennisoni* auct. non L.A. Reeve, 1842

- *Morum dominguense* auct. non G.B. II Sowerby, 1850



5308000005
**Morum
lorenzi**

D. Monsecour, 2011
Mauritius
22,3 mm




synonyms:

- *Oniscidia lorenzi* D. Monsecour, 2011




1990200105
**Morum
macandrewi**

(G.B. III Sowerby, 1889)
East China Sea
64 mm



1990200400
**Morum
macdonaldi**


W.K. Emerson, 1981
Marshall Islands
15 mm





1990200040
Morum matthewsi

W.K. Emerson, 1967
Camocim, Ceará, Brasil
28,5 mm




synonyms:

- *Morum matthewsi* W.K. Emerson, 1967




1990200045
Morum ninomiyai

W.K. Emerson, 1986
Thailand, Phuket
40 mm



1990200050
Morum oniscus

(C. Linnaeus, 1767)
Bahamas
20 mm




synonyms:

- *Morum reum* P.F. Röding, 1798




1990200075
Morum ponderosum

(S.C.T. Hanley, 1858)
Fiji Islands
35,5 mm



1990200055
Morum praeclarum

J.C. Melvill, 1919
South Africa, Natal
29,5 mm



synonyms:

- *Morum praeclarum* J.C. Melvill, 1919
- *Oniscidia praeclarum* J.C. Melvill, 1919



1990200035
Morum purpureum

P.F. Röding, 1798
Guadeloupe
26,6 mm




synonyms:

- *Morum lamarcki* G.P. Deshayes, 1844





1990200090
Morum roseum

P. Bouchet, 2002
Marquesas
21,5 mm



1990200410
Morum strombiformis





(L.A. Reeve, 1842)
Cuba
24 mm



synonyms:




● Morum oniscus strombiformis L.A. Reeve, 1842

● Morum strombiforme L.A. Reeve, 1842


1990200060
Morum
teramachiiJ.T. Kuroda & T. Habe, 1961
Philippines, Aliguay Island
53,3 mm1990200100
Morum
tuberculatum(L.A. Reeve, 1842)
Panama
20 mm1990200065
Morum
uchiyamaiJ.T. Kuroda & T. Habe, 1961
Hong Kong
62,6 mm**synonyms:**

● Morum cithara R.B. Watson, 1881

● Morum watsoni S.P. Dance & W.K. Emerson, 1967

1990200440
Morum
veleroaeW.K. Emerson, 1968
Coco Island, Mexico
37,5 mm1990200450
Morum
vicdaniW.K. Emerson, 1995
Saya de Malha Bank
55 mm1990200070
Morum
watanabeiS. Kosuge, 1981
Philippines, Aliguay Island
33,4 mm

Family: HARPIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at
<http://www.bagniliggia.it/WMSD/FamilyMap/HARPIDAEmap.htm>

please note that this is not the complete coverage of this family
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 59 from a total of 60