


# WMSDB - Worldwide Mollusc Species Data Base

---



## Family: LYMNAEIDAE

---

Author: Claudio Galli - [claudio@bagniliggia.it](mailto:claudio@bagniliggia.it) (updated 07/set/2015)

**Class: GASTROPODA****--- Clade: HETEROBRANCHIA-PULMONATA-BASOMMATOPHORA-HYGROPHILA-LYMNAEOIDEA****----- Family: LYMNAEIDAE** Rafinesque, 1815 (Freshwater)

- Alphabetic order - when **first name** is in bold the species has images  
Taxa=567, Genus=26, Subgenus=16, Species=251, Subspecies=38, Synonyms=235, Images=75

---

- aberrans, [\*\*Lymnaea aberrans\*\*](#) (C.A. Westerlund, 1897)
- acronicus, Radix acronicus S.E. Studer, 1820 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- acuminata, [\*\*Radix acuminata\*\*](#) (J.B.P.A. Lamarck, 1822)
- acuminata rufescens, [\*\*Radix acuminata rufescens\*\*](#) (J.E. Gray)
- acuta, Lymnaea acuta G. Perry, 1811 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- acutalis, Lymnaea acutalis P.M.A. Morelet, 1845 - syn of: [\*\*Lymnaea fontinalis\*\*](#) (S.E. Studer, 1820)
- acutespira, Radix acutespira S. Clessin, 1877 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- aeromica, Radix aeromica S.E. Studer - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- affinis, Lymnaea affinis J.F.T. Eydoux & L.F.A. Souleyet, 1852 - Syn of: [\*\*Lymnaea producta\*\*](#) J.W. Mighels, 1845
- affinis, Limnaea affinis L.F.A. Souleyet - syn of: [\*\*Lymnaea oahuensis\*\*](#) L.F.A. Souleyet, 1852
- alascensis, Lymnaea alascensis F.C. Baker, 1911 - syn of: [\*\*Lymnaea petersi\*\*](#) W.H. Dall, 1905
- alberta, [\*\*Galba alberta\*\*](#) F.C. Baker, 1919
- almaatina, [\*\*Lymnaea almaatina\*\*](#)
- alpina, Radix alpina C. Polonera, 1889 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- alta, [\*\*Lanx alta\*\*](#) G.W. Tryon, 1865
- alticola, [\*\*Lymnaea alticola\*\*](#)
- ambigua, Limnaea ambigua W.H. Pease, 1870 - syn of: [\*\*Lymnaea producta\*\*](#) J.W. Mighels, 1845
- ampla, [\*\*Radix ampla\*\*](#) J.D.W. Hartmann, 1821
- ampulla, Radix ampulla H.C. Küster, 1862 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- ampullacea, [\*\*Lymnaea ampullacea\*\*](#) (E.A. Rossmässler, 1835)
- amurensis, [\*\*Lymnaea amurensis\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- andersoniana, [\*\*Radix andersoniana\*\*](#) (G. Nevill, 1881)
- andersoniana intermedia, [\*\*Radix andersoniana intermedia\*\*](#) Subba Rao, 1989
- andersoniana simulans, [\*\*Radix andersoniana simulans\*\*](#) Subba Rao, 1989
- andersoniana turbinicola, [\*\*Radix andersoniana turbinicola\*\*](#) Subba Rao, 1989
- andersoniana typica, [\*\*Radix andersoniana typica\*\*](#) Subba Rao, 1989
- apicina, [\*\*Stagnicola apicina\*\*](#) I. Lea, 1838
- appressa, [\*\*Lymnaea stagnalis appressa\*\*](#) T. Say, 1821
- apricensis, Radix apricensis G.B. Adami, 1876 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- arachleica, [\*\*Lymnaea arachleica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- araratensis, [\*\*Lymnaea araratensis\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- archangelica, Lymnaea archangelica N.D. Kruglov & Y.I. Starobogatov, 1986 - syn of: [\*\*Stagnicola archangelica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1986
- archangelica, [\*\*Stagnicola archangelica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1986
- arctica, [\*\*Stagnicola arctica\*\*](#) (I. Lea, 1864)
- arenaria, Lymnaea arenaria J.A.J. Cobeau, 1865 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- aruntalis, Lymnaea aruntalis B.C. Cotton & F.C. Godfrey, 1938 - syn of: [\*\*Austropeplea tomentosa\*\*](#) (L. Pfeiffer, 1855)
- atkaensis, [\*\*Ladislavella atkaensis\*\*](#) (W.H. Dall, 1884)
- atra, [\*\*Stagnicola atra\*\*](#) (F. von Schrank, 1803)
- atra starobogatovi, [\*\*Stagnicola atra starobogatovi\*\*](#) E.P. Lazareva, 1967
- atra zebrella, Stagnicola atra zebrella (W. Dybowski, 1913) - syn of: [\*\*Stagnicola zebrella\*\*](#) (W. Dybowski, 1913)
- attenuata, Lymnaea attenuata C.A. Westerlund, 1877 - syn of: [\*\*Ladislavella terebra\*\*](#) (C.A. Westerlund, 1885)
- attenuata, Lymnaea attenuata T. Say, 1829 - syn of: [\*\*Ladislavella elodes\*\*](#) (T. Say, 1821)
- attica, Radix attica J.R. Roth, 1855 - syn of: [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- aulacospira, [\*\*Erinna aulacospira\*\*](#) C.M.F. Ancey, 1889
- auricula, Radix auricula O.F. Müller, 1774 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- auricularia, [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- auricularia coreana, [\*\*Radix auricularia coreana\*\*](#) E.C. Von Martens
- auricularia obliquata, Radix auricularia obliquata E.C. Von Martens, 1864 - syn of: [\*\*Radix obliquata\*\*](#) (E.C. Von Martens, 1864)
- auricularia persica, Radix auricularia persica E.P. Lazareva, 1967 - syn of: [\*\*Radix parapsilia\*\*](#) M.V. Vinarski & P. Glöber, 2009
- auricularia persica, Lymnaea auricularia persica J.R. Bourguignat in A. Issel, 1865 - syn of: [\*\*Radix persica\*\*](#) (A. Issel, 1865)
- auricularia swinhoei, [\*\*Radix auricularia swinhoei\*\*](#) A. Adams, 1866
- auriculatus, Radix auriculatus P.D. Montfort, 1810 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- australis, [\*\*Radix luteola australis\*\*](#) T.N. Annandale & Surya Rao, 1925
- azabatschensis, [\*\*Lymnaea azabatschensis\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- bactriana, [\*\*Radix bactriana\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- badia, [\*\*Lymnaea badia\*\*](#) (H.C. Küster, 1862)
- bakowskyana, [\*\*Lymnaea bakowskyana\*\*](#) (S. Clessin, 1879)

- **balthica**, [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- berlani, [\*\*Stagnicola palustris berlani\*\*](#) J.R. Bourguignat, 1870
- biacuminata, [\*\*Lymnaea biacuminata\*\*](#) T.N. Annandale & Surya Rao, 1925
- binominis, Limnaea binominis E.R. Sykes, 1900 - syn of: [\*\*Lymnaea producta\*\*](#) J.W. Mighels, 1845
- blauneri, Radix blauneri H.C. Küster, 1862 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- bodamica, [\*\*Lymnaea bodamica\*\*](#) (K. Miller, 1873)
- bogotensis, Lymnaea bogotensis H.A. Pilsbry, 1935 - syn of: [\*\*Galba cousinsi\*\*](#) F.P. Jousseaume, 1887
- bolotensis, [\*\*Ladislavella terebra bolotensis\*\*](#) A. Mozley, 1934
- bonnevillensis, [\*\*Ladislavella bonnevillensis\*\*](#) (R.E. Cal, 1884)
- borealis, Lymnaea borealis J.R. Bourguignat, 1862 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- bowelli, [\*\*Lymnaea bowelli\*\*](#) H.B. Preston, 1909
- brevicauda, [\*\*Radix brevicauda\*\*](#) (G.B. II Sowerby, 1872)
- brunneo flava, Lymnaea brunneo flava H.B. Preston, 1910 - syn of: [\*\*Pectinidens diaphanus\*\*](#)
- bulimoides, [\*\*Sphaerogalba bulimoides\*\*](#) I. Lea, 1841
- bulimoides, Bakerilymnaea bulimoides I. Lea, 1841 - syn of: [\*\*Sphaerogalba bulimoides\*\*](#) I. Lea, 1841
- bulimoides cockerelli, [\*\*Bakerilymnaea bulimoides cockerelli\*\*](#) H.A. Pilsbry & J.H. Ferriss, 1906
- bulimoides techella, [\*\*Bakerilymnaea bulimoides techella\*\*](#) S.S. Haldeman, 1867
- bulla, [\*\*Cerasina bulla\*\*](#) (W. Kobelt, 1881)
- burnetti, Radix burnetti J. Alder - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- calabrica, Galba calabrica S. Clessin, 1879 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- callomphala, [\*\*Lymnaea callomphala\*\*](#) (G. Servain, 1881)
- callopleura, Lymnaea callopleura É.A.A. Locard, 1883 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- camousi, Radix camousi E. Caziot, 1910 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- camuna, Galba camuna G.B. Adami, 1876 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- canalis, Radix canalis M.de la Paz Graells in D. Dupuy, 1851 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- cantabra, [\*\*Omphiscola glabra cantabra\*\*](#) (J. Alvarez, 1965)
- caperata, [\*\*Hinkleyia caperata\*\*](#) (T. Say, 1829)
- carelica, [\*\*Lymnaea carelica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- carinata, [\*\*Lantzia carinata\*\*](#) F.P. Jousseaume, 1872
- castra, [\*\*Pseudosuccinea columella castra\*\*](#) I. Lea
- catascopium, [\*\*Stagnicola catascopium\*\*](#) (T. Say, 1816)
- catascopium nasoni, [\*\*Stagnicola catascopium nasoni\*\*](#) F.C. Baker, 1906
- catascopium niagaraensis, [\*\*Stagnicola catascopium niagaraensis\*\*](#) unknown
- catascopium preblei, [\*\*Stagnicola catascopium preblei\*\*](#) W.H. Dall, 1905
- catescopium, Lymnaea catescopium T. Say, 1867 - syn of: [\*\*Stagnicola catascopium\*\*](#) (T. Say, 1816)
- chalybea, [\*\*Pseudosuccinea columella chalybea\*\*](#) (A.A. Gould)
- championi, [\*\*Pseudosuccinea columella championi\*\*](#) (E.C. Von Martens, 1899)
- chereshnevi, [\*\*Lymnaea chereshnevi\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- chilensis, [\*\*Lymnaea chilensis\*\*](#) H.H. Beck, 1837
- cisternarum, Radix cisternarum E. Caziot, 1902 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- clavata, [\*\*Lymnaea clavata\*\*](#) (C.A. Westerlund, 1885)
- cockerelli, [\*\*Bakerilymnaea bulimoides cockerelli\*\*](#) H.A. Pilsbry & J.H. Ferriss, 1906
- colpodia, Lymnaea colpodia J.R. Bourguignat, 1862 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- columella, [\*\*Pseudosuccinea columella\*\*](#) T. Say, 1817
- columella castra, [\*\*Pseudosuccinea columella castra\*\*](#) I. Lea
- columella chalybea, [\*\*Pseudosuccinea columella chalybea\*\*](#) (A.A. Gould)
- columella championi, [\*\*Pseudosuccinea columella championi\*\*](#) (E.C. Von Martens, 1899)
- columellaris, Lymnaea columellaris C.B. Adams, 1839 - syn of: [\*\*Pseudosuccinea columella\*\*](#) T. Say, 1817
- communis, Lymnaea communis W.E. Leach, 1831 - syn of: [\*\*Stagnicola palustris\*\*](#) (O.F. Müller, 1774)
- compacta, Limnaea compacta W.H. Pease, 1870 - syn of: [\*\*Lymnaea producta\*\*](#) J.W. Mighels, 1845
- contadita, Lymnaea contadita Unknown - syn of: [\*\*Omphiscola glabra\*\*](#) O.F. Müller, 1774
- contorta, Lymnaea contorta G. Servain, 1881 - syn of: [\*\*Stagnicola palustris\*\*](#) (O.F. Müller, 1774)
- contracta, [\*\*Stagnicola contracta\*\*](#) A. Currier, 1881
- coreana, [\*\*Radix auricularia coreana\*\*](#) E.C. Von Martens
- corvus, [\*\*Stagnicola corvus\*\*](#) (J.F. Gmelin, 1791)
- corvus, Corvusiana corvus J.F. Gmelin, 1791 - syn of: [\*\*Stagnicola corvus\*\*](#) (J.F. Gmelin, 1791)
- costulata, [\*\*Radix lagotis costulata\*\*](#) (E.C. Von Martens, 1874)
- cottiana, Radix cottiana C. Pollonera, 1889 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- cousinsi, [\*\*Galba cousinsi\*\*](#) F.P. Jousseaume, 1887
- cousinsi, Lymnaea cousinsi F.P. Jousseaume, 1887 - syn of: [\*\*Galba cousinsi\*\*](#) F.P. Jousseaume, 1887
- coutagnei, Lymnaea coutagnei É.A.A. Locard, 1893 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- crassa, Lymnaea crassa Razumovskii, 1789 - syn of: [\*\*Stagnicola palustris\*\*](#) (O.F. Müller, 1774)
- cubensis, [\*\*Galba cubensis\*\*](#) (L. Pfeiffer, 1839)
- cucunorica, [\*\*Lymnaea cucunorica\*\*](#) O.F. von Möllendorff, 1902
- cumingiana, [\*\*Bullastra cumingiana\*\*](#) (L. Pfeiffer, 1855)

- *curtacorvus*, [\*\*\*Lymnaea curtacorvus\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- *cyclostoma*, [\*\*\*Galba cyclostoma\*\*\*](#) B. Walker, 1908
- *cyrniaca*, *Radix cyrniaca* J.F. Mabille, 1869 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *dalli*, [\*\*\*Galba dalli\*\*\*](#) F.C. Baker, 1907
- *danubialis*, [\*\*\*Lymnaea danubialis\*\*\*](#) (F. von Schrank, 1803)
- *decampi*, [\*\*\*Galba decampi\*\*\*](#) L.H. Streng, 1896
- *decidiosa*, *Lymnaea decidiosa* A.A. Gould - syn of: [\*\*\*Fossaria obrussa\*\*\*](#) T. Say, 1825
- *decollata*, [\*\*\*Lymnaea decollata\*\*\*](#) H.A. Pilsby
- *desidiosa*, *Lymnaea desidiosa* T. Say - syn of: [\*\*\*Ladislavella elodes\*\*\*](#) (T. Say, 1821)
- *diaphanus*, [\*\*\*Pectinidens diaphanus\*\*\*](#)
- *dipkunensis*, [\*\*\*Lymnaea dipkunensis\*\*\*](#) Gundrizer & Y.I. Starobogatov, 1979
- *dolgini*, [\*\*\*Lymnaea dolgini\*\*\*](#) Gundrizer & Y.I. Starobogatov, 1979
- *doriana*, [\*\*\*Lymnaea doriana\*\*\*](#) (J.R. Bourguignat, 1862)
- *draverti*, [\*\*\*Stagnicola draverti\*\*\*](#) (A. Mozley, 1934)
- *dupuyi*, [\*\*\*Lymnaea dupuyi\*\*\*](#) (É.A.A. Locard, 1893)
- *dvoriadkini*, [\*\*\*Lymnaea dvoriadkini\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- *elodes*, [\*\*\*Ladislavella elodes\*\*\*](#) (T. Say, 1821)
- *elodes nuttalliana*, [\*\*\*Ladislavella elodes nuttalliana\*\*\*](#) I. Lea, 1841
- *elophila*, *Lymnaea elophila* J.R. Bourguignat, 1882 - syn of: [\*\*\*Lymnaea stagnalis\*\*\*](#) (C. Linnaeus, 1758)
- *elophila*, *Lymnaea elophila* W. Kobelt, 1877 - syn of: [\*\*\*Lymnaea araratensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- *elrodi*, [\*\*\*Stagnicola elrodi\*\*\*](#) F.C. Baker & J. Henderson, 1933
- *elrodiana*, [\*\*\*Stagnicola elrodiana\*\*\*](#) F.C. Baker, 1935
- *emarginata*, [\*\*\*Ladislavella emarginata\*\*\*](#) (T. Say, 1821)
- *euphratica*, [\*\*\*Lymnaea euphratica\*\*\*](#) (A. Mousson, 1874)
- *europaea*, [\*\*\*Aenigmomphiscola europaea\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1981
- *exigua*, [\*\*\*Galba exiguia\*\*\*](#) I. Lea, 1841
- *exigua pangaea*, [\*\*\*Galba exiguia pangaea\*\*\*](#) (P.L. Reischütz, 1984)
- *exilis*, [\*\*\*Stagnicola exilis\*\*\*](#) I. Lea, 1834
- *falsipalustris*, [\*\*\*Lymnaea falsipalustris\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- *ferruginea*, [\*\*\*Galba ferruginea\*\*\*](#) S.S. Haldeman, 1841
- *fontinalis*, [\*\*\*Lymnaea fontinalis\*\*\*](#) (S.E. Studer, 1820)
- *fossaria*, *Galba fossaria* G. Montagu, 1803 - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- *fossarina*, *Lymnaea fossarina* M. Paulucci, 1881 - syn of: [\*\*\*Lymnaea stagnalis\*\*\*](#) (C. Linnaeus, 1758)
- *fossarum*, *Galba fossarum* S.E. Studer, 1789 - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- *fragilis*, [\*\*\*Lymnaea fragilis\*\*\*](#) (C. Linnaeus, 1758)
- *francisca*, *Lymnaea francisca* F. Poey, 1858 - syn of: [\*\*\*Pseudosuccinea columella\*\*\*](#) T. Say, 1817
- *frigida*, *Radix frigida* L.L.G. de Mortillet, 1860 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *fucinensis*, *Lymnaea fucinensis* M. Paulucci, 1881 - syn of: [\*\*\*Lymnaea stagnalis\*\*\*](#) (C. Linnaeus, 1758)
- *fulva*, *Radix fulva* A. Schmidt, 1847 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *fusca*, [\*\*\*Stagnicola fusca\*\*\*](#) (L. Pfeiffer, 1821)
- *fusca maritima*, [\*\*\*Stagnicola fusca maritima\*\*\*](#) (S. Clessin, 1878)
- *gabbi*, [\*\*\*Stagnicola gabbi\*\*\*](#) G.W. Tryon, 1865
- *galbana*, [\*\*\*Galba galbana\*\*\*](#) T. Say, 1825
- *gebleri*, [\*\*\*Radix gebleri\*\*\*](#) (A.T. von Middendorff, 1851)
- *gedrosiana*, [\*\*\*Radix gedrosiana\*\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- *gedrosiana rectilabrum*, [\*\*\*Radix gedrosiana rectilabrum\*\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- *gibilmanica*, *Radix gibilmanica* E.M. Da Costa, 1839 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *gingivata*, *Galba gingivata* C.J. Goupi, 1835 - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- *glabra*, *Galba glabra* M. Jackiewicz, 1959 - syn of: [\*\*\*Lymnaea clavata\*\*\*](#) (C.A. Westerlund, 1885)
- *glabra*, [\*\*\*Omphiscola glabra\*\*\*](#) O.F. Müller, 1774
- *glabra cantabra*, [\*\*\*Omphiscola glabra cantabra\*\*\*](#) (J. Alvarez, 1965)
- *glabra clavata*, *Lymnaea glabra clavata* C.A. Westerlund, 1885 - syn of: [\*\*\*Lymnaea clavata\*\*\*](#) (C.A. Westerlund, 1885)
- *glacialis*, *Radix glacialis* N. Pini, 1879 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *gloerei*, [\*\*\*Stagnicola gloerei\*\*\*](#) (M.V. Vinarski, 2011)
- *glutinosa*, [\*\*\*Myxas glutinosa\*\*\*](#) O.F. Müller, 1774
- *goupili*, [\*\*\*Lymnaea goupili\*\*\*](#) (A. Moquin-Tandon, 1856)
- *gracilis*, *Lymnaea gracilis* J.C. Jay, 1839 - syn of: [\*\*\*Acella haldemani\*\*\*](#) (W.G. Binney, 1867)
- *grimaldii*, *Galba grimaldii* E. Caziot, 1910 - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- *guebhardi*, *Radix guebhardi* E. Caziot, 1905 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- *gueretiniana*, [\*\*\*Lymnaea gueretiniana\*\*\*](#) (G. Servain, 1881)
- *gundrizeri*, [\*\*\*Lymnaea gundrizeri\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- *hadutkae*, [\*\*\*Lymnaea hadutkae\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- *hakusyensis*, [\*\*\*Lymnaea hakusyensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- *haldemani*, [\*\*\*Acella haldemani\*\*\*](#) (W.G. Binney, 1867)
- *haldemani*, *Lymnaea haldemani* W.G. Binney, 1867 - syn of: [\*\*\*Acella haldemani\*\*\*](#) (W.G. Binney, 1867)

- hamadai, [\*\*\*Radix hamadai\*\*\*](#) T. Habe, 1968
- hamiltoni, [\*\*\*Austropeplea tomentosa hamiltoni\*\*\*](#) R.K. Dell, 1956
- hartmanni, [\*\*\*Lymnaea hartmanni\*\*\*](#) (S.E. Studer, 1820)
- hawaiensis, [\*\*\*Lymnaea hawaiensis\*\*\*](#) H.A. Pilsbry, 1904
- hendersoni, [\*\*\*Galba hendersoni\*\*\*](#) F.C. Baker, 1909
- heptapotamica, *Lymnaea heptapotamica* E.P. Lazareva, 1967 - syn of: [\*\*\*Orientogalba hookeri\*\*\*](#) (L.A. Reeve, 1850)
- hinkleyi, [\*\*\*Stagnicola hinkleyi\*\*\*](#) F.C. Baker, 1906
- hispida, [\*\*\*Austropeplea hispida\*\*\*](#) (W.F. Ponder & C.O. Waterhouse, 1997)
- hookeri, [\*\*\*Orientogalba hookeri\*\*\*](#) (L.A. Reeve, 1850)
- hookeri, *Lymnaea hookeri* L.A. Reeve, 1850 - syn of: [\*\*\*Orientogalba hookeri\*\*\*](#) (L.A. Reeve, 1850)
- horae, [\*\*\*Lymnaea horae\*\*\*](#) T.N. Annandale & Surya Rao, 1925
- hordeum, [\*\*\*Radix hordeum\*\*\*](#) (A. Mousson, 1874)
- hubrechti, [\*\*\*Radix hubrechti\*\*\*](#) Z.X. Qian, J. Yang & J. He, 2012
- humilis, [\*\*\*Galba humilis\*\*\*](#) T. Say, 1822
- humilis modicella, *Galba humilis modicella* T. Say, 1825 - syn of: [\*\*\*Galba modicella\*\*\*](#) (T. Say, 1825)
- humilis rustica, [\*\*\*Galba humilis rustica\*\*\*](#) I. Lea, 1841
- huonensis, [\*\*\*Myxas huonensis\*\*\*](#) J.E. Tenison-Woods, 1876
- idahoensis, [\*\*\*Stagnicola idahoensis\*\*\*](#) J. Henderson, 1931
- igarkae, [\*\*\*Lymnaea igarkae\*\*\*](#) Gundrizer & Y.I. Starobogatov, 1979
- iliensis, [\*\*\*Lymnaea iliensis\*\*\*](#) E.P. Lazareva, 1967
- impura, [\*\*\*Lymnaea impura\*\*\*](#) (F.H. Troschel, 1837)
- intercisa, [\*\*\*Lymnaea intercisa\*\*\*](#) (W.A. Lindholm, 1909)
- intermedia, *Radix intermedia* A.E.J. Féruccac, 1822 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- intermedia, [\*\*\*Radix andersoniana intermedia\*\*\*](#) Subba Rao, 1989
- involuta, *Lymnaea involuta* I.C. Thompson, 1840 - syn of: [\*\*\*Myxa glutinosa\*\*\*](#) (O.F. Müller, 1774)
- iranica, [\*\*\*Radix iranica\*\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- iturupica, [\*\*\*Lymnaea iturupica\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- jacksonensis, [\*\*\*Lymnaea jacksonensis\*\*\*](#) F.C. Baker, 1907
- jacutica, [\*\*\*Lymnaea jacutica\*\*\*](#) Y.I. Starobogatov & E.A. Streletzkaja, 1967
- japonica, [\*\*\*Radix japonica\*\*\*](#) J.C. Jay, 1857
- japonicus, *Radix japonicus* J.C. Jay, 1857 - syn of: [\*\*\*Radix japonica\*\*\*](#) J.C. Jay, 1857
- javanica, [\*\*\*Radix javanica\*\*\*](#) (A. Mousson, 1894)
- jordii, [\*\*\*Radix jordii\*\*\*](#) C.R. Altaba, 2007
- jugularis, [\*\*\*Lymnaea stagnalis jugularis\*\*\*](#) T. Say, 1817
- juribeica, [\*\*\*Lymnaea juribeica\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- kafanovi, [\*\*\*Lymnaea kafanovi\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- kamtschatica, [\*\*\*Lymnaea kamtschatica\*\*\*](#) (A.T. von Middendorff, 1851)
- kashmirensis, [\*\*\*Lymnaea kashmirensis\*\*\*](#) B. Prashad, 1925
- kayseris, [\*\*\*Stagnicola kayseris\*\*\*](#) P. Glöer & M.Z. Yıldırım, 2006
- kazakensis, [\*\*\*Lymnaea kazakensis\*\*\*](#) A. Mozley, 1934
- kazakhstanica, [\*\*\*Aenigmomphiscola kazakhstanica\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1981
- kennicotti, [\*\*\*Stagnicola kennicotti\*\*\*](#) F.C. Baker, 1933
- kingi, *Stagnicola kingi* D.T. Jones, 1940 - syn of: [\*\*\*Stagnicola utahensis\*\*\*](#) R.E. Cal, 1884
- kingi, [\*\*\*Lymnaea kingi\*\*\*](#) F.B. Meek, 1876
- kingi, *Stagnicola kingi* J.P. Woolstenhulme, 1942 - syn of: [\*\*\*Stagnicola utahensis\*\*\*](#) R.E. Cal, 1884
- kingii, *Stagnicola kingii* J.L. Chamberlin & E.J. Roscoe, 1948 - syn of: [\*\*\*Stagnicola utahensis\*\*\*](#) R.E. Cal, 1884
- kingii, *Lymnaea kingii* R.E. Cal, 1884 - syn of: [\*\*\*Stagnicola utahensis\*\*\*](#) R.E. Cal, 1884
- klamathensis, [\*\*\*Lanx klamathensis\*\*\*](#) H.B. Hannibal, 1912
- kootaniensis, [\*\*\*Fisherola nuttalli kootaniensis\*\*\*](#) W. Baird, 1863
- kunashirica, [\*\*\*Lymnaea kunashirica\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- kurejkae, [\*\*\*Lymnaea kurejkae\*\*\*](#) Gundrizer & Y.I. Starobogatov, 1979
- kurenkovi, [\*\*\*Lymnaea kurenkovi\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- kurilensis, [\*\*\*Lymnaea kurilensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- labiata, [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- lacustris, *Radix lacustris* S. Clessin, 1887 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- lafayi, *Galba lafayi* E. Caziot, 1910 - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- lagodeschina, *Lymnaea lagodeschina* É.A.A. Locard, 1883 - syn of: [\*\*\*Lymnaea stagnalis\*\*\*](#) (C. Linnaeus, 1758)
- lagotis, [\*\*\*Radix lagotis\*\*\*](#) (L. von Schrenck, 1803)
- lagotis costulata, [\*\*\*Radix lagotis costulata\*\*\*](#) (E.C. Von Martens, 1874)
- lancides, [\*\*\*Fisherola nuttalli lancides\*\*\*](#) H.B. Hannibal, 1912
- langdorffi, *Radix langdorffi* J.R. Bourguignat, 1880 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- laticallosa, [\*\*\*Lymnaea laticallosa\*\*\*](#) T.N. Annandale & Surya Rao, 1925
- lebruni, [\*\*\*Lymnaea lebruni\*\*\*](#) J.F. Mabille, 1883
- lenaensis, [\*\*\*Lymnaea lenaensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- lessoni, [\*\*\*Myxas lessoni\*\*\*](#) G.P. Deshayes, 1830

- likharevi, [\*\*Lymnaea likharevi\*\*](#) E.P. Lazareva, 1967
- lilli, [\*\*Radix lilli\*\*](#) P. Glöer & J. Beckmann, 2007
- limosa, Radix limosa C. Linnaeus, 1758 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- limosa ovata, Radix limosa ovata J.P.R. Draparnaud, 1805 † - syn of: [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- limosina, Radix limosina É.A.A. Locard, 1892 - Syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- linae, [\*\*Radix linae\*\*](#) C.R. Altaba, 2007
- lindholmi, [\*\*Ladislavella terebra lindholmi\*\*](#) (W. Dybowski, 1913)
- lindholmi, Fossaria lindholmi W. Dybowski, 1913 - syn of: [\*\*Ladislavella terebra lindholmi\*\*](#) (W. Dybowski, 1913)
- liogyra, [\*\*Ladislavella liogyra\*\*](#) (C.A. Westerlund, 1897)
- locardi, Lymnaea locardi G. Coutagne in É.A.A. Locard, 1893 - Syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- lutea, Radix lutea G. Montagu, 1803 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- luteola, [\*\*Radix luteola\*\*](#) (J.B.P.A. Lamarck, 1822)
- luteola australis, [\*\*Radix luteola australis\*\*](#) T.N. Annandale & Surya Rao, 1925
- luteola ovalis, [\*\*Radix luteola ovalis\*\*](#) Ramakrishna & A. Dey, 2007
- mabillei, [\*\*Lymnaea mabillei\*\*](#) (É.A.A. Locard, 1893)
- magadanensis, [\*\*Pacifimyxas magadanensis\*\*](#) (N.D. Kruglov & Y.I. Starobogatov, 1985)
- major, Lymnaea major J.G. Jeffreys, 1830 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- mandraliscai, Galba mandraliscai L. Benoit, 1882 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- manomaensis, [\*\*Lymnaea manomaensis\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- maritima, [\*\*Stagnicola fusca maritima\*\*](#) (S. Clessin, 1878)
- maroccana, [\*\*Lymnaea maroccana\*\*](#) P.M. Pallary, 1889
- medium, Radix medium S.E. Studer in W. Coxe, 1789 - syn of: [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- megasoma, [\*\*Bulimnea megasoma\*\*](#) (T. Say, 1824)
- membranacea, Radix membranacea C. Porro, 1838 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- meridensis, [\*\*Lymnaea meridensis\*\*](#) M.D. Bargues, P. Artigas & Mas-Coma, 2011
- meridionalis, Radix meridionalis É.A.A. Locard, 1893 - syn of: [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- microcephala, Radix microcephala H.C. Küster - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- middendorffi, [\*\*Lymnaea middendorffi\*\*](#) (W. Dybowski, 1904)
- mighelsi, [\*\*Stagnicola mighelsi\*\*](#) W.G. Binney, 1865
- mimetica, [\*\*Lymnaea mimetica\*\*](#) T.N. Annandale, 1918
- minetus, Galba minetus J.P.R. Draparnaud, 1801 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- minor, [\*\*Lymnaea minor\*\*](#) W.H. Benson
- minutula, Galba minutula J.P.R. Draparnaud, 1801 - Syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- modicella, [\*\*Galba modicella\*\*](#) (T. Say, 1825)
- mongolica, [\*\*Lymnaea mongolica\*\*](#) (T.C. Yen, 1939)
- monnardi, [\*\*Lymnaea monnardi\*\*](#) (J.D.W. Hartmann, 1841)
- montana, [\*\*Lymnaea montana\*\*](#) J.R. Bourguignat, 1888
- montanensis, Stagnicola montanensis F.C. Baker, 1913 - syn of: [\*\*Walterigalba montanensis\*\*](#) F.C. Baker, 1913
- montanensis, [\*\*Walterigalba montanensis\*\*](#) F.C. Baker, 1913
- montenegrinus, [\*\*Stagnicola montenegrinus\*\*](#) P. Glöer & V.M. Pešić, 2009
- moquini, Galba moquini É.A.A. Locard, 1893 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- mucronata, [\*\*Lymnaea mucronata\*\*](#) (F. Held, 1836)
- multizonata, Radix multizonata G. Servain, 1881 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- namucuoensis, [\*\*Radix namucuoensis\*\*](#) Z.X. Qian, J. Yang & J. He, 2012
- napasica, [\*\*Lymnaea napasica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- narzykulovi, [\*\*Lymnaea narzykulovi\*\*](#)
- nasoni, [\*\*Stagnicola catascopium nasoni\*\*](#) F.C. Baker, 1906
- natalensis, Lymnaea natalensis C.F.F. von Krauss, 1848 - syn of: [\*\*Radix natalensis\*\*](#) C.F.F. von Krauss, 1848
- natalensis, [\*\*Radix natalensis\*\*](#) C.F.F. von Krauss, 1848
- natalensis unduosumae, [\*\*Lymnaea natalensis unduosumae\*\*](#) E.C. Von Martens, 1898
- neapolitana, Galba neapolitana R. Bellini, 1904 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- neopalustris, [\*\*Stagnicola neopalustris\*\*](#) F.C. Baker, 1911
- neotropica, [\*\*Galba neotropica\*\*](#)
- newberryi, Lanx newberryi I. Lea, 1856 - syn of: [\*\*Lanx patelloides\*\*](#) (I. Lea, 1856)
- newcombi, [\*\*Erinna newcombi\*\*](#) H. Adams & A. Adams, 1855
- niagaraensis, [\*\*Stagnicola catascopium niagaraensis\*\*](#) unknown
- nivalis, Radix nivalis N. Pini, 1879 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- nogoonica, [\*\*Lymnaea nogoonica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- novikovi, [\*\*Lymnaea novikovi\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- nubigena, Radix nubigena J.R. Bourguignat, 1856 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- nuttaliana, [\*\*Lymnaea nuttaliana\*\*](#) I. Lea, 1841
- nuttalli, [\*\*Fisherola nuttalli\*\*](#) S.S. Haldeman, 1841
- nuttalli kootaniensis, [\*\*Fisherola nuttalli kootaniensis\*\*](#) W. Baird, 1863
- nuttalli lancides, [\*\*Fisherola nuttalli lancides\*\*](#) H.B. Hannibal, 1912
- nuttalliana, [\*\*Ladislavella elodes nuttalliana\*\*](#) I. Lea, 1841

- **nuttalliana**, [\*\*\*Stagnicola palustris nuttalliana\*\*\*](#) I. Lea, 1862
- **ohauensis**, [\*\*\*Lymnaea ohauensis\*\*\*](#) L.F.A. Souleyet, 1852
- **obensis**, [\*\*\*Lymnaea obensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **obliquata**, [\*\*\*Radix obliquata\*\*\*](#) (E.C. Von Martens, 1864)
- **oblonga**, [\*\*\*Lymnaea oblonga\*\*\*](#) (E. Puton, 1847)
- **obrussa**, [\*\*\*Fossaria obrussa\*\*\*](#) T. Say, 1825
- **obrussa modicella**, Galba obrussa modicella [\*\*T. Say, 1825\*\*](#) - syn of: [\*\*\*Galba modicella\*\*\*](#) (T. Say, 1825)
- **obscurus**, Galba obscurus [\*\*J.L.M. Poiret, 1801\*\*](#) - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- **occulta**, Galba occulta M. Jackiewicz, 1959 - syn of: [\*\*\*Ladislavella terebra\*\*\*](#) (C.A. Westerlund, 1885)
- **ollulus**, [\*\*\*Myxas ollulus\*\*\*](#) A.A. Gould, 1859
- **omsiana**, Lymnaea omsiana B. Hubendick, 1951 - syn of: [\*\*\*Lymnaea araratensis\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- **onychia**, [\*\*\*Radix onychia\*\*\*](#) (C.A. Westerlund, 1887)
- **oronenensis**, Stagnicola oronenensis F.C. Baker, 1904 - syn of: [\*\*\*Stagnicola oronoensis\*\*\*](#) F.C. Baker, 1904
- **oronoensis**, [\*\*\*Stagnicola oronoensis\*\*\*](#) F.C. Baker, 1904
- **ovalior**, [\*\*\*Lymnaea ovalior\*\*\*](#) T.N. Annandale & B. Prashad, 1921
- **ovalis**, [\*\*\*Radix luteola ovalis\*\*\*](#) Ramakrishna & A. Dey, 2007
- **ovata**, Radix ovata [\*\*J.P.R. Draparnaud, 1805\*\*](#) - syn of: [\*\*\*Radix balthica\*\*\*](#) (C. Linnaeus, 1758)
- **ovata atkaensis**, Lymnaea ovata atkaensis W.H. Dall, 1884 - syn of: [\*\*\*Ladislavella atkaensis\*\*\*](#) (W.H. Dall, 1884)
- **pachyta**, [\*\*\*Lymnaea pachyta\*\*\*](#) (C.A. Westerlund, 1885)
- **pacifampa**, [\*\*\*Lymnaea pacifampa\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- **pallaryi**, Lymnaea pallaryi [\*\*J. Petrbok, 1942\*\*](#) - syn of: [\*\*\*Stagnicola palustris\*\*\*](#) (O.F. Müller, 1774)
- **palustris**, [\*\*\*Stagnicola palustris\*\*\*](#) (O.F. Müller, 1774)
- **palustris**, Galba palustris [\*\*O.F. Müller, 1774\*\*](#) - syn of: [\*\*\*Stagnicola palustris\*\*\*](#) (O.F. Müller, 1774)
- **palustris**, Lymnaea palustris [\*\*O.F. Müller, 1774\*\*](#) - syn of: [\*\*\*Stagnicola palustris\*\*\*](#) (O.F. Müller, 1774)
- **palustris berlani**, [\*\*\*Stagnicola palustris berlani\*\*\*](#) J.R. Bourguignat, 1870
- **palustris bolotensis**, Galba palustris bolotensis A. Mozley, 1934 - syn of: [\*\*\*Ladislavella terebra bolotensis\*\*\*](#) A. Mozley, 1934
- **palustris curta**, Lymnaea palustris curta S. Clessin, 1873 - syn of: [\*\*\*Lymnaea curtacorvus\*\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **palustris kazakensis**, Lymnaea palustris kazakensis A. Mozley, 1934 - syn of: [\*\*\*Lymnaea kazakensis\*\*\*](#) A. Mozley, 1934
- **palustris nuttalliana**, [\*\*\*Stagnicola palustris nuttalliana\*\*\*](#) I. Lea, 1862
- **palustris peregriformis**, [\*\*\*Stagnicola palustris peregriformis\*\*\*](#) (K. Miller, 1873)
- **palustris saridalensis**, Lymnaea palustris saridalensis A. Mozley, 1934 - syn of: [\*\*\*Stagnicola saridalensis\*\*\*](#) A. Mozley, 1934
- **palustris terebra**, Lymnaea palustris terebra [\*\*C.A. Westerlund, 1885\*\*](#) - syn of: [\*\*\*Ladislavella terebra\*\*\*](#) (C.A. Westerlund, 1885)
- **palustris transylvanica**, Lymnaea palustris transylvanica [\*\*M. von Kimakowicz, 1884\*\*](#) - syn of: [\*\*\*Lymnaea callomphala\*\*\*](#) (G. Servain, 1881)
- **pangaea**, [\*\*\*Galba exigua pangaea\*\*\*](#) (P.L. Reischütz, 1984)
- **papyracea**, [\*\*\*Myxas papyracea\*\*\*](#) (R. Tate, 1880)
- **parapsilia**, [\*\*\*Radix parapsilia\*\*\*](#) M.V. Vinarski & P. Glöer, 2009
- **parva**, [\*\*\*Galba parva\*\*\*](#) (I. Lea, 1841)
- **parva**, Fossaria parva (I. Lea, 1841) - syn of: [\*\*\*Galba parva\*\*\*](#) (I. Lea, 1841)
- **patagonica**, Lymnaea patagonica [\*\*H. Streb, 1907\*\*](#) - syn of: [\*\*\*Pectinidens diaphanus\*\*\*](#)
- **patelloides**, [\*\*\*Lanx patelloides\*\*\*](#) (I. Lea, 1856)
- **patula**, Radix patula E.M. Da Costa, 1778 - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- **peculiaris**, [\*\*\*Limnobulla peculiaris\*\*\*](#) (B. Hubendick, 1951)
- **peninsulae**, [\*\*\*Fossaria peninsulae\*\*\*](#) (B. Walker, 1908)
- **peninsulae**, Galba peninsulae [\*\*B. Walker, 1908\*\*](#) - syn of: [\*\*\*Fossaria peninsulae\*\*\*](#) (B. Walker, 1908)
- **peregra**, Radix peregra [\*\*O.F. Müller, 1774\*\*](#) - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- **peregra**, Lymnaea peregra [\*\*O.F. Müller, 1774\*\*](#) - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- **peregra bakowskyana**, Lymnaea peregra bakowskyana [\*\*S. Clessin, 1879\*\*](#) - syn of: [\*\*\*Lymnaea bakowskyana\*\*\*](#) (S. Clessin, 1879)
- **peregra middendorffi**, Lymnaea peregra middendorffi [\*\*W. Dybowski, 1904\*\*](#) - syn of: [\*\*\*Lymnaea middendorffi\*\*\*](#) (W. Dybowski, 1904)
- **peregriformis**, [\*\*\*Stagnicola palustris peregriformis\*\*\*](#) (K. Miller, 1873)
- **peregrina**, Lymnaea peregrina [\*\*S. Clessin, 1882\*\*](#) - syn of: [\*\*\*Pseudosuccinea columella\*\*\*](#) T. Say, 1817
- **peregrovata**, Radix peregrovata [\*\*W. Kobelt, 1877\*\*](#) - syn of: [\*\*\*Radix labiata\*\*\*](#) (E.A. Rossmässler, 1835)
- **perplexa**, Galba perplexa [\*\*F.C. Baker & J. Henderson, 1929\*\*](#) - syn of: [\*\*\*Fossaria perplexa\*\*\*](#) F.C. Baker & J. Henderson, 1929
- **perplexa**, [\*\*\*Fossaria perplexa\*\*\*](#) F.C. Baker & J. Henderson, 1929
- **perpolita**, [\*\*\*Fossaria perpolita\*\*\*](#) (W.H. Dall, 1905)
- **persica**, [\*\*\*Radix persica\*\*\*](#) (A. Issel, 1865)
- **pervia**, [\*\*\*Lymnaea pervia\*\*\*](#) E.C. Von Martens, 1867
- **petersi**, [\*\*\*Lymnaea petersi\*\*\*](#) W.H. Dall, 1905
- **petoskeyensis**, [\*\*\*Stagnicola petoskeyensis\*\*\*](#) B. Walker, 1908
- **physcus**, [\*\*\*Lymnaea physcus\*\*\*](#) T.N. Annandale & Surya Rao, 1925
- **pictonica**, Lymnaea pictonica [\*\*A. de Rochebrune & J.F. Mabille, 1889\*\*](#) - syn of: [\*\*\*Pectinidens diaphanus\*\*\*](#)
- **pilsbryana**, [\*\*\*Stagnicola pilsbryana\*\*\*](#) (B. Walker, 1908)
- **pilsbryi**, [\*\*\*Stagnicola pilsbryi\*\*\*](#) H. Hemphill, 1890
- **piniana**, Galba piniana [\*\*C.A. Westerlund, 1885\*\*](#) - syn of: [\*\*\*Galba truncatula\*\*\*](#) (O.F. Müller, 1774)
- **pinteri**, [\*\*\*Radix pinteri\*\*\*](#) H. Schütt, 1974
- **plagiostoma**, Radix plagiostoma [\*\*G. Servain, 1881\*\*](#) - syn of: [\*\*\*Radix balthica\*\*\*](#) (C. Linnaeus, 1758)

- **planulata**, Radix planulata C.A. Westerlund, 1885 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- **plicata**, [\*\*Lymnaea plicata\*\*](#) M.I. Hylton-Scott, 1953
- **plicatula**, [\*\*Radix plicatula\*\*](#) W.H. Benson, 1842
- **preblei**, [\*\*Stagnicola catascopium preblei\*\*](#) W.H. Dal, 1905
- **producta**, [\*\*Lymnaea producta\*\*](#) J.W. Mighels, 1845
- **prolata**, Radix prolata É.A.A. Locard, 1893 - syn of: [\*\*Radix balthica\*\*](#) (C. Linnaeus, 1758)
- **proxima**, [\*\*Stagnicola proxima\*\*](#) I. Lea, 1856
- **psilia**, [\*\*Lymnaea psilia\*\*](#) (J.R. Bourguignat, 1862)
- **psilia**, Lymnaea psilia Z.I. Izzatulæv & al., 1983 - syn of: [\*\*Radix parapsilia\*\*](#) M.V. Vinarski & P. Glöer, 2009
- **pucilla**, [\*\*Lymnaea pucilla\*\*](#) F.W. Hutton, 1885
- **pumila**, Galba pumila É.A.A. Locard, 1893 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- **pusilla**, Galba pusilla F. von Schrank, 1803 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- **putris**, Radix putris T. Pennant, 1777 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- **quadrasi**, [\*\*Radix quadrasi\*\*](#) (O.F. von Möllendorff)
- **raiblensis**, Radix raiblensis S. Clessin, 1879 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- **randolphi**, Lymnaea randolphi F.C. Baker, 1904 - syn of: [\*\*Ladislavella atkaensis\*\*](#) (W.H. Dall, 1884)
- **raphidia**, Lymnaea raphidia J.R. Bourguignat, 1860 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **rectilabrum**, [\*\*Radix gedrosiana rectilabrum\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- **rectilabrum**, Lymnaea rectilabrum T.N. Annandale & B. Prashad, 1919 - syn of: [\*\*Radix gedrosiana rectilabrum\*\*](#) (T.N. Annandale & B. Prashad, 1919)
- **reflexa**, [\*\*Stagnicola reflexa\*\*](#) T. Say, 1821
- **relicta**, [\*\*Radix relicta\*\*](#) W. Polinski, 1929
- **renoufi**, Lymnaea renoufi G. Servain, 1881 - syn of: [\*\*Stagnicola palustris\*\*](#) (O.F. Müller, 1774)
- **reticulata**, [\*\*Pseudisidora reticulata\*\*](#) (J. Gassies, 1867)
- **reticulata**, Omphiscola reticulata (J. Gassies, 1867) - syn of: [\*\*Pseudisidora reticulata\*\*](#) (J. Gassies, 1867)
- **ribeirensis**, Radix ribeirensis P.H. Reibisch, 1865 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- **rochi**, Radix rochi A.E.J. Féruccac, 1807 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- **rubella**, [\*\*Pseudisidora rubella\*\*](#) I. Lea, 1841
- **rubella**, Lymnaea rubella I. Lea, 1841 - syn of: [\*\*Pseudisidora rubella\*\*](#) I. Lea, 1841
- **rubiginosa**, [\*\*Radix rubiginosa\*\*](#) (J.L.H. Michelin, 1831)
- **rufescens**, [\*\*Radix acuminata rufescens\*\*](#) (J.E. Gray)
- **rupestris**, [\*\*Lymnaea rupestris\*\*](#) W.L. Paraense, 1982
- **rustica**, [\*\*Galba humilis rustica\*\*](#) I. Lea, 1841
- **sanctaemariae**, [\*\*Lymnaea stagnalis sanctaemariae\*\*](#) B. Walker, 1892
- **sandwichensis**, Limnaea sandwichensis R.A. Philippi - syn of: [\*\*Lymnaea oahuensis\*\*](#) L.F.A. Souleyet, 1852
- **saridalensis**, [\*\*Stagnicola saridaleensis\*\*](#) A. Mozley, 1934
- **schelechovi**, [\*\*Lymnaea schelechovi\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- **schirazensis**, [\*\*Galba schirazensis\*\*](#) H.C. Küster, 1862
- **schubinae**, [\*\*Lymnaea schubinae\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **shadini**, Lymnaea shadini Z.I. Izzatulæv, N.D. Kruglov & Y.I. Starobogatov, 1983 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
- **shanensis**, [\*\*Lymnaea shanensis\*\*](#) T.N. Annandale, 1918
- **sibirica**, [\*\*Galba sibirica\*\*](#) (C.A. Westerlund, 1885)
- **sihotealinica**, [\*\*Lymnaea sihotealinica\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **simulans**, [\*\*Radix andersoniana simulans\*\*](#) Subba Rao, 1989
- **sirikulensis**, [\*\*Lymnaea sirikulensis\*\*](#) (G. Nevil, 1878)
- **skutaris**, [\*\*Radix skutaris\*\*](#) P. Glöer & V.M. Pešić, 2008
- **solida**, Radix solida R.A. Philippi, 1844 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
- **solidissima**, [\*\*Radix solidissima\*\*](#) (W. Kobelt, 1872)
- **sonomaensis**, [\*\*Fossaria sonomaensis\*\*](#) H. Hemphill, 1906
- **sonomaensis**, Galba sonomaensis H. Hemphill, 1906 - syn of: [\*\*Fossaria sonomaensis\*\*](#) H. Hemphill, 1906
- **sorensis**, [\*\*Ladislavella sorensis\*\*](#) W. Dybowski, 1913 - syn of: [\*\*Ladislavella terebra\*\*](#) (C.A. Westerlund, 1885)
- **stagnalis**, [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
- **stagnalis ampliata**, Lymnaea stagnalis ampliata D. Geyer, 1927 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **stagnalis appressa**, [\*\*Lymnaea stagnalis appressa\*\*](#) T. Say, 1821
- **stagnalis jugularis**, [\*\*Lymnaea stagnalis jugularis\*\*](#) T. Say, 1817
- **stagnalis producta**, Lymnaea stagnalis producta J.A.J. Colbeau, 1859 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **stagnalis sanctaemariae**, [\*\*Lymnaea stagnalis sanctaemariae\*\*](#) B. Walker, 1892
- **stagnalis subulata**, Lymnaea stagnalis subulata C.A. Westerlund, 1873 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **stagnalis subulata**, Lymnaea stagnalis subulata D. Geyer, 1927 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **stagnalis vulgaris**, Lymnaea stagnalis vulgaris C.A. Westerlund, 1885 - syn of: [\*\*Lymnaea fragilis\*\*](#) (C. Linnaeus, 1758)
- **starobogatovi**, [\*\*Stagnicola atra starobogatovi\*\*](#) E.P. Lazareva, 1967
- **streletzkajae**, [\*\*Lymnaea streletzkajae\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- **stricta**, Radix stricta É.A.A. Locard, 1893 - syn of: [\*\*Radix auricularia\*\*](#) C. Linnaeus, 1758
- **subangulata**, [\*\*Lymnaea subangulata\*\*](#) (J.F.X. Roffæn, 1868)
- **subdisjuncta**, [\*\*Lymnaea subdisjuncta\*\*](#) (G. Nevil, 1878)
- **subrotunda**, Lanx subrotunda G.W. Tryon, 1865 - syn of: [\*\*Lanx subrotunda\*\*](#) G.W. Tryon, 1865

- **subrotundata**, [\*Lanx subrotundata\*](#) G.W. Tryon, 1865
- **subscalariformis**, *Lymnaea subscalariformis* H.H. Suter, 1917 - syn of: [\*Austropeplea tomentosa\*](#) (L. Pfeiffer, 1855)
- **subtruncata**, *Galba subtruncata* E. Caziot, 1910 - syn of: [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **subulata**, [\*Galba truncatula subulata\*](#) (Kichx, 1870)
- **succinea**, *Radix succinea* S. Nilsson, 1822 - syn of: [\*Radix labiata\*](#) (E.A. Rossmässler, 1835)
- **sumassi**, [\*Stagnicola sumassi\*](#) (W. Baird, 1863)
- **swinhoei**, *Radix swinhoei* A. Adams, 1866 - syn of: [\*Radix auricularia swinhoei\*](#) A. Adams, 1866
- **swinhoei**, [\*Radix auricularia swinhoei\*](#) A. Adams, 1866
- **syriacensis**, *Lymnaea syriacensis* J. Germain, 1921 - syn of: [\*Stagnicola palustris\*](#) (O.F. Müller, 1774)
- **syriacus**, *Lymnaea syriacus* A. Mousson, 1861 - syn of: [\*Stagnicola palustris\*](#) (O.F. Müller, 1774)
- **taurinensis**, *Lymnaea taurinensis* C. Pollonera, 1889 - syn of: [\*Lymnaea stagnalis\*](#) (C. Linnaeus, 1758)
- **tazewelliana**, [\*Fossaria tazewelliana\*](#) (A.J.C. Wolf, 1869)
- **techella**, [\*Bakerilymnaea bulimooides techella\*](#) S.S. Haldeman, 1867
- **tekecus**, [\*Stagnicola tekecus\*](#) P. Göber & M.Z. Yıldırım, 2006
- **teletzkiana**, [\*Lymnaea teletzkiana\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **tener**, *Lymnaea tener* H.C. Küster, 1863 - syn of: [\*Lymnaea tenera\*](#) (H.C. Küster, 1863)
- **tenera**, [\*Lymnaea tenera\*](#) (H.C. Küster, 1863)
- **teneriffae**, *Galba teneriffae* J.F. Mabille, 1881 - Syn of: [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **tengriana**, [\*Lymnaea tengriana\*](#) N.D. Kruglov & Y.I. Starobogatov, 1984
- **terebra**, [\*Ladislavella terebra\*](#) (C.A. Westerlund, 1885)
- **terebra bolotensis**, [\*Ladislavella terebra bolotensis\*](#) A. Mozley, 1934
- **terebra lindholmi**, [\*Ladislavella terebra lindholmi\*](#) (W. Dybowski, 1913)
- **thermobaicalica**, [\*Lymnaea thermobaicalica\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- **thermokamtschatica**, [\*Lymnaea thermokamtschatica\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- **thiesseae**, *Galba thiesseae* S. Clessin, 1879 - syn of: [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **tomasellii**, *Lymnaea tomasellii* L. Menegazzi, 1855 - syn of: [\*Lymnaea stagnalis\*](#) (C. Linnaeus, 1758)
- **tomentosa**, [\*Austropeplea tomentosa\*](#) (L. Pfeiffer, 1855)
- **tomentosa hamiltoni**, [\*Austropeplea tomentosa hamiltoni\*](#) R.K. Dell, 1956
- **torquilla**, [\*Lymnaea torquilla\*](#) (C.A. Westerlund, 1876)
- **traski**, [\*Stagnicola traski\*](#) G.W. Tryon, 1863
- **trencaleonis**, *Radix trencaleonis* J. Gassies - syn of: [\*Radix auricularia\*](#) C. Linnaeus, 1758
- **truncata**, *Galba truncata* O.F. Müller, 1774 - syn of: [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **truncatella**, [\*Lymnaea truncatella\*](#) (O.F. Müller, 1774)
- **truncatula**, [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **truncatula**, *Lymnaea truncatula* O.F. Müller, 1774 - syn of: [\*Galba truncatula\*](#) (O.F. Müller, 1774)
- **truncatula subangulata**, *Lymnaea truncatula subangulata* J.F.X. Roffiaen, 1868 - syn of: [\*Lymnaea subangulata\*](#) (J.F.X. Roffiaen, 1868)
- **truncatula subulata**, [\*Galba truncatula subulata\*](#) (Kichx, 1870)
- **truncatula ventricosa**, *Lymnaea truncatula ventricosa* A. Moquin-Tandon, 1856 - syn of: [\*Lymnaea subangulata\*](#) (J.F.X. Roffiaen, 1868)
- **tumida**, *Radix tumida* F. Held, 1836 - syn of: [\*Radix labiata\*](#) (E.A. Rossmässler, 1835)
- **tumrokensis**, [\*Lymnaea tumrokensis\*](#) N.D. Kruglov & Y.I. Starobogatov, 1985
- **tungabhadraensis**, [\*Lymnaea tungabhadraensis\*](#) H.C. Ray, 1967
- **turbanicola**, [\*Radix andersoniana turbinicola\*](#) Subba Rao, 1989
- **turgida**, *Lymnaea turgida* É.A.A. Locard, 1893 - Syn of: [\*Lymnaea stagnalis\*](#) (C. Linnaeus, 1758)
- **turgidula**, *Limnaea turgidula* W.H. Pease, 1870 - syn of: [\*Lymnaea producta\*](#) J.W. Michels, 1845
- **turricula**, [\*Stagnicola turricula\*](#) F. Held, 1836
- **typica**, [\*Radix andersoniana typica\*](#) Subba Rao, 1989
- **ubaquensis**, *Lymnaea ubaquensis* J. Piaget, 1914 - syn of: [\*Galba cousinsi\*](#) F.P. Jousseaume, 1887
- **ulaganica**, [\*Lymnaea ulaganica\*](#) N.D. Kruglov & Y.I. Starobogatov, 1983
- **unduosumae**, *Lymnaea unduosumae* E.C. Von Martens, 1898 - syn of: [\*Lymnaea natalensis unduosumae\*](#) E.C. Von Martens, 1898
- **unduosumae**, [\*Lymnaea natalensis unduosumae\*](#) E.C. Von Martens, 1898
- **ussuriensis**, [\*Lymnaea ussuriensis\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
- **utahensis**, *Galba utahensis* F.C. Baker, 1911 - syn of: [\*Stagnicola utahensis\*](#) R.E. Call, 1884
- **utahensis**, *Polyrhysis utahensis* J.L. Chamberlin & D.T. Jones, 1929 - syn of: [\*Stagnicola utahensis\*](#) R.E. Call, 1884
- **utahensis**, [\*Stagnicola utahensis\*](#) R.E. Call, 1884
- **uvalievae**, [\*Aenigmomphiscola uvalievae\*](#) N.D. Kruglov & Y.I. Starobogatov, 1981
- **vahlii**, [\*Walhiana vahlii\*](#) (H.P.C. Möller, 1842)
- **vancouverensis**, [\*Galba vancouverensis\*](#) F.C. Baker, 1939
- **velutinoides**, *Bullastra velutinoides* L.S.R. Bergh, 1901 - syn of: [\*Bullastra cumingiana\*](#) (L. Pfeiffer, 1855)
- **ventricosella**, [\*Stagnicola ventricosella\*](#) (W. Dybowski, 1913)
- **viator**, [\*Bakerilymnaea viator\*](#) (D'Orbigny, 1835)
- **viator**, *Lymnaea viator* E.C. Von Martens, 1895 - Syn of: [\*Pseudosuccinea columella\*](#) T. Say, 1817
- **viatrix**, *Lymnaea viatrix* D'Orbigny, 1835 - syn of: [\*Bakerilymnaea viator\*](#) (D'Orbigny, 1835)
- **violacea**, *Lymnaea violacea* M. Paulucci, 1881 - syn of: [\*Lymnaea stagnalis\*](#) (C. Linnaeus, 1758)
- **virens**, *Radix virens* H.C. Küster, 1842 - syn of: [\*Radix labiata\*](#) (E.A. Rossmässler, 1835)
- **viridis**, [\*Lymnaea viridis\*](#) J.R.C. Quoy & J.P. Gaimard, 1833

- **voluntata**, *Limnaea voluntata* A.A. Gould - syn of: [\*\*Lymnaea oahuensis\*\*](#) L.F.A. Souleyet, 1852
  - **volutata**, [\*\*Lymnaea volutata\*\*](#) A.A. Gould
  - **vulgaris**, *Radix vulgaris* C. Pfeiffer, 1821 - syn of: [\*\*Radix labiata\*\*](#) (E.A. Rossmässler, 1835)
  - **vulgaris**, *Lymnaea vulgaris* J.D.W. Hartmann, 1840 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
  - **vulnerata**, *Lymnaea vulnerata* H.C. Küster, 1862 - syn of: [\*\*Stagnicola fusca\*\*](#) (L. Pfeiffer, 1821)
  - **walkeriana**, [\*\*Stagnicola walkeriana\*\*](#) F.C. Baker, 1926
  - **westerlundi**, *Lymnaea westerlundi* É.A.A. Locard, 1893 - syn of: [\*\*Lymnaea stagnalis\*\*](#) (C. Linnaeus, 1758)
  - **woodruffi**, [\*\*Stagnicola woodruffi\*\*](#) F.C. Baker, 1901
  - **zarenkovi**, [\*\*Lymnaea zarenkovi\*\*](#) N.D. Kruglov & Y.I. Starobogatov, 1989
  - **zazurnensis**, [\*\*Lymnaea zazurnensis\*\*](#) A. Mozley, 1934
  - **zebrella**, [\*\*Stagnicola zebrella\*\*](#) (W. Dybowski, 1913)
  - **zrmanjae**, *Galba zrmanjae* ♀ Brusina, 1866 - syn of: [\*\*Galba truncatula\*\*](#) (O.F. Müller, 1774)
-

Class: GASTROPODA

--- Clade: HETEROBRANCHIA-PULMONATA-BASOMMATOPHORA-HYGROPHILA-LYMPNAEOIDEA

----- Family: LYMPNAEIDAE Rafinesque, 1815

Habitat= Freshwater, Taxonomic order

Taxa=567, Genus=26, Subgenus=16, Species=251, Subspecies=38, Synonyms=235, Images=75

SubFamily: AMPHIPEPLEINAE - Genus: **Austropelea** B.C. Cotton, 1942 (2 SP, 1 IMG)



7154000167  
**Austropelea hispida**

(W.F. Ponder & C.O. Waterhouse, 1997)


Tasmania



3631700370  
**Austropelea tomentosa**

(L. Pfeiffer, 1855)

Wellington, New Zealand



**synonyms:**

- Lymnaea arntalis B.C. Cotton & F.C. Godfrey, 1938
- Succinea tomentosa L. Pfeiffer, 1855


- Lymnaea subscalariformis H.H. Suter, 1917



3631700360  
**Austropelea tomentosa hamiltoni**

R.K. Dell, 1956

New Zealand



SubFamily: AMPHIPEPLEINAE - Genus: **Bullastra** L.S.R. Bergh, 1901 (1 SP, 0 IMG)



7154000177  
**Bullastra cumingiana**

(L. Pfeiffer, 1855)

No Georeferenced data available

**synonyms:**

- Bullastra velutinoides L.S.R. Bergh, 1901


SubFamily: AMPHIPEPLEINAE - Genus: **Lantzia** F.P. Jousseaume, 1872 (1 SP, 0 IMG)



5598000027  
**Lantzia carinata**

F.P. Jousseaume, 1872

Réunion



SubFamily: AMPHIPEPLEINAE - Genus: **Limnobulla** N.D. Kruglov & Y.I. Starobogatov, 1985 (1 SP, 0 IMG)



7154000179  
**Limnobulla peculiaris**

(B. Hubendick, 1951)

No Georeferenced data available

SubFamily: AMPHIPEPLEINAE - Genus: **Myxas** W.E. Leach in G.B. Sowerby, 1822 (syn: Amphipelea, Lutea, Myxus - 5 SP, 2 IMG)



3631700320  
**Myxas glutinosa**  
O.F. Müller, 1774  
Netherlands  
9 mm





no  
IMAGES  
available  
to be checked

3631700330  
**Myxas huonensis**  
J.E. Tenison-Woods, 1876  
Australia

No Georeferenced data available




3631700340  
**Myxas lessoni**  
G.P. Deshayes, 1830  
Freemantle, West Australia  
18 mm



no  
IMAGES  
available  
to be checked

3631700350  
**Myxas ocellatus**  
A.A. Gould, 1859  
Japan



no  
IMAGES  
available  
to be checked


3640050096  
**Myxas papyracea**  
(R. Tate, 1880)

No Georeferenced data available

SubFamily: AMPHIPELEINAE - Genus: **Orientogalba** N.D. Kruglov & Y.I. Starobogatov, 1985 (1 SP, 0 IMG)

no  
IMAGES  
available

3631700090  
**Orientogalba hookeri**  
(L.A. Reeve, 1850)  
Kazakhstan



**synonyms:**

- Lymnaea heptapotamica E.P. Lazareva, 1967

- Lymnaea hookeri L.A. Reeve, 1850

SubFamily: AMPHIPELEINAE - Genus: **Pacifimyxas** N.D. Kruglov & Y.I. Starobogatov, 1985 (1 SP, 0 IMG)

no  
IMAGES  
available



5602000191  
**Pacifimyxas magadanensis**  
(N.D. Kruglov & Y.I. Starobogatov, 1985)

No Georeferenced data available

SubFamily: AMPHIPELEINAE - Genus: **Pectinidens** H.A. Pilsby, 1911 (1 SP, 1 IMG)



5598000006  
**Pectinidens diaphanus**  
(P.P. King in P.P. King,  
& W.J. Broderip, 1832)  
Argentina, Santa Cruz  
11 mm



**synonyms:**


- *Lymnaea brunnea flava* H.B. Preston, 1910
- *Lymnaea pictonica* A. de Rochebrune & J.F. Mabille, 1889

- *Lymnaea patagonica* H. Strebel, 1907

SubFamily: AMPHIPELEINAE - **Genus: Radix** P.D. Montfort, 1810 (syn: *Auriculariana*, *Cyclomnea*, *Guharia*, *Limnosiana*, *Neritostoma* - 34 SP, 26 IMG)

3631700010  
**Radix**  
**acuminata**  
(J.B.P.A. Lamarck, 1822)

France  
28 mm




7154000198  
**Radix**  
**acuminata**  
**rufescens**  
(J.E. Gray)

No Georeferenced data available





3631700380  
**Radix**  
**ampla**

J.D.W. Hartmann, 1821  
Germany, Hamburg





3631700020  
**Radix**  
**andersoniana**  
(G. Nevill, 1881)

China, Yunnan






7154000196  
**Radix**  
**andersoniana**  
**intermedia**  
Subba Rao, 1989

Nepal





7154000194  
**Radix**  
**andersoniana**  
**simulans**  
Subba Rao, 1989

Nepal





7154000197  
**Radix**  
**andersoniana**  
**turbanicola**  
Subba Rao, 1989

Nepal



7154000195  
**Radix**  
**andersoniana**  
**typica**  
Subba Rao, 1989

Nepal






3631200000

**Radix  
auricularia**

C. Linnaeus, 1758

Spain  
26 mm**synonyms:**

- Radix acronicus S.E. Studer, 1820
- Radix ampula H.C. Küster, 1862
- Helix auricularia C. Linnaeus, 1758
- Radix canalis M.de la Paz Graells in D. Dupuy, 1851
- Radix ribeiensis P.H. Reibisch, 1865
- Radix trecaleonis J. Gassies

- Radix auricula O.F. Müller, 1774
- Radix auriculatus P.D. Montfort, 1810
- Radix multizonata G. Servain, 1881
- Radix stricta E.A.A. Locard, 1893



3631700390

**Radix  
auricularia  
coreana**

E.C. Von Martens

Russia, Vladivostok




3631204010

**Radix  
auricularia  
swinhonis**

A. Adams, 1866

Okinawa

**synonyms:**

- Radix swinhonis A. Adams, 1866




5602000147

**Radix  
bactriana**

(T.N. Annandale &amp; B. Prashad, 1919)


Iran, Markazi Province



3631200005

**Radix  
balthica**

(C. Linnaeus, 1758)

Spain  
18,6 mm**synonyms:**

- Radix attica J.R. Roth, 1855
- Radix limosa ovata J.P.R. Draparnaud, 1805 t
- Radix meridionalis É.A.A. Locard, 1893
- Radix plagiostoma G. Servain, 1881

- Helix balthica C. Linnaeus, 1758
- Radix medium S.E. Studer in W. Coxe, 1789
- Radix ovata J.P.R. Draparnaud, 1805
- Radix prolata É.A.A. Locard, 1893




3631700050

**Radix  
brevicauda**

(G.B. II Sowerby, 1872)

Kashmir



5602000167

**Radix  
gebleri**



(A.T. von Middendorff, 1851)

No Georeferenced data available

**no  
IMAGES  
available**

3631700070  
**Radix  
gedrosiana**



(T.N. Annandale & B. Prashad, 1919)  
Iran, Baluchestan Province



**no  
IMAGES  
available**

5602000210  
**Radix  
gedrosiana  
rectilabrum**

(T.N. Annandale & B. Prashad, 1919)  
Iran, Baluchestan Province



**synonyms:**


- *Lymnaea rectilabrum* T.N. Annandale & B. Prashad, 1919

**no  
IMAGES  
available**

**to be checked**

3631700420  
**Radix  
hamadai**


T. Habe, 1968  
Japan



**no  
IMAGES  
available**

7154000169  
**Radix  
hordeum**

(A. Mousson, 1874)  
Iran



**no  
IMAGES  
available**

7154000181  
**Radix  
hubrechti**



Z.X. Qian, J. Yang & J. He, 2012

**No Georeferenced data available**




7154000168  
**Radix  
iranica**

(T.N. Annandale & B. Prashad, 1919)  
Iran, Baluchestan Province



3631204000  
**Radix  
japonica**

J.C. Jay, 1857  
Japan, Kutsuki



**synonyms:**


- *Radix japonicus* J.C. Jay, 1857

**no  
IMAGES  
available**

**to be checked**

7154000187  
**Radix  
javanica**

(A. Mousson, 1894)  
Austria



**no  
IMAGES  
available**  
*to be checked*

3640050058

***Radix*  
*jordii***

C.R. Altaba, 2007


No Georeferenced data available



3631200010  
***Radix*  
*labiata***

(E.A. Rossmässler, 1835)

Germany, Bavaria  
6 mm



**synonyms:**

- *Radix acutespira* S. Clessin, 1877
- *Radix alpina* C. Pollonera, 1889
- *Radix blaueri* H.C. Küster, 1862
- *Radix camousi* E. Caziot, 1910
- *Radix cottiana* C. Pollonera, 1889
- *Radix frigida* L.L.G. de Mortillet, 1860
- *Radix gibrilmanica* E.M. Da Costa, 1839
- *Radix guebhardi* E. Caziot, 1905
- *Radix lacustris* S. Clessin, 1887
- *Radix limosa* C. Linnaeus, 1758
- *Radix lutea* G. Montagu, 1803
- *Radix microcephala* H.C. Küster
- *Radix nubigena* J.R. Bourguignat, 1856
- *Radix peregra* O.F. Müller, 1774
- *Radix peregrinata* W. Kobelt, 1877
- *Radix putris* T. Pennant, 1777
- *Radix rochi* A.E.J. Féruccac, 1807
- *Radix succinea* S. Nilsson, 1822
- *Radix virens* H.C. Küster, 1842



- *Radix aeromica* S.E. Studer
- *Radix apricensis* G.B. Adami, 1876
- *Radix burnetti* J. Alder
- *Radix cisternarum* E. Caziot, 1902
- *Radix cymia* J.F. Mabille, 1869
- *Radix fulva* A. Schmidt, 1847
- *Radix glacialis* N. Pini, 1879
- *Radix intermedi* A.E.J. Féruccac, 1822
- *Radix langdorffii* J.R. Bourguignat, 1880
- *Radix limosina* É.A.A. Locard, 1892
- *Radix membranacea* C. Porro, 1838
- *Radix nivalis* N. Pini, 1879
- *Radix patula* E.M. Da Costa, 1778
- *Lymnaea peregra* O.F. Müller, 1774
- *Radix planulata* C.A. Westerlund, 1885
- *Radix raibensis* S. Clessin, 1879
- *Radix solda* R.A. Philippi, 1844
- *Radix tumida* F. Held, 1836
- *Radix vulgaris* C. Pfeiffer, 1821



3640050034  
***Radix*  
*lagotis***

(L. von Schrenck, 1803)

Iran



3640050038  
***Radix*  
*lagotis*  
*costulata***

(E.C. Von Martens, 1874)

China  
16 mm


No Georeferenced data available



3640050042  
***Radix*  
*lilli***

P. Güber & J. Beckmann, 2007

Spain, Majorca



3640050062  
***Radix*  
*linea***

C.R. Altaba, 2007


No Georeferenced data available



3631700430  
***Radix*  
*luteola***


(J.B.P.A. Lamarck, 1822)

India, Patna






3640050098  
**Radix luteola australis**  
T.N. Annandale & Surya Rao, 1925  
Sri Lanka  
14 mm



5602000126  
**Radix luteola ovalis**  
Ramakrishna & A. Dey, 2007  
India, Haora




7154000182  
**Radix namucuoensis**  
Z.X. Qian, J. Yang & J. He, 2012

No Georeferenced data available



3630004005  
**Radix natalensis**  
C.F.F. von Krauss, 1848  
Madagascar, Ejeda




**synonyms:**

- *Lymnaea natalensis* C.F.F. von Krauss, 1848



3640050099  
**Radix obliquata**  
(E.C. Von Martens, 1864)  
Kyrgyzstan  
18 mm




**synonyms:**



- *Radix auricularia obliquata* E.C. Von Martens, 1864



3631204005  
**Radix onychia**  
(C.A. Westerlund, 1887)  
Japan



5598000016  
**Radix parapsilia**  
M.V. Vinarski & P. Glöber, 2009  
Russia, Omsk



**synonyms:**

- *Radix auricularia persica* E.P. Lazareva, 1967

- *Lymnaea psila* Z.I. Izzatulæv & al., 1983



3631700160  
**Radix persica**  
(A. Issel, 1865)  
Kazakhstan





**synonyms:**

- *Lymnaea auricularia persica* J.R. Bourguignat in A. Issel, 1865




3640050066  
**Radix pinteri**  
H. Schütt, 1974  
Macedonia, Lake Prespa




3631700450  
**Radix pictatula**  
W.H. Benson, 1842  
China, Sichuan





5598000031  
**Radix quadrasi**  
(O.F. von Möllendorff)  
Philippines





3640050078  
**Radix relicta**  
W. Polinski, 1929  
Montenegro  
17 mm





3631700496  
**Radix rubiginosa**  
(J.L.H. Michelin, 1831)  
Borneo, Malaysia  
14 mm



5598000014  
**Radix skutaris**  
P. Glöer & V.M. Pešić, 2008  
Montenegro, Skadar Lake



5602000218  
**Radix solidissima**  
(W. Kobelt, 1872)  
Austria



**synonyms:**

- *Unio lagotis solidissima* W. Kobelt, 1872

SubFamily: AMPHIPELEINAE - **Subgenus: Radix (Cerasina)** W. Kobelt, 1880 (1 SP, 0 IMG)



7154000178  
**Cerasina bulla**  
(W. Kobelt, 1881)

No Georeferenced data available

SubFamily: LANCINAE - **Genus: Fisherola** H.B. Hannibal, 1912 (1 SP, 0 IMG)

no  
IMAGES  
available

3640050000  
**Fisherola**  
**nuttalli**  
S.S. Haldeman, 1841  
USA, Washington



no  
IMAGES  
available  
to be checked

3640050020  
**Fisherola**  
**nuttalli**  
**kootaniensis**  
W. Baird, 1863  
North America

No Georeferenced data available

no  
IMAGES  
available  
to be checked



3640050030  
**Fisherola**  
**nuttalli**  
**lancides**  
H.B. Hannibal, 1912  
North America

No Georeferenced data available

SubFamily: LANCINAE - **Genus: Lanx** S. Clessin, 1882 (syn: Walkerola - 4 SP, 4 IMG)




3640000000  
**Lanx**  
**alta**  
G.W. Tryon, 1865  
Oregon



3640000005  
**Lanx**  
**klamathensis**  
H.B. Hannibal, 1912  
Oregon  
7 mm



3640000010  
**Lanx**  
**patelloides**  
(I. Lea, 1856)  
California  
11 mm




**synonyms:**

- Lanx newberryi I. Lea, 1856



3640050010  
**Lanx**  
**subrotunda**  
G.W. Tryon, 1865  
Oregon




**synonyms:**

- Lanx subrotunda G.W. Tryon, 1865

SubFamily: LYMNAEINAE - **Genus: Acella** S.S. Haldeman, 1841 (1 SP, 0 IMG)

no  
IMAGES  
available



3630050000  
**Acella**  
**haldemani**  
(W.G. Binney, 1867)  
Illinois



**synonyms:**● *Lymnaea gracilis* J.C. Jay, 1839● *Lymnaea haldemani* W.G. Binney, 1867SubFamily: LYMNAEINAE - **Genus: Aenigmomphiscola** N.D. Kruglov & Y.I. Starobogatov, 1981 (3 SP, 2 IMG)


5602000132  
**Aenigmomphiscola**  
**europaea**

N.D. Kruglov & Y.I. Starobogatov, 1981  
Russia, Moscow



5602000133  
**Aenigmomphiscola**  
**kazakhstanica**

N.D. Kruglov & Y.I. Starobogatov, 1981  
Mongolia, Altay Mnts.



no  
IMAGES  
available

5602000131  
**Aenigmomphiscola**  
**uvalievae**

N.D. Kruglov & Y.I. Starobogatov, 1981

No Georeferenced data available

SubFamily: LYMNAEINAE - **Genus: Bulimnea** S.S. Haldeman, 1841 (syn: *Bulimnaea* - 1 SP, 0 IMG)

no  
IMAGES  
available

3631700000  
**Bulimnea**  
**megasoma**

(T. Say, 1824)  
Hawaii

SubFamily: LYMNAEINAE - **Genus: Erinna** H. Adams & A. Adams, 1855 (2 SP, 0 IMG)

no  
IMAGES  
available

3631700260  
**Erinna**  
**aulacospira**

C.M.F. Ancey, 1889  
Hawaii



no  
IMAGES  
available

3631700270  
**Erinna**  
**newcombi**



H. Adams & A. Adams, 1855  
Hawaii

SubFamily: LYMNAEINAE - **Genus: Galba** F. von P. Schrank, 1803 (syn: *Sandria*, *Tanousia*, *Truncatulana*, *Sibirigalba* - 18 SP, 5 IMG)

no  
IMAGES  
available

3631050000  
**Galba**  
**alberta**

F.C. Baker, 1919  
Canada, Alberta



to be checked

**no  
IMAGES  
available**

5598000001  
***Galba  
cousini***  
F.P. Jousseaume, 1887  
Ecuador




**synonyms:**

- *Lymnaea bogotensis* H.A. Pilsbry, 1935
- *Lymnaea ubaquensis* J. Piaget, 1914

- *Lymnaea couensi* F.P. Jousseaume, 1887



3631050015  
***Galba  
cubensis***  
(L. Pfeiffer, 1839)  
Duval County, Florida  
7 mm




**no  
IMAGES  
available**

3631050020  
***Galba  
cyclostoma***  
B. Waker, 1908  
New York



**no  
IMAGES  
available**


3631050025  
***Galba  
dalli***  
F.C. Baker, 1907  
Indiana



**no  
IMAGES  
available**

3631050030  
***Galba  
decampi***  
L.H. Streng, 1896  
Canada

**No Georeferenced data available**



**no  
IMAGES  
available**

3631050035  
***Galba  
exigua***  
I. Lea, 1841  
South Carolina



**no  
IMAGES  
available**

3631700805  
***Galba  
exigua  
pangaea***  
(P.L. Reischütz, 1984)  
Central Europe

**No Georeferenced data available**



**no  
IMAGES  
available**


3631050040  
***Galba  
ferruginea***  
S.S. Haldeman, 1841  
Germany




**to be checked**




3631050045  
***Galba galbana***  
T. Say, 1825  
Illinois





3631050050  
***Galba hendersoni***  
F.C. Baker, 1909  
USA, Colorado





3631050055  
***Galba humilis***  
T. Say, 1822  
Florida  
8,2 mm



3631700300  
***Galba humilis rustica***  
I. Lea, 1841  
USA, Colorado



3631050060  
***Galba modicella***  
(T. Say, 1825)  
Nodaway County, Missouri  
10 mm



**synonyms:**

- *Galba humilis modicella* T. Say, 1825
- *Galba obrussa modicella* T. Say, 1825





7154000199  
***Galba neotropica***

(Bargues, Artigas, Mera y Sierra, Pointier,  
& Mas-C

No Georeferenced data available



3631050070  
***Galba parva***  
(I. Lea, 1841)  
Montana, USA




**synonyms:**

- *Fossaria parva* (I. Lea, 1841)



5602000213  
***Galba schirazensis***  
H.C. Küster, 1862  
Iran, Fars Province



**no  
IMAGES  
available**

5602000215  
***Galba  
sibirica***

(C.A. Westerlund, 1885)

No Georeferenced data available



**synonyms:**

- *Unio truncatula sibirica* C.A. Westerlund, 1885a



3631050110  
***Galba  
truncatula***

(O.F. Müller, 1774)  
Belgium  
9,2 mm



**synonyms:**

- *Galba calabrica* S. Clessin, 1879
- *Galba camuna* G.B. Adami, 1876
- *Galba fossarum* S.E. Studer, 1789
- *Galba grimaldi* E. Caziot, 1910
- *Galba mandraliscae* L. Benoit, 1882
- *Galba minuta* J.P.R. Draparnaud, 1801
- *Galba neapolitana* R. Bellini, 1904
- *Galba piniana* C.A. Westerlund, 1885
- *Galba pusilla* F. von Schrank, 1803
- *Galba subtruncata* E. Caziot, 1910
- *Galba thiesseae* S. Clessin, 1879
- *Lymnaea truncatula* O.F. Müller, 1774

- *Gaba fossaria* G. Montagu, 1803
- *Gaba gingivata* C.J. Goupi, 1835
- *Gaba lafayi* E. Caziot, 1910
- *Gaba minetus* J.P.R. Draparnaud, 1801
- *Gaba moquinii* É.A.A. Locard, 1893
- *Gaba obscurus* J.L.M. Poiret, 1801
- *Gaba pumila* É.A.A. Locard, 1893
- *Lymnaea shadini* Z.I. Izzatullaev, N.D. Kruglov & Y.I. Starobogatov, 1983
- *Galba teneriffae* J.F. Mabille, 1881
- *Galba truncata* O.F. Müller, 1774
- *Gaba zzmanjae* ♀. Brusina, 1866

**no  
IMAGES  
available**

3631700677  
***Galba  
truncatula  
subulata***

(Kichx, 1870)


No Georeferenced data available

**to be checked**

**no  
IMAGES  
available**

3631050115  
***Galba  
vancouverensis***

F.C. Baker, 1939  
Canada, Vancouver Island





SubFamily: LYMAEINAE - Subgenus: **Galba (Bakerilymnaea)** W.K. Weyrauch, 1964 (syn: *Nasonia*, *Bakerilymnaea* - 1 SP, 1 IMG)

**no  
IMAGES  
available**

**to be checked**

3631700280  
***Bakerilymnaea  
bulimoides  
cockerelli***


H.A. Pilsbry & J.H. Ferriss, 1906  
Arizona, Chiricahua Mountains



**no  
IMAGES  
available**



3631700290  
***Bakerilymnaea  
bulimoides  
techella***

S.S. Haldeman, 1867  
Tamaulipas, Mexico



3630000040  
***Bakerilymnaea  
viator***

(D'Orbigny, 1835)  
Argentina, Salta Province  
5 mm





**synonyms:**

- *Lymnaea viatrix* D'Orbigny, 1835

SubFamily: LYMNAEINAE - **Subgenus: Galba (Fossaria)** C.A. Westerlund, 1885 (6 SP, 1 IMG)




3631050065  
**Fossaria  
obrussa**  
T. Say, 1825  
Nodaway County, Missouri  
11,8 mm




**synonyms:**

- *Lymnaea decidosa* A.A. Gould




5598000021  
**Fossaria  
peninsulae**  
(B. Waker, 1908)  
Germany




**synonyms:**

- *Galba peninsulae* B. Walker, 1908



5598000022  
**Fossaria  
perplexa**  
F.C. Baker & J. Henderson, 1929  
Washington





**synonyms:**


- *Galba perplexa* F.C. Baker & J. Henderson, 1929



5598000023  
**Fossaria  
perpolita**  
(W.H. Dall, 1905)  
Arkansas




5598000024  
**Fossaria  
sonomaensis**  
H. Hemphill, 1906  
California, Sonoma County




**synonyms:**


- *Galba sonomaensis* H. Hemphill, 1906




5598000025  
**Fossaria  
tazewelliana**  
(A.J.C. Wolf, 1869)  
Illinois



SubFamily: LYMNAEINAE - **Subgenus: Galba (Pseudisidora)** K.H.J. Thiele, 1931 (2 SP, 0 IMG)



3640050074  
**Pseudisidora  
reticulata**  
(J. Gassies, 1867)  
South Carolina



**synonyms:**

- *Omphiscola reticulata* (J. Gassies, 1867)

no  
IMAGES  
available

3631700210  
**Pseudisidora**  
**rubella**

I. Lea, 1841  
Hawaii



**synonyms:**

- *Lymnaea rubella* I. Lea, 1841

SubFamily: LYMNAEINAE - **Genus: Lymnaea** J.B.P.A. Lamarck, 1801 (syn: *Bulimnea*, *Eulimneus*, *Limnus*, *Omphablimnus*, *Peregriana*, *Stagnalana*, *Limnaea*, *Lymnaea*, *Limnaeus*, *Amphipelpea*, *Limneus* - 114 SP, 11 IMG)

no  
IMAGES  
available

5602000135  
**Lymnaea**  
**aberrans**

(C.A. Westerlund, 1897)

No Georeferenced data available

to be checked

**synonyms:**

- *Unio ovata aberrans* C.A. Westerlund, 1897b

no  
IMAGES  
available

5602000136  
**Lymnaea**  
**almaatina**

Z.I. Izzatullaev, N.D. Kruglov,  
& Y.I. Starobogatov, 1983

No Georeferenced data available

to be checked

no  
IMAGES  
available

5602000137  
**Lymnaea**  
**alticola**

Z.I. Izzatullaev, N.D. Kruglov,  
& Y.I. Starobogatov, 1983

No Georeferenced data available

to be checked

no  
IMAGES  
available

5602000138  
**Lymnaea**  
**ampullacea**

(E.A. Rossmässler, 1835)

No Georeferenced data available

to be checked

no  
IMAGES  
available

5602000139  
**Lymnaea**  
**amurensis**

N.D. Kruglov & Y.I. Starobogatov, 1984

No Georeferenced data available

to be checked

no  
IMAGES  
available

5602000140  
**Lymnaea**  
**arachleica**

N.D. Kruglov & Y.I. Starobogatov, 1989  
Russia



to be checked

no  
IMAGES  
available

5602000141  
**Lymnaea**  
**aratensis**

N.D. Kruglov & Y.I. Starobogatov, 1985

No Georeferenced data available

to be checked

**synonyms:**

- *Lymnaea elophila* W. Kobelt, 1877

- *Lymnaea omsiana* B. Hubendick, 1951




5602000146  
***Lymnaea azabatschensis***  
N.D. Kruglov & Y.I. Starobogatov, 1989  
**No Georeferenced data available**



5602000148  
***Lymnaea badia***  
(H.C. Küster, 1862)  
**No Georeferenced data available**




5602000149  
***Lymnaea bakowskyana***  
(S. Clessin, 1879)  
Tasmania  


**synonyms:**

- *Lymnaea peregra* *bakowskyana* S. Clessin, 1879




3631700030  
***Lymnaea biacuminata***  
T.N. Annandale & Surya Rao, 1925  
India  




5602000150  
***Lymnaea bodamica***  
(K. Miller, 1873)  
**No Georeferenced data available**



3631700040  
***Lymnaea bowelli***  
H.B. Preston, 1909  
Tibet  




5602000151  
***Lymnaea callomphala***  
(G. Servain, 1881)  
**No Georeferenced data available**

**synonyms:**

- *Lymnaea palustris* *transsylvania* M. von Kimakowicz, 1884



5602000152  
***Lymnaea carelica***  
N.D. Kruglov & Y.I. Starobogatov, 1983  
Russia  




5602000153  
**Lymnaea  
chereshnevi**

N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



3640050095  
**Lymnaea  
chilensis**

H.H. Beck, 1837

Chile  
7,07 mm



5602000154  
**Lymnaea  
clavata**

(C.A. Westerlund, 1885)

No Georeferenced data available

**synonyms:**

● Galba glabra M. Jackiewicz, 1959


● Lymnaea glabra clavata C.A. Westerlund, 1885



7154000184  
**Lymnaea  
cucunorica**

O.F. von Möllendorff, 1902


China, Yangtze River



5602000155  
**Lymnaea  
curtacorvus**


N.D. Kruglov & Y.I. Starobogatov, 1984

kaliningrad



**synonyms:**

● Lymnaea palustris curta S. Clessin, 1873



5602000156  
**Lymnaea  
danubialis**

(F. von Schrank, 1803)



No Georeferenced data available



5598000028  
**Lymnaea  
decollata**

H.A. Pilsby

Michigan



5602000157  
**Lymnaea  
dipkunensis**

Gundrizer & Y.I. Starobogatov, 1979

Russia

No Georeferenced data available



5602000158  
**Lymnaea  
dolgini**

Gundrizer & Y.I. Starobogatov, 1979

**No Georeferenced data available**



5602000159  
**Lymnaea  
doriana**

(J.R. Bourguignat, 1862)

**No Georeferenced data available**



5602000160  
**Lymnaea  
dupuyi**

(É.A.A. Locard, 1893)

**No Georeferenced data available**



5602000161  
**Lymnaea  
dvoriadkini**

N.D. Kruglov & Y.I. Starobogatov, 1984

**No Georeferenced data available**



5602000162  
**Lymnaea  
euphratica**

(A. Mousson, 1874)

**No Georeferenced data available**



5602000163  
**Lymnaea  
falsipalustris**

N.D. Kruglov & Y.I. Starobogatov, 1989

**No Georeferenced data available**



5602000164  
**Lymnaea  
fontinalis**

(S.E. Studer, 1820)

**No Georeferenced data available**

**synonyms:**



- *Lymnaea acutalis* P.M.A. Morelet, 1845



5602000125  
**Lymnaea  
fragilis**

(C. Linnaeus, 1758)

Germany



**synonyms:**

- *Lymnaea raphidia* J.R. Bourguignat, 1860
- *Lymnaea stagnalis producta* J.A.J. Colbeau, 1859
- *Lymnaea stagnalis subulata* C.A. Westerlund, 1873

- *Lymnaea stagnalis amplata* D. Geyer, 1927
- *Lymnaea stagnalis subulata* D. Geyer, 1927
- *Lymnaea stagnalis vulgaris* C.A. Westerlund, 1885



5602000168  
**Lymnaea  
goupiili**  
(A. Moquin-Tandon, 1856)

No Georeferenced data available

**synonyms:**

- *Unio truncatula goupiili* A. Moquin-Tandon, 1856



5602000169  
**Lymnaea  
gueretiniana**  
(G. Servain, 1881)

No Georeferenced data available



5602000170  
**Lymnaea  
gundrizeri**  
N.D. Kruglov & Y.I. Starobogatov, 1983

No Georeferenced data available



5602000171  
**Lymnaea  
hadutkae**  
N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



5602000172  
**Lymnaea  
hakusyensis**  
N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



5602000173  
**Lymnaea  
hartmanni**  
(S.E. Studer, 1820)

No Georeferenced data available




7154000192  
**Lymnaea  
hawaiensis**  
H.A. Pilsbry, 1904

Hawaii



3631700100  
**Lymnaea  
horae**  
T.N. Annandale & Surya Rao, 1925

India





5602000174  
***Lymnaea  
igarkae***  
Gundrizer & Y.I. Starobogatov, 1979  
**No Georeferenced data available**



5602000175  
***Lymnaea  
iliensis***  
E.P. Lazareva, 1967  
**No Georeferenced data available**




5602000176  
***Lymnaea  
impura***  
(F.H. Troschel, 1837)  
**No Georeferenced data available**



5602000177  
***Lymnaea  
intercisa***  
(W.A. Lindholm, 1909)  
**No Georeferenced data available**




5602000178  
***Lymnaea  
iturupica***  
N.D. Kruglov & Y.I. Starobogatov, 1989  
**No Georeferenced data available**



5598000029  
***Lymnaea  
jacksonensis***  
F.C. Baker, 1907  
**No Georeferenced data available**



3631700492  
***Lymnaea  
jacutica***  
Y.I. Starobogatov,  
& E.A. Streletzkaja, 1967  
Russia, Altaikskaya  
13 mm



5602000179  
***Lymnaea  
juribeica***  
N.D. Kruglov & Y.I. Starobogatov, 1984  
**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000180  
**Lymnaea  
kafanovi**

N.D. Kruglov & Y.I. Starobogatov, 1984

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000181  
**Lymnaea  
kamtschatica**

(A.T. von Middendorff, 1851)



**No Georeferenced data available**



7154000180  
**Lymnaea  
kashmirensis**

B. Prashad, 1925

India, Kashmir



**no  
IMAGES  
available**  
*to be checked*

3640050070  
**Lymnaea  
kazakensis**

A. Mozley, 1934

Kazakhstan



**synonyms:**

- *Lymnaea palustris kazakensis* A. Mozley, 1934

**no  
IMAGES  
available**  
*to be checked*

7154000188  
**Lymnaea  
kingi**

F.B. Meek, 1876

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000183  
**Lymnaea  
kunashirica**

N.D. Kruglov & Y.I. Starobogatov, 1989

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000184  
**Lymnaea  
kurejkae**

Gundrizer & Y.I. Starobogatov, 1979

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000185  
**Lymnaea  
kurenkovi**

N.D. Kruglov & Y.I. Starobogatov, 1989

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000186  
**Lymnaea  
kurilensis**

N.D. Kruglov & Y.I. Starobogatov, 1989

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

3631700110  
**Lymnaea  
laticallosa**

T.N. Annandale & Surya Rao, 1925

Burma


**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5598000008  
**Lymnaea  
lebruni**

J.F. Mabille, 1883

Punta Arenas, Chile



**no  
IMAGES  
available**  
*to be checked*

5602000187  
**Lymnaea  
lenaensis**

N.D. Kruglov & Y.I. Starobogatov, 1989

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000188  
**Lymnaea  
likharevi**

E.P. Lazareva, 1967

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000190  
**Lymnaea  
mabillei**

(É.A.A. Locard, 1893)

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000192  
**Lymnaea  
manomaensis**

N.D. Kruglov & Y.I. Starobogatov, 1984

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

7154000185  
**Lymnaea  
maroccana**



P.M. Pallary, 1889

Morocco



**no  
IMAGES  
available**  
to be checked

5598000010  
**Lymnaea  
meridensis**  
M.D. Bargues, P. Artigas,  
& Mas-Coma, 2011  
Merida State, Venezuela



**no  
IMAGES  
available**

5602000193  
**Lymnaea  
middendorffii**  
(W. Dybowski, 1904)



No Georeferenced data available

**synonyms:**

- *Lymnaea peregra middendorffii* W. Dybowski, 1904


**no  
IMAGES  
available**  
to be checked

3631700120  
**Lymnaea  
mimetica**  
T.N. Annandale, 1918  
Burma



**no  
IMAGES  
available**

3631700130  
**Lymnaea  
minor**  
W.H. Benson  
Japan, Okinawa



**no  
IMAGES  
available**  
to be checked

5602000194  
**Lymnaea  
mongolica**  
(T.C. Yen, 1939)

No Georeferenced data available


**no  
IMAGES  
available**  
to be checked

5602000195  
**Lymnaea  
monnardi**  
(J.D.W. Hartmann, 1841)

No Georeferenced data available

**no  
IMAGES  
available**  
to be checked

3631700140  
**Lymnaea  
montana**  
J.R. Bourguignat, 1888  
Spain



**no  
IMAGES  
available**

5602000196  
**Lymnaea  
mucronata**  
(F. Held, 1836)

No Georeferenced data available



5602000197  
**Lymnaea  
napasica**

N.D. Kruglov & Y.I. Starobogatov, 1983

**No Georeferenced data available**



5602000198  
**Lymnaea  
narzykulovi**

Z.I. Izzatullayev, N.D. Kruglov,  
& Y.I. Starobogatov, 1983

**No Georeferenced data available**



5598000020  
**Lymnaea  
natalensis  
undosumae**

E.C. Von Martens, 1898

Congo



**synonyms:**

- *Lymnaea undosumae* E.C. Von Martens, 1898



5602000199  
**Lymnaea  
nogoonica**

N.D. Kruglov & Y.I. Starobogatov, 1983

**No Georeferenced data available**



5602000200  
**Lymnaea  
novikovi**

N.D. Kruglov & Y.I. Starobogatov, 1983

**No Georeferenced data available**



5602000201  
**Lymnaea  
nuttaliana**

I. Lea, 1841



**No Georeferenced data available**



7154000193  
**Lymnaea  
oahuensis**

L.F.A. Souleyet, 1852

Hawaii, Oahu



**synonyms:**

- *Limnaea affinis* L.F.A. Souleyet
- *Limnaea voluntata* A.A. Gould

- *Limnaea sandwichensis* R.A. Philippi



5602000202  
**Lymnaea  
obensis**

N.D. Kruglov & Y.I. Starobogatov, 1984

**No Georeferenced data available**

**no  
IMAGES  
available**  
*to be checked*

5602000204  
**Lymnaea  
oblonga**

(E. Puton, 1847)


No Georeferenced data available

**no  
IMAGES  
available**  
*to be checked*

3631700150  
**Lymnaea  
ovalior**

T.N. Annandale & B. Prashad, 1921

India



**no  
IMAGES  
available**  
*to be checked*

5602000205  
**Lymnaea  
pachyta**

(C.A. Westerlund, 1885)

No Georeferenced data available

**synonyms:**

- *Unio taurica pachyta* C.A. Westerlund, 1885a

**no  
IMAGES  
available**  
*to be checked*

5602000206  
**Lymnaea  
pacifampala**

N.D. Kruglov & Y.I. Starobogatov, 1989



No Georeferenced data available

**no  
IMAGES  
available**  
*to be checked*

3631700170  
**Lymnaea  
pervia**

E.C. Von Martens, 1867

Japan, Kyoto



**no  
IMAGES  
available**  
*to be checked*

5602000208  
**Lymnaea  
petersi**

W.H. Dal, 1905

No Georeferenced data available

**synonyms:**



- *Lymnaea alsensis* F.C. Baker, 1911

**no  
IMAGES  
available**  
*to be checked*

3631700180  
**Lymnaea  
physcus**

T.N. Annandale & Surya Rao, 1925

Burma




**no  
IMAGES  
available**  
*to be checked*

5598000003  
**Lymnaea  
plicata**

M.I. Hyton-Scott, 1953

China, Shanghai






5598000007  
**Lymnaea  
producta**

J.W. Mighels, 1845

Hawaii, Oahu  
7 mm





**synonyms:**

- *Lymnaea affinis* J.F.T. Eydoux & L.F.A. Souleyet, 1852
- *Lymnaea ambigua* W.H. Pease, 1870
- *Lymnaea compacta* W.H. Pease, 1870
- *Physa hartmanni* S. Clessin, 1886
- *Physa natricoides* S. Clessin, 1886
- *Physa reticulata* A.A. Gould, 1847
- *Physa sandwichensis* S. Clessin, 1886
- *Limnaea binominis* E.R. Sykes, 1900
- *Physa flava* S. Clessin, 1886
- *Physa moreletiana* S. Clessin, 1886
- *Physa peasei* S. Clessin, 1886
- *Physa sandwicensis* R.A. Philippi, 1845
- *Limnaea turgidula* W.H. Pease, 1870



5602000209  
**Lymnaea  
psilia**

(J.R. Bourguignat, 1862)  
France, Aube river



7154000166  
**Lymnaea  
pucilla**


F.W. Hutton, 1885  
New Zealand



5598000004  
**Lymnaea  
rupestris**

W.L. Paraense, 1982

No Georeferenced data available



5602000212  
**Lymnaea  
schelechovi**

N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



5602000214  
**Lymnaea  
schubinae**

N.D. Kruglov & Y.I. Starobogatov, 1984

No Georeferenced data available



3631700220  
**Lymnaea  
shanensis**

T.N. Annandale, 1918  
Burma

No Georeferenced data available



5602000216  
**Lymnaea  
sihotealinica**

N.D. Kruglov & Y.I. Starobogatov, 1984

No Georeferenced data available

**no  
IMAGES  
available**

**to be checked**

5602000217  
**Lymnaea  
sirkulensis**

(G. Nevil, 1878)

**No Georeferenced data available**



**synonyms:**

- *Unio defilippi sirkulensis* G. Nevil, 1878



3630000020  
**Lymnaea  
stagnalis**

(C. Linnaeus, 1758)  
France  
46 mm



**synonyms:**


- *Lymnaea acuta* G. Perry, 1811
- *Lymnaea arenaria* J.A.J. Cobeau, 1865
- *Lymnaea calopleura* É.A.A. Locard, 1883
- *Lymnaea coutagnei* É.A.A. Locard, 1893
- *Lymnaea fossarina* M. Paulucci, 1881
- *Lymnaea lagodeschina* É.A.A. Locard, 1883
- *Lymnaea major* J.G. Jeffreys, 1830
- *Lymnaea tomaselli* L. Menegazzi, 1855
- *Lymnaea violacea* M. Paulucci, 1881
- *Lymnaea westerlundi* É.A.A. Locard, 1893
- *Lymnaea borealis* J.R. Bourguignat, 1862
- *Lymnaea colpodia* J.R. Bourguignat, 1862
- *Lymnaea elophila* J.R. Bourguignat, 1882
- *Lymnaea fucinensis* M. Paulucci, 1881
- *Lymnaea locardi* G. Coutagne in É.A.A. Locard, 1893
- *Lymnaea taurinensis* C. Polonera, 1889
- *Lymnaea turgida* É.A.A. Locard, 1893
- *Lymnaea vulgaris* J.D.W. Hartmann, 1840

**no  
IMAGES  
available**

**to be checked**

3631700230  
**Lymnaea  
stagnalis  
appressa**

T. Say, 1821  
Michigan



**no  
IMAGES  
available**

**to be checked**

3630000030  
**Lymnaea  
stagnalis  
jugularis**

T. Say, 1817  
Hawaii



**no  
IMAGES  
available**

**to be checked**

3630000035  
**Lymnaea  
stagnalis  
sanctaemariae**

B. Walker, 1892  
North America

**No Georeferenced data available**

**no  
IMAGES  
available**

**to be checked**

5602000219  
**Lymnaea  
streletzkajae**

N.D. Kruglov & Y.I. Starobogatov, 1985

**No Georeferenced data available**

**no  
IMAGES  
available**

**to be checked**

5602000220  
**Lymnaea  
subangulata**

(J.F.X. Roffiaen, 1868)

**No Georeferenced data available**

**synonyms:**

- *Lymnaea truncatula subangulata* J.F.X. Roffiaen, 1868
- *Lymnaea truncatula ventricosa* A. Moquin-Tandon, 1856



560200021  
**Lymnaea  
subdisjuncta**  
(G. Nevill, 1878)

No Georeferenced data available

**synonyms:**

- *Unio lagotis subdisjuncta* G. Nevill, 1878



560200022  
**Lymnaea  
telezkiiana**

N.D. Kruglov & Y.I. Starobogatov, 1984

No Georeferenced data available



560200023  
**Lymnaea  
tenera**  
(H.C. Küster, 1863)  
Kazakhstan




**synonyms:**

- *Lymnaea tenera* H.C. Küster, 1863



560200024  
**Lymnaea  
tengriana**


N.D. Kruglov & Y.I. Starobogatov, 1984  
Kazakhstan



560200026  
**Lymnaea  
thermobaicalica**

N.D. Kruglov & Y.I. Starobogatov, 1989


No Georeferenced data available



560200027  
**Lymnaea  
thermokamtschatica**

N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



560200028  
**Lymnaea  
torquilla**

(C.A. Westerlund, 1876)

No Georeferenced data available

**synonyms:**

- *Unio peregra torquilla* C.A. Westerlund, 1876



559800009  
**Lymnaea  
truncatella**

(O.F. Müller, 1774)


New Zealand, South Island



**no  
IMAGES  
available**

5602000229  
**Lymnaea  
tumrokenensis**


N.D. Kruglov & Y.I. Starobogatov, 1985  
Kurile islands



**no  
IMAGES  
available**  
to be checked



3631700240  
**Lymnaea  
tungabhadraensis**

H.C. Ray, 1967  
India



5602000230  
**Lymnaea  
ulaganica**

N.D. Kruglov & Y.I. Starobogatov, 1983  
Russia, Altay



**no  
IMAGES  
available**  
to be checked

5602000231  
**Lymnaea  
ussuriensis**



N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available




3631700250  
**Lymnaea  
viridis**

J.R.C. Quoy & J.P. Gaimard, 1833  
Thailand



5598000030  
**Lymnaea  
volutata**

A.A. Gould  
Germany



5602000233  
**Lymnaea  
zarenkovi**

N.D. Kruglov & Y.I. Starobogatov, 1989

No Georeferenced data available



5602000234  
**Lymnaea  
zazurnensis**

A. Mozley, 1934

No Georeferenced data available



3630750000  
**Pseudosuccinea**  
**columella**

T. Say, 1817

Alabama  
11,4 mm



**synonyms:**

- Lymnaea columellaris C.B. Adams, 1839
- Lymnaea peregrina S. Clessin, 1882


- Lymnaea francisca F. Poey, 1858
- Lymnaea viator E.C. Von Martens, 1895



5602000130  
**Pseudosuccinea**  
**columella**  
**castra**

I. Lea


Florida



5602000129  
**Pseudosuccinea**  
**columella**  
**chalybea**

(A.A. Gould)



Canada, Nova Scotia



5598000019  
**Pseudosuccinea**  
**columella**  
**championi**

(E.C. Von Martens, 1899)

Panama



SubFamily: LYMNAEINAE - **Genus: Sphaerogalba** N.D. Kruglov & Y.I. Starobogatov, 1985 (1 SP, 1 IMG)



3631050005  
**Sphaerogalba**  
**bulimoides**

I. Lea, 1841

USA, Texas

5 mm



**synonyms:**

- Bakerilymnaea bulimoides I. Lea, 1841



SubFamily: LYMNAEINAE - **Genus: Stagnicola** W.E. Leach in J.G. Jeffreys, 1830 (syn: Corvusiana, Entochilus, Limnophysa, Palustria, Palustrisiana, Turrilimnea - 38 SP, 12 IMG)



3631300000  
**Stagnicola**  
**apicina**

I. Lea, 1838

Michigan



5602000142  
**Stagnicola**  
**archangelica**

N.D. Kruglov & Y.I. Starobogatov, 1986

No Georeferenced data available


**synonyms:**

- Lymnaea archangelica N.D. Kruglov & Y.I. Starobogatov, 1986

**no  
IMAGES  
available**

363130005  
**Stagnicola  
arctica**


(I. Lea, 1864)  
Canada, Ontario



**no  
IMAGES  
available**

5598000013  
**Stagnicola  
atra**

(F. von Schrank, 1803)  
Novgorod, Russia



**synonyms:**

- Buccinum atrum F. von Schrank, 1803

**no  
IMAGES  
available**

5602000144  
**Stagnicola  
atra**  
**starobogatovi**  
E.P. Lazareva, 1967


No Georeferenced data available

to be checked



3631300020  
**Stagnicola  
catascopium**

(T. Say, 1816)  
Illinois



**synonyms:**

- Lymnaea catescopium T. Say, 1867

**no  
IMAGES  
available**

3631300025  
**Stagnicola  
catascopium**  
**nasoni**  
F.C. Baker, 1906

Canada


No Georeferenced data available

to be checked



363000005  
**Stagnicola  
catascopium**  
**niagaraensis**  
unknown

New York, Lake Ontario  
8 mm



**no  
IMAGES  
available**

3631300030  
**Stagnicola  
catascopium**  
**preblei**  
W.H. Dall, 1905

Canada


No Georeferenced data available

to be checked

**no  
IMAGES  
available**


3631300035  
**Stagnicola  
contracta**

A. Currier, 1881  
Michigan





3631300040  
**Stagnicola**  
**corvus**  
(J.F. Gmelin, 1791)  
Austria  
28,8 mm



**synonyms:**

- Corvusiana corvus J.F. Gmelin, 1791

- Helix corvus J.F. Gmelin, 1791




3640050082  
**Stagnicola**  
**draverti**  
(A. Mozley, 1934)


No Georeferenced data available




3631300050  
**Stagnicola**  
**elrodi**  
F.C. Baker & J. Henderson, 1933  
USA, Montana




3631300055  
**Stagnicola**  
**elrodiana**  
F.C. Baker, 1935  
USA, Montana



3631300065  
**Stagnicola**  
**exilis**  
I. Lea, 1834  
Michigan  
19,1 mm



3630004000  
**Stagnicola**  
**fusca**  
(L. Pfeiffer, 1821)  
Italy, Otranto



**synonyms:**

- Lymnaea vulgaris H.C. Küster, 1862




to be checked

5602000166  
**Stagnicola**  
**fusca**  
**maritima**  
(S. Clessin, 1878)

No Georeferenced data available



3631300070  
**Stagnicola**  
**gabbi**  
G.W. Tryon, 1865  
Nevada



no  
IMAGES  
available



7154000183  
***Stagnicola  
gloerii***  
(M.V. Vinarskij, 2011)

No Georeferenced data available

no  
IMAGES  
available

3631300075  
***Stagnicola  
hinkleyi***



F.C. Baker, 1906  
USA, Idaho



no  
IMAGES  
available


3631300080  
***Stagnicola  
idahoensis***

J. Henderson, 1931  
USA, Idaho



3640050086  
***Stagnicola  
kayseris***

P. Göber & M.Z. Yıldırım, 2006  
Turkey, Kayseri



no  
IMAGES  
available

3631300085  
***Stagnicola  
kennicotti***



F.C. Baker, 1933  
Canada

No Georeferenced data available




3631300090  
***Stagnicola  
mighelsi***

W.G. Binney, 1865  
Maine



5598000015  
***Stagnicola  
montenegrinus***

P. Göber & V.M. Pešić, 2009  
Montenegro



3631300100  
***Stagnicola  
neopalustris***


F.C. Baker, 1911  
USA, Virginia



**no  
IMAGES  
available**

3631300110  
***Stagnicola  
oronoensis***

F.C. Baker, 1904  
Canada, Ontario





**synonyms:**

- *Stagnicola oronoensis* F.C. Baker, 1904



3630000010  
***Stagnicola  
palustris***

(O.F. Müller, 1774)  
Russia, Moscow  
21 mm



**synonyms:**

- *Lymnaea communis* W.E. Leach, 1831
- *Lymnaea contorta* G. Servain, 1881
- *Lymnaea palayri* J. Petrbok, 1942
- *Galba palustris* O.F. Müller, 1774
- *Lymnaea syriaca* J. Germain, 1921

- *Lymnaea crassa* Razumovskii, 1789
- *Lymnaea palustris* O.F. Müller, 1774
- *Lymnaea renoufi* G. Servain, 1881
- *Lymnaea syriacus* A. Mousson, 1861

**no  
IMAGES  
available**

5598000012  
***Stagnicola  
palustris  
berlani***


J.R. Bourguignat, 1870  
Russia

No Georeferenced data available



3630000015  
***Stagnicola  
palustris  
nuttalliana***

I. Lea, 1862  
USA, Utah  
14,6 mm



5598000011  
***Stagnicola  
palustris  
peregriformis***


(K. Miller, 1873)

No Georeferenced data available



3631300115  
***Stagnicola  
petoskeyensis***

B. Waker, 1908  
Michigan



7154000191  
***Stagnicola  
pilsbryana***



(B. Waker, 1908)

No Georeferenced data available



3631300120  
***Stagnicola  
pilsbryi***


H. Hemphill, 1890  
Nevada



**no  
IMAGES  
available**

3631300125  
***Stagnicola proxima***


I. Lea, 1856  
Oregon



**no  
IMAGES  
available**

3631300130  
***Stagnicola reflexa***

T. Say, 1821  
Illinois



3640050090  
***Stagnicola saridalensis***

A. Mozley, 1934  
Kazakhstan




**synonyms:**

- *Lymnaea palustris saridalensis* A. Mozley, 1934

**no  
IMAGES  
available**



5598000032  
***Stagnicola sumassi***

(W. Baird, 1863)  
Nevada, Humboldt County



3640050094  
***Stagnicola tekeucus***

P. Güber & M.Z. Yıldırım, 2006  
Turkey, Antalya



**no  
IMAGES  
available**

3631300135  
***Stagnicola traski***

G.W. Tryon, 1863  
Canada, British Columbia



3631300140  
***Stagnicola turrucula***


F. Held, 1836  
Bydgoszcz, Poland  
27 mm



**no  
IMAGES  
available**

3631300145  
***Stagnicola utahensis***

R.E. Call, 1884  
USA, Idaho



**synonyms:**

- *Stagnicola kingi* D.T. Jones, 1940
- *Stagnicola kingi* J.P. Woolstenhulme, 1942
- *Lymnaea kingi* R.E. Call, 1884
- *Galba utahensis* F.C. Baker, 1911

- *Stagnicola kingii* J.L. Chamberlin & E.J. Roscoe, 1948
- *Polyrhysis utahensis* J.L. Chamberlin & D.T. Jones, 1929

no  
IMAGES  
available

5602000232  
***Stagnicola***  
***ventricosella***

(W. Dybowski, 1913)


No Georeferenced data available

no  
IMAGES  
available

3631300150  
***Stagnicola***  
***walkeriana***

F.C. Baker, 1926

Wisconsin




no  
IMAGES  
available

3631300155  
***Stagnicola***  
***woodruffi***

F.C. Baker, 1901

Illinois



no  
IMAGES  
available

5602000235  
***Stagnicola***  
***zebrella***

(W. Dybowski, 1913)

No Georeferenced data available

**synonyms:**

- *Stagnicola atra zebrella* (W. Dybowski, 1913)

SubFamily: LYMPNAEINAE - **Subgenus: Stagnicola (Hinkleyia)** F.C. Baker, 1928 ? (1 SP, 1 IMG)



3631300015  
***Hinkleyia***  
***caperata***

(T. Say, 1829)

USA, Virginia




SubFamily: LYMPNAEINAE - **Subgenus: Stagnicola (Ladislavella)** N.D. Kruglov & Y.I. Starobogatov, 1986 (6 SP, 4 IMG)



3630000000  
***Ladislavella***  
***atkaensis***

(W.H. Dall, 1884)

Chukchi Peninsula, Russia



**synonyms:**

- *Lymnaea ovata atkaensis* W.H. Dall, 1884


- *Lymnaea randolphi* F.C. Baker, 1904

no  
IMAGES  
available

3631300010  
***Ladislavella***  
***bonnevillensis***

(R.E. Call, 1884)


USA, Utah



3631300045  
***Ladislavella***  
***elodes***

(T. Say, 1821)

Michigan




**synonyms:**

- *Lymnaea attenuata* T. Say, 1829



- *Lymnaea desidiosa* T. Say



3631700460  
***Ladislavella elodes nuttalliana***  
I. Lea, 1841  
Oregon



3631300060  
***Ladislavella emarginata***  
(T. Say, 1821)  
Kansas



5602000189  
***Ladislavella liogyra***  
(C.A. Westerlund, 1897)


No Georeferenced data available

**synonyms:**

- *Unio palustris liogyra* C.A. Westerlund, 1897b



3631300105  
***Ladislavella terebra***  
(C.A. Westerlund, 1885)  
Belgium, Aarschot  
18 mm

**synonyms:**

- *Lymnaea attenuata* C.A. Westerlund, 1877
- *Galba occulta* M. Jackiewicz, 1959
- *Ladislavella soensis* W. Dybowski, 1913

- *Lymnaea palustris terebra* C.A. Westerlund, 1885



5602000225  
***Ladislavella terebra bolotensis***  
A. Mozley, 1934

No Georeferenced data available

**synonyms:**

- *Galba palustris bolotensis* A. Mozley, 1934



3640050050  
***Ladislavella terebra lindholmi***  
(W. Dybowski, 1913)  
Russia  
10 mm

No Georeferenced data available


**synonyms:**

- *Fossaria lindholmi* W. Dybowski, 1913

SubFamily: LYMNAEINAE - **Subgenus: Stagnicola (Omphiscola)** H.H. Beck, 1837 (syn: Glabriana, Leptolimnaea, Leptolimnaeus - 1 SP, 1 IMG)



3631700080  
***Omphiscola glabra***  
O.F. Müller, 1774  
Germany

**synonyms:**

- *Lymnaea contadita* Unknown

no  
IMAGES  
available

3640050054  
**Omphiscola**  
**glabra**  
**cantabria**  
(J. Alvarez, 1965)

No Georeferenced data available

SubFamily: LYMNAEINAE - **Genus: Walhiana** G. Servain, 1881 (1 SP, 0 IMG)

no  
IMAGES  
available

7154000176  
**Walhiana**  
**vahlpii**

(H.P.C. Möller, 1842)

No Georeferenced data available


SubFamily: LYMNAEINAE - **Genus: Walterigalba** N.D. Kruglov & Y.I. Starobogatov, 1985 (1 SP, 1 IMG)



3631300095  
**Walterigalba**  
**montanensis**

F.C. Baker, 1913


USA. Salt Lake  
11 mm



**synonyms:**

- *Stagnicola montanensis* F.C. Baker, 1913

# Family: LYMNAEIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at  
<http://www.bagniliggia.it/WMSD/FamilyMap/LYMNAEIDAEmap.htm>

please note that this is not the complete coverage of this family  
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 174 from a total of 289