

WMSDB - Worldwide Mollusc Species Data Base



Family: PECTINIDAE

Class: BIVALVIA**--- Clade: PTERIOMORPHIA-PECTINOIDEA****----- Family: PECTINIDAE** Rafinesque, 1815 (Sea)

- Alphabetic order - when **first name** is in bold the species has images
Taxa=1022, Genus=71, Subgenus=3, Species=289, Subspecies=63, Synonyms=595, Images=319

- **abscondita**, [**Talochlamys abscondita**](#) (P. Fischer in É.A.A. Locard, 1898)
- **abyssorum**, [**Delectopecten vitreus abyssorum**](#) (G.O. Sars, 1868)
- **abyssorum**, Pecten abyssorum G.O. Sars, 1868 - syn of: [**Delectopecten vitreus abyssorum**](#) (G.O. Sars, 1868)
- **acanthodes**, Aequipecten acanthodes W.H. Dall, 1925 - syn of: [**Lindapecten exasperatus**](#) (G.B. II Sowerby, 1842)
- **acanthoides**, Aequipecten acanthoides W.H. Dall, 1925 - syn of: [**Lindapecten exasperatus**](#) (G.B. II Sowerby, 1842)
- **acroporicola**, Coralichlamys acroporicola T. Iredale, 1939 - syn of: [**Coralichlamys madreporearum**](#) (G.B. II Sowerby, 1842)
- **actoni**, Pecten actoni E.C. Von Martens, 1856 - syn of: [**Parvamussium fenestratum**](#) (E. Forbes, 1844)
- **aculeata**, Mimachlamys aculeata J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **aculeatus**, Palliolum aculeatus J.G. Jeffreys, 1838 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **adamsi**, [**Pseudohinnites adamsi**](#) (W.H. Dall, 1886)
- **adorabilis**, [**Bractechlamys adorabilis**](#) H.H. Dijkstra & H.P. Roussy, 1994
- **adspersus**, Pseudamussium adspersus J.B.P.A. Lamarck, 1819 - syn of: [**Pseudamussium peslutrae**](#) (C. Linnaeus, 1771)
- **aduncus**, [**Lamellipecten aduncus**](#) H.H. Dijkstra & P. Maestrati, 2010
- **aquisulcatus**, [**Argopecten ventricosus aquisulcatus**](#) (P.P. Carpenter, 1864)
- **aquisulcatus**, Pecten aquisulcatus P.P. Carpenter, 1864 - Syn of: [**Argopecten ventricosus aquisulcatus**](#) (P.P. Carpenter, 1864)
- **afribenedictus**, [**Pecten afribenedictus**](#) R.N. Kilburn & H.H. Dijkstra, 1995
- **africana**, [**Veprichlamys africana**](#) H.H. Dijkstra & R.N. Kilburn, 2001
- **afrobenedictus**, Pecten afrobenedictus R.N. Kilburn & H.H. Dijkstra, 1995 - syn of: [**Pecten afribenedictus**](#) R.N. Kilburn & H.H. Dijkstra, 1995
- **akazara**, [**Azumapecten farreri akazara**](#) J.T. Kuroda, 1932
- **aktinos**, [**Semipallium aktinos**](#) (W.F. Petterd, 1886)
- **alba**, [**Mimachlamys varia alba**](#) (A. Scacchi, 1836)
- **albicans**, [**Pecten albicans**](#) (J.S. Schröter, 1802)
- **albicans**, Pecten albicans J.S. Schröter, 1802 - syn of: [**Pecten albicans**](#) (J.S. Schröter, 1802)
- **albicans naganumanus**, [**Pecten albicans naganumanus**](#) M. Yokoyama, 1920
- **albida**, [**Chlamys albida**](#) (R. Arnold, 1906)
- **albolineata**, [**Mimachlamys albolineata**](#) (G.B. II Sowerby, 1842)
- **albus**, [**Pecten fumatus albus**](#) L.A. Reeve, 1852
- **alcocki**, [**Delectopecten alcocki**](#) (E.A. Smith, 1904)
- **aliae**, [**Laevichlamys aliae**](#) (H.H. Dijkstra, 1988)
- **alicei**, [**Pseudamussium alicei**](#) (P. Dautzenberg & H. Fischer, 1897)
- **alli**, Cryptopecten alli W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [**Cryptopecten bullatus**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **allorenti**, [**Laevichlamys allorenti**](#) (H.H. Dijkstra, 1988)
- **alta**, [**Chlamys alta**](#) (L.A. Reeve, 1853)
- **altiplectus**, Pecten altiplectus T.A. Conrad, 1857 - syn of: [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **altiplicatus**, Pecten altiplicatus T.A. Conrad, 1857 - syn of: [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **amaliae**, Mirapecten amaliae W. Kobelt, 1887 - syn of: [**Mirapecten rastellum**](#) (J.B.P.A. Lamarck, 1819)
- **amandi**, [**Chlamys amandi**](#) L.G. Hertlein, 1935
- **ambigua**, Volachlamys ambigua A.R.J.B. Bavay, 1904 - syn of: [**Volachlamys hirasei**](#) (A.R.J.B. Bavay, 1904)
- **amiculum**, [**Decatopecten amiculum**](#) (R.A. Philippi, 1851)
- **amicum**, [**Semipallium amicum**](#) (E.A. Smith, 1885)
- **amphicyrtus**, Chlamys amphicyrtus É.A.A. Locard, 1888 - Syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **amplicostatus**, [**Argopecten iradians amplicostatus**](#) (W.H. Dall, 1898)
- **amusoides**, [**Euvola amusoides**](#) (O. Macsotay & B. Campos, 2001)
- **amusoides**, Pecten amusoides O. Macsotay & B. Campos, 2001 - syn of: [**Euvola amusoides**](#) (O. Macsotay & B. Campos, 2001)
- **andamanense**, Amusium andamanense A.R.J.B. Bavay, 1905 - syn of: [**Propeamussium andamanense**](#) (A.R.J.B. Bavay, 1905)
- **andamanica**, [**Laevichlamys andamanica**](#) (H.B. Preston, 1908)
- **andersoni**, Pseudamussium andersoni W.H. Dall, 1919 - syn of: [**Similipecten greenlandicus**](#) (G.B. II Sowerby, 1842)
- **anguineus**, Pecten anguineus H.J. Finlay, 1927 - syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **angusticostata**, [**Serratovola angusticostata**](#) H.H. Dijkstra, 2008
- **anisopleurus**, Pecten anisopleurus É.A.A. Locard, 1888 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **antillarum**, [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **antillarum**, Pecten antillarum C.A. Récluz, 1853 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **antiquatus**, Pecten antiquatus R.A. Philippi, 1844 - syn of: [**Cyclopecten antiquatus**](#) (R.A. Philippi, 1844)
- **arata**, Chlamys arata J.F. Gmelin, 1791 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **arces**, Pseudamussium arces W.H. Dall, 1913 - Syn of: [**Delectopecten polyleptus**](#) (W.H. Dall, 1908)
- **argenteus**, Delectopecten argenteus F.R. Bernard, 1978 - syn of: [**Delectopecten vancouverensis**](#) (J.J.F. Whiteaves, 1893)
- **argenteus**, Pecten argenteus L.A. Reeve, 1853 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)

- argentinensis, [***Chlamys argentinensis***](#) Z.J.A. De Castelanos, 1973
- armoricanus, [***Palliolum armoricanus***](#) J.C. Chenu, 1843 - syn of: [***Palliolum tigerinum***](#) (O.F. Müller, 1776)
- arntzi, [***Hyalopecten arntzi***](#) E.N. Egorova, 1999
- arthriticus, [***Nodipecten arthriticus***](#) Nodipecten arthriticus (L.A. Reeve, 1853) - syn of: [***Nodipecten arthriticus***](#) (L.A. Reeve, 1853)
- arthriticus, [***Nodipecten arthriticus***](#) (L.A. Reeve, 1853)
- arzellus, [***Pecten arzellus***](#) A. De Gregorio, 1885 - Syn of: [***Mimachlamys varia***](#) (C. Linnaeus, 1758)
- aspera, [***Serratovola rubicunda aspera***](#) G.B. Sowerby, 1842
- asperrima, [***Mimachlamys asperrima***](#) (J.B.P.A. Lamarck, 1819)
- asperrimoides, [***Chlamys asperrimoides***](#) A.W.B. Powell, 1958 - syn of: [***Mimachlamys sanguinea***](#) (C. Linnaeus, 1758)
- aspersus, [***Leptopecten aspersus***](#) G.B. Sowerby, 1835 - syn of: [***Leptopecten tumbezensis***](#) (D'Orbigny, 1846)
- aspersus, [***Pecten aspersus***](#) J.B.P.A. Lamarck, 1819 - syn of: [***Pseudamussium peslutrae***](#) (C. Linnaeus, 1771)
- asperulata, [***Azumapecten farreri asperulata***](#) (A. Adams & L.A. Reeve, 1850)
- asperulata pelseneeri, [***Chlamys asperulata pelseneeri***](#) P. Dautzenberg & A.R.J.B. Bavay, 1912 - syn of: [***Mimachlamys cloacata pelseneeri***](#) P. Dautzenberg & A.R.J.B. Bavay, 1912
- asperulatus, [***Chlamys asperulatus***](#) (A. Adams & L.A. Reeve, 1850) - syn of: [***Azumapecten farreri asperulata***](#) (A. Adams & L.A. Reeve, 1850)
- atlanticus, [***Pecten atlanticus***](#) E.A. Smith, 1890
- audouinii, [***Aequipecten opercularis audouinii***](#) (B.C.M. Payraudeau, 1826)
- audouinii, [***Pecten audouinii***](#) B.C.M. Payraudeau, 1826 - syn of: [***Aequipecten opercularis audouinii***](#) (B.C.M. Payraudeau, 1826)
- aurantia, [***Mimachlamys varia aurantia***](#) (A. Clement, 1879)
- aurantiacus, [***Anguipecten aurantiacus***](#) A. Adams & L.A. Reeve, 1850 - syn of: [***Anguipecten picturatus***](#) H.H. Dijkstra, 1995
- aurantius, [***Pecten aurantius***](#) J.B.P.A. Lamarck, 1819 - syn of: [***Mimachlamys sanguinea***](#) (C. Linnaeus, 1758)
- australiae, [***Amusium pleuronectes australiae***](#) (C. Linnaeus, 1758)
- australis, [***Pecten australis***](#) G.B. II Sowerby, 1842 - syn of: [***Mimachlamys asperrima***](#) (J.B.P.A. Lamarck, 1819)
- australis, [***Pecten australis***](#) R.A. Philippi, 1845 - syn of: [***Zygochlamys patagonica***](#) (P.P. King, 1832)
- aviculoides, [***Pecten aviculoides***](#) E.A. Smith, 1885 - syn of: [***Cyclochlamys aviculoides***](#) (E.A. Smith, 1885)
- awajiensis, [***Volachlamys hirasei awajiensis***](#) (H.A. Pilsbry, 1905)
- awajiensis, [***Pecten awajiensis***](#) H.A. Pilsbry, 1905 - syn of: [***Volachlamys hirasei awajiensis***](#) (H.A. Pilsbry, 1905)
- balloti, [***Ylistrum balloti***](#) A.C. Bernardi, 1861
- barnetti, [***Semipallium barnetti***](#) H.H. Dijkstra, 1989
- bavayi, [***Hyalopecten bavayi***](#) (H.H. Dijkstra, 1990)
- bavayi, [***Paraleptopecten bavayi***](#) (P. Dautzenberg, 1900)
- baylei, [***Chlamys baylei***](#) F.P. Jousseaume, 1928 - Syn of: [***Mimachlamys townsendi***](#) (G.B. III Sowerby, 1895)
- behringiana, [***Chlamys behringiana***](#) (A.T. von Middendorff, 1849)
- behringiana unalaskae, [***Chlamys behringiana unalaskae***](#) F.S. MacNeil, 1967 - syn of: [***Chlamys behringiana***](#) (A.T. von Middendorff, 1849)
- bellilamellatus, [***Pecten bellilamellatus***](#) R. Arnold, 1906 - syn of: [***Leptopecten latiauratus***](#) (T.A. Conrad, 1837)
- bellipictus, [***Chlamys bellipictus***](#) W.P. Woodring, 1925 † - syn of: [***Antillipecten antillarum***](#) (C.A. Récluz, 1853)
- benedicti, [***Spathochlamys benedicti***](#)
- benedictus tepungai, [***Pecten benedictus tepungai***](#) C.A. Fleming, 1957 - syn of: [***Pecten novaezelandiae***](#) L.A. Reeve, 1852
- benedictus zeehaanae, [***Pecten benedictus zeehaanae***](#) C.A. Fleming, 1957 - syn of: [***Pecten novaezelandiae***](#) L.A. Reeve, 1852
- beringiana, [***Chlamys beringiana***](#) F.S. MacNeil, 1967 - syn of: [***Chlamys behringiana***](#) (A.T. von Middendorff, 1849)
- bernardi, [***Cryptoplecten bernardi***](#) (R.A. Philippi, 1851)
- berryi, [***Leopecten berryi***](#) F.R. Bernard, 1983 - syn of: [***Leopecten stillmani***](#) (H.H. Dijkstra, 1998)
- bifidus, [***Pecten bifidus***](#) K.T. Menke, 1843 - syn of: [***Pecten fumatus***](#) L.A. Reeve, 1852
- bifrons, [***Equichlamys bifrons***](#) (J.B.P.A. Lamarck, 1819)
- binominatus, [***Pseudamussium binominatus***](#) G.D. Hanna, 1924 - syn of: [***Similipecten greenlandicus***](#) (G.B. II Sowerby, 1842)
- biolleyi, [***Paraleptopecten biolleyi***](#) (L.G. Hertlein & A.M. Strong, 1946)
- biradiatus, [***Pecten biradiatus***](#) N. Tiberi, 1855 - Syn of: [***Flexopecten flexuosus***](#) (G.S. Poë, 1795)
- biscayensis, [***Hyalopecten biscayensis***](#) É.A.A. Locard, 1886 - syn of: [***Hyalopecten pudicus***](#) (E.A. Smith, 1885)
- blandus, [***Pecten blandus***](#) L.A. Reeve, 1853 - syn of: [***Mimachlamys sanguinea***](#) (C. Linnaeus, 1758)
- boninensis, [***Laevichlamys boninensis***](#) (H.H. Dijkstra & A. Matsukuma, 1993)
- bornii, [***Chlamys bornii***](#) B.C.M. Payraudeau, 1826 - syn of: [***Manupecten pesfelis***](#) (C. Linnaeus, 1758)
- boutetorum, [***Mirapecten boutetorum***](#) H.H. Dijkstra, 2011
- brandti, [***Patinoplecten brandti***](#) L. von Schrenck, 1861 - syn of: [***Mizuhoplecten yessoensis***](#) (J.C. Jay, 1857)
- bruei, [***Chlamys bruei***](#) B.C.M. Payraudeau, 1826 - Syn of: [***Karnekampia sulcata***](#) (O.F. Müller, 1776)
- bruei pulchricostata, [***Chlamys bruei pulchricostata***](#) F. Nordsieck, 1969 - syn of: [***Aequipecten opercularis***](#) (C. Linnaeus, 1758)
- bullatus, [***Cryptoplecten bullatus***](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- byronensis, [***Pecten byronensis***](#) C.A. Fleming, 1955 - syn of: [***Pecten fumatus***](#) L.A. Reeve, 1852
- caducum, [***Amusium caducum***](#) E.A. Smith, 1885 - syn of: [***Propeamussium caducum***](#) (E.A. Smith, 1885)
- calli, [***Pecten calli***](#) L.G. Hertlein, 1925 - syn of: [***Argopecten ventricosus***](#) (G.B. I Sowerby, 1842)
- camerella, [***Leptopecten camerella***](#) (S.S. Berry, 1968)
- campbellica, [***Chlamys campbellica***](#) N.H. Odhner, 1924 - syn of: [***Zygochlamys delicatula***](#) (F.W. Hutton, 1873)
- capensis, [***Pecten capensis***](#) G.B. III Sowerby, 1892 - syn of: [***Pecten sulcicostatus***](#) G.B. II Sowerby, 1842
- caroli, [***Mesopeplum caroli***](#) T. Iredale, 1929 - syn of: [***Mesopeplum fenestratum***](#) (C. Hedley, 1901)
- cataractes, [***Euvola cataractes***](#) W.H. Dall, 1914 - syn of: [***Euvola vogdesi***](#) (R. Arnold, 1906)
- caurinus, [***Patinoplecten caurinus***](#) (A.A. Gould, 1850)

- **celator**, Chlamys celator H.J. Finlay, 1928 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **cellularis**, Chlamys cellularis W.R.B. Oliver, 1915 - syn of: [**Pascahinnites coruscans**](#) (R.B. Hinds, 1845)
- **challengeri**, [**Pseudamussium challengerii**](#) (E.A. Smith, 1891)
- **chaperi**, Delectopecten chaperi P. Dautzenberg & H. Fischer, 1897 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **chazaliei**, [**Euvola chazaliei**](#) (P. Dautzenberg, 1900)
- **chosenica**, [**Chlamys chosenica**](#) J.T. Kuroda, 1932
- **cinnabarina**, Chlamys cinnabarina I. von Born, 1778 - syn of: [**Chlamys islandica**](#) (O.F. Müller, 1776)
- **circulans**, Argopecten circulans G.B. Sowerby, 1835 - syn of: [**Argopecten ventricosus**](#) (G.B. Sowerby, 1842)
- **circularis**, Argopecten circularis G.B. Sowerby, 1835 - syn of: [**Argopecten irradians concentricus**](#) (T. Say, 1822)
- **citrina**, [**Flexopecten glaber citrina**](#) (J.F. Gmelin, 1791)
- **clathratum**, [**Palliolium clathratum**](#) E.C. Von Martens, 1881
- **clavatum**, [**Pseudamussium clavatum**](#) (G.S. Poli, 1795)
- **clavatum dumasii**, [**Pseudamussium clavatum dumasii**](#) (B.C.M. Payraudeau, 1826)
- **cloacata**, [**Mimachlamys cloacata**](#) (L.A. Reeve, 1853)
- **cloacata curtisiana**, [**Mimachlamys cloacata curtisiana**](#) T. Iredale, 1939
- **cloacata pelseneeri**, [**Mimachlamys cloacata pelseneeri**](#) P. Dautzenberg & A.R.J.B. Bavay, 1912
- **coarctatus**, [**Flexopecten coarctatus**](#) (I. von Born, 1778)
- **cocosensis**, [**Leoplecten cocosensis**](#) T.R. Waller, 2007
- **coeni**, [**Pseudamussium sulcatum coeni**](#) F. Nordseck, 1969
- **colbecki**, [**Adamussium colbecki**](#) (E.A. Smith, 1902)
- **comatus**, Pecten comatus A. Valenciennes, 1846 - syn of: [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **commutatus**, [**Aequipecten commutatus**](#) (T.A. de M. Monterosato, 1875)
- **commutatus peripheralis**, [**Aequipecten commutatus peripheralis**](#) H.H. Dijkstra & R.N. Kilburn, 2001
- **compactus**, Pecten compactus W.H. Dall, 1898 - syn of: [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **complanus**, Cryptopecten complanus Z.R. Wang, 1983 - syn of: [**Cryptopecten bullatus**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **concentricus**, [**Argopecten irradians concentricus**](#) (T. Say, 1822)
- **concentricus**, Pecten concentricus E. Forbes, 1844 - syn of: [**Parvamussium fenestratum**](#) (E. Forbes, 1844)
- **concentricus**, Pecten concentricus T. Say, 1822 - syn of: [**Argopecten irradians concentricus**](#) (T. Say, 1822)
- **concinna**, Excellichlamys concinna L.A. Reeve, 1853 - syn of: [**Gloripallium maculosum**](#) (P. Forsskål in C. Niebuhr, 1775)
- **consociata**, Chlamys consociata E.A. Smith, 1915 - syn of: [**Talochlamys dichroa**](#) (H.H. Suter, 1909)
- **contorta**, [**Talochlamys contorta**](#) H.H. Dijkstra, 1993
- **convexum**, [**Mesopeplum convexum**](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **cookei**, [**Laevichlamys cuneata cookei**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **cooperi**, Chlamys cooperi E.A. Smith, 1903 - syn of: [**Glorichlamys elegantissima**](#) (G.P. Deshayes, 1863)
- **corallina**, Manupecten corallina G.S. Poli, 1795 - syn of: [**Manupecten pesfelis**](#) (C. Linnaeus, 1758)
- **corallinoides**, [**Bractechlamys corallinoides**](#) (D'Orbigny, 1840)
- **corallinus**, [**Hinnites corallinus**](#) G.B. I Sowerby, 1827
- **coruscans**, [**Pascahinnites coruscans**](#) (R.B. Hinds, 1845)
- **coruscans hawaiensis**, [**Pascahinnites coruscans hawaiensis**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **corymbiatus**, Chlamys corymbiatus C. Hedley, 1909 - syn of: [**Cryptoplecten nux**](#) (L.A. Reeve, 1853)
- **costellata**, Chlamys costellata A.E. Verrill & K.J. Bush in A.E. Verrill, 1897 - syn of: [**Chlamys islandica**](#) (O.F. Müller, 1776)
- **coudeini**, [**Juxtamusium coudeini**](#) (A.R.J.B. Bavay, 1903)
- **cranmerorum**, [**Miraplecten cranmerorum**](#) (T.R. Waller, 1986)
- **crassa**, Hinnites crassa T.A. Conrad, 1857 - syn of: [**Crassadoma gigantea**](#) (J.E. Gray, 1825)
- **crassicostata**, [**Mimachlamys crassicostata**](#) (G.B. II Sowerby, 1842)
- **crebricostatus**, Minnivola crebricostatus R.A. Philippi, 1845 - syn of: [**Minnivola pyxidata**](#) (I. von Born, 1778)
- **cretatus**, Pecten cretatus L.A. Reeve, 1853 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)
- **cristatum**, Amusium cristatum A.R.J.B. Bavay, 1905 - syn of: [**Parvamussium cristatellum**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **cristatus**, Amusium cristatus A.R.J.B. Bavay, 1905 - syn of: [**Parvamussium cristatellum**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **cristularis**, Mimachlamys cristularis A. Adams & L.A. Reeve, 1850 - syn of: [**Mimachlamys crassicostata**](#) (G.B. II Sowerby, 1842)
- **crotilus**, Chlamys crotilus L.A. Reeve, 1853 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **crouchi**, [**Semipallium crouchi**](#) (E.A. Smith, 1892)
- **cruentata**, Mimachlamys cruentata L.A. Reeve, 1853 - syn of: [**Mimachlamys cruentatus**](#) (L.A. Reeve, 1853)
- **cruentatus**, [**Mimachlamys cruentatus**](#) (L.A. Reeve, 1853)
- **cruentatus**, Pecten cruentatus L.A. Reeve, 1853 - syn of: [**Mimachlamys cruentatus**](#) (L.A. Reeve, 1853)
- **cumingii**, [**Volachlamys singaporina cumingii**](#) (L.A. Reeve, 1853)
- **cumingii**, Chlamys cumingii L.A. Reeve, 1853 - syn of: [**Volachlamys singaporina cumingii**](#) (L.A. Reeve, 1853)
- **cuneata**, [**Laevichlamys cuneata**](#) (L.A. Reeve, 1853)
- **cuneata cookei**, [**Laevichlamys cuneata cookei**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **cuneolus**, Pecten cuneolus L.A. Reeve, 1853 - syn of: [**Pascahinnites coruscans**](#) (R.B. Hinds, 1845)
- **curtisiana**, [**Mimachlamys cloacata curtisiana**](#) T. Iredale, 1939
- **cytherea**, [**Chlamys cytherea**](#) A.R.J.B. Bavay, 1904
- **dalli**, Amusium dalli E.A. Smith, 1885 - syn of: [**Propeamussium dalli**](#) (E.A. Smith, 1885)
- **danicus**, Pseudamussium danicus L.A. Reeve, 1852 - syn of: [**Pseudamussium peslutrae**](#) (C. Linnaeus, 1771)
- **daucus**, Pecten daucus L.A. Reeve, 1853 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)

- **decemradiata**, Lyropecten decemradiata J.F. Gmelin, 1791 - syn of: [**Nodipecten nodosus**](#) (C. Linnaeus, 1758)
- **delicatula**, [**Zygochlamys delicatula**](#) (F.W. Hutton, 1873)
- **delicatula**, Psychrochlamys delicatula H.A. Jonkers, 2003 - syn of: [**Zygochlamys delicatula**](#) (F.W. Hutton, 1873)
- **delicatula subantarctica**, [**Zygochlamys delicatula subantarctica**](#) C. Hedley, 1916
- **deliciosa**, [**Laevichlamys deliciosa**](#) (T. Iredale, 1939)
- **dentatus**, Euvola dentatus G.B. Sowerby, 1835 - syn of: [**Euvola chazaliei**](#) (P. Dautzenberg, 1900)
- **denticulatus**, Pecten denticulatus A. Adams & L.A. Reeve, 1850 - syn of: [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **deynzerorum**, [**Veprichlamys deynzerorum**](#) H.H. Dijkstra, 2004
- **dianae**, [**Semipallium dianae**](#) (P.R. Crandall, 1979)
- **dichroa**, [**Talochlamys dichroa**](#) (H.H. Suter, 1909)
- **dieffenbachi**, Chlamys dieffenbachi L.A. Reeve, 1853 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **diegensis**, [**Leoplecten diegensis**](#) (W.H. Dall, 1898)
- **diformis**, Hemipecten difformis N.H. Odhner, 1917 - syn of: [**Hemipecten forbesianus**](#) A. Adams & L.A. Reeve, 1849
- **dijkstrai**, [**Pecten dijkstrai**](#) F.M. Duncan & G. Wilson, 2012
- **dilectus**, Hyalopecten dilectus A.E. Verrill & K.J. Bush in A.E. Verrill, 1897 - syn of: [**Hyalopecten pudicus**](#) (E.A. Smith, 1885)
- **diomedeus**, [**Pecten diomedeus**](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **dislocatus**, Pecten dislocatus T. Say, 1822 - syn of: [**Argopecten gibbus**](#) (C. Linnaeus, 1758)
- **dispar**, Chlamys dispar J.B.P.A. Lamarck, 1819 - syn of: [**Lissochlamys exotica**](#) (L.W. Dillwyn, 1817)
- **dissimilis**, [**Mimachlamys dissimilis**](#) (R.P. Montrouzier, 1858)
- **distans**, Pecten distans J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **distorta**, [**Talochlamys pusio distorta**](#) (E.M. Da Costa, 1778)
- **distorta**, Hinnites distorta E.M. Da Costa, 1778 - syn of: [**Talochlamys pusio distorta**](#) (E.M. Da Costa, 1778)
- **dorotheae**, [**Pecten dorotheae**](#)
- **dringi**, [**Semipallium dringi**](#) (L.A. Reeve, 1853)
- **dumasi**, [**Pseudamussium clavatum dumasi**](#) (B.C.M. Payraudeau, 1826)
- **dumasi**, Pecten dumasi B.C.M. Payraudeau, 1826 - syn of: [**Pseudamussium clavatum dumasi**](#) (B.C.M. Payraudeau, 1826)
- **ecostata**, [**Volachlamys hirasei ecostata**](#) A.R.J.B. Bavay, 1904
- **effluens**, Chlamys effluens W.H. Dall, 1886 - syn of: [**Laevichlamys multisquamata**](#) (R.W. Dunker, 1864)
- **effulgens**, Chlamys effulgens L.A. Reeve, 1853 - syn of: [**Talochlamys multistriata**](#) (G.S. Poli, 1795)
- **electrum**, Amusium electrum J.P.L. Pelseneer, 1911 - syn of: [**Propeamussium caducum**](#) (E.A. Smith, 1885)
- **elegans**, [**Glorichlamys elegans**](#) (Z.R. Wang, 1983)
- **elegantissima**, [**Glorichlamys elegantissima**](#) (G.P. Deshayes, 1863)
- **ellocrena**, Chlamys ellocrena T. Iredale, 1939 - syn of: [**Mimachlamys sanguinea**](#) (C. Linnaeus, 1758)
- **elsae**, Chlamys elsa H.P. Wagner, 1988 - syn of: [**Laevichlamys gladyiae**](#) J.C. Melvill, 1888
- **empressae**, Chlamys empressae J.T. Kuroda, T. Habe & K. Oyama, 1971 - syn of: [**Veprichlamys jousseaumei**](#) (A.R.J.B. Bavay, 1904)
- **eous**, Pecten eous J.C. Melvill, 1907 - syn of: [**Similipecten eous**](#)
- **ercolanianus**, Hinnites ercolanianus G. Cocconi, 1873 - syn of: [**Talochlamys abscondita**](#) (P. Fischer in É.A.A. Locard, 1898)
- **erubescens**, [**Chlamys erubescens**](#) (L.A. Reeve, 1853)
- **erycina**, [**Mimachlamys erycina**](#) H.H. Dijkstra & P. Maestrati, 2010
- **erythraeensis**, [**Pecten erythraeensis**](#) G.B. II Sowerby, 1842
- **erythrocomata**, [**Chlamys islandica erythrocomata**](#) W.H. Dall, 1907
- **estheris**, Pecten estheris Crema, 1903 - syn of: [**Pseudamussium peslutrae**](#) (C. Linnaeus, 1771)
- **eucosmia**, Pecten eucosmia W.H. Turton, 1932 - syn of: [**Pascahinnites coruscans**](#) (R.B. Hinds, 1845)
- **eucymatus**, Pecten eucymatus W.H. Dall, 1898 - syn of: [**Catillopecten eucymatus**](#) (W.H. Dall, 1898)
- **eulyratus**, Bractechlamys eulyratus F.M. Bayer, 1943 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **eulyratus**, Lyropecten eulyratus F.M. Bayer, 1943 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **euterpes**, Leptopecten euterpes S.S. Berry, 1957 - syn of: [**Paraleptopecten velero**](#) (L.G. Hertlein, 1935)
- **evecta**, Bractechlamys evecta T. Iredale, 1939 - syn of: [**Bractechlamys vexillum**](#) (L.A. Reeve, 1853)
- **exasperatus**, [**Lindapecten exasperatus**](#) (G.B. II Sowerby, 1842)
- **excavatus**, Pecten excavatus A. Valenciennes, 1846 - syn of: [**Euvola vogdesi**](#) (R. Arnold, 1906)
- **excavatus**, [**Pecten excavatus**](#) H.E. Anton, 1838
- **excavatus puncticulatus**, [**Pecten excavatus puncticulatus**](#) R.W. Dunker, 1877
- **exotica**, [**Lissochlamys exotica**](#) (L.W. Dillwyn, 1817)
- **exotica**, Chlamys exotica H.S. Holton, 1802 - syn of: [**Lissochlamys exotica**](#) (L.W. Dillwyn, 1817)
- **exoticus**, Pecten exoticus J.H. Chemnitz, 1795 - syn of: [**Lissochlamys exotica**](#) (L.W. Dillwyn, 1817)
- **fabricii**, Pecten fabricii R.A. Philippi, 1844 - syn of: [**Chlamys islandica**](#) (O.F. Müller, 1776)
- **famigerator**, Chlamys famigerator T. Iredale, 1925 - syn of: [**Talochlamys pulleineana**](#) (R. Tate, 1887)
- **farreri**, [**Azumapecten farreri**](#) (D. Jones & H.B. Preston, 1904)
- **farreri akazara**, [**Azumapecten farreri akazara**](#) J.T. Kuroda, 1932
- **farreri asperulata**, [**Azumapecten farreri asperulata**](#) (A. Adams & L.A. Reeve, 1850)
- **farreri nipponensis**, [**Azumapecten farreri nipponensis**](#) J.T. Kuroda, 1932
- **fasciculatum**, [**Pseudamussium fasciculatum**](#) (R.B. Hinds, 1845)
- **felipes**, Manupecten felipes É.A.A. Locard, 1886 - syn of: [**Manupecten pesfelis**](#) (C. Linnaeus, 1758)
- **felipponei**, [**Flexopecten felipponei**](#) (W.H. Dall, 1922)
- **fenestratum**, [**Mesopeplum fenestratum**](#) (C. Hedley, 1901)

- **fenestratus**, Pecten fenestratus E. Forbes, 1844 - syn of: [**Parvamussium fenestratum**](#) (E. Forbes, 1844)
- **ferrugineus**, Pecten ferrugineus É.A.A. Locard, 1889 - syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **fililectus**, Pecten fililectus C.C. Lj; 1930 - syn of: [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **fimbriatus**, Pecten fimbriatus R.A. Philippi, 1844 - syn of: [**Cyclopecten antiquatus**](#) (R.A. Philippi, 1844)
- **flabellata**, [**Annachlamys flabellata**](#) (J.B.P.A. Lamarck, 1819)
- **flabelloides**, Decatopecten flabelloides L.A. Reeve, 1852 - syn of: [**Decatopecten amiculum**](#) (R.A. Philippi, 1851)
- **flabellum**, [**Aequipecten flabellum**](#) (J.F. Gmelin, 1791)
- **flagellatus**, Pecten flagellatus F.M. Delessert, 1841 - syn of: [**Flexopecten hyalinus**](#) (G.S. Poli, 1795)
- **flagellatus**, Pecten flagellatus J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **flagellatus**, Chlamys flagellatus J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **flammea**, Mimachlamys flammea J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **flavicans**, [**Semipallium flavicans**](#) (C. Linnaeus, 1758)
- **flavidulus**, Pecten flavidulus J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **flexuosus**, [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **florens**, Pecten florens J.B.P.A. Lamarck, 1819 - syn of: [**Mimachlamys sanguinea**](#) (C. Linnaeus, 1758)
- **floridus**, Leopecten floridus R.B. Hinds, 1845 - syn of: [**Leoplecten diegensis**](#) (W.H. Dall, 1898)
- **fluctuatus**, [**Delectopecten fluctuatus**](#) (A.R.J.B. Bavay, 1905)
- **fluctuatus**, Ciclopecten fluctuatus A.R.J.B. Bavay, 1905 - syn of: [**Delectopecten fluctuatus**](#) (A.R.J.B. Bavay, 1905)
- **fluctuatus**, Chlamys fluctuatus A.R.J.B. Bavay, 1905 - syn of: [**Delectopecten fluctuatus**](#) (A.R.J.B. Bavay, 1905)
- **foliaceus**, Chlamys foliaceus J.R.C. Quoy & J.P. Gaimard, 1835 - syn of: [**Scaeochlamys livida**](#) (J.B.P.A. Lamarck, 1819)
- **forbesianus**, [**Hemipecten forbesianus**](#) A. Adams & L.A. Reeve, 1849
- **foresti**, Pecten foresti A. Martin in C. Gay, 1858 - syn of: [**Similipecten similis**](#) (J.C. Laskey, 1811)
- **formosum**, [**Amusium japonicum formosum**](#) T. Habe, 1964
- **fosterianus**, [**Delectopecten fosterianus**](#) (A.W.B. Powell, 1933)
- **fragilis**, Pecten fragilis J.G. Jeffreys, 1876 - syn of: [**Hyalopecten pudicus**](#) (E.A. Smith, 1885)
- **fragosus**, [**Nodipecten fragosus**](#) (T.A. Conrad, 1849)
- **fricata**, Chlamys fricata L.A. Reeve, 1853 - syn of: [**Mimachlamys sanguinea**](#) (C. Linnaeus, 1758)
- **frigidus**, [**Hyalopecten frigidus**](#) (A.S. Jensen, 1904)
- **fucatum**, Pecten fucatum L.A. Reeve, 1853 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **fucatus**, Bractechlamys fucatus L.A. Reeve, 1853 - syn of: [**Antillipecten antillarum**](#) (C.A. Récluz, 1853)
- **fuci**, Palliolum fuci J.F. Gmelin, 1791 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **fuci**, Pecten fuci L.A.G. d'A. Bosc, 1802 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **fultoni**, [**Volachlamys fultoni**](#) (G.B. III Sowerby, 1904)
- **fulvicostatum**, [**Semipallium fulvicostatum**](#) (A. Adams & L.A. Reeve, 1850)
- **fulvicostatum luculentum**, [**Semipallium fulvicostatum luculentum**](#) (L.A. Reeve, 1853)
- **fumatus**, Pecten fumatus K.H. Barnard, 1962 - syn of: [**Pecten afribenedictus**](#) R.N. Kilburn & H.H. Dijkstra, 1995
- **fumatus**, [**Pecten fumatus**](#) L.A. Reeve, 1852
- **fumatus albus**, [**Pecten fumatus albus**](#) L.A. Reeve, 1852
- **funebris**, [**Mimachlamys funebris**](#) (L.A. Reeve, 1853)
- **furtivus**, Pecten furtivus S.L. Lovén, 1846 - syn of: [**Palliolum incomparabile**](#) (A. Risso, 1826)
- **fuscus**, Pecten fuscus G.B. II Sowerby, 1842 - syn of: [**Pecten fumatus**](#) L.A. Reeve, 1852
- **gabonensis**, [**Nodipecten nodosus gabonensis**](#) (K. Nicolay, 1981)
- **galapagensis**, [**Euvola galapagensis**](#) (G. Grau, 1959)
- **gallimus**, Pecten gallimus A. De Gregorio, 1885 - syn of: [**Parvamussium fenestratum**](#) (E. Forbes, 1844)
- **gardineri**, [**Serratovola gardineri**](#) (E.A. Smith, 1903)
- **gardneri**, Pecten gardneri (E.A. Smith, 1903) - syn of: [**Serratovola gardineri**](#) (E.A. Smith, 1903)
- **gaussiana**, Palliolum gaussiana K.H.J. Thiele, 1912 - syn of: [**Cyclochlamys gaussiana**](#) (K.H.J. Thiele, 1912)
- **gavena**, Mimachlamys gavena T. Iredale, 1939 - syn of: [**Mimachlamys lentiginosa**](#) (L.A. Reeve, 1853)
- **gelatinosum**, Pseudamussium gelatinosum J.F. Mabille & A. de Rochebrune, 1889 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **gelatinosus**, Delectopecten gelatinosus J.F. Mabille & A. de Rochebrune, 1889 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **gemmeus**, Chlamys gemmeus L.A. Reeve, 1853 - syn of: [**Talochlamys gemmulata**](#) (L.A. Reeve, 1853)
- **gummulata**, [**Talochlamys gemmulata**](#) (L.A. Reeve, 1853)
- **gummulata suteri**, [**Talochlamys gemmulata suteri**](#) L.G. Hertlein, 1933
- **gibbus**, [**Argopecten gibbus**](#) (C. Linnaeus, 1758)
- **gibbus amplicostatus**, Argopecten gibbus amplicostatus W.H. Dall, 1898 - syn of: [**Argopecten irradians amplicostatus**](#) (W.H. Dall, 1898)
- **gibbus imitatooides**, [**Argopecten gibbus imitatooides**](#) O. Macsotay & B. Campos, 2001
- **gigantea**, [**Crassadoma gigantea**](#) (J.E. Gray, 1825)
- **gilchristi**, [**Pseudamussium gilchristi**](#) (G.B. III Sowerby, 1904)
- **glaber**, [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **glaber citrina**, [**Flexopecten glaber citrina**](#) (J.F. Gmelin, 1791)
- **glaber jonstoni**, [**Flexopecten glaber jonstoni**](#) S. Delle Chiaje, 1842
- **glaber ponticus**, [**Flexopecten glaber ponticus**](#)
- **glaber proteus**, [**Flexopecten glaber proteus**](#) (L.W. Dilwyn, 1817)
- **glabra**, Chlamys glabra C. Linnaeus, 1758 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **gladysiae**, [**Laevichlamys gladysiae**](#) J.C. Melville, 1888

- **gloriosa**, [**Mimachlamys gloriosa**](#) (L.A. Reeve, 1853)
- **glyptus**, [**Aequipecten glyptus**](#) (A.E. Verrill, 1882)
- **golus**, Pecten golus A. De Gregorio, 1885 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **greenlandicus**, Pecten greenlandicus G.B. II Sowerby, 1842 - syn of: [**Similipecten greenlandicus**](#) (G.B. II Sowerby, 1842)
- **gregoryi**, [**Anguipecten gregoryi**](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **griggi**, [**Decatopecten radula griggi**](#) (G.R. Webb, 1957)
- **griseus**, Pecten griseus J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **grossiana**, Mimachlamys grossiana T. Iredale, 1939 - syn of: [**Laevichlamys squamosa**](#) (J.F. Gmelin, 1791)
- **guendoleneae**, Pecten guendoleneae J.C. Melvill, 1888 - syn of: [**Cryptoplecten nux**](#) (L.A. Reeve, 1853)
- **hadalis**, [**Hyalopecten hadalis**](#) (J. Knudsen, 1970)
- **hallae**, [**Semipallium hallae**](#) (B.C. Cotton, 1960)
- **hancocki**, [**Euvola hancocki**](#) (G. Grau, 1959)
- **hastata**, [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **hastata**, Chlamys hastata I.M. Oldroyd, 1920 - syn of: [**Chlamys hastata pudgetensis**](#) I.M. Oldroyd, 1920
- **hastata hericius**, [**Chlamys hastata hericius**](#) (A.A. Gould, 1850)
- **hastata pudgetensis**, [**Chlamys hastata pudgetensis**](#) I.M. Oldroyd, 1920
- **hastingsii**, Pecten hastingsii J.C. Melvill, 1888 - Syn of: [**Cryptoplecten nux**](#) (L.A. Reeve, 1853)
- **hawaiensis**, [**Pascahinnites coruscans hawaiensis**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **heimi**, Pecten heimi L.G. Hertlein, 1925 - syn of: [**Euvola vogdesi**](#) (R. Arnold, 1906)
- **heliacus**, [**Aequipecten heliacus**](#) (W.H. Dall, 1925)
- **helleri**, Decatopecten helleri H.B. Preston, 1909 - syn of: [**Decatopecten amiculum**](#) (R.A. Philippi, 1851)
- **hemiradiatus**, [**Pseudohinnites hemiradiatus**](#) (L. de Folin, 1887)
- **hericeus**, Chlamys hericeus W.H. Dall, 1898 - syn of: [**Chlamys behringiana**](#) (A.T. von Middendorff, 1849)
- **hericius**, [**Chlamys hastata hericius**](#) (A.A. Gould, 1850)
- **hericius**, Pecten hericius A.A. Gould, 1850 - syn of: [**Chlamys hastata hericius**](#) (A.A. Gould, 1850)
- **hericius albidus**, Chlamys hericius albidus R. Arnold, 1906 - syn of: [**Chlamys albida**](#) (R. Arnold, 1906)
- **hexactes**, [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **hexactes**, Pecten hexactes F. Péron in J.B.P.A. Lamarck, 1819 - Syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **hexactus**, Chlamys hexactus J.B.P.A. Lamarck, 1819 - syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **hindsii**, Pecten hindsii P.P. Carpenter, 1864 - syn of: [**Chlamys rubida**](#) (R.B. Hinds, 1845)
- **hindsii kincaidi**, Pecten hindsii kincaidi I.M. Oldroyd, 1920 - syn of: [**Chlamys rubida**](#) (R.B. Hinds, 1845)
- **hirasei**, [**Volachlamys hirasei**](#) (A.R.J.B. Bavay, 1904)
- **hirasei awajiensis**, [**Volachlamys hirasei awajiensis**](#) (H.A. Plsby, 1905)
- **hirasei ecostata**, [**Volachlamys hirasei ecostata**](#) A.R.J.B. Bavay, 1904
- **histrionica**, [**Excellichlamys histrionica**](#) (J.F. Gmelin, 1791)
- **hoskynsi**, Pecten hoskynsi E. Forbes, 1844 - syn of: [**Cyclopecten hoskynsi**](#) (E. Forbes, 1844)
- **hoskynsi major**, Pecten hoskynsi major W. Leche, 1883 - syn of: [**Cyclopecten hoskynsi**](#) (E. Forbes, 1844)
- **humilis**, [**Talochlamys humilis**](#) (G.B. III Sowerby, 1904)
- **hyalina radiata**, Aequipecten hyalina radiata P.M. Pallary, 1900 - syn of: [**Flexopecten hyalinus**](#) (G.S. Poli, 1795)
- **hyalinus**, [**Flexopecten hyalinus**](#) (G.S. Poli, 1795)
- **hybridum**, [**Flexopecten hybridum**](#) (J.F. Gmelin, 1791)
- **hypomeces**, Amussium hypomeces P. Dautzenberg & H. Fischer, 1897 - syn of: [**Propeamussium lucidum**](#) (J.G. Jeffreys in C. Wyville-Thomson, 1873)
- **iacobaeus waikikius**, Pecten iacobaeus waikikius W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [**Pecten waikikius**](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **idaea**, Chlamys idaea L.A. Reeve, 1853 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **imbricata**, Chlamys imbricata J.F. Gmelin, 1791 - syn of: [**Caribachlamys pellucens**](#) (C. Linnaeus, 1758)
- **imbrifer**, Pecten imbrifer S.L. Lovén, 1846 - syn of: [**Cyclopecten hoskynsi imbrifer**](#) S.L. Lovén, 1846
- **imitatoides**, [**Argopecten gibbus imitatoides**](#) O. Macstoy & B. Campos, 2001
- **imparicostatus**, Chlamys imparicostatus A.R.J.B. Bavay, 1905 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **ina**, Amussium ina P. Dautzenberg & A.R.J.B. Bavay, 1912 - syn of: [**Propeamussium ina**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **inaequalis**, Pecten inaequalis G.B. II Sowerby, 1842 - syn of: [**Haumea minuta**](#) (C. Linnaeus, 1758)
- **inaequalis**, [**Talochlamys inaequalis**](#) H.H. Dijkstra & R.G. Moolenbeek, 2008
- **inaequisculptus**, Pecten inaequisculptus N. Tiberi, 1855 - syn of: [**Parvamussium fenestratum**](#) (E. Forbes, 1844)
- **inaequivelvis**, Argopecten inaequivelvis G.B. II Sowerby, 1842 - syn of: [**Haumea minuta**](#) (C. Linnaeus, 1758)
- **inca**, [**Argopecten ventricosus inca**](#) (D'Orbigny, 1846)
- **inca**, Pecten inca D'Orbigny, 1846 - syn of: [**Argopecten ventricosus inca**](#) (D'Orbigny, 1846)
- **incantata**, [**Veprichlamys incantata**](#) (L.G. Hertlein, 1972)
- **incarnata**, Mimachlamys incarnata J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **incarnata**, [**Chlamys incarnata**](#) L.G. Hertlein, 1972
- **incomparabile**, [**Palliolium incomparabile**](#) (A. Risso, 1826)
- **incongruus**, Pseudamusium incongruus W.H. Dall, 1916 - syn of: [**Cyclopecten incongruus**](#) (W.H. Dall, 1916)
- **indicus**, Pecten indicus G.P. Deshayes, 1832 - syn of: [**Mimachlamys sanguinea**](#) (C. Linnaeus, 1758)
- **insculpta**, [**Chlamys islandica insculpta**](#) A.E. Verrill, 1897
- **instar**, Chlamys instar T. Iredale, 1925 - syn of: [**Zygochlamys delicatula**](#) (F.W. Hutton, 1873)
- **intermedius**, Pecten intermedius T.A. de M. Monterosato, 1899 - syn of: [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)

- **intuscostatum**, *Pecten intuscostatum* M. Yokoyama, 1920 - syn of: [**Parvamussium intuscostatum**](#) (M. Yokoyama, 1920)
- **investigatoris**, *Amussium investigatoris* E.A. Smith, 1906 - syn of: [**Propeamussium investigatoris**](#) (E.A. Smith, 1906)
- **iredalei**, [**Annachlamys iredalei**](#) (A.W.B. Powell, 1958)
- **irradians**, [**Argopecten irradians**](#) (J.B.P.A. Lamarck, 1819)
- **irradians amplicostatus**, [**Argopecten irradians amplicostatus**](#) (W.H. Dall, 1898)
- **irradians concentricus**, [**Argopecten irradians concentricus**](#) (T. Say, 1822)
- **irradians sablensis**, [**Argopecten irradians sablensis**](#) A.H. Clarke, 1965
- **irradians taylorae**, [**Argopecten irradians taylorae**](#) E.J. Petuch, 1987
- **irregularis**, *Chlamys irregularis* G.B. Sowerby, 1842 - syn of: [**Laevichlamys cuneata**](#) (L.A. Reeve, 1853)
- **irregularis**, *Pecten irregularis* G.P. Deshayes, 1832 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **isabella**, *Flexopecten isabella* J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **isabellae**, *Chlamys isabellae* W. Macgillivray, 1843 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **isabellensis**, [**Leopecten isabellensis**](#) T.R. Waller, 2007
- **islandica**, [**Chlamys islandica**](#) (O.F. Müller, 1776)
- **islandica albida**, *Chlamys islandica albida* R. Arnold, 1906 - syn of: [**Chlamys albida**](#) (R. Arnold, 1906)
- **islandica erythrocomata**, [**Chlamys islandica erythrocomata**](#) W.H. Dall, 1907
- **islandica insculpta**, [**Chlamys islandica insculpta**](#) A.E. Verrill, 1897
- **islandicus pugetensis**, *Pecten islandicus pugetensis* I.M. Oldroyd, 1920 - syn of: [**Chlamys hastata**](#) (G.B. II Sowerby, 1842)
- **isomeres**, *Minnivola isomeres* T. Iredale, 1939 - syn of: [**Minnivola pyxidata**](#) (I. von Born, 1778)
- **jacobaeus**, [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)
- **jacobaeus byronensis**, *Pecten jacobaeus byronensis* C.A. Fleming, 1955 - syn of: [**Pecten fumatus albus**](#) L.A. Reeve, 1852
- **jacobeia**, *Vola jacobeia* C. Linnaeus, 1758 - syn of: [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)
- **jacobeia striatissima**, *Vola jacobeia striatissima* L. Foresti, 1876 - syn of: [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)
- **jacobeus**, *Pecten jacobeus* C. Linnaeus, 1758 - syn of: [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)
- **jamesoni**, *Pecten jamesoni* E. Forbes, 1839 - syn of: [**Pseudamussium peslutrae**](#) (C. Linnaeus, 1771)
- **janus**, *Bractechlamys janus* R.P. Montrouzier in P. Fischer, 1858 - syn of: [**Bractechlamys vexillum**](#) (L.A. Reeve, 1853)
- **japonica**, *Amusium japonica* J.F. Gmelin, 1791 - syn of: [**Amusium japonicum**](#) (J.F. Gmelin, 1791)
- **japonicum**, [**Amusium japonicum**](#) (J.F. Gmelin, 1791)
- **japonicum balloti**, *Amusium japonicum balloti* A.C. Bernardi, 1861 - syn of: [**Ylistrum balloti**](#) A.C. Bernardi, 1861
- **japonicum formosum**, [**Amusium japonicum formosum**](#) T. Habe, 1964
- **japonicum taiwanense**, [**Amusium japonicum taiwanense**](#) H.H. Dijkstra, 1988
- **jeffreysi**, *Chlamys jeffreysi* A. De Gregorio, 1884 - syn of: [**Austrochlamys natans**](#) (R.A. Philippi, 1845)
- **jonstoni**, [**Flexopecten glaber jonstoni**](#) S. Delle Chiäe, 1842
- **jordani**, *Chlamys jordani* R. Arnold, 1903 - syn of: [**Chlamys rubida**](#) (R.B. Hinds, 1845)
- **jousseaumei**, [**Verprichlamys jousseaumei**](#) (A.R.J.B. Bavay, 1904)
- **juddi**, *Haumea juddi* W.H. Dall, P. Bartsch & H.A. Rehder, 1938 - syn of: [**Haumea loxoides**](#) (G.B. III Sowerby, 1882)
- **jullieni**, [**Pecten jullieni**](#) F.P. Jousseaume, 1882
- **kallinubilosus**, *Leptopecten kallinubilosus* F.M. Bayer, 1943 - syn of: [**Leptopecten linki**](#) (W.H. Dall, 1926)
- **kapitiensis**, *Mesopeplum kapitiensis* M.K. Mestayer, 1929 - syn of: [**Mesopeplum convexum**](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **kauaiensis**, [**Mimachlamys kauaiensis**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **kengaluorum**, *Semipallium kengaluorum* H.H. Dijkstra, 1986 - syn of: [**Semipallium dringi**](#) (L.A. Reeve, 1853)
- **keppelianus**, [**Pecten keppelianus**](#) G.B. III Sowerby, 1905
- **kikaiensis**, *Aequipecten kikaiensis* S. Nomura & N. Zinbo, 1934 † - syn of: [**Cryptopecten nux**](#) (L.A. Reeve, 1853)
- **kincaidi**, *Chlamys kincaidi* I.M. Oldroyd, 1920 - syn of: [**Chlamys rubida**](#) (R.B. Hinds, 1845)
- **kiwaensis**, [**Verprichlamys kiwaensis**](#) (A.W.B. Powell, 1933)
- **kuhnholzti**, [**Annachlamys kuhnholzti**](#) (A.C. Bernardi, 1860)
- **kupei**, *Pecten kupei* C.A. Fleming, 1951 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **laetus**, *Chlamys laetus* A.A. Gould, 1850 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **laevigata**, *Amusium laevigata* W.J. Swainson, 1840 - syn of: [**Amusium pleuronectes**](#) (C. Linnaeus, 1758)
- **laevigatus**, [**Delectopecten vitreus laevigatus**](#) S.L. Lovén, 1878
- **laevis**, [**Palliolium tigerinum laevis**](#) (T. Pennant, 1777)
- **laevis**, *Pleuronectia laevis* J.G. Jeffreys, 1879 - syn of: [**Similipecten similis**](#) (J.C. Laskey, 1811)
- **laevis**, *Pecten laevis* T. Pennant, 1777 - syn of: [**Palliolium tigerinum laevis**](#) (T. Pennant, 1777)
- **lamarcki**, *Pecten lamarcki* J.C. Chenu, 1843 - syn of: [**Pecten fumatus**](#) L.A. Reeve, 1852
- **lamberti**, [**Anguipecten lamberti**](#) S.M. Souverbie & R.P. Montrouzier, 1874
- **landsburgi**, *Palliolium landsburgi* J. Smith, 1839 - syn of: [**Palliolium striatum**](#) (O.F. Müller, 1776)
- **langfordi**, [**Bractechlamys langfordi**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1938)
- **laqueatus**, *Pecten laqueatus* G.B. II Sowerby, 1842 - syn of: [**Pecten albicans**](#) (J.S. Schröter, 1802)
- **larvata**, [**Laevichlamys squamosa larvata**](#) (L.A. Reeve, 1853)
- **larvata**, *Chlamys larvata* L.A. Reeve, 1853 - syn of: [**Laevichlamys squamosa larvata**](#) (L.A. Reeve, 1853)
- **latiauratus**, [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **latiauratus**, *Pecten latiauratus* T.A. Conrad, 1837 - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **latiauratus cerritensis**, *Pecten latiauratus cerritensis* R. Arnold, 1906 - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **latiauratus delosi**, *Pecten latiauratus delosi* R. Arnold, 1906 - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **latiauratus fragilis**, *Pecten latiauratus fragilis* R. Arnold, 1903 - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)

- **latiauratus fuciculus**, Pecten latiauratus fuciculus W.H. Dall, 1898 † - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **latiauratus indentus**, Pecten latiauratus indentus C.C. Li, 1930 - syn of: [**Leptopecten tumbezensis**](#) (D'Orbigny, 1846)
- **latiauratus monotimeris**, [**Leptopecten latiauratus monotimeris**](#) (T.A. Conrad, 1837)
- **latiauratus splendens**, Pecten latiauratus splendens C.C. Li, 1930 - syn of: [**Leptopecten tumbezensis**](#) (D'Orbigny, 1846)
- **laticostata**, Vola laticostata G.F. Angas, 1865 - syn of: [**Pecten fumatus albus**](#) L.A. Reeve, 1852
- **laticostatus**, Pecten laticostatus J.B.P.A. Lamarck, 1819 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **laticostatus**, Pecten laticostatus J.E. Gray, 1835 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **laurenti**, [**Euvola laurenti**](#) (J.F. Gmelin, 1791)
- **laurenti**, Euvola laurenti J.F. Gmelin, 1791 - syn of: [**Euvola laurenti**](#) (J.F. Gmelin, 1791)
- **layardi**, Chlamys layardi L.A. Reeve, 1853 - syn of: [**Mimachlamys sanguinea**](#) (C. Linnaeus, 1758)
- **lemniscata**, [**Scaeochlamys lemniscata**](#) (L.A. Reeve, 1853)
- **lemniscata**, Laevichlamys lemniscata L.A. Reeve, 1853 - syn of: [**Scaeochlamys lemniscata**](#) (L.A. Reeve, 1853)
- **lemniscatus**, Pecten lemniscatus L.A. Reeve, 1853 - syn of: [**Scaeochlamys lemniscata**](#) (L.A. Reeve, 1853)
- **lentiginosa**, [**Mimachlamys lentiginosa**](#) (L.A. Reeve, 1853)
- **leopardus**, Pecten leopardus L.A. Reeve, 1853 - syn of: [**Annachlamys flabellata**](#) (J.B.P.A. Lamarck, 1819)
- **leopardus rena**, Annachlamys leopardus rena T. Iredale, 1939 - syn of: [**Annachlamys kuhnholtzi**](#) (A.C. Bernardi, 1860)
- **leptaleus**, Pecten leptaleus A.E. Verrill, 1897 - syn of: [**Cyclopecten leptaleus**](#) (A.E. Verrill, 1884)
- **leptogaster**, Chlamys leptogaster ♀. Brusina, 1866 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **leucophaeus**, Argopecten leucophaeus L.A. Reeve, 1852 - syn of: [**Argopecten iradians concentricus**](#) (T. Say, 1822)
- **levii**, [**Pseudohinnites levii**](#) H.H. Dijkstra, 1989
- **liltvedi**, Chlamys liltvedi H.P. Wagner, 1984 - syn of: [**Scaeochlamys lemniscata**](#) (L.A. Reeve, 1853)
- **limatula**, [**Laevichlamys limatula**](#) (L.A. Reeve, 1853)
- **lindae**, Aequipecten lindae E.J. Petuch, 1995 - syn of: [**Lindapecten muscosus**](#) (W. Wood, 1828)
- **lineata**, [**Aequipecten opercularis lineata**](#) (E.M. Da Costa, 1778)
- **lineatus**, Chlamys lineatus E.M. Da Costa, 1778 - syn of: [**Aequipecten opercularis lineata**](#) (E.M. Da Costa, 1778)
- **lineatus albida**, Pecten lineatus albida É.A.A. Locard, 1888 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)
- **lineatus bicolor**, Pecten lineatus bicolor É.A.A. Locard, 1888 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)
- **lineolaris**, [**Aequipecten lineolaris**](#) (J.B.P.A. Lamarck, 1819)
- **linki**, [**Leptopecten linki**](#) (W.H. Dall, 1926)
- **liocymatus**, Argopecten liocymatus W.H. Dall, 1925 - syn of: [**Argopecten gibbus**](#) (C. Linnaeus, 1758)
- **lioicus**, Chlamys lioicus W.H. Dall, 1907 - syn of: [**Chlamys behringiana**](#) (A.T. von Middendorff, 1849)
- **lischkei**, Chlamys lischkei R.W. Dunker, 1850 - syn of: [**Zygochlamys patagonica**](#) (P.P. King, 1832)
- **livida**, [**Scaeochlamys livida**](#) (J.B.P.A. Lamarck, 1819)
- **livida peroniana**, Scaeochlamys livida peroniana T. Iredale, 1939 - syn of: [**Scaeochlamys livida**](#) (J.B.P.A. Lamarck, 1819)
- **lorentzianum**, Euvola lorentzianum P.F. Röding, 1798 - syn of: [**Euvola laurenti**](#) (J.F. Gmelin, 1791)
- **loveni**, Chlamys loveni R.W. Dunker, 1853 - syn of: [**Lissochlamys exotica**](#) (L.W. Dilwyn, 1817)
- **lowei**, Chlamys lowei L.G. Hertlein, 1935 - syn of: [**Spathochlamys vestalis**](#) (L.A. Reeve, 1853)
- **loxoides**, [**Haumea loxoides**](#) (G.B. III Sowerby, 1882)
- **lucida**, Pleuronectia lucida J.G. Jeffreys in C. Wyville-Thomson, 1873 - syn of: [**Propeamussium lucidum**](#) (J.G. Jeffreys in C. Wyville-Thomson, 1873)
- **lucidum marmoratum**, Amussium lucidum marmoratum W.H. Dall, 1881 - syn of: [**Parvamussium marmoratum**](#) (W.H. Dall, 1881)
- **lucidum striata**, Amusium lucidum striata J.G. Jeffreys, 1879 - syn of: [**Propeamussium lucidum**](#) (J.G. Jeffreys in C. Wyville-Thomson, 1873)
- **luculentum**, Chlamys luculentum (L.A. Reeve, 1853) - syn of: [**Semipallium fulvicostatum luculentum**](#) (L.A. Reeve, 1853)
- **luculentum**, [**Semipallium fulvicostatum luculentum**](#) (L.A. Reeve, 1853)
- **lunaris**, Pecten lunaris S.S. Berry, 1963 - syn of: [**Leopecten stillmani**](#) (H.H. Dijkstra, 1998)
- **lunaris**, Leopecten lunaris S.S. Berry, 1963 - syn of: [**Leopecten stillmani**](#) (H.H. Dijkstra, 1998)
- **luxurians**, Pecten luxurians H.C. Küster in H.C. Küster & W. Kobelt, 1888 - syn of: [**Gloripallium maculosum**](#) (P. Forsskål in C. Niebuhr, 1775)
- **macassarensis**, Annachlamys macassarensis J.C. Chen, 1845 - syn of: [**Annachlamys striatula**](#) (C. Linnaeus, 1758)
- **macassarensis rena**, Annachlamys macassarensis rena T. Iredale, 1939 - syn of: [**Annachlamys kuhnholtzi**](#) (A.C. Bernardi, 1860)
- **macrocheiricola**, [**Selectopecten macrocheiricola**](#) (T. Habe, 1951)
- **maculosum**, [**Gloripallium maculosum**](#) (P. Forsskål in C. Niebuhr, 1775)
- **madreporarum**, [**Corallichlamys madreporarum**](#) (G.B. II Sowerby, 1842)
- **madrynenensis**, [**Aequipecten tehuelchus madrynenensis**](#) (A.R.J.B. Bavay, 1906)
- **magellanica**, Placopecten magellanica J.F. Gmelin, 1791 - syn of: [**Placopecten magellanicus**](#) (J.F. Gmelin, 1791)
- **magellanicus**, [**Placopecten magellanicus**](#) (J.F. Gmelin, 1791)
- **magneticum**, Amusium magneticum P.F. Röding, 1798 - syn of: [**Amusium pleuronectes**](#) (C. Linnaeus, 1758)
- **magnificus**, [**Nodipecten magnificus**](#) (G.B. I Sowerby, 1835)
- **maldivense**, [**Juxtamusium maldivense**](#) (E.A. Smith, 1903)
- **maldivensis**, Juxtamusium maldivensis E.A. Smith, 1903 - syn of: [**Juxtamusium maldivense**](#) (E.A. Smith, 1903)
- **manaricum**, [**Amusium manaricum**](#) E.A. Smith, 1906
- **marensis**, [**Euvola marensis**](#) (N.E. Weisbord, 1964)
- **margaritiferum**, Amussium margaritiferum P. Dautzenberg & A.R.J.B. Bavay, 1912 - Syn of: [**Propeamussium investigatoris**](#) (E.A. Smith, 1906)
- **mariae**, Chlamys mariae J.E. Tenison-Woods, 1876 - syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **marshallae**, [**Euvola marshallae**](#) E.J. Petuch & R.F. Myers, 2014
- **marshallensis**, Chlamys marshallensis T.R. Waller, 1972 - syn of: [**Laevichlamys wilhelminae**](#) (A.R.J.B. Bavay, 1904)
- **marwicki**, Pecten marwicki H.J. Finlay, 1930 - Syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852

- **marybellae**, [**Semipallium marybellae**](#) B.K. Raines, 1996
- **mauritiana**, [**Aequipecten opercularis mauritiana**](#) C. Linnaeus, 1758
- **maxima**, *Pecten maxima* C. Linnaeus, 1758 - syn of: [**Pecten maximus**](#) (C. Linnaeus, 1758)
- **maximus**, [**Pecten maximus**](#) (C. Linnaeus, 1758)
- **maximus jacobeus**, *Pecten maximus jacobeus* C. Linnaeus, 1758 - syn of: [**Pecten jacobaeus**](#) (C. Linnaeus, 1758)
- **maximus sulcicostatus**, *Pecten maximus sulcicostatus* G.B. II Sowerby, 1842 - syn of: [**Pecten sulcicostatus**](#) G.B. II Sowerby, 1842
- **mayaguezensis**, *Pecten mayaguezensis* W.H. Dall & C.T. Simpson, 1901 - syn of: [**Aequipecten lineolaris**](#) (J.B.P.A. Lamarck, 1819)
- **medius**, *Pecten medius* J.B.P.A. Lamarck, 1819 - syn of: [**Pecten maximus**](#) (C. Linnaeus, 1758)
- **megadesma**, *Hinnites megadesma* G.S. Coen, 1930 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **melica**, *Annachlamys melica* T. Iredale, 1939 - syn of: [**Annachlamys flabellata**](#) (J.B.P.A. Lamarck, 1819)
- **meridionale**, *Amussium meridionale* E.A. Smith, 1885 - syn of: [**Propeamussium meridionale**](#) (E.A. Smith, 1885)
- **meridionalis**, *Pecten meridionalis* R. Tate, 1887 - syn of: [**Pecten fumatus**](#) L.A. Reeve, 1852
- **micaceus**, [**Delectopecten micaceus**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **midwayensis**, *Chlamys midwayensis* T. Habe & T.A. Okutani, 1968 - syn of: [**Laevichlamys cuneata**](#) (L.A. Reeve, 1853)
- **mildredae**, [**Caribachlamys mildredae**](#) (F.M. Bayer, 1941)
- **miles**, [**Flexopecten miles**](#) (L.A. Reeve, 1853)
- **milneedwardsi**, *Pecten milneedwardsi* A. De Gregorio, 1898 - syn of: [**Amusium pleuronectes australiae**](#) (C. Linnaeus, 1758)
- **miniata**, *Chlamys miniata* I. von Born, 1778 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **minuta**, [**Haumea minuta**](#) (C. Linnaeus, 1758)
- **minutulum**, [**Palliolum minutulum**](#) H.H. Dijkstra & V.R. Southgate, 2000
- **minutus**, *Pecten minutus* M. Nicklés, 1955 - syn of: [**Aequipecten nicklesi**](#) H.H. Dijkstra, 1998
- **mireilleae**, [**Hyalopecten mireilleae**](#) H.H. Dijkstra, 1995
- **mirificus**, [**Mirapecten mirificus**](#) (L.A. Reeve, 1853)
- **mirificus thaanumi**, [**Mirapecten mirificus thaanumi**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1939)
- **miser**, *Pseudamussium miser* W.H. Dall, 1908 - syn of: [**Pseudamussium fasciculatum**](#) (R.B. Hinds, 1845)
- **modestus**, *Pecten modestus* L.A. Reeve, 1852 - syn of: [**Pecten fumatus**](#) L.A. Reeve, 1852
- **mollita**, [**Laevichlamys mollita**](#) (L.A. Reeve, 1853)
- **moluccensis**, [**Mirapecten moluccensis**](#) H.H. Dijkstra, 1988
- **monotimeris**, [**Leptopecten latiauratus monotimeris**](#) (T.A. Conrad, 1837)
- **monotimeris**, *Pecten monotimeris* T.A. Conrad, 1837 - syn of: [**Leptopecten latiauratus monotimeris**](#) (T.A. Conrad, 1837)
- **monotis**, *Mimachlamys monotis* E.M. Da Costa, 1778 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **moretonicus**, *Leptopecten moretonicus* H.J. Finlay, 1927 - syn of: [**Leptopecten linki**](#) (W.H. Dall, 1926)
- **mucosus**, *Aequipecten mucosus* W. Wood, 1828 - syn of: [**Lindapecten muscosus**](#) (W. Wood, 1828)
- **multicolor**, [**Talochlamys multicolor**](#) (J.C. Melville & R. Standen, 1907)
- **multirugosus**, *Pecten multirugosus* H.R. Gale, 1928 - syn of: [**Crassadoma gigantea**](#) (J.E. Gray, 1825)
- **multirugosus crassiplicatus**, *Pecten multirugosus crassiplicatus* H.R. Gale, 1928 - syn of: [**Crassadoma gigantea**](#) (J.E. Gray, 1825)
- **multisqualida**, [**Laevichlamys multisqualida**](#) H.H. Dijkstra, 1994
- **multisquamata**, [**Laevichlamys multisquamata**](#) (R.W. Dunker, 1864)
- **multistriata**, [**Talochlamys multistriata**](#) (G.S. Poli, 1795)
- **mundus**, *Pecten mundus* L.A. Reeve, 1853 - syn of: [**Spathochlamys benedicti**](#)
- **muricata**, *Mimachlamys muricata* J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **muscosus**, [**Lindapecten muscosus**](#) (W. Wood, 1828)
- **muscosus acanthodes**, *Aequipecten muscosus acanthodes* W.H. Dall, 1925 - syn of: [**Lindapecten exasperatus**](#) (G.B. II Sowerby, 1842)
- **musorstomi**, [**Delectopecten musorstomi**](#) J. Poutiers, 1981
- **mustellina**, *Mimachlamys mustellina* J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **naganumana**, *Pecten naganumana* M. Yokoyama, 1920 - syn of: [**Pecten albicans**](#) (J.S. Schröter, 1802)
- **naganumanus**, [**Pecten albicans naganumanus**](#) M. Yokoyama, 1920
- **nantiensis**, *Chlamys nantiensis* F.R. Bernard, Y.Y. Cai & F. Morton, 1993 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **natalensis**, *Chlamys natalensis* E.A. Smith, 1906 - syn of: [**Laevichlamys weberi**](#) (A.R.J.B. Bavay, 1904)
- **natans**, [**Austrochlamys natans**](#) (R.A. Philippi, 1845)
- **natans walosseki**, [**Austrochlamys natans walosseki**](#) H.A. Jonkers, 2003
- **navarchus**, *Chlamys navarchus* W.H. Dall, 1898 - syn of: [**Chlamys rubida**](#) (R.B. Hinds, 1845)
- **nebulosa**, *Chlamys nebulosa* G.S. Poli, 1795 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **nebulosus**, *Pecten nebulosus* T. Brown, 1835 - syn of: [**Pseudamussium peslutrae**](#) (C. Linnaeus, 1771)
- **neoceanicus**, [**Hyalopecten neoceanicus**](#) (W.H. Dall, 1908)
- **newsomi**, *Pecten newsomi* R. Arnold, 1903 - syn of: [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **nicklesi**, [**Aequipecten nicklesi**](#) H.H. Dijkstra, 1998
- **nigromaculatus**, *Pecten nigromaculatus* W. Kobelt, 1888 - syn of: [**Corallichlamys madreporearum**](#) (G.B. II Sowerby, 1842)
- **nipponensis**, [**Azumapecten farreri nipponensis**](#) J.T. Kuroda, 1932
- **nivea**, [**Mimachlamys varia nivea**](#) (W. Macgillivray, 1825)
- **niveus**, *Pecten niveus* W. Macgillivray, 1825 - syn of: [**Mimachlamys varia nivea**](#) (W. Macgillivray, 1825)
- **nobilis**, *Mimachlamys nobilis* L.A. Reeve, 1852 - syn of: [**Mimachlamys crassicostata**](#) (G.B. II Sowerby, 1842)
- **nodosa**, *Lyropecten nodosa* C. Linnaeus, 1758 - syn of: [**Nodipecten nodosus**](#) (C. Linnaeus, 1758)
- **nodosus**, [**Nodipecten nodosus**](#) (C. Linnaeus, 1758)
- **nodosus fragosus**, *Lyropecten nodosus fragosus* T.A. Conrad, 1849 - syn of: [**Nodipecten fragosus**](#) (T.A. Conrad, 1849)

- **nodosus gabonensis**, *Nodipecten nodosus gabonensis* (K. Nicolay, 1981)
- **nodulifer**, *Pecten nodulifer* H. Drouët, 1858 - syn of: *Bractechlamys corallinoides* (D'Orbigny, 1840)
- **nodulifera**, *Bractechlamys nodulifera* (G.B. II Sowerby, 1842)
- **noronhensis**, *Argopecten noronhensis* (E.A. Smith, 1885)
- **notalis**, *Campitonectes notalis* K.H.J. Thiele, 1912 - syn of: *Cyclochlamys notalis* (K.H.J. Thiele, 1912)
- **novaeguinae**, *Pecten novaeguinae* J.E. Tenison-Woods, 1878 - syn of: *Gloripallium pallium* (C. Linnaeus, 1758)
- **novaeguineae**, *Gloripallium novaeguineae* J.E. Tenison-Woods, 1878 - syn of: *Gloripallium pallium* (C. Linnaeus, 1758)
- **novaezelandiae**, *Pecten novaezelandiae* L.A. Reeve, 1852
- **novaezelandiae rakiura**, *Pecten novaezelandiae rakiura* L.A. Reeve, 1852
- **novaezelandiae raoulensis**, *Pecten novaezelandiae raoulensis* A.W.B. Powell, 1958 - syn of: *Pecten raoulensis* A.W.B. Powell, 1958
- **novaezelandicus**, *Pecten novaezelandicus* L.A. Reeve, 1852 - syn of: *Pecten novaezelandiae* L.A. Reeve, 1852
- **nucleus**, *Argopecten nucleus* (I. von Born, 1778)
- **nux**, *Cryptopecten nux* (L.A. Reeve, 1853)
- **nympha**, *Chlamys nympha* A.R.J.B. Bavay, 1906 - syn of: *Spathochlamys benedicti*
- **oblectatum**, *Juxtamusium oblectatum* T. Iredale, 1939 - syn of: *Juxtamusium coudeini* (A.R.J.B. Bavay, 1903)
- **obliquum**, *Amussium obliquum* E.A. Smith, 1885 - syn of: *Parvamussium obliquum* (E.A. Smith, 1885)
- **obliterata**, *Dentamussium oblitterata* C. Linnaeus, 1758 - syn of: *Dentamussium oblitteratum* (C. Linnaeus, 1758)
- **obliteratum**, *Dentamussium oblitteratum* (C. Linnaeus, 1758)
- **obscura**, *Chlamys obscura* P. Forsskål in C. Niebuhr, 1775 - syn of: *Flexopecten glaber* (C. Linnaeus, 1758)
- **obsoletus**, *Palliolum obsoletus* T. Pennant, 1777 - syn of: *Palliolum tigerinum* (O.F. Müller, 1776)
- **ochroleuca**, *Mimachlamys ochroleuca* J.F. Gmelin, 1791 - syn of: *Mimachlamys varia* (C. Linnaeus, 1758)
- **ootanii**, *Chlamys ootanii* M. Azuma, 1960 - syn of: *Laevichlamys squamosa* (J.F. Gmelin, 1791)
- **opercularis**, *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis albopurpurascens**, *Pecten opercularis albopurpurascens* J.B.P.A. Lamarck, 1819 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis albovariegata**, *Pecten opercularis albovariegata* A. Clement, 1875 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis aspera**, *Pecten opercularis aspera* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis audouinii**, *Aequipecten opercularis audouinii* (B.C.M. Payraudeau, 1826)
- **opercularis concolor**, *Pecten opercularis concolor* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis depressa**, *Pecten opercularis depressa* É.A.A. Locard, 1888 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis elongata**, *Pecten opercularis elongata* J.G. Jeffreys, 1864 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis lineata**, *Aequipecten opercularis lineata* (E.M. Da Costa, 1778)
- **opercularis luteus**, *Pecten opercularis luteus* J.B.P.A. Lamarck, 1819 - syn of: *Aequipecten opercularis* (C. Linnaeus, 1758)
- **opercularis mauritiana**, *Aequipecten opercularis mauritiana* C. Linnaeus, 1758
- **orbicularis**, *Chlamys orbicularis* G.B. II Sowerby, 1842 - syn of: *Lissochlamys exotica* (L.W. Dilwyn, 1817)
- **ornata**, *Caribachlamys ornata* (J.B.P.A. Lamarck, 1819)
- **oweni**, *Bractechlamys oweni* (A. De Gregorio, 1884)
- **pacificus**, *Anguipecten pacificus* H.H. Dijkstra, 2002
- **pallium**, *Gloripallium pallium* (C. Linnaeus, 1758)
- **pallium speciosum**, *Gloripallium pallium speciosum* L.A. Reeve, 1853 - syn of: *Gloripallium speciosum* L.A. Reeve, 1853
- **pallula**, *Serratovola pallula* H.H. Dijkstra, 1998
- **palmeri**, *Paraleptopecten palmeri* (W.H. Dall, 1897)
- **palmeri**, *Pecten palmeri* W.H. Dall, 1897 - syn of: *Paraleptopecten palmeri* (W.H. Dall, 1897)
- **panamensis**, *Pseudamussium panamensis* W.H. Dall, 1898 - syn of: *Pseudamussium fasciculatum* (R.B. Hinds, 1845)
- **papyracea**, *Euvola papyracea* auct.
- **papyracea**, *Chlamys papyracea* P.F. Röding, 1798 - syn of: *Delectopecten vitreus* (J.F. Gmelin, 1791)
- **parvulinus**, *Hyalopecten parvulinus* (É.A.A. Locard, 1898)
- **parvus**, *Pecten parvus* G.B. I Sowerby, 1835 - syn of: *Excellichlamys spectabilis* (L.A. Reeve, 1853)
- **pasca**, *Pascahinnites pasca* (W.H. Dall, 1908)
- **passerina**, *Serratovola rubicunda passerina* (R.B. Hinds, 1845)
- **passerinus**, *Pecten passerinus* R.B. Hinds, 1845 - syn of: *Serratovola rubicunda passerina* (R.B. Hinds, 1845)
- **patagonica**, *Zygochlamys patagonica* (P.P. King, 1832)
- **patagonica**, *Psychrochlamys patagonica* P.P. King, 1832 - syn of: *Zygochlamys patagonica* (P.P. King, 1832)
- **patriae**, *Pecten patriae* M. Doello-Jurado, 1918 - syn of: *Zygochlamys patagonica* (P.P. King, 1832)
- **paucicostatus**, *Leptopecten paucicostatus* P.P. Carpenter, 1864 - syn of: *Leptopecten tumbezensis* (D'Orbigny, 1846)
- **pauciplicatum**, *Decatopecten pauciplicatum* T. Iredale, 1939 - syn of: *Decatopecten radula* (C. Linnaeus, 1758)
- **pealeii**, *Pecten pealeii* T.A. Conrad, 1831 - syn of: *Chlamys islandica* (O.F. Müller, 1776)
- **pedum**, *Pedum pedum* P.F. Röding, 1798 - syn of: *Pedum spondyloideum* (J.F. Gmelin, 1791)
- **pedum intensem**, *Pedum pedum intensem* T. Iredale, 1939 - syn of: *Pedum spondyloideum* (J.F. Gmelin, 1791)
- **pellucens**, *Caribachlamys pellucens* (C. Linnaeus, 1758)
- **pellucidus**, *Pecten pellucidus* J.B.P.A. Lamarck, 1819 - syn of: *Flexopecten hyalinus* (G.S. Poli, 1795)
- **pelseneeri**, *Mimachlamys cloacata pelseneeri* P. Dautzenberg & A.R.J.B. Bavay, 1912
- **perfectus**, *Chlamys perfectus* J.C. Melvill, 1909 - syn of: *Laevichlamys andamanica* (H.B. Preston, 1908)
- **perillus**, *Veprichlamys perillus* (T. Iredale, 1925)

- **peripheralis**, [***Aequipecten commutatus peripheralis***](#) H.H. Dijkstra & R.N. Kiburn, 2001
- **perula**, [***Euvola perula***](#) (A.A. Olsson, 1961)
- **pesanatis**, Chlamys pesanatis L.A. Reeve, 1852 - syn of: [***Notochlamys hexactes***](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **pesfelis**, [***Manupecten pesfelis***](#) (C. Linnaeus, 1758)
- **peslei**, Pecten peslei W.J. Lucas, 1979 - syn of: [***Chlamys islandica***](#) (O.F. Müller, 1776)
- **peslutrae**, [***Pseudamussium peslutrae***](#) (C. Linnaeus, 1771)
- **phalara**, Chlamys phalara B. Roth, 1975 - syn of: [***Zygochlamys phalara***](#) B. Roth, 1975
- **phalara**, [***Zygochlamys phalara***](#) B. Roth, 1975
- **philippi**, Pecten philippi C.A. Récluz, 1853 - syn of: [***Aequipecten commutatus***](#) (T.A. de M. Monterosato, 1875)
- **philippii**, Pecten philippii G. Acton, 1855 - syn of: [***Parvamussium fenestratum***](#) (E. Forbes, 1844)
- **phrygium**, [***Cryptopecten phrygium***](#) (W.H. Dall, 1886)
- **pica**, Pecten pica L.A. Reeve, 1853 - syn of: [***Volachlamys singaporina***](#) (G.B. II Sowerby, 1842)
- **picoensis**, Chlamys picoensis U.T. Waterfall, 1929 - syn of: [***Chlamys rubida***](#) (R.B. Hinds, 1845)
- **picturatus**, [***Anguipecten picturatus***](#) H.H. Dijkstra, 1995
- **pictus**, Pecten pictus E.M. Da Costa, 1778 - syn of: [***Aequipecten opercularis***](#) (C. Linnaeus, 1758)
- **pirillus**, Pecten pirillus A. De Gregorio, 1885 - syn of: [***Flexopecten glaber***](#) (C. Linnaeus, 1758)
- **pleuronectes**, [***Amusium pleuronectes***](#) (C. Linnaeus, 1758)
- **pleuronectes australiae**, [***Amusium pleuronectes australiae***](#) (C. Linnaeus, 1758)
- **pleuronectes nanshaensis**, Amusium pleuronectes nanshaensis Z.R. Wang & C. Chen, 1991 - syn of: [***Amusium pleuronectes***](#) (C. Linnaeus, 1758)
- **plica**, [***Decatopecten plica***](#) (C. Linnaeus, 1758)
- **plica**, Pecten plica G.B. II Sowerby, 1839 - syn of: [***Decatopecten plica***](#) (C. Linnaeus, 1758)
- **plicatulus**, Chlamys plicatulus A. Risso, 1826 - syn of: [***Flexopecten flexuosus***](#) (G.S. Poli, 1795)
- **polyleptus**, [***Delectopecten polyleptus***](#) (W.H. Dall, 1908)
- **polymorphus**, Chlamys polymorphus H.G. Bronn in R.A. Philippi, 1836 - syn of: [***Flexopecten flexuosus***](#) (G.S. Poli, 1795)
- **pomatea**, Pecten pomata A. Valenciennes, 1846 - syn of: [***Argopecten ventricosus***](#) (G.B. I Sowerby, 1842)
- **ponticus**, [***Flexopecten glaber ponticus***](#)
- **ponticus**, Pecten ponticus M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889 - syn of: [***Flexopecten glaber ponticus***](#)
- **porphyrea**, [***Mimachlamys sanguinea porphyrea***](#) C. Linnaeus, 1758
- **porphyreus**, [***Pecten porphyreus***](#) J.H. Chemnitz, 1784
- **poulsoni**, Hinnites poulsoni T.A. Conrad, 1834 - syn of: [***Crassadoma gigantea***](#) (J.E. Gray, 1825)
- **praeteritus**, Pecten praeteritus M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1898 - syn of: [***Flexopecten glaber***](#) (C. Linnaeus, 1758)
- **preissiana**, Pecten preissiana T. Iredale, 1949 - syn of: [***Pecten fumatus***](#) L.A. Reeve, 1852
- **princessae**, Chlamys princessae J.T. Kuroda, T. Habe & K. Oyama, 1971 - syn of: [***Laevichlamys deliciosa***](#) (T. Iredale, 1939)
- **profundicola**, [***Hyalopecten profundicola***](#) (T.A. Okutani, 1962)
- **propinquum**, Amusium propinquum E.A. Smith, 1885 - syn of: [***Parvamussium propinquum***](#) (E.A. Smith, 1885)
- **proteus**, [***Flexopecten glaber proteus***](#) (L.W. Dilwyn, 1817)
- **proteus**, Pecten proteus L.W. Dilwyn, 1817 - syn of: [***Flexopecten glaber proteus***](#) (L.W. Dilwyn, 1817)
- **pseudamussium**, Pecten pseudamussium G.B. II Sowerby, 1842 - syn of: [***Lissochlamys exotica***](#) (L.W. Dilwyn, 1817)
- **pseudislandica**, Chlamys pseudislandica F.S. MacNeil, 1967 - syn of: [***Chlamys behringiana***](#) (A.T. von Middendorff, 1849)
- **pseudolima**, Chlamys pseudolima G.B. II Sowerby, 1842 - syn of: [***Mimachlamys sanguinea***](#) (C. Linnaeus, 1758)
- **pteriola**, Pecten pteriola J.C. Melvill & R. Standen, 1907 - syn of: [***Cyclochlamys pteriola***](#) (J.C. Melvill & R. Standen, 1907)
- **pteriola**, Pseudamusium pteriola J.C. Melvill & R. Standen, 1907 - syn of: [***Cyclochlamys pteriola***](#) (J.C. Melvill & R. Standen, 1907)
- **pudgetensis**, [***Chlamys hastata pudgetensis***](#) I.M. Oldroyd, 1920
- **pudicus**, [***Hyalopecten pudicus***](#) (E.A. Smith, 1885)
- **pulchellus**, Leptopecten pulchellus L.A. Reeve, 1853 - syn of: [***Leptopecten linki***](#) (W.H. Dall, 1926)
- **pulcherrimus**, Pecten pulcherrimus A. Risso, 1826 - syn of: [***Flexopecten hyalinus***](#) (G.S. Poli, 1795)
- **pulchricostata**, [***Pseudamussium sulcatum pulchricostata***](#) F. Nordsieck, 1969
- **pulleineana**, [***Talochlamys pulleineana***](#) (R. Tate, 1887)
- **pullus**, Pecten pullus F.J. Cantraine, 1835 - syn of: [***Similipecten similis***](#) (J.C. Laskey, 1811)
- **punctatus**, Pecten punctatus É.A.A. Locard, 1888 - syn of: [***Palliolium striatum***](#) (O.F. Müller, 1776)
- **puncticulatus**, [***Pecten excavatus puncticulatus***](#) R.W. Dunker, 1877
- **purpuratus**, [***Argopecten purpuratus***](#) (J.B.P.A. Lamarck, 1819)
- **pusio**, [***Talochlamys pusio***](#) (C. Linnaeus, 1758)
- **pusio distorta**, [***Talochlamys pusio distorta***](#) (E.M. Da Costa, 1778)
- **pustulosus**, Pecten pustulosus A.E. Verrill, 1872 - syn of: [***Cyclopecten hoskynsi***](#) (E. Forbes, 1844)
- **pyxidata**, [***Minnivola pyxidata***](#) (I. von Born, 1778)
- **quadrilirata**, [***Glorichlamys quadrilirata***](#) (C.E. Lischke, 1870)
- **quadriradiatus**, [***Pecten quadriradiatus***](#) J.B.P.A. Lamarck, 1819
- **racovitzai**, Pecten racovitzai J.P.L. Pelseneer, 1903 - syn of: [***Adamussium colbecki***](#) (E.A. Smith, 1902)
- **radiatus**, Chlamys radiatus F.W. Hutton, 1873 - syn of: [***Talochlamys gemmulata***](#) (L.A. Reeve, 1853)
- **radula**, [***Decatopecten radula***](#) (C. Linnaeus, 1758)
- **radula griggi**, [***Decatopecten radula griggi***](#) (G.R. Webb, 1957)
- **raffrayi**, Pecten raffrayi F.P. Jousseaume, 1886 - syn of: [***Mimachlamys sanguinea***](#) (C. Linnaeus, 1758)
- **rakiura**, [***Pecten novaezelandiae rakiura***](#) L.A. Reeve, 1852
- **randolphi**, Pecten randolphi W.H. Dall, 1897 - syn of: [***Delectopecten vancouverensis***](#) (J.J.F. Whiteaves, 1893)

- **randolphi tillamookensis**, *Pecten randolphi tillamookensis* R. Arnold, 1906 † - syn of: ***Delectopecten vancouverensis*** (J.J.F. Whiteaves, 1893)
- **raoulensis**, ***Pecten raoulensis*** A.W.B. Powell, 1958
- **raoulensis**, *Pecten raoulensis* A.W.B. Powell, 1958 - syn of: ***Pecten raoulensis*** A.W.B. Powell, 1958
- **rapanense**, ***Semipallium rapanense*** (A.R.J.B. Bavay, 1905)
- **rastellinum**, *Pecten rastellinum* A. Valenciennes, 1846 - syn of: ***Chlamys hastata*** (G.B. II Sowerby, 1842)
- **rastellum**, ***Mirapecten rastellum*** (J.B.P.A. Lamarck, 1819)
- **raveneli**, ***Euvola raveneli*** (W.H. Dall, 1898)
- **reevei**, ***Annachlamys reevei*** (A. Adams in A. Adams & L.A. Reeve, 1850)
- **rehderi**, ***Haumea rehderi*** (G. Grau, 1960)
- **reticulata**, ***Chlamys reticulata*** (L.A. Reeve, 1853)
- **reticulata**, *Palliolum reticulata* H.S. Hokon, 1802 - syn of: ***Palliolum striatum*** (O.F. Müller, 1776)
- **reticulatus**, *Pecten reticulatus* J.G. Jeffreys, 1864 - syn of: ***Palliolum striatum*** (O.F. Müller, 1776)
- **reticulus**, *Pecten reticulus* W.H. Dall, 1886 - syn of: ***Cyclopecten reticulus*** (W.H. Dall, 1886)
- **rimulosus**, *Palliolum rimulosus* R.A. Philippi, 1844 - syn of: ***Palliolum striatum*** (O.F. Müller, 1776)
- **ringnesia**, *Pseudamussium ringnesia* W.H. Dall, 1924 - syn of: ***Cyclopecten ringnesia*** (W.H. Dall, 1924)
- **rosealbus**, ***Chlamys rosealbus*** (O.A. Scarlato, 1981)
- **roseopunctatus**, *Mesopeplum roseopunctatus* L.A. Reeve, 1853 - syn of: ***Mesopeplum convexum*** (J.R.C. Quoy & J.P. Gaimard, 1835)
- **rubicunda**, ***Serratovola rubicunda*** (C.A. Récluz, 1843)
- **rubicunda aspera**, ***Serratovola rubicunda aspera*** G.B. Sowerby, 1842
- **rubicunda passerina**, ***Serratovola rubicunda passerina*** (R.B. Hinds, 1845)
- **rubicundus**, *Pecten rubicundus* J.C. Chenu, 1843 - syn of: ***Serratovola rubicunda*** (C.A. Récluz, 1843)
- **rubida**, ***Chlamys rubida*** (R.B. Hinds, 1845)
- **rubidus**, *Pecten rubidus* T. Martyn, 1792 - syn of: ***Chlamys islandica*** (O.F. Müller, 1776)
- **rubromaculata**, ***Laevichlamys rubromaculata*** (G.B. II Sowerby, 1842)
- **rufiradiatus**, *Chlamys rufiradiatus* L.A. Reeve, 1853 - syn of: ***Zygochlamys patagonica*** (P.P. King, 1832)
- **rugosus**, *Pecten rugosus* G.B. II Sowerby, 1842 - syn of: ***Mimachlamys cloacata*** (L.A. Reeve, 1853)
- **ruschenbergerii**, ***Azumapecten ruschenbergerii*** (G.W. Tryon, 1869)
- **russata**, ***Chlamys russata*** L.A. Reeve, 1853
- **rustica**, *Chlamys rustica* G.S. Poli, 1795 - syn of: ***Flexopecten glaber*** (C. Linnaeus, 1758)
- **sablensis**, ***Argopecten irradians sablensis*** A.H. Clarke, 1965
- **sanguinea**, ***Mimachlamys sanguinea*** (C. Linnaeus, 1758)
- **sanguinea porphyrea**, ***Mimachlamys sanguinea porphyrea*** C. Linnaeus, 1758
- **sanguinolentum**, *Gloripallium sanguinolentum* J.F. Gmelin, 1791 - syn of: ***Gloripallium maculosum*** (P. Forsskål in C. Niebuhr, 1775)
- **sauciata**, ***Laevichlamys sauciata*** (J.F. Gmelin, 1791)
- **scabrigostata**, ***Mimachlamys scabrigostata*** (G.B. III Sowerby, 1915)
- **schnmeltzii**, *Pecten schnmeltzii* R.W. Dunker in H.C. Küster & W. Kobelt, 1888 - syn of: ***Pascachinnites coruscans*** (R.B. Hinds, 1845)
- **schrammi**, *Aequipecten schrammi* P. Fischer, 1868 - syn of: ***Lindapecten exasperatus*** (G.B. II Sowerby, 1842)
- **scitulum**, *Amussium scitulum* E.A. Smith, 1885 - syn of: ***Parvamussum scitulum*** (E.A. Smith, 1885)
- **segonzaci**, ***Sinepecten segonzaci*** E. Schein, 2006
- **senatoria**, ***Chlamys senatoria*** (J.F. Gmelin, 1791)
- **senticosus**, *Pecten senticosus* J.G. Jeffreys, 1879 - syn of: ***Talochlamys pusio*** (C. Linnaeus, 1758)
- **sentis**, ***Caribachlamys sentis*** (L.A. Reeve, 1853)
- **septemradiatum**, *Pseudamussium septemradiatum* Auct. non O.F. Müller, 1776 - syn of: ***Pseudamussium clavatum*** (G.S. Poli, 1795)
- **septemradiatus**, *Pecten septemradiatus* O.F. Müller, 1776 - syn of: ***Pseudamussium peslutrae*** (C. Linnaeus, 1771)
- **sericeus**, ***Leopecten sericeus*** (R.B. Hinds, 1845)
- **serrata**, ***Laevichlamys squamosa serrata*** (G.B. Sowerby, 1842)
- **serratus**, *Pecten serratus* G.B. II Sowerby, 1842 - syn of: ***Mimachlamys dissimilis*** (R.P. Montrouzier, 1858)
- **serratus**, *Pecten serratus* L.A. Reeve, 1853 - syn of: ***Laevichlamys squamosa*** (J.F. Gmelin, 1791)
- **sibogai**, *Amussium sibogai* P. Dautzenberg & A.R.J.B. Bavay, 1904 - syn of: ***Propeamussium sibogai*** (P. Dautzenberg & A.R.J.B. Bavay, 1904)
- **siebenrocki**, *Amussium siebenrocki* R. Sturany, 1901 - syn of: ***Parvamussum siebenrocki*** (R. Sturany, 1901)
- **sigsbeei**, *Pecten sigsbee* W.H. Dall, 1886 - syn of: ***Pectinella sigsbee*** (W.H. Dall, 1886)
- **simanense**, *Pseudamussium simanense* J.T. Kuroda, 1931 - syn of: ***Parvamussum alaskense*** (W.H. Dall, 1871)
- **similis**, *Pecten similis* G.B. II Sowerby, 1842 - syn of: ***Pecten maximus*** (C. Linnaeus, 1758)
- **similis**, *Hyalopecten similis* J.C. Laskey, 1811 - syn of: ***Similipecten similis*** (J.C. Laskey, 1811)
- **simoneae**, ***Anguipecten simoneae*** H. Morrison & Whisson, 2009
- **sinensis**, *Pecten sinensis* G.B. II Sowerby, 1842 - syn of: ***Pecten excavatus*** H.E. Anton, 1838
- **singaporina**, ***Volachlamys singaporina*** (G.B. II Sowerby, 1842)
- **singaporina cumingii**, ***Volachlamys singaporina cumingii*** (L.A. Reeve, 1853)
- **sinomarina**, *Volachlamys sinomarina* L.G. Hertlein, 1936 - syn of: ***Volachlamys hirasei*** (A.R.J.B. Bavay, 1904)
- **sinuosa**, *Chlamys sinuosa* J.F. Gmelin, 1791 - syn of: ***Talochlamys pusio*** (C. Linnaeus, 1758)
- **smithi**, *Chlamys smithi* G.B. III Sowerby, 1908 - syn of: ***Cryptopecten nux*** (L.A. Reeve, 1853)
- **solaris**, *Annachlamys solaris* G.B. Sowerby, 1842 - syn of: ***Annachlamys striatula*** (C. Linnaeus, 1758)
- **solidulus**, *Pecten solidulus* L.A. Reeve, 1853 - syn of: ***Argopecten ventricosus*** (G.B. I Sowerby, 1842)
- **sowerbyi**, ***Excellichlamys sowerbyi*** H.H. Dijkstra, 1998
- **sowerbyi**, *Pecten sowerbyi* L.A. Reeve, 1852 - syn of: ***Leptopecten tumbezensis*** (D'Orbigny, 1846)

- **speciosa**, Gloripallium speciosa L.A. Reeve, 1853 - syn of: [**Gloripallium speciosum**](#) L.A. Reeve, 1853
- **speciosum**, [**Gloripallium speciosum**](#) L.A. Reeve, 1853
- **spectabilis**, [**Excellichlamys spectabilis**](#) (L.A. Reeve, 1853)
- **spectabilis**, Hinnites spectabilis R. von Cosel & S. Gofas, 1985 - syn of: [**Hinnites corallinus**](#) G.B. I Sowerby, 1827
- **spiceri**, Mirapecten spiceri H.A. Rehder, 1944 - syn of: [**Mirapecten rastellum**](#) (J.B.P.A. Lamarck, 1819)
- **spiniferum**, [**Gloripallium spiniferum**](#) (G.B. I Sowerby, 1835)
- **spinosula**, [**Aequipecten tehuelchus spinosula**](#) (A.R.J.B. Bavay, 1906)
- **spinosus**, Chlamys spinosus T. Brown, 1827 - syn of: [**Talochlamys pusio**](#) (C. Linnaeus, 1758)
- **spinulosa**, Aequipecten spinulosa A.R.J.B. Bavay, 1906 - syn of: [**Aequipecten tehuelchus spinosula**](#) (A.R.J.B. Bavay, 1906)
- **splendidula**, [**Mimachlamys splendidula**](#) (G.B. Sowerby, 1842)
- **spondyloideum**, [**Pedum spondyloideum**](#) (J.F. Gmelin, 1791)
- **squamata**, [**Scaeochlamys squamata**](#) (J.F. Gmelin, 1791)
- **squamea**, [**Scaeochlamys squamea**](#) H.H. Dijkstra & P. Maestrati, 2009
- **squamigerum**, Amussium squamigerum E.A. Smith, 1885 - syn of: [**Parvamussum squamigerum**](#) (E.A. Smith, 1885)
- **squamosa**, [**Laevichlamys squamosa**](#) (J.F. Gmelin, 1791)
- **squamosa larvata**, [**Laevichlamys squamosa larvata**](#) (L.A. Reeve, 1853)
- **squamosa serrata**, [**Laevichlamys squamosa serrata**](#) (G.B. Sowerby, 1842)
- **steindachneri**, Amussium steindachneri R. Sturany, 1901 - syn of: [**Propeamussium steindachneri**](#) (R. Sturany, 1901)
- **stellatus**, Pecten stellatus L.A. Reeve, 1852 - syn of: [**Pseudamussum peslutrae**](#) (C. Linnaeus, 1771)
- **stillmani**, [**Leopecten stillmani**](#) (H.H. Dijkstra, 1998)
- **stillmani**, Pecten stillmani H.H. Dijkstra, 1998 - syn of: [**Leopecten stillmani**](#) (H.H. Dijkstra, 1998)
- **strangei**, [**Decatopecten strangei**](#) (L.A. Reeve, 1852)
- **strategus**, [**Chlamys strategus**](#) (W.H. Dall, 1898)
- **striata**, Chlamys striata O.F. Müller, 1776 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **striatula**, [**Annachlamys striatula**](#) (C. Linnaeus, 1758)
- **striatum**, [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **striatum**, Pecten striatum H.C.F. Schumacher, 1817 - syn of: [**Decatopecten plica**](#) (C. Linnaeus, 1758)
- **striatus**, Pecten striatus O.F. Müller, 1776 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **striatus**, Palliolum striatus O.F. Müller, 1776 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **strigillatus**, [**Halopecten strigillatus**](#) (W.H. Dall, 1886)
- **subantarctica**, Chlamys subantarctica C. Hedley, 1916 - syn of: [**Zygochlamys delicatula**](#) (F.W. Hutton, 1873)
- **subantarctica**, [**Zygochlamys delicatula subantarctica**](#) C. Hedley, 1916
- **subauriculatus**, Pecten subauriculatus G. Montagu, 1808 - syn of: [**Limatula subauriculata**](#) (G. Montagu, 1808)
- **subgloriosa**, Mimachlamys subgloriosa T. Iredale, 1939 - syn of: [**Mimachlamys gloriosa**](#) (L.A. Reeve, 1853)
- **subimbrifer**, Palliolum subimbrifer A.E. Verrill & K.J. Bush, 1897 - syn of: [**Cyclopecten hoskynsi imbrifer**](#) S.L. Lovén, 1846
- **sublucidum**, Amussium sublucidum P. Dautzenberg & H. Fischer, 1897 - syn of: [**Parvamussum propinquum**](#) (E.A. Smith, 1885)
- **subnodosus**, [**Nodipecten subnodosus**](#) (G.B. I Sowerby, 1835)
- **subuplicatus**, Pecten subuplicatus G.B. II Sowerby, 1842 - syn of: [**Decatopecten plica**](#) (C. Linnaeus, 1758)
- **subrufa**, Mimachlamys subrufa J.F. Gmelin, 1791 - syn of: [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **subrufus**, Pecten subrufus T. Pennant, 1777 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)
- **subsulcata**, Chlamys subsulcata É.A.A. Locard, 1888 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **subventricosus**, Pecten subventricosus W.H. Dall, 1898 - syn of: [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **succineus**, Pecten succineus A. Risso, 1826 - syn of: [**Flexopecten hyalinus**](#) (G.S. Poli, 1795)
- **sulcata**, [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcata**, Minnivola sulcata J.F. Gmelin, 1791 - syn of: [**Minnivola pyxidata**](#) (I. von Born, 1778)
- **sulcata**, Pecten sulcata O.F. Müller, 1776 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcata**, Chlamys sulcata O.F. Müller, 1776 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcata**, Pseudamussum sulcata O.F. Müller, 1776 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcatum coeni**, [**Pseudamussum sulcatum coeni**](#) F. Nordsieck, 1969
- **sulcatum pulchricostata**, [**Pseudamussum sulcatum pulchricostata**](#) F. Nordsieck, 1969
- **sulcatus**, Pecten sulcatus J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **sulcatus**, Pecten sulcatus O.F. Müller, 1776 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcatus crebricostata**, Pecten sulcatus crebricostata G.O. Sars, 1878 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcatus typica**, Pecten sulcatus typica G.O. Sars, 1878 - syn of: [**Karnekampia sulcata**](#) (O.F. Müller, 1776)
- **sulcicostatus**, [**Pecten sulcicostatus**](#) G.B. II Sowerby, 1842
- **sulcicostatus**, Pecten sulcicostatus G.B. II Sowerby, 1842 - syn of: [**Pecten sulcicostatus**](#) G.B. II Sowerby, 1842
- **sulcicostatus casa**, Pecten sulcicostatus casa S.M. van Bruggen, 1961 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **sulphureus**, Pecten sulphureus R.W. Dunker in H.C. Küster & W. Kobelt, 1888 - syn of: [**Pascahinnites coruscans**](#) (R.B. Hinds, 1845)
- **superbus**, [**Anguipecten superbus**](#) (G.B. II Sowerby, 1842)
- **superficialis**, [**Laevichlamys superficialis**](#) (P. Forsskål in C. Niebuhr, 1775)
- **superficialis**, Scaeochlamys superficialis P. Forsskål in C. Niebuhr, 1775 - syn of: [**Laevichlamys superficialis**](#) (P. Forsskål in C. Niebuhr, 1775)
- **suprasilis**, [**Talochlamys zelandiae suprasilis**](#) (H.J. Finlay, 1928)
- **suprasilis**, Pecten suprasilis H.J. Finlay, 1928 - syn of: [**Talochlamys zelandiae suprasilis**](#) (H.J. Finlay, 1928)
- **suteri**, [**Talochlamys gemmulata suteri**](#) L.G. Hertlein, 1933
- **swiftii**, [**Swiftopecten swiftii**](#) (A.C. Bernardi, 1858)

- **taiaroa**, Chlamys taiaroa A.W.B. Powell, 1952 - syn of: [**Talochlamys dichroa**](#) (H.H. Suter, 1909)
- **tainui**, Pecten tainui H.J. Finlay, 1930 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **tainui aotea**, Pecten tainui aotea C.A. Fleming, 1953 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **taiwanense**, [**Amusium japonicum taiwanense**](#) H.H. Dijkstra, 1988
- **tasmanicus**, Pecten tasmanicus A. Adams & G.F. Angas, 1863 - syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **taylorae**, [**Argopecten irradians taylorae**](#) E.J. Petuch, 1987
- **tehuelchus**, [**Aequipecten tehuelchus**](#) (D'Orbigny, 1842)
- **tehuelchus madrynenensis**, [**Aequipecten tehuelchus madrynenensis**](#) (A.R.J.B. Bavay, 1906)
- **tehuelchus spinosula**, [**Aequipecten tehuelchus spinosula**](#) (A.R.J.B. Bavay, 1906)
- **tehuelchus vanvincqii**, [**Aequipecten tehuelchus vanvincqii**](#) A.C. Bernardi, 1852
- **teilhardi**, Pecten teilhardi A.W. Grabau & S.G. King, 1928 - syn of: [**Volachlamys hirasei**](#) (A.R.J.B. Bavay, 1904)
- **tentorialis**, Chlamys tentorialis J. Noodt, 1819 - syn of: [**Flexopecten flexuosus**](#) (G.S. Poli, 1795)
- **tenuicostatus**, Placopecten tenuicostatus J.W. Mighels & C.B. Adams, 1842 - syn of: [**Placopecten magellanicus**](#) (J.F. Gmelin, 1791)
- **testae**, Pecten testae Ant. Bivona-Bernardi in R.A. Philippi, 1836 - syn of: [**Palliolum incomparabile**](#) (A. Risso, 1826)
- **testae suborbicularis**, Pecten testae suborbicularis J.G. Jeffreys, 1864 - syn of: [**Palliolum striatum**](#) (O.F. Müller, 1776)
- **testudinea**, Mimachlamys testudinea L.A. Reeve, 1853 - syn of: [**Mimachlamys gloriosa**](#) (L.A. Reeve, 1853)
- **textilis**, Chlamys textilis L.A. Reeve, 1853 - syn of: [**Talochlamys multistriata**](#) (G.S. Poli, 1795)
- **thaanumi**, [**Mirapecten mirificus thaanumi**](#) (W.H. Dall, P. Bartsch & H.A. Rehder, 1939)
- **thetidis**, Amussium thetidis C. Hedley, 1902 - syn of: [**Parvamussium thetidis**](#) (C. Hedley, 1902)
- **thomasi**, Chlamys thomasi G.B. Sowerby, 1897 - syn of: [**Astrochlamys natans**](#) (R.A. Philippi, 1845)
- **thyrideus**, Pecten thyrideus J.C. Melville in J.C. Melville & R. Standen, 1907 - syn of: [**Parvamussium thyrideum**](#)
- **tigerinum**, [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tigerinum laevis**, [**Palliolum tigerinum laevis**](#) (T. Pennant, 1777)
- **tigerinus**, Pecten tigerinus O.F. Müller, 1776 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tigerinus costata**, Pecten tigerinus costata J.G. Jeffreys, 1864 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tigrinus**, Pecten tigrinus L.A. Reeve, 1853 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tigrinus**, Palliolum tigrinus O.F. Müller, 1776 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tigris**, Semipallium tigris J.B.P.A. Lamarck, 1819 - syn of: [**Semipallium flavicans**](#) (C. Linnaeus, 1758)
- **tigris**, Pecten tigris J.B.P.A. Lamarck, 1819 - syn of: [**Semipallium flavicans**](#) (C. Linnaeus, 1758)
- **tincta**, Chlamys tincta L.A. Reeve, 1853 - syn of: [**Talochlamys multistriata**](#) (G.S. Poli, 1795)
- **tissotii**, [**Pecten tissotii**](#) A.C. Bernardi, 1858
- **titirangiensis**, Chlamys titirangiensis J. Marwick, 1928 - syn of: [**Zygochlamys delicatula**](#) (F.W. Hutton, 1873)
- **toi**, Pecten toi C.A. Fleming, 1951 - syn of: [**Pecten novaezelandiae**](#) L.A. Reeve, 1852
- **tornabeni**, Pecten tornabeni S. Biondi-Giunti, 1860 - syn of: [**Palliolum incomparabile**](#) (A. Risso, 1826)
- **torresi**, Amussium torresi E.A. Smith, 1885 - syn of: [**Parvamussium torresi**](#) (E.A. Smith, 1885)
- **townsendi**, [**Mimachlamys townsendi**](#) (G.B. III Sowerby, 1895)
- **tranquebaria**, [**Volachlamys tranquebaria**](#) (J.F. Gmelin, 1791)
- **transenna**, Pecten transenna H.H. Suter, 1913 - syn of: [**Cyclochlamys transenna**](#) (H.H. Suter, 1913)
- **translucens**, Delectopecten translucens P. Dautzenberg & A.R.J.B. Bavay, 1912 - syn of: [**Catillopecten translucens**](#) (P. Dautzenberg & A.R.J.B. Bavay, 1912)
- **tricarinatus**, Pecten tricarinatus H.E. Anton, 1838 - syn of: [**Serratovola rubicunda**](#) (C.A. Récluz, 1843)
- **trifida**, [**Chlamys trifida**](#) R.W. Dunker, 1877
- **triggi**, Mesopeplum triggi B.C. Cotton & F.C. Godfrey, 1938 - syn of: [**Mesopeplum fenestratum**](#) (C. Hedley, 1901)
- **triradiatus**, Pecten triradiatus O.F. Müller, 1776 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **triradiatus**, Palliolum triradiatus O.F. Müller, 1776 - syn of: [**Palliolum tigerinum**](#) (O.F. Müller, 1776)
- **tryoni**, Pecten tryoni W.H. Dall, 1889 - syn of: [**Aequipecten glyptus**](#) (A.E. Verrill, 1882)
- **tuberosus**, [**Mirapecten tuberosus**](#) H.H. Dijkstra & R.N. Kilburn, 2001
- **tumbezensis**, [**Leptopecten tumbezensis**](#) (D'Orbigny, 1846)
- **tumidus**, Pecten tumidus G.B. I Sowerby, 1835 - syn of: [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **tunica**, Leptopecten tunica R.A. Philippi, 1844 - syn of: [**Leptopecten latiauratus**](#) (T.A. Conrad, 1837)
- **turtoni**, Euvola turtoni E.A. Smith, 1890 - syn of: [**Euvola ziczac**](#) (C. Linnaeus, 1758)
- **tydemani**, [**Hyalopecten tydemani**](#) (H.H. Dijkstra, 1990)
- **undatus**, Hyalopecten undatus A.E. Verrill & E.A. Smith, 1885 - syn of: [**Hyalopecten pudicus**](#) (E.A. Smith, 1885)
- **undulatus**, Chlamys undulatus G.B. Sowerby, 1842 - syn of: [**Notochlamys hexactes**](#) (F. Péron in J.B.P.A. Lamarck, 1819)
- **unicolor**, Pecten unicolor J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **valdecostatus**, Pecten valdecostatus J.C. Melville, 1888 - syn of: [**Mimachlamys cloacata**](#) (L.A. Reeve, 1853)
- **vancouverensis**, [**Delectopecten vancouverensis**](#) (J.J.F. Whiteaves, 1893)
- **vancouverensis fernandoensis**, Pseudamussium vancouverensis fernandoensis L.G. Hertlein, 1925 - syn of: [**Delectopecten vancouverensis**](#) (J.J.F. Whiteaves, 1893)
- **vanvincqii**, [**Aequipecten tehuelchus vanvincqii**](#) A.C. Bernardi, 1852
- **varia**, [**Mimachlamys varia**](#) (C. Linnaeus, 1758)
- **varia alba**, [**Mimachlamys varia alba**](#) (A. Scacchi, 1836)
- **varia aurantia**, [**Mimachlamys varia aurantia**](#) (A. Clement, 1879)
- **varia nivea**, [**Mimachlamys varia nivea**](#) (W. Macgillivray, 1825)
- **velero**, [**Paraleptopecten velero**](#) (L.G. Hertlein, 1935)
- **velero biolleyi**, Leptopecten velero biolleyi L.G. Hertlein & A.M. Strong, 1946 - syn of: [**Paraleptopecten biolleyi**](#) (L.G. Hertlein & A.M. Strong, 1946)

- **vellicatus**, Mesopeplum vellicatus F.W. Hutton, 1873 - syn of: [**Mesopeplum convexum**](#) (J.R.C. Quoy & J.P. Gaimard, 1835)
- **velutinus**, Pecten velutinus G.B. II Sowerby, 1842 - syn of: [**Decatopecten plica**](#) (C. Linnaeus, 1758)
- **ventricosus**, [**Argopecten ventricosus**](#) (G.B. I Sowerby, 1842)
- **ventricosus aequisulcatus**, [**Argopecten ventricosus aequisulcatus**](#) (P.P. Carpenter, 1864)
- **ventricosus inca**, [**Argopecten ventricosus inca**](#) (D'Orbigny, 1846)
- **verrilli**, Chlamys verrilli G.F. Doflus, 1898 - syn of: [**Spathochlamys benedicti**](#)
- **versipellis**, [**Veprichlamys versipellis**](#) H.H. Dijkstra & W. Kastoro, 1997
- **vescoi**, Pecten vescoi A.R.J.B. Bavay, 1903 - syn of: [**Aequipecten opercularis**](#) (C. Linnaeus, 1758)
- **vesiculosus**, [**Cryptopecten vesiculosus**](#) (R.W. Dunker, 1877)
- **vestalis**, [**Spathochlamys vestalis**](#) (L.A. Reeve, 1853)
- **vexilium**, Semipallium vexilium L.A. Reeve, 1853 - syn of: [**Bractechlamys vexillum**](#) (L.A. Reeve, 1853)
- **vexillum**, [**Bractechlamys vexillum**](#) (L.A. Reeve, 1853)
- **virgo**, Pecten virgo J.B.P.A. Lamarck, 1819 - syn of: [**Flexopecten glaber**](#) (C. Linnaeus, 1758)
- **vitreus**, [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus**, Pecten vitreus A. Risso, 1826 - syn of: [**Palliolium incomparabile**](#) (A. Risso, 1826)
- **vitreus abyssorum**, [**Delectopecten vitreus abyssorum**](#) (G.O. Sars, 1868)
- **vitreus albida**, Pecten vitreus albida É.A.A. Locard, 1888 - Syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus denudata**, Pecten vitreus denudata É.A.A. Locard, 1898 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus elongata**, Pecten vitreus elongata É.A.A. Locard, 1898 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus inflata**, Pecten vitreus inflata É.A.A. Locard, 1898 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus laevigatus**, [**Delectopecten vitreus laevigatus**](#) S.L. Lovén, 1878
- **vitreus lavigata**, Pecten vitreus lavigata S.L. Lovén, 1846 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus macrocheiricola**, Delectopecten vitreus macrocheiricola T. Habe, 1951 - syn of: [**Delectopecten macrocheiricola**](#) (T. Habe, 1951)
- **vitreus minor**, Pecten vitreus minor É.A.A. Locard, 1888 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vitreus sublaevigata**, Pecten vitreus sublaevigata É.A.A. Locard, 1888 - syn of: [**Delectopecten vitreus**](#) (J.F. Gmelin, 1791)
- **vogdesi**, [**Euvola vogdesi**](#) (R. Arnold, 1906)
- **vulgaris**, Pecten vulgaris E.M. Da Costa, 1778 - syn of: [**Pecten maximus**](#) (C. Linnaeus, 1758)
- **waikikius**, [**Pecten waikikius**](#) W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- **wainwrightensis**, Chlamys wainwrightensis F.S. MacNeil, 1967 - syn of: [**Chlamys albida**](#) (R. Arnold, 1906)
- **walosseki**, [**Austrochlamys natans walosseki**](#) H.A. Jonkers, 2003
- **wardiana**, [**Complicachlamys wardiana**](#) T. Iredale, 1939
- **watsoni**, Amussium watsoni E.A. Smith, 1885 - syn of: [**Propeamussium watsoni**](#) (E.A. Smith, 1885)
- **weberi**, [**Laevichlamys weberi**](#) (A.R.J.B. Bavay, 1904)
- **weberi**, Amussium weberi P. Dautzenberg & A.R.J.B. Bavay, 1912 - syn of: [**Propeamussium caducum**](#) (E.A. Smith, 1885)
- **wilhelminae**, [**Laevichlamys wilhelminae**](#) (A.R.J.B. Bavay, 1904)
- **wilhelminae maculata**, Chlamys wilhelminae maculata A.R.J.B. Bavay, 1904 - syn of: [**Laevichlamys wilhelminae**](#) (A.R.J.B. Bavay, 1904)
- **xishaense**, Semipallium xishaense Z.R. Wang, 1985 - syn of: [**Excellichlamys spectabilis**](#) (L.A. Reeve, 1853)
- **yaroni**, [**Mirapecten yaroni**](#) H.H. Dijkstra & J. Knudsen, 1998
- **yessoensis**, [**Mizuhopecten yessoensis**](#) (J.C. Jay, 1857)
- **zacae**, [**Delectopecten zacae**](#) (L.G. Hertlein, 1935)
- **zeelandona**, Chlamys zeelandona L.G. Hertlein, 1931 - syn of: [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **zelandiae**, [**Talochlamys zelandiae**](#) (J.E. Gray, 1843)
- **zelandiae suprasilis**, [**Talochlamys zelandiae suprasilis**](#) (H.J. Finlay, 1928)
- **ziczac**, [**Euvola ziczac**](#) (C. Linnaeus, 1758)
- **zonatus**, Pecten zonatus É.A.A. Locard, 1888 - syn of: [**Palliolium striatum**](#) (O.F. Müller, 1776)

Class: BIVALVIA

--- Clade: PTERIOMORPHIA-PECTINOIDEA

----- Family: **PECTINIDAE** Rafinesque, 1815

Habitat= Sea, Taxonomic order


Taxa=1022, Genus=71, Subgenus=3, Species=289, Subspecies=63, Synonyms=595, Images=319

SubFamily: ADAMUSSIINAE - **Genus: Adamussium** K.H.J. Thiele, 1934 (1 SP, 1 IMG)



5470154000
Adamussium
colbecki

(E.A. Smith, 1902)
Antarctica
80,7 mm



synonyms:


- *Pecten racovitzai* J.P.L. Pelseneer, 1903

SubFamily: AUSTROCHLAMYDINAE - **Genus: Austrochlamys** H.A. Jonkers, 2003 (1 SP, 1 IMG)




5450000260
Austrochlamys
natans

(R.A. Philippi, 1845)
Tierra del Fuego
89,2 mm



synonyms:


- *Chlamys jeffreysi* A. De Gregorio, 1884
- *Chlamys thomasi* G.B. Sowerby, 1897



7210000056
Austrochlamys
natans
walosseki

H.A. Jonkers, 2003

New Zealand



SubFamily: CAMPTONECTINAE - **Genus: Delectopecten** C.C. Stewart, 1930 (syn: Deletopecten - 10 SP, 11 IMG)




5451650000
Delectopecten
alcocki

(E.A. Smith, 1904)
Philippines, Balicasag Island
19 mm



5451650060
Delectopecten
fluctuatus

(A.R.J.B. Bavay, 1905)
Loyalty Islands, New Caledonia
10 mm



synonyms:

- *Chlamys fluctuatus* A.R.J.B. Bavay, 1905
- *Cyclopecten fluctuatus* A.R.J.B. Bavay, 1905

- *Ciclopecten fluctuatus* A.R.J.B. Bavay, 1905



5452351448
Delectopecten
fosterianus

(A.W.B. Powell, 1933)
New Zealand
20 mm






5451650030
**Delectopecten
macrocheiricola**

(T. Habe, 1951)

Japan, Uraga Strait
14 mm



synonyms:



- *Delectopecten vitreus macrocheiricola* T. Habe, 1951



5470204360
**Delectopecten
micaceus**

(P. Dautzenberg & A.R.J.B. Bavay, 1912)

Indonesia, Makassar Strait
10 mm



synonyms:


- *Cyclopecten micaceus* P. Dautzenberg & A.R.J.B. Bavay, 1912
- *Catillopecten micaceus* P. Dautzenberg & A.R.J.B. Bavay, 1912



5451650070
**Delectopecten
musorstomi**

J. Poutiers, 1981


Vanuatu
5 mm



5452351464
**Delectopecten
polyleptus**

(W.H. Dall, 1908)

Galápagos Islands
9,5 mm



synonyms:


- *Pseudamussium arces* W.H. Dall, 1913
- *Cyclopecten polyleptus* W.H. Dall, 1908



5451650040
**Delectopecten
vancouverensis**

(J.J.F. Whiteaves, 1893)

Washington
33 mm



synonyms:

- *Cyclopecten argenteus* F.R. Bernard, 1978
- *Delectopecten argenteus* F.R. Bernard, 1978
- *Pecten randolphi tilamookensis* R. Arnold, 1906 †



- *Pecten randolphi* W.H. Dall, 1897
- *Pseudamussium vancouverensis fernandoensis* L.G. Hertlein, 1925



5451650045
**Delectopecten
vitreus**

(J.F. Gmelin, 1791)

Strait of Gibraltar
15 mm



synonyms:

- *Delectopecten chaperi* P. Dautzenberg & H. Fischer, 1897
- *Delectopecten gelatinosus* J.F. Mabille & A. de Rochebrune, 1889
- *Ostrea vitrea* J.F. Gmelin, 1791
- *Cyclopecten vitreus* J.F. Gmelin, 1791
- *Pecten vitreus denudata* É.A.A. Locard, 1898
- *Pecten vitreus inflata* É.A.A. Locard, 1898
- *Pecten vitreus minor* É.A.A. Locard, 1888


- *Pseudamussium gelatinosum* J.F. Mabille & A. de Rochebrune, 1889
- *Chlamys papyracea* P.F. Röding, 1798
- *Ostrea vitreus* J.F. Gmelin, 1791
- *Pecten vitreus albida* É.A.A. Locard, 1888
- *Pecten vitreus elongata* É.A.A. Locard, 1898
- *Pecten vitreus lavigata* S.L. Lovén, 1846
- *Pecten vitreus sublaevigata* É.A.A. Locard, 1888



5451650050
**Delectopecten
vitreus
abyssorum**

(G.O. Sars, 1868)

Norway
17,8 mm



synonyms:

- *Pecten abyssorum* G.O. Sars, 1868

- *Cyclopecten abyssorum* G.O. Sars, 1868



5452351496
Delectopecten
vitreus
laeavigatus
S.L. Lovén, 1878
Europe

No Georeferenced data available






5451650055
Delectopecten
zacae
(L.G. Hertlein, 1935)
Cocos Island, Costa Rica
21 mm





SubFamily: CAMPTONECTINAE - Genus: **Hyalopecten** A.E. Verrill, 1897 (syn: Hylopecten - 11 SP, 10 IMG)




5452352000
Hyalopecten
arntzi
E.N. Egorova, 1999
Weddell Sea
11 mm




5452352008
Hyalopecten
bavayi
(H.H. Dijkstra, 1990)
Indonesia, Ceram Sea
7 mm



5451750010
Hyalopecten
frigidus
(A.S. Jensen, 1904)
Greenland
30 mm




5452352016
Hyalopecten
hadalis
(J. Knudsen, 1970)
Kermadec Islands
20,9 mm

**synonyms:**


- *Cyclopecten hadalis* J. Knudsen, 1970



5451750030
Hyalopecten
mireilleae
H.H. Dijkstra, 1995
Vanuatu
13,4 mm



5452352296
Hyalopecten
neocanicus
(W.H. Dall, 1908)
Galápagos Islands
12 mm



synonyms:

- *Cyclopecten neoeceanicus* W.H. Dall, 1908
- *Cyclopecten neoceanus* W.H. Dall, 1908




7210000031
Hyalopecten parvulinus
(É.A.A. Locard, 1898)



No Georeferenced data available



5452351504
Hyalopecten profundicola
(T.A. Okutani, 1962)
Japan
5 mm



5452351360
Hyalopecten pudicus
(E.A. Smith, 1885)
Marion Island
20 mm

**synonyms:**

- *Hyalopecten biscayensis* É.A.A. Locard, 1886
- *Hyalopecten dialectus* A.E. Verrill & K.J. Bush in A.E. Verrill, 1897
- *Cyclopecten undatus* A.E. Verrill & E.A. Smith, 1885


- *Pecten fragilis* J.G. Jeffreys, 1876
- *Hyabpecten undatus* A.E. Verrill & E.A. Smith, 1885





5452351392
Hyalopecten strigillatus
(W.H. Dall, 1886)
Uruguay
18 mm





5451750035
Hyalopecten tydemanni
(H.H. Dijkstra, 1990)
Solomon Islands
10 mm


SubFamily: CAMPTONECTINAE - Genus: **Lamellipecten** H.H. Dijkstra & P. Maestrati, 2010 (1 SP, 1 IMG)

5452352298
Lamellipecten aduncus
H.H. Dijkstra & P. Maestrati, 2010
Rurutu, Cook Islands
28 mm

SubFamily: CAMPTONECTINAE - Genus: **Pseudohinnites** H.H. Dijkstra, 1989 (3 SP, 3 IMG)


5452350904
Pseudohinnites adamsoni
(W.H. Dall, 1886)
Gulf of Mexico
30 mm






5452352200
**Pseudohinnites
hemiradiatus**

(L. de Folin, 1887)
Plato Bank, Atlantic Ocean
11,5 mm




5452352293
**Pseudohinnites
levii**

H.H. Dijkstra, 1989
New Caledonia, Huon Island
34 mm





SubFamily: CAMPTONECTINAE - **Genus: Sinepecten** E. Schein, 2006 (1 SP, 1 IMG)



5452352176
**Sinepecten
segonzaci**

E. Schein, 2006
Tonga




SubFamily: CHLAMYDINAE - **Genus: Azumapecten** T. Habe, 1977 (2 SP, 5 IMG)





5450000090
**Azumapecten
farreri**

(D. Jones & H.B. Preston, 1904)
Japan, Okinawa
91 mm





5450004025
**Azumapecten
farreri
akazara**

J.T. Kuroda, 1932
Yellow Sea
92 mm



5450004000
**Azumapecten
farreri
asperulata**

(A. Adams & L.A. Reeve, 1850)
Japan, Hyogo
24 mm




synonyms:

- Chlamys asperulatus (A. Adams & L.A. Reeve, 1850)




5450004030
**Azumapecten
farreri
nippensis**

J.T. Kuroda, 1932
Japan, Okinawa
74 mm



545000320
**Azumapecten
ruschenbergerii**

(G.W. Tryon, 1869)
Sinai, Egypt
73 mm




SubFamily: CHLAMYDINAE - Genus: **Caribachlamys** T.R. Waller, 1993 (4 SP, 4 IMG)



5451850080
Caribachlamys
mildredae

(F.M. Bayer, 1941)
Honduras
39 mm




5450000275
Caribachlamys
ornata

(J.B.P.A. Lamarck, 1819)
Brasil, Guarapari
31,5 mm



5450000155
Caribachlamys
pellucens

(C. Linnaeus, 1758)
Bahamas
45 mm



synonyms:



- Ostrea imbricata J.F. Gmelin, 1791
- Chlamys imbricata J.F. Gmelin, 1791

- Ostrea pellucens C. Linnaeus, 1758



5450000330
Caribachlamys
sentis

(L.A. Reeve, 1853)
Florida
43 mm



SubFamily: CHLAMYDINAE - Genus: **Chlamys** P.F. Röding, 1798 (syn: Belchlamys, Carilchlamys, Chalmys, Chlamvs, Chamydina, Clamys, Felpes, Flexipecten, Glabropecten, Myochlamys, Porosichlamys, Proteopecten, Brachtechlamys - 18 SP, 13 IMG)



5450004065
Chlamys
albida

(R. Arnold, 1906)
Japan, Hokkaido
76 mm



synonyms:

- Chlamys hercules albida R. Arnold, 1906
- Chlamys wainwrightensis F.S. MacNeil, 1967

- Chlamys islandica albida R. Arnold, 1906



5452352308
Chlamys
alta



(L.A. Reeve, 1853)

No Georeferenced data available





5452350040
Chlamys
amandi

L.G. Hertlein, 1935
Chile, Juan Fernandez Island
28,5 mm






5452350064
***Chlamys
argentinensis***
Z.J.A. De Castelanos, 1973
Southern Argentina



5450000350
***Chlamys
beiringiana***
(A.T. von Middendorff, 1849)
Aleutian Islands
65,8 mm





synonyms:

- *Chlamys behringiana unalaskae* F.S. MacNeil, 1967
- *Chlamys beringiana* F.S. MacNeil, 1967
- *Chlamys lioicus* W.H. Dall, 1907


- *Chlamys hericeus* W.H. Dall, 1898
- *Chlamys pseudolandica* F.S. MacNeil, 1967



5450004005
***Chlamys
chosenica***
J.T. Kuroda, 1932
Japan sea
75 mm



7210000018
***Chlamys
cytherea***
A.R.J.B. Bavay, 1904
Haiti




5452352309
***Chlamys
erubescens***
(L.A. Reeve, 1853)

No Georeferenced data available



5450000125
***Chlamys
hastata***
(G.B. II Sowerby, 1842)
Washington, USA
75 mm




synonyms:

- *Pecten altiplicatus* T.A. Conrad, 1857
- *Pecten comatus* A. Valenciennes, 1846
- *Pecten islandicus pugetensis* I.M. Oldroyd, 1920

- *Pecten altiplicatus* T.A. Conrad, 1857
- *Pecten denticulatus* A. Adams & L.A. Reeve, 1850
- *Pecten rastellinum* A. Valenciennes, 1846




5452351904
***Chlamys
hastata
hericus***
(A.A. Gould, 1850)
Washington, USA
72 mm





synonyms:

- *Pecten hericus* A.A. Gould, 1850



5452350344
***Chlamys
hastata
pudgetensis***
I.M. Oldroyd, 1920
Canada, Vancouver Island



synonyms:

- *Chlamys hastata* I.M. Oldroyd, 1920



5452352310
Chlamys incarnata
L.G. Hertlein, 1972
Galápagos Islands



5450000170
Chlamys islandica
(O.F. Müller, 1776)
Norway, Lofoten Islands
85 mm

**synonyms:**


- *Ostrea cinnabrina* I. von Born, 1778
- *Ostrea cinnabrina* I. von Born, 1780
- *Pecten fabricii* R.A. Philippi, 1844
- *Pecten pesleii* W.J. Lucas, 1979

- *Chlamys cinnabrina* I. von Born, 1778
- *Chlamys costellata* A.E. Verrill & K.J. Bush in A.E. Verrill, 1897
- *Pecten pealei* T.A. Conrad, 1831
- *Pecten rubidus* T. Martyn, 1792



54500004060
Chlamys islandica erythrocomata
W.H. Dall, 1907


Yellow Sea
95 mm



to be checked

5450000180
Chlamys islandica insculpta
A.E. Verrill, 1897

No Georeferenced data available




5452352312
Chlamys reticulata
(L.A. Reeve, 1853)

No Georeferenced data available





5452351920
Chlamys rosealbus
(O.A. Scarlato, 1981)

Japan sea
58 mm



5450000310
Chlamys rubida
(R.B. Hinds, 1845)

USA, Washington
62 mm

**synonyms:**

- *Pecten hindsi* P.P. Carpenter, 1864
- *Chlamys jordani* R. Arnold, 1903
- *Chlamys navarchus* W.H. Dall, 1898

- *Pecten hindsi kincaldi* I.M. Oldroyd, 1920
- *Chlamys kincaldi* I.M. Oldroyd, 1920
- *Chlamys picoensis* U.T. Waterfall, 1929



5452350640
***Chlamys
russata***



L.A. Reeve, 1853

Hawaii





7210000016
***Chlamys
senatoria***

(J.F. Gmelin, 1791)
Philippines, Bantayan Island
80 mm





5470204399
***Chlamys
strategus***

(W.H. Dall, 1898)
Japan
50,2 mm



5452350800
***Chlamys
trifida***

R.W. Dunker, 1877
Japan





SubFamily: CHLAMYDINAE - Genus: **Complicachlamys** T. Iredale, 1939 (1 SP, 1 IMG)



5451450040
***Complicachlamys
wardiana***

T. Iredale, 1939
Malaysia
22 mm





SubFamily: CHLAMYDINAE - Genus: **Coralichlamys** T. Iredale, 1939 (1 SP, 1 IMG)



5451850060
***Coralichlamys
madreporearum***

(G.B. II Sowerby, 1842)
Philippines, Mactan Island
21,9 mm



synonyms:

● *Coralichlamys acroporcola* T. Iredale, 1939


● *Pecten nigromaculatus* W. Kobelt, 1888

SubFamily: CHLAMYDINAE - Genus: **Equichlamys** T. Iredale, 1929 (1 SP, 1 IMG)



5450250000
***Equichlamys
bifrons***

(J.B.P.A. Lamarck, 1819)
Australia, Port Hedland
58 mm




SubFamily: CHLAMYDINAE - Genus: **Laevichlamys** T.R. Waller, 1993 (17 SP, 19 IMG)





545000015
**Laevidlamys
aliae**

(H.H. Dijkstra, 1988)
Philippines, Aliguay Island
27 mm




5450004125
**Laevidlamys
alloreti**

(H.H. Dijkstra, 1988)
Réunion
5 mm



5450000020
**Laevidlamys
andamanica**

(H.B. Preston, 1908)
Red Sea, Israel, Eilat
18,1 mm



synonyms:

- *Chlamys perfectus* J.C. Melvill, 1909





5452352088
**Laevidlamys
boninensis**

(H.H. Dijkstra & A. Matsukuma, 1993)
Japan, Ogasawara Islands
40 mm



5450000165
**Laevidlamys
cuneata**

(L.A. Reeve, 1853)
Wakayama, Japan
29 mm




synonyms:

- *Chlamys irregularis* G.B. Sowerby, 1842
- *Chlamys midwayensis* T. Habe & T.A. Okutani, 1968



5450000065
**Laevidlamys
cuneata
cookei**

(W.H. Dal, P. Bartsch,
& H.A. Rehder, 1938)
Hawaii, Oahu
35 mm



5450004080
**Laevidlamys
deliciosa**

(T. Iredale, 1939)
Japan, Okinawa
23,4 mm




synonyms:

- *Chlamys princessae* J.T. Kuroda, T. Habe & K. Oyama, 1971



5450000120
**Laevidlamys
gladysiae**

J.C. Melvill, 1888
Philippines, Balicasag Island
22 mm



synonyms:


- *Chlamys elseae* H.P. Wagner, 1988



5452351944

Laevichlamys limatula


(L.A. Reeve, 1853)

Fiji Islands
14,7 mm

5450000240

Laevichlamys mollita



(L.A. Reeve, 1853)

Philippines, Balicasag Island
33,3 mm

5450000245

Laevichlamys multisqualida


H.H. Dijkstra, 1994

Philippines, Siquijor Island
27 mm

5450000250

Laevichlamys multisquamata

(R.W. Dunker, 1864)

Curaçao Island
47 mm

synonyms:



- *Chlamys effluens* W.H. Dall, 1886



5450000315

Laevichlamys rubromaculata

(G.B. II Sowerby, 1842)

Elat, Israel
35,4 mm

7064000006

Laevichlamys sauciata

(J.F. Gmelin, 1791)

No Georeferenced data available

synonyms:


- *Ostrea sauciata* J.F. Gmelin, 1791



5450000345

Laevichlamys squamosa

(J.F. Gmelin, 1791)

Philippines, Olongo Island
40,2 mm

synonyms:

- *Ostrea anomyla* J.F. Gmelin, 1791
- *Mimachlamys grossiana* T. Iredale, 1939
- *Pecten serratus* L.A. Reeve, 1853
- *Ostrea sulphurea* J.F. Gmelin, 1791


- *Chlamys ootanii* M. Azuma, 1960
- *Ostrea squamosa* J.F. Gmelin, 1791



5450004075
Laevichlamys
squamosa
larvata

(L.A. Reeve, 1853)

Philippines, Cebu



synonyms:


- *Chlamys larvata* L.A. Reeve, 1853



7210000013
Laevichlamys
squamosa
serrata

(G.B. Sowerby, 1842)


Red Sea



5450000360
Laevichlamys
superficialis

(P. Forsskål in C. Niebuhr, 1775)

Egypt, Sinai Peninsula
68 mm



synonyms:


- *Scaeochlamys superficialis* P. Forsskål in C. Niebuhr, 1775



5450000395
Laevichlamys
weberi

(A.R.J.B. Bavay, 1904)

South Africa, Natal
29,7 mm



synonyms:

- *Chlamys natalensis* E.A. Smith, 1906



5450000400
Laevichlamys
wilhelminae

(A.R.J.B. Bavay, 1904)

Philippines, Cebu
32 mm



synonyms:

- *Chlamys marshallensis* T.R. Waller, 1972

- *Chlamys wilhelminae maculata* A.R.J.B. Bavay, 1904


SubFamily: CHLAMYDINAE - Genus: **Manipecten** T.A. de M. Monterosato, 1872 (1 SP, 1 IMG)



5450000290
Manipecten
pesfelis

(C. Linnaeus, 1758)

Spain
49,2 mm




synonyms:

- *Chlamys bornii* B.C.M. Payraudeau, 1826
- *Manipecten corallina* G.S. Poli, 1795
- *Ostrea pesfelis* C. Linnaeus, 1758

- *Ostrea coralina* G.S. Poli, 1795
- *Manipecten felipes* É.A.A. Locard, 1886


SubFamily: CHLAMYDINAE - Genus: **Mizuhopecten** O. Masuda, 1963 (1 SP, 1 IMG)



5452351736
Mizuhopecten
yessoensis

(J.C. Jay, 1857)

Japan, Hokkaido
201 mm



synonyms:


- *Patinopecten brandti* L. von Schrenck, 1861

SubFamily: CHLAMYDINAE - Genus: **Notochlamys** B.C. Cotton, 1930 (1 SP, 1 IMG)



545235114
Notochlamys
hexactes

(F. Péron in J.B.P.A. Lamarck, 1819)
Esperance, Australia
45 mm



synonyms:

- Pecten anguineus H.J. Finlay, 1927
- Chlamys hexactes J.B.P.A. Lamarck, 1819
- Chlamys pesanatis L.A. Reeve, 1852
- Chlamys undulatus G.B. Sowerby, 1842



- Pecten hexactes F. Péron in J.B.P.A. Lamarck, 1819
- Chlamys mariae J.E. Tenison-Woods, 1876
- Pecten tasmanicus A. Adams & G.F. Angas, 1863

SubFamily: CHLAMYDINAE - Genus: **Pascahinnites** H.H. Dijkstra & B.K. Raines, 1999 (2 SP, 3 IMG)



545145005
Pascahinnites
coruscans

(R.B. Hinds, 1845)
Philippines, Olongo Island
19,4 mm



synonyms:

- Chlamys cellularis W.R.B. Oliver, 1915
- Pecten cuneolus L.A. Reeve, 1853
- Pecten schmelzii R.W. Dunker in H.C. Küster & W. Kobelt, 1888

- Pecten eucosmia W.H. Turton, 1932
- Pecten sulphureus R.W. Dunker in H.C. Küster & W. Kobelt, 1888




5452350152
Pascahinnites
coruscans
hawaiensis

(W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938)
Hawaii
9 mm



5452350536
Pascahinnites
pasca

(W.H. Dall, 1908)
Easter Island




SubFamily: CHLAMYDINAE - Genus: **Scaeochlamys** T. Iredale, 1929 (4 SP, 4 IMG)



5450000205
Scaeochlamys
lemniscata

(L.A. Reeve, 1853)
South Africa, Natal
32 mm



synonyms:


- Laevichlamys lemniscata L.A. Reeve, 1853
- Chlamys littledi H.P. Wagner, 1984

- Pecten lemniscatus L.A. Reeve, 1853



5450000230
Scaeochlamys
livida

(J.B.P.A. Lamarck, 1819)
Australia, Sydney
51 mm



synonyms:

- Chlamys folaceus J.R.C. Quoy & J.P. Gaimard, 1835
- Scaeochlamys livida peroniiana T. Iredale, 1939


- Ostrea tegula W. Wood, 1828



5450000340
Scaeochlamys
squamata

(J.F. Gmelin, 1791)

Philippines, Sulu Sea
39 mm



synonyms:



- Ostrea squamata J.F. Gmelin, 1791



7064000010
Scaeochlamys
squamea

H.H. Dijkstra & P. Maestrati, 2009

Bohol, Philippines
36,6 mm




SubFamily: CHLAMYDINAE - **Genus: Swiftpecten** L.G. Hertlein, 1935 (1 SP, 1 IMG)



5450400000
Swiftpecten
swiftii

(A.C. Bernardi, 1858)

Japan, Okinawa
98 mm




SubFamily: CHLAMYDINAE - **Genus: Talochlamys** T. Iredale, 1929 (11 SP, 13 IMG)



5452350896
Talochlamys
abscondita

(P. Fischer in É.A.A. Locard, 1898)

Senegal
43 mm



synonyms:



- Hinnites ercolanianus G. Cocconi, 1873



5450004150
Talochlamys
contorta

H.H. Dijkstra, 1993



Taiwan
20,1 mm



5452350224
Talochlamys
dichroa

(H.H. Suter, 1909)

New Zealand, South Island
26,8 mm



synonyms:

- Chlamys consociata E.A. Smith, 1915

- Chlamys tairoa A.W.B. Powell, 1952



5450000110
Talochlamys
gemmulata

(L.A. Reeve, 1853)

New Zealand, Stewart Island
53 mm



synonyms:

- Chlamys gemmeus L.A. Reeve, 1853

- Chlamys radiatus F.W. Hutton, 1873



5452351880
**Talochlamys
gemmaula
suteri**
L.G. Hertlein, 1933

56 mm




5450000150
**Talochlamys
humilis**
(G.B. III Sowerby, 1904)

Aguilhas Bank, South Africa
20 mm



7064000011
**Talochlamys
inaequalis**

H.H. Dijkstra & R.G. Moolenbeek, 2008
Indonesia, Berau Islands
18 mm



5452352248
**Talochlamys
multicolor**

(J.C. Melvill & R. Standen, 1907)

No Georeferenced data available



5450000255
**Talochlamys
multistriata**

(G.S. Poli, 1795)
Portugal
24 mm



synonyms:


- Chlamys effulgens L.A. Reeve, 1853
- Chlamys tincta L.A. Reeve, 1853

- Chlamys textilis L.A. Reeve, 1853



5452352104
**Talochlamys
pulleineana**

(R. Tate, 1887)
Rottnest Island, Australia
21,5 mm



synonyms:

- Chlamys famigerator T. Iredale, 1925



5450000305
**Talochlamys
pusio**

(C. Linnaeus, 1758)
France, Bretagne
35 mm



synonyms:


- Chlamys crotulus L.A. Reeve, 1853
- Chlamys isabellae W. Macgillivray, 1843
- Ostrea miniatia I. von Born, 1778
- Ostrea pusio C. Linnaeus, 1758
- Ostrea sinuosa J.F. Gmelin, 1791
- Chlamys spinosus T. Brown, 1827

- Pecten irregularis G.P. Deshayes, 1832
- Hinmites megadesma G.S. Coen, 1930
- Chlamys miniatia I. von Born, 1778
- Pecten senticosus J.G. Jeffreys, 1879
- Chlamys sinuosa J.F. Gmelin, 1791



5452352261
Talochlamys
pusio
distorta
(E.M. Da Costa, 1778)

United Kingdom
41 mm




synonyms:

- *Hinnites distorta* E.M. Da Costa, 1778



5450000405
Talochlamys
zelandiae

(J.E. Gray, 1843)
Cuba
39 mm



synonyms:


- *Chlamys celator* H.J. Finlay, 1928
- *Chlamys imparicostatus* A.R.J.B. Bavay, 1905
- *Chlamys nantiensis* F.R. Bernard, Y.Y. Cai & F. Morton, 1993

- *Chlamys dieffenbachi* L.A. Reeve, 1853
- *Chlamys laetus* A.A. Gould, 1850
- *Chlamys zealandica* L.G. Hertlein, 1931



5452351872
Talochlamys
zelandiae
suprasilis
(H.J. Finlay, 1928)

Japan
30 mm



synonyms:


- *Pecten suprasilis* H.J. Finlay, 1928

SubFamily: CHLAMYDINAE - Genus: **Veprichlamys** T. Iredale, 1929 (7 SP, 7 IMG)



5450000000
Veprichlamys
africana

H.H. Dijkstra & R.N. Kilburn, 2001
South Africa, Cape
38,1 mm





5450004165
Veprichlamys
deynerorum

H.H. Dijkstra, 2004
Philippines, Davao
39,4 mm





5450000160
Veprichlamys
incantata

(L.G. Hertlein, 1972)
Galápagos Islands



5450000190
Veprichlamys
jousseaumei

(A.R.J.B. Bavay, 1904)
Japan, Wakayama
28,7 mm



synonyms:

- *Chlamys empressae* J.T. Kuroda, T. Habe & K. Oyama, 1971



5450004170
Veprichlamys
kawaensis

(A.W.B. Powell, 1933)

New Caledonia
28,9 mm



5450004175
Veprichlamys
perillistris

(T. Iredale, 1925)


Cebaco Island, Panama
23 mm



5450004180
Veprichlamys
versipellis

H.H. Dijkstra & W. Kastoro, 1997

Arafura Sea
23,4 mm




SubFamily: CHLAMYDINAE - Genus: **Zygochlamys** H.F.A. von Ihering, 1907 (3 SP, 4 IMG)



5450000075
Zygochlamys
delicatula

(F.W. Hutton, 1873)

New Zealand, South Island
71 mm



synonyms:

- Chlamys campbellica N.H. Odhner, 1924
- Chlamys instar T. Iredale, 1925
- Chlamys titirangiensis J. Marwick, 1928


- Psychrochlamys delicatula H.A. Jonkers, 2003
- Chlamys subantarctica C. Hedley, 1916



5452352279
Zygochlamys
delicatula
subantarctica

C. Hedley, 1916


New Zealand, South Island
65 mm



5450000280
Zygochlamys
patagonica

(P.P. King, 1832)

Argentina 45S 60W
60 mm



synonyms:

- Pecten australis R.A. Philippi, 1845
- Chlamys lischkei R.W. Dunker, 1850
- Pecten patriae M. Doello-Jurado, 1918


- Psychrochlamys patagonica P.P. King, 1832
- Chlamys rufradiatus L.A. Reeve, 1853



5452350568
Zygochlamys
phalara

B. Roth, 1975

Chile, Robinson Crusoe Island
32 mm



synonyms:

- Chlamys phalara B. Roth, 1975

SubFamily: PALLIOLINAE - Genus: **Lissochlamys** F. Sacco, 1897 (1 SP, 1 IMG)



5450000085
**Lissochlamys
exotica**

(L.W. Dillwyn, 1817)

Senegal
39 mm



synonyms:

- *Chlamys dispar* J.B.P.A. Lamarck, 1819
- *Ostrea exotica* H.S. Holton, 1802
- *Chlamys exotica* H.S. Holton, 1802
- *Chlamys lovenii* R.W. Dunker, 1853
- *Pecten pseudamussium* G.B. II Sowerby, 1842

- *Ostrea exotica* L.W. Dillwyn, 1817
- *Pecten exoticus* J.H. Chemnitz, 1795
- *Chlamys orbicularis* G.B. II Sowerby, 1842


SubFamily: PALLIOLINAE - **Genus: Mesopeplum** T. Iredale, 1929 (syn: *Dendopecten*, *Dentipecten* - 2 SP, 2 IMG)



5451504000
**Mesopeplum
convexum**

(J.R.C. Quoy & J.P. Gaimard, 1835)

New Zealand, Dunedin
53 mm



synonyms:

- *Mesopeplum kapitiensis* M.K. Mestayer, 1929
- *Mesopeplum roseopunctatus* L.A. Reeve, 1853


- *Mesopeplum velicatus* F.W. Hutton, 1873



5451500000
**Mesopeplum
fenestratum**

(C. Hedley, 1901)

Nelson Bay, Australia
43,7 mm



synonyms:

- *Mesopeplum caroli* T. Iredale, 1929

- *Mesopeplum triggi* B.C. Cotton & F.C. Godfrey, 1938

SubFamily: PALLIOLINAE - **Genus: Palliolum** T.A. de M. Monterosato, 1884 (syn: *Pseudomuseum* - 5 SP, 5 IMG)



7064000007
**Palliolum
clathratum**

E.C. Von Martens, 1881

No Georeferenced data available



5452300010
**Palliolum
incomparabile**

(A. Riso, 1826)

Malaga
99 mm



synonyms:

- *Pecten furtivus* S.L. Lovén, 1846
- *Pecten tornabeni* S. Biondi-Giunti, 1860



- *Pecten testae* Ant. Bivona-Bernardi in R.A. Philippi, 1836
- *Pecten vitreus* A. Riso, 1826



5452300020
**Palliolum
minutulum**

H.H. Dijkstra & V.R. Southgate, 2000

Philippines, Bohol Island
4 mm



5452300030
**Palliolum
striatum**

(O.F. Müller, 1776)

Italy, Capraia Island
25,6 mm



synonyms:

- *Palliolium aculeatus* J.G. Jeffreys, 1838
- *Ostrea fuci* J.F. Gmelin, 1791
- *Palliolium landsburgi* J. Smith, 1839
- *Ostrea reticulata* H.S. Holton, 1802
- *Pecten reticulatus* J.G. Jeffreys, 1864
- *Chlamys striata* O.F. Müller, 1776
- *Palliolium striatum* O.F. Müller, 1776
- *Pecten zonatus* É.A.A. Locard, 1884

- *Pecten fuci* L.A.G. d'A. Bosc, 1802
- *Palliolium fuci* J.F. Gmelin, 1791
- *Pecten punctatus* É.A.A. Locard, 1888
- *Palliolium reticulata* H.S. Holton, 1802
- *Palliolium rimulosus* R.A. Philippi, 1844
- *Pecten striatus* O.F. Müller, 1776
- *Pecten testae suborbicularis* J.G. Jeffreys, 1864



5452300040
Palliolum tigerinum

(O.F. Müller, 1776)

Portugal
27 mm

**synonyms:**

- *Palliolium armoricanus* J.C. Chenu, 1843
- *Palliolium obsoletus* T. Pennant, 1777
- *Pecten tigerinus costata* J.G. Jeffreys, 1864
- *Palliolium tigrinus* O.F. Müller, 1776
- *Palliolium triradiatus* O.F. Müller, 1776


- *Pecten tigerinus* O.F. Müller, 1776
- *Pecten tigrinus* L.A. Reeve, 1853
- *Pecten triradiatus* O.F. Müller, 1776



5452351800
Palliolum tigrinum laevis

(T. Pennant, 1777)

Irish Sea
27 mm

**synonyms:**

- *Pecten laevis* T. Pennant, 1777


SubFamily: PALLIOLINAE - Genus: **Placopecten** A.E. Verrill, 1897 (syn: Nipponopecten - 1 SP, 1 IMG)



5450900000
Placopecten magellanicus

(J.F. Gmelin, 1791)

Massachusetts
128 mm

**synonyms:**

- *Placopecten magellana* J.F. Gmelin, 1791

- *Placopecten tenuicostatus* J.W. Mighels & C.B. Adams, 1842



SubFamily: PALLIOLINAE - Genus: **Pseudamussium** O.A.L. Mörch, 1853 (syn: Peplum, Pseuamussium, Pseudamusium, Karnekampia - 7 SP, 7 IMG)



5452350016
Pseudamussium alicei

(P. Dautzenberg & H. Fischer, 1897)



Azores



5450004160
Pseudamussium challengerii

(E.A. Smith, 1891)



South Australia



5451800000
Pseudamussium clavatum

(G.S. Poli, 1795)

Italy, Anzio
36 mm

**synonyms:**

- *Ostrea clavata* G.S. Poli, 1795
- *Pseudamussium septentrionale* Auct. non O.F. Müller, 1776

- *Ostrea inflexa* G.S. Poli, 1795



5452351512
Pseudamussium
clavatum
dumasi
(B.C.M. Payraudeau, 1826)

Portugal
30 mm




synonyms:

- *Pecten dumasi* B.C.M. Payraudeau, 1826



5452351520
Pseudamussium
fasciculatum

(R.B. Hinds, 1845)
Colombia
35 mm



synonyms:


- *Pseudamussium miser* W.H. Dall, 1908

- *Pseudamussium panamensis* W.H. Dall, 1898





5451800005
Pseudamussium
gilchristi

(G.B. III Sowerby, 1904)
South Africa, Cape
14,5 mm



5451800010
Pseudamussium
peslutrae

(C. Linnaeus, 1771)
North Sea
47 mm



synonyms:


- *Pseudamussium adspersus* J.B.P.A. Lamarck, 1819
- *Ostrea danica* H.S. Holton, 1802
- *Pecten estheris* Crema, 1903
- *Pecten jamesoni* E. Forbes, 1839
- *Ostrea peslutrae* C. Linnaeus, 1771
- *Pecten stellatus* L.A. Reeve, 1852

- *Pecten aspersus* J.B.P.A. Lamarck, 1819
- *Pseudamussium danicus* L.A. Reeve, 1852
- *Ostrea hybrida* J.F. Gmelin, 1791
- *Pecten nebulosus* T. Brown, 1835
- *Pecten septemradiatus* O.F. Müller, 1776



5451800020
Pseudamussium
sulcata

(O.F. Müller, 1776)
Italy, Capraia Island
16,1 mm



synonyms:

- *Ostrea arata* J.F. Gmelin, 1791
- *Chlamys arata* J.F. Gmelin, 1791
- *Chlamys idaea* L.A. Reeve, 1853
- *Pecten sulcata* O.F. Müller, 1776
- *Chlamys sulcata* O.F. Müller, 1776
- *Pecten sulcatus crebricostata* G.O. Sars, 1878

- *Chlamys bruei* B.C.M. Payraudeau, 1826
- *Chlamys leptogaster* ♀. Brusina, 1866
- *Pseudamussium sulcata* O.F. Müller, 1776
- *Pecten sulcatus* O.F. Müller, 1776
- *Pecten sulcatus typica* G.O. Sars, 1878



5452350096
Pseudamussium
sulcatum
coeni

F. Nordsieck, 1969
Europe

No Georeferenced data available





5452350104
Pseudamussium
sulcatum
pulchricostata

F. Nordsieck, 1969
Europe

No Georeferenced data available



5452250000
Minnivola
pyxidata
(I. von Born, 1778)
Philippines, Bohol Island
59 mm



synonyms:

- *Minnivola crebricostatus* R.A. Philippi, 1845
- *Ostrea pyxidata* I. von Born, 1778

- *Minnivola isomeres* T. Iredale, 1939
- *Minnivola sulcata* J.F. Gmelin, 1791

SubFamily: PATINOPECTININAE - Genus: **Patinopecten** W.H. Dall, 1898 (syn: *Platinopecten* - 1 SP, 1 IMG)




5452200000
Patinopecten
caurinus
(A.A. Gould, 1850)
Aleutian Islands
200 mm



SubFamily: PECTININAE - Genus: **Amusium** P.F. Röding, 1798 (syn: *Anusium*, *Pleuronectes*, *Pleuronpecten*, *Amusium* - 3 SP, 5 IMG)



5470200005
Amusium
japonicum
(J.F. Gmelin, 1791)
South China Sea
134 mm




synonyms:

- *Ostrea japonica* J.F. Gmelin, 1791

- *Amusium japonica* J.F. Gmelin, 1791




5470204231
Amusium
japonicum
formosum
T. Habe, 1964
South China Sea
141,5 mm



5470204303
Amusium
japonicum
taiwanense
H.H. Dijkstra, 1988
Taiwan
118,4 mm



5452352307
Amusium
manaricum
E.A. Smith, 1906
Gulf of Manar, India



5470200030
Amusium
pleuronectes
(C. Linnaeus, 1758)
Malaysia
85 mm



synonyms:


- *Amusium laevigata* W.J. Swainson, 1840
- *Amusium pleuronectes nanhaensis* Z.R. Wang & C. Chen, 1991

- *Amusium magneticum* P.F. Röding, 1798



5470204005
Amusium
pleuronectes
australiae
(C. Linnaeus, 1758)

Tioman Island, Malaysia



synonyms:

- *Pecten milneedwardsi* A. De Gregorio, 1898
- *Ostrea pleuronectes* C. Linnaeus, 1758

SubFamily: PECTININAE - **Genus: Anguipecten** W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (6 SP, 6 IMG)



5452351032
Anguipecten
gregoryi

W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938


Hawaii
36,8 mm



5451000000
Anguipecten
lamberti

S.M. Souverbie & R.P. Montrouzier, 1874



Loyalty Islands, New Caledonia
70 mm



5451000015
Anguipecten
pacificus

H.H. Dijkstra, 2002


Marquesas Islands
40 mm



5451000005
Anguipecten
picturatus

H.H. Dijkstra, 1995

Japan, Okinawa
44,2 mm



synonyms:


- *Anguipecten aurantiacus* A. Adams & L.A. Reeve, 1850



5452352295
Anguipecten
simoneae

H. Morrison & Whisson, 2009



northern Western Australia



5451000010
Anguipecten
superbus

(G.B. II Sowerby, 1842)

Philippines, Caltuban Island
71 mm




SubFamily: PECTININAE - **Genus: Annachlamys** T. Iredale, 1939 (5 SP, 5 IMG)



5452351040
Annachlamys
flabellata

(J.B.P.A. Lamarck, 1819)
Bundaberg, Australia
69 mm



synonyms:

- *Pecten leopardus* L.A. Reeve, 1853

- *Annachlamys melica* T. Iredale, 1939



5451050020
Annachlamys
iredalei

(A.W.B. Powell, 1958)
New Caledonia, Huon Island
84 mm



5451050005
Annachlamys
kuhnholzti

(A.C. Bernardi, 1860)
New Caledonia, Noumea
62,8 mm



synonyms:


- *Annachlamys leopardus rena* T. Iredale, 1939

- *Annachlamys macassarensis rena* T. Iredale, 1939




5452351048
Annachlamys
reevei

(A. Adams in A. Adams,
& L.A. Reeve, 1850)
Japan, Okinawa
55,2 mm



5451050010
Annachlamys
striatula

(C. Linnaeus, 1758)
Philippines, Masbate Island
65 mm



synonyms:

- *Annachlamys macassarensis* J.C. Chenu, 1845
- *Ostrea striatula* C. Linnaeus, 1758



- *Annachlamys solaris* G.B. Sowerby, 1842

SubFamily: PECTININAE - Genus: **Antillipecten** T.R. Waller, 2011 (1 SP, 1 IMG)



5451100005
Antillipecten
antillarum

(C.A. Récluz, 1853)
Virgin Islands
12 mm



synonyms:

- *Pecten antillarum* C.A. Récluz, 1853
- *Pecten argenteus* L.A. Reeve, 1853
- *Lyropecten eulyratus* F.M. Bayer, 1943
- *Pecten fucatum* L.A. Reeve, 1853



- *Chlamys belippictus* W.P. Woodring, 1925 †
- *Bractechlamys eulyratus* F.M. Bayer, 1943
- *Bractechlamys fucatus* L.A. Reeve, 1853

SubFamily: PECTININAE - Genus: **Bractechlamys** T. Iredale, 1939 (6 SP, 6 IMG)



5451100000
Bractechlamys
adorabilis

H.H. Dijkstra & H.P. Roussy, 1994
Thailand
25 mm





5451100010
Bractechlamys
corallinoides
(D'Orbigny, 1840)
Cape Verde
32 mm





synonyms:


- *Pecten nodulifer* H. Drouët, 1858




5451100015
Bractechlamys
langfordi
(W. H. Dall, P. Bartsch,
& H.A. Rehder, 1938)
Oahu, Hawaii
22 mm



5451100020
Bractechlamys
nodulifera
(G.B. II Sowerby, 1842)
Natal Bay, Mozambique
60 mm



5451100025
Bractechlamys
oweni
(A. De Gregorio, 1884)
Philippines, Cebu
29 mm



5451100030
Bractechlamys
vexillum
(L.A. Reeve, 1853)
Philippines, Cebu
48 mm




synonyms:


- *Bractechlamys evecta* T. Iredale, 1939
- *Bractechlamys janus* R.P. Montrouzier in P. Fischer, 1858

- *Semiparium vexillum* L.A. Reeve, 1853

SubFamily: PECTININAE - Genus: **Crassadoma** F.R. Bernard, 1986 (syn: Crassodoma - 1 SP, 1 IMG)



5450550005
Crassadoma
gigantea
(J.E. Gray, 1825)
California, USA
152 mm



synonyms:


- *Hinnites crassa* T.A. Conrad, 1857
- *Pecten multirugosus* H.R. Gale, 1928
- *Hinnites poulosi* T.A. Conrad, 1834

- *Lima gigantea* J.E. Gray, 1825
- *Pecten multirugosus crassiplicatus* H.R. Gale, 1928

SubFamily: PECTININAE - Genus: **Decatopecten** G.B. Sowerby, 1839 (syn: Comtopalium, Decadopecten, Comptopalium - 4 SP, 5 IMG)



5450950000
Decatopecten
amiculum
(R.A. Philippi, 1851)
Thailand, Krabi
39 mm




synonyms:

- *Decatopecten flabelloides* L.A. Reeve, 1852
- *Decatopecten heleri* H.B. Preston, 1909



5450950005
Decatopecten
plica

(C. Linnaeus, 1758)
Philippines, Aliguay Island
41 mm



synonyms:


- *Pecten plica* G.B. II Sowerby, 1839
- *Ostrea plica* C. Linnaeus, 1758
- *Pecten subplicatus* G.B. II Sowerby, 1842

- *Pecten striatum* H.C.F. Schumacher, 1817
- *Pecten velutinus* G.B. II Sowerby, 1842



5450950010
Decatopecten
radula

(C. Linnaeus, 1758)
Philippines, Zamboanga
64 mm



synonyms:

- *Decatopecten pauciplicatum* T. Iredale, 1939


- *Ostrea radula* C. Linnaeus, 1758



5450954005
Decatopecten
radula
griggi

(G.R. Webb, 1957)

Broome, Australia



5450954010
Decatopecten
strangei

(L.A. Reeve, 1852)

Hervey Bay, Australia
40 mm





SubFamily: PECTININAE - Genus: **Dentamussium** H.H. Dijkstra, 1990 (1 SP, 1 IMG)



5470200020
Dentamussium
oblitteratum

(C. Linnaeus, 1758)

Philippines, Olongo Island
45 mm



synonyms:

- *Ostrea oblitterata* C. Linnaeus, 1758

- *Dentamussium oblitterata* C. Linnaeus, 1758


SubFamily: PECTININAE - Genus: **Euvola** W.H. Dall, 1898 (12 SP, 10 IMG)



5452352304
Euvola
amusoides

(O. Macsotay & B. Campos, 2001)

Venezuela, Margarita Island



synonyms:

- *Pecten amusoides* O. Macsotay & B. Campos, 2001



5451850020
Euvola
chazaliei

(P. Dautzenberg, 1900)

Colombia
35 mm



synonyms:

- *Euvola dentatus* G.B. Sowerby, 1835



5452351576

Euvola galapagensis

(G. Grau, 1959)

Galápagos Islands
44 mm

5452351592

Euvola hancocki

(G. Grau, 1959)

Galápagos



5470200015

Euvola laurenti

(J.F. Gmelin, 1791)

Belize
72,4 mm**synonyms:**

- *Ostrea laurenti* J.F. Gmelin, 1791
- *Ostrea lorenzianum* P.F. Röding, 1798

- *Euvola laurenti* J.F. Gmelin, 1791
- *Euvola lorenzianum* P.F. Röding, 1798



5470204351

Euvola marenensis

(N.E. Weisbord, 1964)


Guyana
56 mm

7210000058

Euvola marshallae

E.J. Petuch & R.F. Myers, 2014

Florida Keys



5470200025

Euvola papyracea

auct.


Mexico, Veracruz
43 mm

5451850095

Euvola perula

(A.A. Olsson, 1961)


Cebaco Island, Panama



5451900010

Euvola raveneli

(W.H. Dall, 1898)

Florida, Key West
67 mm



5451900015
Euvola vogdesi
(R. Arnold, 1906)
Costa Rica
99,7 mm



synonyms:

- *Euvola cataractae* W.H. Dall, 1914
- *Pecten heimi* L.G. Hertlein, 1925

- *Pecten excavatus* A. Valenciennes, 1846



5451900020
Euvola ziczac
(C. Linnaeus, 1758)
Brasil, Salvador
70 mm





synonyms:

- *Euvola turtoni* E.A. Smith, 1890



SubFamily: PECTININAE - **Genus: Excellichlamys** T. Iredale, 1939 (syn: *Excellichlamys* - 3 SP, 2 IMG)





5451150000
Excellichlamys histrionica
(J.F. Gmelin, 1791)
Japan, Okinawa
27,2 mm



5452352152
Excellichlamys sowerbyi
H.H. Dijkstra, 1998
Tuamotu



5451150005
Excellichlamys spectabilis
(L.A. Reeve, 1853)
Thailand, Phuket
35 mm



synonyms:

- *Pecten parvus* G.B. Sowerby, 1835

- *Semipalium xishaense* Z.R. Wang, 1985

SubFamily: PECTININAE - **Genus: Flexopecten** F. Sacco, 1897 (syn: *Lissopecten* - 7 SP, 8 IMG)



7064000044
Flexopecten coarctatus
(I. von Born, 1778)

No Georeferenced data available



5450000095
Flexopecten felipponei
(W.H. Dall, 1922)
Argentina, Buenos Aires
80,3 mm






5450000100
Flexopecten
flexuosus

(G.S. Poli, 1795)

Spain
42 mm



synonyms:

- *Chlamys amphicyrtus* É.A.A. Locard, 1888
- *Ostrea coarctata* I. von Born, 1778
- *Pecten flagellatus* J.B.P.A. Lamarck, 1819
- *Ostrea flexuosa* G.S. Poli, 1795
- *Chlamys plicatulus* A. Riso, 1826
- *Chlamys tentorialis* J. Noodt, 1819


- *Pecten biradiatus* N. Tiberi, 1855
- *Pecten ferrugineus* É.A.A. Locard, 1889
- *Chlamys flagellatus* J.B.P.A. Lamarck, 1819
- *Flexopecten isabella* J.B.P.A. Lamarck, 1819
- *Chlamys polymorphus* H.G. Bronn in R.A. Philippi, 1836



5450000115
Flexopecten
glaber

(C. Linnaeus, 1758)

Elba Island, Italy
39 mm



synonyms:

- *Pecten anisopleurus* É.A.A. Locard, 1888
- *Ostrea aurantia* J.F. Gmelin, 1791
- *Ostrea cirtina* J.F. Gmelin, 1791
- *Ostrea flavesiensis* J.F. Gmelin, 1791
- *Chlamys glabra* C. Linnaeus, 1758
- *Pecten griseus* J.B.P.A. Lamarck, 1819
- *Chlamys nebulosa* G.S. Poli, 1795
- *Ostrea nebulosa* J.F. Gmelin, 1791
- *Ostrea obscura* P. Forsskål in C. Niebuhr, 1775
- *Pecten praeteritus* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1898
- *Ostrea rustica* G.S. Poli, 1795
- *Chlamys subsulcata* É.A.A. Locard, 1888
- *Pecten sulcatus* J.B.P.A. Lamarck, 1819
- *Pecten virgo* J.B.P.A. Lamarck, 1819


- *Ostrea cirtina* G.S. Poli, 1795
- *Pecten distans* J.B.P.A. Lamarck, 1819
- *Pecten flavidulus* J.B.P.A. Lamarck, 1819
- *Pecten golus* A. De Gregorio, 1885
- *Ostrea maculata* I. von Born, 1778
- *Ostrea nebulosa* G.S. Poli, 1795
- *Chlamys obscura* P. Forsskål in C. Niebuhr, 1775
- *Pecten pilularis* A. De Gregorio, 1885
- *Ostrea rustica* J.F. Gmelin, 1791
- *Chlamys rustica* G.S. Poli, 1795
- *Ostrea sulcata* I. von Born, 1778
- *Pecten unicolor* J.B.P.A. Lamarck, 1819



5452351896
Flexopecten
glaber
citrina

(J.F. Gmelin, 1791)

Italy, Bari
39,3 mm



no
IMAGES
available

to be checked

5452350312
Flexopecten
glaber
jonstoni

S. Delle Chiaje, 1842

Europe


No Georeferenced data available



5452350320
Flexopecten
glaber
ponticus

(M.E.J. Bucquoy, P. Dautzenberg,
& G.F. Dolfus, 1889)

Black Sea
47 mm



synonyms:


- *Pecten ponticus* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dolfus, 1889



5452351888
Flexopecten
glaber
proteus

(L.W. Dilwyn, 1817)

Tyrrhenian Sea
41 mm



synonyms:

- *Pecten proteus* L.W. Dilwyn, 1817



5451300000
Flexopecten
hyalinus

(G.S. Poli, 1795)

Morocco
9 mm



synonyms:

- Pecten flagellatus F.M. Delessert, 1841
- Ostrea hyalina G.S. Poli, 1795
- Pecten pelliculus J.B.P.A. Lamarck, 1819
- Pecten succineus A. Risso, 1826

- Aequipecten hyalina radiata P.M. Pallary, 1900
- Pecten pulcherrimus A. Risso, 1826



5451304000
Flexopecten
hybridum

(J.F. Gmelin, 1791)

Senegal
33 mm



5452352320
Flexopecten
miles

(L.A. Reeve, 1853)

No Georeferenced data available


SubFamily: PECTININAE - **Genus: Glorichlamys** H.H. Dijkstra, 1991 (3 SP, 2 IMG)



7210000014
Glorichlamys
elegans

(Z.R. Wang, 1983)



Xisha Islands



5451850025
Glorichlamys
elegantissima

(G.P. Deshayes, 1863)

Philippines, Mactan Island
14 mm



synonyms:


- Chlamys cooperi E.A. Smith, 1903



5450004085
Glorichlamys
quadrilirata

(C.E. Lischke, 1870)

Japan, Kotoga beach
21 mm





SubFamily: PECTININAE - **Genus: Gloripallium** T. Iredale, 1939 (syn: Gloriopalium - 4 SP, 4 IMG)



5451200000
Gloripallium
maculosum

(P. Forsskål in C. Niebuhr, 1775)

Israel, Elat
39,6 mm



synonyms:



- Exechichlamys concinna L.A. Reeve, 1853
- Ostrea maculosa P. Forsskål, 1775
- Ostrea sanguinolenta J.F. Gmelin, 1791

- Pecten luxurians H.C. Küster in H.C. Küster & W. Kobelt, 1888
- Ostrea pictus G.P. Deshayes in E.S.J.L. de Laborde & M. Lhant, 1830
- Gloripallium sanguinolentum J.F. Gmelin, 1791



545120005
Gloripallium
pallium

(C. Linnaeus, 1758)
Philippines, Bohol Island
94 mm



synonyms:



- *Pecten novaeguinae* J.E. Tenison-Woods, 1878
- *Ostrea pallium* C. Linnaeus, 1758

- *Gloripallium novaeguineae* J.E. Tenison-Woods, 1878



545120010
Gloripallium
speciosum

L.A. Reeve, 1853
Philippines, Bohol Island
52 mm





synonyms:

- *Gloripallium pallium speciosum* L.A. Reeve, 1853
- *Gloripallium speciosa* L.A. Reeve, 1853



5452351120
Gloripallium
spiniferum

(G.B. I Sowerby, 1835)
Tuamotu
23 mm




SubFamily: PECTININAE - **Genus: Haumea** W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (3 SP, 3 IMG)



5450100025
Haumea
loxoides

(G.B. III Sowerby, 1882)
Oahu, Hawaii
18 mm





synonyms:

- *Haumea judii* W.H. Dall, P. Bartsch & H.A. Rehder, 1938



5450100030
Haumea
minuta

(C. Linnaeus, 1758)
Philippines, Mactan Island
40 mm



synonyms:


- *Pecten inaequalis* G.B. II Sowerby, 1842
- *Ostrea minuta* C. Linnaeus, 1758

- *Argopecten inaequivalis* G.B. II Sowerby, 1842



5450104015
Haumea
rehderi

(G. Grau, 1960)
Noumea, New Caledonia
8 mm





SubFamily: PECTININAE - **Genus: Hemiplecten** A. Adams & L.A. Reeve, 1849 (syn: Semiplecten - 1 SP, 1 IMG)



5451604030
Hemiplecten
forbesianus

A. Adams & L.A. Reeve, 1849
Philippines, Cordova
33 mm



synonyms:

- *Hemiplecten difformis* N.H. Odhner, 1917


SubFamily: PECTININAE - Genus: **Juxtamusium** T. Iredale, 1939 (2 SP, 2 IMG)



545125000
Juxtamusium
coudeini

(A.R.J.B. Bavay, 1903)

Philippines, Balicasag Island, 120-150 m deep, 200
25,7 mm



synonyms:


- *Juxtamusium oblectatum* T. Iredale, 1939



545125005
Juxtamusium
maldivense

(E.A. Smith, 1903)

Philippines, Cebu
32 mm



synonyms:

- *Juxtamusium maldivensis* E.A. Smith, 1903


SubFamily: PECTININAE - Genus: **Leopecten** O. Masuda, 1971 (5 SP, 5 IMG)



5452352299
Leopecten
cocosensis

T.R. Waller, 2007


Cocos Island, Costa Rica



5451900000
Leopecten
diegensis

(W.H. Dall, 1898)

Santa Barbara, California
98,3 mm



synonyms:


- *Leopecten floridus* R.B. Hinds, 1845



5452352300
Leopecten
isabellensis

T.R. Waller, 2007

Galápagos Islands



5452351704
Leopecten
sericeus

(R.B. Hinds, 1845)


Ecuador
85 mm



5452352232
Leopecten
stillmani

(H.H. Dijkstra, 1998)

Sonora, Mexico
51,3 mm



synonyms:

- *Leopecten berryi* F.R. Bernard, 1983
- *Leopecten lunaris* S.S. Berry, 1963
- *Pecten stillmani* H.H. Dijkstra, 1998


- *Pecten lunaris* S.S. Berry, 1963

SubFamily: PECTININAE - Genus: **Mirapecten** W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (syn: *Somalipecten* - 7 SP, 8 IMG)




7210000035
**Mirapecten
boutetorum**

H.H. Dijkstra, 2011
Tahiti, French Polynesia




5451400000
**Mirapecten
cramerorum**

(T.R. Waller, 1986)
Somala
73 mm




5451350000
**Mirapecten
mirificus**

(L.A. Reeve, 1853)
Philippines, Olongo Island
37 mm




5450000365
**Mirapecten
mirificus
thaanumi**
(W.H. Dall, P. Bartsch,
& H.A. Rehder, 1939)

Philippines, Aliguay Island
39 mm





5451350005
**Mirapecten
moluccensis**

H.H. Dijkstra, 1988
Philippines, Cebu
30 mm



5451350010
**Mirapecten
rastellum**

(J.B.P.A. Lamarck, 1819)
Philippines, Bohol Island
44 mm




synonyms:

- *Mirapecten amalae* W. Kobelt, 1887
- *Mirapecten spiceri* H.A. Rehder, 1944





5452352216
**Mirapecten
tuberosus**

H.H. Dijkstra & R.N. Kilburn, 2001
Réunion
36,9 mm




5451350015
**Mirapecten
yaroni**

H.H. Dijkstra & J. Knudsen, 1998
Egypt, Sinai Peninsula
43,8 mm





5452351968
Nodipecten arthriticus
(L.A. Reeve, 1853)
Ecuador
91 mm



synonyms:

- *Nodipecten arthriticus* (L.A. Reeve, 1853)



5452352112
Nodipecten fragosus
(T.A. Conrad, 1849)
Florida, Miami
119 mm




synonyms:

- *Lyropecten nodosus fragosus* T.A. Conrad, 1849



5450800000
Nodipecten magnificus
(G.B. I Sowerby, 1835)
Galápagos Islands
180 mm



5450750005
Nodipecten nodosus
(C. Linnaeus, 1758)
Guajira Peninsula, Colombia
120 mm




synonyms:

- *Ostrea decemradiata* J.F. Gmelin, 1791
- *Lyropecten decemradiata* J.F. Gmelin, 1791
- *Lyropecten nodosa* C. Linnaeus, 1758

- *Ostrea nodosa* C. Linnaeus, 1758



5452350984
Nodipecten nodosus gabonensis
(K. Nicolay, 1881)
Gabon, São Tomé Island
144,4 mm




5450800005
Nodipecten subnodosus
(G.B. I Sowerby, 1835)
West Panama
68 mm



SubFamily: PECTININAE - **Genus: Pecten** H.P.C. Möller, 1776 (syn: Argoderma, Argodesma, Argus, Deperetia, Heritschia, Janira, Notovola, Pallium, Pectenus, Pectinites, Pectinum, Tecten, Flabellipecten - 20 SP, 21 IMG)




5451850000
Pecten afrobenedictus
R.N. Kilburn & H.H. Dijkstra, 1995
South Africa, Algoa Bay
66,9 mm




synonyms:

- *Pecten afrobenedictus* R.N. Kilburn & H.H. Dijkstra, 1995
- *Pecten fumatus* K.H. Barnard, 1962



5451850010
**Pecten
albicans**
(J.S. Schröter, 1802)

East China Sea
97,7 mm



synonyms:


- *Pecten albicans* J.S. Schröter, 1802
- *Plicatula laqueatus* G.B. II Sowerby, 1842
- *Plicatula naganumana* M. Yokoyama, 1920

- *Pecten laqueatus* G.B. II Sowerby, 1842
- *Pecten naganumana* M. Yokoyama, 1920





5452351536
**Pecten
albicans**
naganumanus
M. Yokoyama, 1920

Japan, Fukuoka
65,8 mm



5452350856
**Pecten
atlanticus**
E.A. Smith, 1890

Saint Helena




7210000051
**Pecten
dijkstrai**
F.M. Duncan & G. Wilson, 2012

Exmouth, West Australia
50 mm





5452352294
**Pecten
diomedaeus**
W.H. Dal, P. Bartsch,
& H.A. Rehder, 1938

Hawaii, Mokai




5452351568
**Pecten
dorothae**
J.C. Melville in J.C. Melville,
& R. Standen, 1907

Yemen
58 mm





5451854045
**Pecten
erythraeensis**
G.B. II Sowerby, 1842

Red Sea
52,7 mm



5451850105
**Pecten
excavatus**
H.E. Anton, 1838

Thailand, Phuket
100,8 mm





synonyms:

- *Pecten sinensis* G.B. II Sowerby, 1842





5451854015
Pecten excavatus punctulatus
R.W. Dunker, 1877

Mikawa bay, Japan
36 mm



5451850040
Pecten fumatus
L.A. Reeve, 1852

Port Lincoln, Australia
110,6 mm



synonyms:


- *Pecten bifidus* K.T. Menke, 1843
- *Plicatula bifidus* K.T. Menke, 1843
- *Plicatula filosus* L.A. Reeve, 1852
- *Pecten fuscus* G.B. II Sowerby, 1842
- *Plicatula jacobaeus byronensis* C.A. Fleming, 1955
- *Plicatula lamarckii* J.C. Chenu, 1843
- *Plicatula mediuss* J.B.P.A. Lamarck, 1819
- *Plicatula meridionalis* R. Tate, 1887
- *Plicatula modestus* L.A. Reeve, 1852

- *Pecten byronensis* C.A. Fleming, 1955
- *Plicatula fumatus alba* R. Tate, 1887
- *Plicatula fuscus* G.B. II Sowerby, 1842
- *Pecten lamarckii* J.C. Chenu, 1843
- *Plicatula laticostata* G.F. Angas, 1865
- *Pecten meridionalis* R. Tate, 1887
- *Pecten modestus* L.A. Reeve, 1852
- *Pecten pressiana* T. Iredale, 1949



5451850015
Pecten fumatus albus
L.A. Reeve, 1852

Tasmania
76 mm



synonyms:


- *Pecten jacobaeus byronensis* C.A. Fleming, 1955

- *Vola laticostata* G.F. Angas, 1865



5451850050
Pecten jacobaeus
(C. Linnaeus, 1758)

Elba Island, Italy
133,5 mm



synonyms:

- *Pecten intermedius* T.A. de M. Monterosato, 1899
- *Vola jacobea* C. Linnaeus, 1758
- *Pecten jacobaeus* C. Linnaeus, 1758

- *Plicatula jacobaeus* C. Linnaeus, 1758
- *Vola jacobea striatissima* L. Foresti, 1876
- *Pecten maximus jacobaeus* C. Linnaeus, 1758





7210000019
Pecten jullieni
F.P. Jousseaume, 1882

Martinique





5451850055
Pecten keppelianus
G.B. III Sowerby, 1905

Cape Verde
70 mm



5451850065
Pecten maximus
(C. Linnaeus, 1758)

Spain, Malaga
104,7 mm




synonyms:

- *Pecten maxima* C. Linnaeus, 1758
- *Plicatula similis* G.B. II Sowerby, 1842
- *Plicatula vulgaris* E.M. Da Costa, 1778

- *Pecten medius* J.B.P.A. Lamarck, 1819
- *Pecten similis* G.B. II Sowerby, 1842
- *Pecten vulgaris* E.M. Da Costa, 1778



5451850085
Pecten
novaezelandiae
L.A. Reeve, 1852
New Zealand, Hauraki Gulf
117,5 mm




synonyms:

- Pecten benedictus tepungai C.A. Fleming, 1957
- Pecten kupei C.A. Fleming, 1951
- Pecten laticostatus J.B.P.A. Lamarck, 1819
- Pecten novaezealandicus L.A. Reeve, 1852
- Pecten tainui H.J. Finlay, 1930
- Pecten toi C.A. Fleming, 1951

- Pecten benedictus zeehaanae C.A. Fleming, 1957
- Pecten laticostatus J.E. Gray, 1835
- Pecten marwicki H.J. Finlay, 1930
- Pecten sulcicostatus casa S.M. van Bruggen, 1961
- Pecten tainui aotea C.A. Fleming, 1953



5452352064
Pecten
novaezelandiae
rakiura
L.A. Reeve, 1852
New Zealand, Hauraki Gulf
88,8 mm



7210000012
Pecten
porphyreus
J.H. Chemnitz, 1784

No Georeferenced data available




7210000020
Pecten
quadriradiatus
J.B.P.A. Lamarck, 1819
unknown place
21 mm

No Georeferenced data available



5452352160
Pecten
raoulensis
A.W.B. Powell, 1958
Kermadec Islands




synonyms:

- Pecten novaezelandiae raoulensis A.W.B. Powell, 1958
- Pecten raoulensis A.W.B. Powell, 1958



5451850110
Pecten
sulcicostatus
G.B. II Sowerby, 1842
South Africa, Agulhas Bank
117,4 mm





synonyms:

- Pecten capensis G.B. III Sowerby, 1892
- Pecten maximus sulcicostatus G.B. II Sowerby, 1842

- Pecten sulcicostatus G.B. II Sowerby, 1842



7210000021
Pecten
tissoti
A.C. Bernardi, 1858
Japan, Kagoshima







5452351728
Pecten
waikikius

W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938

Oahu, Hawaii
43,9 mm



synonyms:


- *Pecten iacobaeus waikikius* W.H. Dall, P. Bartsch & H.A. Rehder, 1938

SubFamily: PECTININAE - Genus: **Semipallium** É. Lamy, 1928 (11 SP, 12 IMG)



5450000005
Semipallium
aktinos

(W.F. Petterd, 1886)
Japan, Okinawa
40 mm





5452351136
Semipallium
amicum

(E.A. Smith, 1885)
Philippines, Balut Island



5451450000
Semipallium
barnetti

H.H. Dijkstra, 1989
Philippines, Cebu
22,2 mm




5451450010
Semipallium
crouchi

(E.A. Smith, 1892)
Egypt, Sinai Peninsula
42,9 mm





5451450015
Semipallium
dianae

(P.R. Crandall, 1979)
Philippines, Zamboanga
51 mm



5451450020
Semipallium
dringi

(L.A. Reeve, 1853)
Philippines, Olongo Island
46,1 mm




synonyms:

- *Semipallium kengaluorum* H.H. Dijkstra, 1986



5451454005
Semipallium
flavicans

(C. Linnaeus, 1758)
Philippines, Palawan Island
59 mm





synonyms:

- *Pecten tigris* J.B.P.A. Lamarck, 1819

- *Semipallium tigris* J.B.P.A. Lamarck, 1819



5451450030
Semipallium
fulvicostatum
(A. Adams & L.A. Reeve, 1850)
Philippines, Bohol Island
32 mm



5450004035
Semipallium
fulvicostatum
luculentum
(L.A. Reeve, 1853)
Broome, Australia




synonyms:


- *Chlamys luculentum* (L.A. Reeve, 1853)





5452351152
Semipallium
hallae
(B.C. Cotton, 1960)
South Australia



5451450035
Semipallium
marybellae
B.K. Raines, 1996
Thailand, Phuket
41,1 mm





5452351160
Semipallium
rapanense
(A.R.J.B. Bavay, 1905)
Easter Island





SubFamily: PECTININAE - Genus: **Serratovola** T. Habe, 1951 (4 SP, 6 IMG)



5452352287
Serratovola
angusticostata
H.H. Dijkstra, 2008
Mactan Island, Philippines



5451854005
Serratovola
gardineri
(E.A. Smith, 1903)
Philippines, Olongo Island
26 mm




synonyms:

- *Pecten gardineri* (E.A. Smith, 1903)





5452352240
Serratovola
pallula
H.H. Dijkstra, 1998
Papua New Guinea
18 mm





5451850100
Serratovola
rubicunda

(C.A. Récluz, 1843)
Philippines, Masbate Island
28 mm



synonyms:


- *Pecten rubicundus* J.C. Chenu, 1843

- *Pecten tricarinatus* H.E. Anton, 1838




5452351544
Serratovola
rubicunda

aspera
G.B. Sowerby, 1842
Philippines, Palawan Island
28 mm



5452352275
Serratovola
rubicunda

passerina
(R.B. Hinds, 1845)
Philippines, Masbate Island
30 mm



synonyms:


- *Pecten passerinus* R.B. Hinds, 1845

SubFamily: PECTININAE - Genus: **Volachlamys** T. Iredale, 1939 (4 SP, 7 IMG)




5450000105
Volachlamys
fultoni

(G.B. III Sowerby, 1904)
Natal, South Africa
35 mm



5452350392
Volachlamys
hirasei

(A.R.J.B. Bavay, 1904)
Bo Sea, China
43,5 mm



synonyms:



- *Volachlamys ambigua* A.R.J.B. Bavay, 1904
- *Volachlamys sinomarina* L.G. Hertlein, 1936

- *Pecten teilhardi* A.W. Grabau & S.G. King, 1928



5452350384
Volachlamys
hirasei

awajiensis
(H.A. Pilsbry, 1905)
Japan, Hyogo
40 mm




synonyms:

- *Pecten awajiensis* H.A. Pilsbry, 1905



5470204403
Volachlamys
hirasei

ecostata
A.R.J.B. Bavay, 1904
Japan, Hyogo
51,5 mm






5450000335
**Volachlamys
singaporina**

(G.B. II Sowerby, 1842)

Singapore
46,6 mm



synonyms:



- *Pecten pica* L.A. Reeve, 1853



5452352266
**Volachlamys
singaporina
cumingii**

(L.A. Reeve, 1853)

Keppel Bay, Australia
45 mm



synonyms:


- *Chlamys cumingii* L.A. Reeve, 1853



5452350792
**Volachlamys
tranquebaria**

(J.F. Gmelin, 1791)

Thailand, Phuket
50 mm



synonyms:

- *Ostrea tranquebaria* J.F. Gmelin, 1791



SubFamily: PECTININAE - **Genus: Ylistrum** Mynhardt & Alejandrino, 2014 (1 SP, 1 IMG)



5470200000
**Ylistrum
balloti**

A.C. Bernardi, 1861

Australia, Brisbane
114 mm



synonyms:

- *Amusium japonicum balloti* A.C. Bernardi, 1861


SubFamily: PEDINAE - **Genus: Aequipecten** P. Fischer, 1886 (syn: Aequipectus, Aequivalvis, Amoebea, Armequipecten, Epipecten, Libdapecten, Peripecten - 8 SP, 15 IMG)



5450500000
**Aequipecten
commutatus**

(T.A. de M. Monterosato, 1875)

Spain, Malaga
30 mm



synonyms:

- *Pecten philippi* C.A. Récluz, 1853



5452352184
**Aequipecten
commutatus
peripheralis**

H.H. Dijkstra & R.N. Kilburn, 2001

South Africa, Zululand



5450450005
**Aequipecten
flabellum**

(J.F. Gmelin, 1791)

Angola
46 mm



synonyms:

- *Ostrea flabelum* J.F. Gmelin, 1791



5450450010
**Aequipecten
glyptus**

(A.E. Verrill, 1882)

Florida
50 mm



synonyms:


- *Pecten tryoni* W.H. Dall, 1889



5452352303
**Aequipecten
heliacus**

(W.H. Dall, 1925)


Bahamas



5450100020
**Aequipecten
lineolaris**

(J.B.P.A. Lamarck, 1819)

Venezuela
46 mm



synonyms:


- *Pecten mayaguezensis* W.H. Dall & C.T. Simpson, 1901



5452352144
**Aequipecten
nicklesi**

H.H. Dijkstra, 1998

Ghana
15 mm



synonyms:



- *Pecten minutus* M. Nicklés, 1955



5450450030
**Aequipecten
opercularis**

(C. Linnaeus, 1758)

Italy, Grado
71 mm



synonyms:

- *Chlamys bruei pulchricostata* F. Nordsieck, 1969
- *Pecten daucus* L.A. Reeve, 1853
- *Ostrea elegans* J.F. Gmelin, 1791
- *Pecten lineatus bicolor* É.A.A. Locard, 1888
- *Pecten opercularis albopurpurascens* J.B.P.A. Lamarck, 1819
- *Pecten opercularis aspera* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889
- *Pecten opercularis depressa* É.A.A. Locard, 1888
- *Pecten opercularis luteus* J.B.P.A. Lamarck, 1819
- *Ostrea radiata* J.F. Gmelin, 1791
- *Ostrea solaris* I. von Born, 1778
- *Ostrea versicolor* J.F. Gmelin, 1791



- *Pecten cretatus* L.A. Reeve, 1853
- *Ostrea dubia* J.F. Gmelin, 1791
- *Pecten lineatus albida* É.A.A. Locard, 1888
- *Ostrea opercularis* C. Linnaeus, 1758
- *Pecten opercularis albovariegata* A. Clement, 1875
- *Pecten opercularis concolor* M.E.J. Bucquoy, P. Dautzenberg & G.F. Dollfus, 1889
- *Pecten opercularis elongata* J.G. Jeffreys, 1864
- *Pecten pictus* E.M. Da Costa, 1778
- *Ostrea regia* J.F. Gmelin, 1791
- *Pecten subrufus* T. Pennant, 1777
- *Pecten vescoii* A.R.J.B. Bavay, 1903



5450450035
**Aequipecten
opercularis
audouinii**

(B.C.M. Payraudeau, 1826)

Italy, Grado
50 mm



synonyms:

- *Pecten audouinii* B.C.M. Payraudeau, 1826



5452351848
**Aequipecten
opercularis
lineata**

(E.M. Da Costa, 1778)

Spain
28 mm




synonyms:


- *Chlamys lineatus* E.M. Da Costa, 1778



5450000270
**Aequipecten
opercularis
mauritiana**
C. Linnaeus, 1758
France
38,5 mm




5450450040
**Aequipecten
tehuelchus**
(D'Orbigny, 1842)
Argentina, Peninsula Valdes
72 mm



5450450045
**Aequipecten
tehuelchus
madrynensis**
(A.R.J.B. Bavay, 1906)
Argentina, Chubut Province
68,7 mm



5450450050
**Aequipecten
tehuelchus
spinosula**
(A.R.J.B. Bavay, 1906)
Rio de Janeiro, Brasil
36 mm

**synonyms:**


- *Aequipecten spinulosa* A.R.J.B. Bavay, 1906




7210000022
**Aequipecten
tehuelchus
vanvincqii**
A.C. Bernardi, 1852
unknown place
36,1 mm

No Georeferenced data available

SubFamily: PEDINAE - Genus: **Argopecten** T.A. de M. Monterosato, 1889 (syn: Edentiplica, Plagipecten, Plagipectenium, Plagipectenium - 6 SP, 12 IMG)



5450100005
**Argopecten
gibbus**
(C. Linnaeus, 1758)
Florida, Marco Island
50 mm

**synonyms:**

- *Pecten dislocatus* T. Say, 1822
- *Ostrea gibba* C. Linnaeus, 1758
- *Ostrea nucleus* I. von Born, 1778

- *Argopecten locymatus* W.H. Dall, 1925
- *Ostrea turgida* J.F. Gmelin, 1791



7064000001
**Argopecten
gibbus
imitatooides**
O. Macsotay & B. Campos, 2001
Venezuela, Margarita Island







5450100010
**Argopecten
irradians**


(J.B.P.A. Lamarck, 1819)

Florida
68 mm



7210000023
**Argopecten
irradians
amplicostatus**
(W.H. Dall, 1898)

USA, Maine



synonyms:

- Argopecten gibbus amplicostatus W.H. Dall, 1898



5450100015
**Argopecten
irradians
concentricus**
(T. Say, 1822)

Nicaragua
57 mm



synonyms:



- Argopecten circularis G.B. Sowerby, 1835
- Pecten concentricus T. Say, 1822

- Argopecten leucophaeus L.A. Reeve, 1852



5452350408
**Argopecten
irradians
sablonensis**
A.H. Clarke, 1965

Canada, Nova Scotia




5452350416
**Argopecten
irradians
taylorae**
E.J. Petuch, 1987

USA, Florida, St. Augustine
59 mm





5450100035
**Argopecten
noronhensis**
(E.A. Smith, 1885)

Venezuela
13 mm




5450100040
**Argopecten
nucleus**
(I. von Born, 1778)

Venezuela
32,3 mm




5450100045
**Argopecten
purpuratus**
(J.B.P.A. Lamarck, 1819)

Chile, Iquique
91 mm





5450100050
Argopecten ventricosus
(G.B. I Sowerby, 1842)
Mexico, Baja California
60 mm




synonyms:

- Pecten call L.G. Hertlein, 1925
- Pecten compactus W.H. Dall, 1898
- Pecten newsoni R. Arnold, 1903
- Pecten solidulus L.A. Reeve, 1853
- Pecten tumidus G.B. I Sowerby, 1835

- Argopecten circulans G.B. I Sowerby, 1835
- Pecten fillextus C.C. Li, 1930
- Pecten pomata A. Valenciennes, 1846
- Pecten subventricosus W.H. Dall, 1898



5452351864
Argopecten ventricosus aequisulcatus
(P.P. Carpenter, 1864)
California
79,5 mm



synonyms:

- Pecten aequisulcatus P.P. Carpenter, 1864



5470204402
Argopecten ventricosus inca
(D'Orbigny, 1846)
Ecuador
49 mm





synonyms:

- Pecten inca D'Orbigny, 1846



SubFamily: PEDINAE - Genus: **Cryptopecten** W.H. Dall, P. Bartsch & H.A. Rehder, 1938 (syn: Corymbichlamys - 5 SP, 5 IMG)



5450000045
Cryptopecten bernardi
(R.A. Philippi, 1851)
Philippines, Aliguay Island
14,5 mm



5450200000
Cryptopecten bullatus
(P. Dautzenberg & A.R.J.B. Bayav, 1912)
Philippines, Balicasag Island
26 mm





synonyms:

- Cryptopecten alli W.H. Dall, P. Bartsch & H.A. Rehder, 1938
- Cryptopecten complanus Z.R. Wang, 1983



5450200005
Cryptopecten nux
(L.A. Reeve, 1853)
Philippines, Aliguay Island
13 mm




synonyms:

- Chlamys corymbiatus C. Hedley, 1909
- Pecten guendolae J.C. Melvill, 1888
- Aequipecten kikaiensis S. Nomura & N. Zinbo, 1934 †

- Pecten hastingsii J.C. Melvill, 1888
- Chlamys smithi G.B. III Sowerby, 1908




5452350880
Cryptopecten phrygium
(W.H. Dall, 1886)
Florida
23 mm





5450200010
**Cryptopecten
vesiculosus**

(R.W. Dunker, 1877)
East China Sea
29 mm



SubFamily: PEDINAE - Genus: **Hinnites** J.L.M. Defrance, 1821 (syn: Hinnita, Hinnus, Hynnites - 1 SP, 1 IMG)



5452350912
**Hinnites
corallinus**

G.B. I Sowerby, 1827
Angola
111 mm



synonyms:

- *Hinnites spectabilis* R. von Cosel & S. Gofas, 1985

SubFamily: PEDINAE - Genus: **Leptopecten** A.E. Verrill, 1897 (syn: Pacipecten - 4 SP, 5 IMG)



5450650010
**Leptopecten
camerella**

(S.S. Berry, 1968)
Mexico, Baja California
18 mm



5450650020
**Leptopecten
latiauratus**

(T.A. Conrad, 1837)
West Panama
23 mm



synonyms:


- *Pecten bellamellatus* R. Arnold, 1906
- *Pecten latiauratus* T.A. Conrad, 1837
- *Pecten latiauratus delosi* R. Arnold, 1906
- *Pecten latiauratus fuciculus* W.H. Dall, 1898 †

- *Pecten latiauratus cerritensis* R. Arnold, 1906
- *Pecten latiauratus fragilis* R. Arnold, 1903
- *Leptopecten tunica* R.A. Philippi, 1844



5452350944
**Leptopecten
latiauratus
monomeris**
(T.A. Conrad, 1837)

USA, California
33,1 mm



synonyms:

- *Pecten monomeris* T.A. Conrad, 1837



5452352301
**Leptopecten
linki**

(W.H. Dall, 1926)
Nicaragua
28,9 mm



synonyms:



- *Leptopecten kallinubilosus* F.M. Bayer, 1943
- *Leptopecten moretonicus* H.J. Finlay, 1927

- *Leptopecten pulchellus* L.A. Reeve, 1853



5450650030
**Leptopecten
tumbezensis**
(D'Orbigny, 1846)

Panama
34 mm



synonyms:

- *Leptopecten aspersus* G.B. Sowerby, 1835
- *Pecten latiauratus splendens* C.C. Li, 1930
- *Pecten sowerbyi* L.A. Reeve, 1852

- *Pecten latiauratus indentus* C.C. Li, 1930
- *Leptopecten paucicostatus* P.P. Carpenter, 1864

SubFamily: PEDINAE - Genus: **Lindapecten** E.J. Petuch, 1995 (2 SP, 2 IMG)



5450450000
**Lindapecten
exasperatus**
(G.B. II Sowerby, 1842)
Honduras
13,6 mm




synonyms:

- Aequipecten acanthodes W.H. Dall, 1925
- Aequipecten acanthoides W.H. Dall, 1925
- Aequipecten schrammi P. Fischer, 1868

- Aequipecten mucosus acanthodes W.H. Dall, 1925



5450450025
**Lindapecten
mucosus**
(W. Wood, 1828)
Florida
42 mm



synonyms:


- Aequipecten lindae E.J. Petuch, 1995
- Aequipecten mucosus W. Wood, 1828

- Ostrea mucosus W. Wood, 1828


SubFamily: PEDINAE - Genus: **Mimachlamys** T. Iredale, 1929 (16 SP, 19 IMG)



5450050000
**Mimachlamys
albolineata**
(G.B. II Sowerby, 1842)
Japan, Okinawa
72 mm



5450004100
**Mimachlamys
asperrima**
(J.B.P.A. Lamarck, 1819)
West Australia, Freemantle
87 mm




synonyms:

- Pecten australis G.B. II Sowerby, 1842

- Ostrea matoni E. Donovan, 1824



5450050010
**Mimachlamys
cloacata**
(L.A. Reeve, 1853)
Samui Island, Thailand
104,4 mm




synonyms:

- Pecten rugosus G.B. II Sowerby, 1842



- Pecten valdecostatus J.C. Melvill, 1888



5452350192
**Mimachlamys
cloacata
curtisiana**
T. Iredale, 1939
Australia, Cooya
31 mm



5452350080
**Mimachlamys
cloacata
pelseneeri**
P. Dautzenberg & A.R.J.B. Bayav, 1912
Philippines, Cebu
39 mm



synonyms:



- Chlamys asperula pelseneeri P. Dautzenberg & A.R.J.B. Bayav, 1912



5450050015
**Mimachlamys
crassicostata**

(G.B. II Sowerby, 1842)

Japan, Wakayama
114,6 mm



synonyms:

- *Mimachlamys cristularis* A. Adams & L.A. Reeve, 1850
- *Mimachlamys nobilis* L.A. Reeve, 1852



5450054005
**Mimachlamys
cruentatus**

(L.A. Reeve, 1853)

Indo-Pacific

No Georeferenced data available

synonyms:

- *Mimachlamys cruentata* L.A. Reeve, 1853
- *Pecten cruentatus* L.A. Reeve, 1853



5452352321
**Mimachlamys
dissimilis**

(R.P. Montrouzier, 1858)

No Georeferenced data available

synonyms:


- *Pecten serratus* G.B. II Sowerby, 1842



5452352302
**Mimachlamys
erycina**

H.H. Dijkstra & P. Maestrati, 2010


Cook Islands



5450050020
**Mimachlamys
funebris**

(L.A. Reeve, 1853)


Australia, Broome
55 mm



5450050025
**Mimachlamys
gloriosa**

(L.A. Reeve, 1853)

Taiwan
50 mm



synonyms:

- *Mimachlamys subgloriosa* T. Iredale, 1939



- *Mimachlamys testudinea* L.A. Reeve, 1853



5450004145
**Mimachlamys
kauaiensis**

(W.H. Dall, P. Bartsch,
& H.A. Rehder, 1938)



Hawaii, Kauai



5450050030
**Mimachlamys
lentiginosa**

(L.A. Reeve, 1853)

Philippines, Balicasag island
55 mm



synonyms:

- *Mimachlamys gavina* T. Iredale, 1939



5450050035
Mimachlamys sanguinea

(C. Linnaeus, 1758)
Philippines, Cebu
87 mm

**synonyms:**

- *Chlamys aspermoides* A.W.B. Powell, 1958
- *Pecten aurantius* J.B.P.A. Lamarck, 1819
- *Chlamys elochea* T. Iredale, 1939
- *Chlamys fricata* L.A. Reeve, 1853
- *Chlamys layardi* L.A. Reeve, 1853
- *Chlamys pseudolima* G.B. Sowerby, 1842
- *Ostrea sanguinea* C. Linnaeus, 1758

- *Pecten blandus* L.A. Reeve, 1853
- *Pecten florens* J.B.P.A. Lamarck, 1819
- *Pecten indicus* G.P. Deshayes, 1832
- *Ostrea porphyrea* J.F. Gmelin, 1791
- *Pecten raffrayi* F.P. Jousseaume, 1886
- *Ostrea senatoria* J.F. Gmelin, 1791




5450050040
Mimachlamys sanguinea porphyrea

C. Linnaeus, 1758
Philippines, Cebu
68,8 mm




5450050045
Mimachlamys scabricostata

(G.B. III Sowerby, 1915)
West Australia, Dampier
53 mm




5452352323
Mimachlamys splendidula

(G.B. Sowerby, 1842)
India



5450050050
Mimachlamys townsendi

(G.B. III Sowerby, 1895)
Oman
122 mm

**synonyms:**

- *Chlamys baylei* F.P. Jousseaume, 1928



5450000375
Mimachlamys varia

(C. Linnaeus, 1758)
Italy, Grado
54 mm


**synonyms:**

- *Ostrea aculeata* J.F. Gmelin, 1791
- *Mimachlamys aculeata* J.F. Gmelin, 1791
- *Ostrea flammnea* J.F. Gmelin, 1791
- *Mimachlamys incarnata* J.F. Gmelin, 1791
- *Mimachlamys monotis* E.M. Da Costa, 1778
- *Mimachlamys mustellina* J.F. Gmelin, 1791
- *Mimachlamys ochroleuca* J.F. Gmelin, 1791
- *Ostrea subrufa* J.F. Gmelin, 1791
- *Ostrea varia* C. Linnaeus, 1758


- *Pecten arzelius* A. De Gregorio, 1885
- *Mimachlamys flammnea* J.F. Gmelin, 1791
- *Ostrea incarnata* J.F. Gmelin, 1791
- *Mimachlamys muricata* J.F. Gmelin, 1791
- *Ostrea ochroleuca* J.F. Gmelin, 1791
- *Ostrea rufescens* W. Turton, 1802
- *Mimachlamys subrufa* J.F. Gmelin, 1791





5452351960
Mimachlamys
varia
alba
(A. Scacchi, 1836)
France, Brittany
41,5 mm



5452351952
Mimachlamys
varia
aurantia
(A. Clement, 1879)
France
45,7 mm



5450000380
Mimachlamys
varia
nivea
(W. Macgillivray, 1825)
United Kingdom, Scotland
41,5 mm




synonyms:

- *Pecten niveus* W. Macgillivray, 1825

SubFamily: PEDINAE - Genus: **Paraleptopecten** T.R. Waller, 2011 (4 SP, 4 IMG)



5450650000
Paraleptopecten
bayyi
(P. Dautzenberg, 1900)
Uruguay
11 mm



5450650005
Paraleptopecten
bolleyi
(L.G. Hertlein & A.M. Strong, 1946)
Bay of Panama
5,2 mm




synonyms:

- *Leptopecten velero bolleyi* L.G. Hertlein & A.M. Strong, 1946



5450650025
Paraleptopecten
palmeri
(W.H. Dall, 1897)
Sinaloa, Mexico
53 mm



synonyms:

- *Pecten palmeri* W.H. Dall, 1897



5450650035
Paraleptopecten
velero
(L.G. Hertlein, 1935)
Galápagos Islands
9,9 mm





synonyms:

- *Leptopecten euterpes* S.S. Berry, 1957

SubFamily: PEDINAE - Genus: **Pedum** J.G. Bruguière, 1792 (syn: Pedinus - 1 SP, 1 IMG)



5450850000
Pedum
spondyloideum
(J.F. Gmelin, 1791)
Philippines, Mactan Island
54 mm



synonyms:


- Ostrea pedum P.F. Röding, 1798
- Pedum pedum P.F. Röding, 1798
- Ostrea spondyloidea J.F. Gmelin, 1791

- Pedum pedum intensum T. Iredale, 1939

SubFamily: PEDINAE - Genus: **Spathochlamys** T.R. Waller, 1993 (2 SP, 2 IMG)



5450000040
Spathochlamys
benedicti
(A.E. Verrill,
& K.J. Bush in A.E. Verrill, 1897)
Bahamas
15 mm



synonyms:

- Pecten mundus L.A. Reeve, 1853
- Chlamys nympha A.R.J.B. Bavay, 1906

- Chlamys verrilli G.F. Dollfus, 1898




5450000385
Spathochlamys
vestalis
(L.A. Reeve, 1853)
Ecuador
14,4 mm



synonyms:

- Chlamys lowei L.G. Hertlein, 1935

Family: PECTINIDAE



red squares show where each species has been georeferenced

each square has a size of 2 degrees

an interactive version of this image can be accessed at
<http://www.bagniliggia.it/WMSD/FamilyMap/PECTINIDAEmap.htm>

please note that this is not the complete coverage of this family
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 333 from a total of 352