



Family: VOLUTIDAE

----- Family: **VOLUTIDAE** Rafinesque, 1815 (Sea)

- Alphabetic order - when **first name** is in bold the species has images
DB counters=1606, Genus=86, Subgenus=21, Species=782, Subspecies=176, Synonyms=540, Images=721

- absidata, ***Paramoria absidata*** (Cotton, 1949) † (**FOSSIL**)
- abyssicola, ***Athleta abyssicola*** (Adams & Reeve, 1848)
- aculeata, ***Spinomelon aculeata*** (Hutton, 1885) † (**FOSSIL**)
- acuminate, ***Alcithoe wilsonae acuminata*** Ball & Limpus
- acus, ***Volutifusus acus*** Petuch, 1988 † (**FOSSIL**)
- acuta, ***Alcithoe acuta*** Marwick, 1926 † (**FOSSIL**)
- acuticostulata, ***Lyria acuticostulata*** Darragh, 1989 † (**FOSSIL**)
- adcocki, ***Paramoria guntheri adcocki*** Tate, 1889
- adcocki, Paramoria adcocki Tate, 1889 - syn of: ***Paramoria guntheri adcocki*** (Tate, 1889)
- aegyptiaca, ***Lyria aegyptiaca*** Abbass, 1967 † (**FOSSIL**)
- aethiopica, Voluta aethiopica Linnaeus, 1758 - syn of: ***Melo aethiopicus*** (Linnaeus, 1758)
- aethiopicus, ***Melo aethiopicus*** (Linnaeus, 1758)
- affinis, ***Zidona dufresnei affinis*** Lahille
- africana, ***Festilyria africana*** (Reeve, 1856)
- africana, Lyria africana Reeve, 1856 - syn of: ***Festilyria africana*** (Reeve, 1856)
- africana, Voluta africana Reeve, 1856 - syn of: ***Festilyria africana*** (Reeve, 1856)
- africana beckeri, Voluta africana beckeri Turton, 1932 - syn of: ***Festilyria africana*** (Reeve, 1856)
- africana ponderosa, Voluta africana ponderosa Turton, 1932 - syn of: ***Festilyria africana*** (Reeve, 1856)
- africana riетensis, Voluta africana riетensis Turton, 1932 - syn of: ***Festilyria africana*** (Reeve, 1856)
- aguayoi, ***Volutifusus aguayoi*** (Clench, 1940)
- agustiniensis, ***Cymbiola vespertilio agustiniensis*** Ball & Douté
- ahaweraensis, ***Alcithoe ahaweraensis*** Marwick, 1926 † (**FOSSIL**)
- aikeni, Fusivoluta aikeni Lussi, 2011 - syn of: ***Belomitra aikeni*** (Lussi, 2011)
- aikeni, ***Callipara aikeni*** Veldsman, 2012
- aikeni inhacaensis, ***Callipara aikeni inhacaensis*** Veldsman, 2012
- aikeni kosibayensis, ***Callipara aikeni kosibayensis*** Veldsman, 2012
- aillaudorum, ***Alcithoe aillaudorum*** Bouchet & Poppe, 1988
- alabastrina, ***Provocator alabastrina*** (Watson, 1882)
- alabastrina, Guivillea alabastrina (Watson, 1882) - syn of: ***Provocator alabastrina*** (Watson, 1882)
- alarconi, ***Miomelon alarconi*** Stuardo & Villas, 1974
- alba, Voluta alba Turton, 1819 - syn of: ***Auriculinella bidentata*** (Montagu, 1808)
- alba, ***Ericusa fulgetrum alba*** Verco
- alba, Voluta alba Verriil, 1953 - syn of: ***Voluta musica*** Linnaeus, 1758
- albescens, ***Alcithoe albescens*** Ball & Limpus, 2005
- alfaroi, ***Voluta alfaroi*** Dall, 1912 † (**FOSSIL**)
- alfordae, Voluta alfordae Verriil, 1953 - syn of: ***Voluta musica*** Linnaeus, 1758
- alforum, ***Fulgoraria alforum*** Thach, 2014
- allani, ***Spinomelon allani*** Marwick, 1926 † (**FOSSIL**)
- allaryi, ***Fulgoraria allaryi*** (Ball, 2005)
- allaryi, Musashia allaryi Ball, 2005 - syn of: ***Fulgoraria allaryi*** (Ball, 2005)
- alliandorum, Alcithoe alliandorum Bouchet & Poppe, 1988 - syn of: ***Alcithoe aillaudorum*** Bouchet & Poppe, 1988
- alta, ***Adelomelon alta*** (Sowerby, 1846) † (**FOSSIL**)
- alta, Voluta alta Philippi, 1887 † - syn of: ***Adelomelon curinancui*** Nielsen, 2003 † (**FOSSIL**)
- alticostata, ***Livonia alticostata*** Tate, 1889 † (**FOSSIL**)
- altispira, ***Cymbiola magnifica altispira*** Mayblom
- amabilis, Nipponomelon amabilis Shikama & Watanabe, 1970 - syn of: ***Nipponomelon megaspira*** (Sowerby, 1844)
- ambiguus, ***Volutospina ambiguus*** (Solander, 1766) † (**FOSSIL**)
- ameghinoi, ***Pachycymbiola ameghinoi*** (Ihering, 1896) † (**FOSSIL**)
- americana, ***Odontocymbiola americana*** (Reeve, 1856)
- americana, ***Ampulla americana*** Olson, 1922 † (**FOSSIL**)
- americana, ***Scaphella americana*** Perrillat, 1973 † (**FOSSIL**)
- americana cleryana, ***Odontocymbiola americana cleryana*** (Pett De La Saussaye, 1856)
- americana macaensis, ***Odontocymbiola americana macaensis*** Calvo & Coltro, 1997
- americana saotomensis, ***Odontocymbiola americana saotomensis*** Calvo & Coltro, 1997
- amicula, ***Nannamoria amicula*** Iredale, 1929
- amoriaformis, ***Pachymelon amoriaformis*** (Marwick, 1926) † (**FOSSIL**)
- amphora, ***Melo amphora*** (Lightfoot, 1786)
- amphora, ***Neoathleta amphora*** Bellardi, 1890 † (**FOSSIL**)
- amphora knighti, ***Melo amphora knighti*** Jackson, 1954
- ampla, Voluta ampla Gmelin, 1791 - syn of: ***Ancilla ampla*** (Gmelin, 1791)
- amundseni, ***Alcithoe amundseni*** Stiweil & Zinsmeister, 1992 † (**FOSSIL**)
- anceps, ***Lyria anceps*** Michelotti, 1861 † (**FOSSIL**)
- ancilla, ***Adelomelon ancilla*** (Lightfoot, 1786)
- ancilla barattinii, ***Adelomelon ancilla barattinii*** Klappenbach & Ureta, 1966
- ancilla martensi, ***Adelomelon ancilla martensi*** (Strebler, 1906)
- ancilloides, ***Ericusa ancilloides*** Tate, 1889 † (**FOSSIL**)
- angasii, ***Amoria undulata angasii*** Sowerby
- angasii, Voluta angasii Sowerby, 1864 - syn of: ***Amoria undulata*** (Lamarck, 1804)
- angasii, Amoria angasii Sowerby, 1864 - syn of: ***Amoria undulata angasii*** (Sowerby, 1864)
- angoli, ***Palaeomelon angoli*** Nelsen & Frassinetti, 2007 † (**FOSSIL**)

- **angulata**, Voluta angulata Lightfoot, 1786 - syn of: [**Turbinella angulata**](#) (Lightfoot, 1786)
- **angulata**, Zidona angulata Swainson, 1821 - syn of: [**Zidona dufresnei**](#) (Donovan, 1823)
- **angulosa**, Fulgoraria angulosa Shikama, 1967 - syn of: [**Nipponomelon megaspira**](#) (Sowerby, 1844)
- **anguria**, Melo anguria Lightfoot, 1786 - syn of: [**Melo melo**](#) (Lightfoot, 1786)
- **angusta**, [**Eosephaea angusta**](#) (Deshayes, 1835) † (**FOSSIL**)
- **anna**, [**Lyria anna**](#) (Lesson, 1835)
- **anna**, Harpeola anna Swainson, 1824 - syn of: [**Lyria anna**](#) (Lesson, 1835)
- **annulatum**, [**Notopeplum annulatum**](#) Wilson, 1972
- **anomala**, [**Fusivoluta anomala**](#) (Von Martens, 1902)
- **anoptos**, [**Falsilyria anoptos**](#) Hoerle, 1978 † (**FOSSIL**)
- **antarctica**, [**Lyria antarctica**](#) Stilwell & Zinsmeister, 1992 † (**FOSSIL**)
- **anticingulata**, [**Athleta anticingulata**](#) (McCoy, 1866) † (**FOSSIL**)
- **anticingulata persulcata**, [**Athleta anticingulata persulcata**](#) (Pritchard, 1913)
- **antiscalaris**, [**Ternivoluta antiscalaris**](#) (McCoy, 1866) † (**FOSSIL**)
- **apheles**, [**Zygomelon apheles**](#) Stilwell & al., 2004 † (**FOSSIL**)
- **aphrodite**, [**Callipara aphrodite**](#) (Bondarev, 1999)
- **aphrodite**, Lyria aphrodite Bondarev, 1999 - syn of: [**Callipara aphrodite**](#) (Bondarev, 1999)
- **aquitanica**, [**Lyria subharpula aquitanica**](#) Peyrot
- **arabica**, [**Alcithoe arabica**](#) (Gmelin, 1791)
- **arabica depressa**, [**Alcithoe arabica depressa**](#) Suter, 1908
- **arabica swainsoni**, [**Alcithoe arabica swainsoni**](#) Marwick, 1926
- **arabica swainsoni motutaraensis**, [**Alcithoe arabica swainsoni motutaraensis**](#) Powell, 1928
- **arabicula**, [**Alcithoe arabicula**](#) Marwick, 1926 † (**FOSSIL**)
- **arangia**, [**Athleta arangia**](#) Palmer, 1953 † (**FOSSIL**)
- **arausiaca**, [**Harpulina arausiaca**](#) (Lightfoot, 1786)
- **arausiaca vexillum**, [**Harpulina arausiaca vexillum**](#) (Gmelin, 1791)
- **archeri**, [**Lyria beaujii archeri**](#) Angas
- **armata**, Melo armata Lamarck, 1811 - syn of: [**Melo amphora**](#) (Lightfoot, 1786)
- **arnheimi**, Adelomelon arnheimi Rivers, 1891 - syn of: [**Adelomelon ancilla**](#) (Lightfoot, 1786)
- **asherii**, [**Volutifusus asheri**](#) Petuch, 1988 † (**FOSSIL**)
- **ashleyae**, [**Scaphella ashleyae**](#) Petuch, 1994 † (**FOSSIL**)
- **ashmorensis**, [**Melo ashmorensis**](#) Morrison, 2005
- **athleta**, [**Volutospina athleta**](#) (Solander, 1877) † (**FOSSIL**)
- **atkinsoni**, [**Ericusa atkinsoni**](#) (Pritchard, 1896) † (**FOSSIL**)
- **atlantis**, [**Scaphella atlantis**](#) Clench, 1946
- **aulica**, [**Cymbiola aulica**](#) (Sowerby, 1825)
- **aulica cathcartiae**, Cymbiola aulica cathcartiae Reeve, 1856 - syn of: [**Cymbiola cathcartiae**](#) Reeve, 1856
- **aulica laminusa**, Cymbiola aulica laminusa Poppe, Tagaro & Bai, 2011 - syn of: [**Cymbiola laminusa**](#) Poppe, Tagaro & Bai, 2011
- **aulica malayensis**, Cymbiola aulica malayensis Douté, 1985 - syn of: [**Cymbiola malayensis**](#) Douté, 1985
- **aulica palawanica**, Cymbiola aulica palawanica Douté, 1985 - syn of: [**Cymbiola palawanica**](#) Douté, 1985
- **aurantia**, [**Iredalina mirabilis aurantia**](#) Powell
- **aurantia**, Provocator aurantia Powell, 1954 - syn of: [**Iredalina mirabilis aurantia**](#) (Powell, 1954)
- **aurantia**, [**Fulgoraria rupestris aurantia**](#) Shikama & Kosuge
- **auriscati**, Voluta auriscati Holten, 1802 - syn of: [**Otopleura auriscati**](#) (Holten, 1802)
- **auroraensis**, [**Volutifusus auroraensis**](#) Petuch, 1994 † (**FOSSIL**)
- **australiae**, Amoria australiae Cox, 1872 - syn of: [**Amoria undulata**](#) (Lamarck, 1804)
- **australiae**, Voluta australiae Cox, 1872 - syn of: [**Amoria undulata**](#) (Lamarck, 1804)
- **awaterensis**, [**Spinomelon awaterensis**](#) L. C. King, 1934 † (**FOSSIL**)
- **bacchanalia**, [**Alcithoe bacchanalia**](#) L. C. King, 1934 † (**FOSSIL**)
- **baconi**, [**Notovoluta baconi**](#) Wilson, 1972
- **badrii**, [**Volutilithes badrii**](#) Abbass, 1967 † (**FOSSIL**)
- **baili**, [**Cymbiola baili**](#) Prati Musetti & Raybaudi Massila, 1997
- **bailorum**, [**Fulgoraria bailorum**](#) Thach, 2014
- **balcombensis**, [**Notopeplum balcombensis**](#) Finlay, 1930 † (**FOSSIL**)
- **barattinii**, [**Adelomelon ancilla barattinii**](#) Klappenbach & Ureta
- **barattinii**, Adelomelon barattinii Klappenbach & Ureta, 1966 - syn of: [**Adelomelon ancilla barattinii**](#) Klappenbach & Ureta, 1966
- **barkoukensis**, [**Lyria barkoukensis**](#) Abbass, 1967 † (**FOSSIL**)
- **barnardi**, [**Fusivoluta barnardi**](#) Rehder, 1969
- **barneli**, [**Calliotectum tibiaeforme barneli**](#) Bai
- **barnesii**, [**Enaeta barnesii**](#) (Gray, 1825)
- **barrandii**, [**Neoathleta barrandii**](#) (Deshayes, 1865) † (**FOSSIL**)
- **barthelowi**, Prodallia barthelowi Bartsch, 1942 - syn of: [**Latiromitra barthelowi**](#) (Bartsch, 1942)
- **bartrumi**, [**Alcithoe bartrumi**](#) L. C. King, 1933 † (**FOSSIL**)
- **bathgatei**, [**Spinomelon bathgatei**](#) Finlay, 1926 † (**FOSSIL**)
- **beauii**, [**Lyria beaujii**](#) (Fischer & Bernardi, 1857)
- **beauii archeri**, [**Lyria beaujii archeri**](#) (Angas, 1865)
- **beauii sabaensis**, Mitraelyria beaujii sabaensis Bai, 1993 - syn of: [**Lyria sabaensis**](#) Bai, 1993
- **beauii sabaensis**, Lyria beaujii sabaensis Bai, 1993 - syn of: [**Lyria sabaensis**](#) Bai, 1993
- **beauii vegai**, Lyria beaujii vegai Clench & Turner, 1967 - syn of: [**Lyria vegai**](#) Clench & Turner, 1967
- **beckii**, [**Adelomelon beckii**](#) (Broderip, 1836)
- **beckii connexa**, [**Adelomelon beckii connexa**](#) (Lahille, 1895)
- **beckii fusiformis**, [**Adelomelon beckii fusiformis**](#) (Kiener, 1839)
- **beckii indigestus**, [**Adelomelon beckii indigestus**](#) (Ihering, 1908)
- **bednalli**, [**Volutoconus bednalli**](#) (Brazier, 1878)

- benitens, [***Spinomelon benitens***](#) (Finlay, 1926) † (**FOSSIL**)
- benthalis, [***Arctomelon benthalis***](#) (Dall, 1896)
- benthalis, [***Amoria benthalis***](#) McMichael, 1964
- benthicola, [***Alcithoe benthicola***](#) (Dell, 1963)
- bericorum, [***Pseudaulicina bericorum***](#) (Oppenheim, 1896) † (**FOSSIL**)
- bermudezi, Scaphella bermudezi Clench & Aguayo, 1940 - syn of: [***Scaphella dohrni***](#) (Sowerby, 1903)
- berthae, [***Eosephaea berthae***](#) (de Raincourt, 1874) † (**FOSSIL**)
- bessei, [***Enaeta bessei***](#) Petuch, 2013
- bicincta, [***Ericusa fulgetrum bicincta***](#) Verco
- biconica, [***Mauira biconica***](#) (Suter, 1917) † (**FOSSIL**)
- bicorona, [***Athleta bicorona***](#) (Lamarck, 1802) † (**FOSSIL**)
- bidentata, Voluta bidentata Montagu, 1808 - syn of: [***Auriculinella bidentata***](#) (Montagu, 1808)
- bifasciata, Voluta bifasciata Gmelin, 1791 - syn of: [***Acteon tornatilis***](#) (Linnaeus, 1758)
- biminiensis, [***Scaphella biminiensis***](#) Olerik, Petuch & Aley IV, 2012
- bironensis, [***Pseudaulicina bironensis***](#) (Douville, 1930) † (**FOSSIL**)
- blaizei, [***Fusivoluta blaizei***](#) (Barnard, 1959)
- blanfordi, [***Lyrischapa blanfordi***](#) (Vredenburg, 1923) † (**FOSSIL**)
- blanfordi, Athleta blanfordi Vredenburg, 1923 † - syn of: [***Lyrischapa blanfordi***](#) (Vredenburg, 1923) † (**FOSSIL**)
- boholensis, [***Lyria boholensis***](#) Kosuge, 1980
- bolaris, [***Caricella bolaris***](#) (Conrad, 1833) † (**FOSSIL**)
- bolli, [***Scaphella bolli***](#) (Koch, 1862) † (**FOSSIL**)
- bolli subspecies, [***Scaphella bolli subspecies***](#) (Koch, 1862) † (**FOSSIL**)
- bondarevi, [***Lyria bondarevi***](#) Bail & Poppe, 2004
- borealis, Nipponomelon borealis Masuda, 1990 - syn of: [***Nipponomelon megaspira***](#) (Sowerby, 1844)
- boswellae, [***Athleta boswellae***](#) (Rehder, 1969)
- boswellae disparilis, Athleta boswellae disparilis (Rehder, 1969) - syn of: [***Athleta disparilis***](#) (Rehder, 1969)
- boswellae magister, Athleta boswellae magister (Kiburn, 1978) - syn of: [***Athleta magister***](#) (Kiburn, 1978)
- bottai, [***Argentovoluta bottai***](#) (Vazquez & Caldini, 1989)
- boucheti, [***Lyria boucheti***](#) (Bail & Poppe, 2004)
- boucheti, Plicolyria boucheti Bail & Poppe, 2004 - syn of: [***Lyria boucheti***](#) (Bail & Poppe, 2004)
- bouei, [***Eovoluta bouei***](#) (Deshayes, 1865) † (**FOSSIL**)
- bracata, Adelomelon bracata Mabille & Rochebrune, 1889 - syn of: [***Adelomelon ancilla***](#) (Lightfoot, 1786)
- branderi, [***Eovoluta branderi***](#) (Defrance, 1824) † (**FOSSIL**)
- brasiliiana, [***Adelomelon brasiliiana***](#) (Lamarck, 1811)
- brasiliiana, Pachycymbiola brasiliiana (Lamarck, 1811) - syn of: [***Adelomelon brasiliiana***](#) (Lamarck, 1811)
- brazieri, Voluta brazieri Cox, 1873 - syn of: [***Lyria laseroni***](#) (Iredale, 1937)
- brazieri, Lyria brazieri Cox, 1873 - syn of: [***Lyria laseroni***](#) (Iredale, 1937)
- brennmortoni, [***Scaphella brennmortoni***](#) Olson & Pettit, 1964 † (**FOSSIL**)
- breviforma, [***Nannamoria breviforma***](#) Bail & Limpus, 2008
- breviplicata, [***Voluta breviplicata***](#) Forbes, 1846 † (**FOSSIL**)
- brevis, [***Alcithoe brevis***](#) (Marwick, 1926) † (**FOSSIL**)
- brevispira, [***Pseudaulicina brevispira***](#) (Doncieux, 1908) † (**FOSSIL**)
- brevispira, [***Lyrischapa brevispira***](#) Merle & al., 2014 † (**FOSSIL**)
- brianoi, [***Lyria brianoi***](#) Poppe, 1999
- broderipii, [***Melo broderipii***](#) (Gray in Griffith & Pidgeon, 1833)
- browni, [***Volutoconus browni***](#) Bail & Limpus, 2013
- brunneocincta, [***Voluta polypeura brunneocincta***](#) Poppe
- bulbosa, [***Nannamoria bulbosa***](#) Bail & Limpus, 2008
- bulbula, [***Athleta bulbula***](#) (Lamarck, 1802) † (**FOSSIL**)
- bulbus, [***Alcithoe bulbus***](#) (Marwick, 1931) † (**FOSSIL**)
- bullata, Voluta bullata Born, 1778 - syn of: [***Bullata bullata***](#) (Born, 1778)
- bullata, Callipara bullata Swainson, 1829 - syn of: [***Callipara bullatiana***](#) Weaver & Dupont, 1967
- bullatiana, [***Callipara bullatiana***](#) Weaver & Dupont, 1967
- bullisi, [***Scaphella bullisi***](#) Shelton, 2004
- bureaui, [***Athleta bureaui***](#) (Cossmann, 1896) † (**FOSSIL**)
- burmeisteri, [***Adelomelon burmeisteri***](#) (Ihering, 1907) † (**FOSSIL**)
- busera, [***Lyria busera***](#) Olson, 1930 † (**FOSSIL**)
- butleri, [***Scaphella junonia butleri***](#) Clench
- caffra, Voluta caffra Linnaeus, 1758 - syn of: [***Vexillum vulpecula***](#) (Linnaeus, 1758)
- calcarelliformis, [***Volutoconus calcarelliformis***](#) Wels & Morrison, 2003
- californiana, [***Volutilithes californiana***](#) Conrad, 1856 † (**FOSSIL**)
- callaghanii, [***Alcithoe callaghanii***](#) (L. C. King, 1931) † (**FOSSIL**)
- calligona, [***Voluta calligona***](#) Maury, 1934 † (**FOSSIL**)
- callomoni, [***Fulgoraria callomoni***](#) Thach, 2015
- calva, [***Alcithoe jaculoides calva***](#) Powell
- calva, Alcithoe calva Powell, 1924 - syn of: [***Alcithoe jaculoides calva***](#) Powell, 1924
- camdeo, [***Voluta camdeo***](#) Forbes, 1846 † (**FOSSIL**)
- canaliculata, [***Amoria canaliculata***](#) (McCoy, 1869)
- canaliculata harfordi, [***Amoria canaliculata harfordi***](#) Cox, 1869
- canalis, [***Lioptoplum canalis***](#) (Conrad, 1858) † (**FOSSIL**)
- cancellata, [***Musashia cancellata***](#) (Kuroda & Habe, 1950)
- cancellata, Voluta cancellata Linnaeus, 1767 - syn of: [***Bivetiella cancellata***](#) (Linnaeus, 1767)
- canigiai, [***Odontocymbiola magellanica canigiai***](#) Vazquez & Caldini
- cantaaurana, [***Voluta cantaaurana***](#) Gibson-Smith, 1973 † (**FOSSIL**)

- *capeletii*, [*Scaphella junonia capeletii*](#) Petuch
- *capitata*, Fulgoraria capitata Perry, 1811 - syn of: [*Fulgoraria rupestris*](#) (Gmelin, 1791)
- *capricornea*, [*Notovoluta capricornea*](#) (Wilson, 1972)
- *capricornica*, [*Amoria molleri capricornica*](#) Bail & Limpus
- *caputvelatum*, Cymbium caputvelatum Bruynseels, 1975 - syn of: [*Cymbium tritonis*](#) (Broderip, 1830)
- *caricelloides*, [*Volutifusus caricelloides*](#) Petuch, 1988 † (**FOSSIL**)
- *carneolata*, [*Voluta musica carneolata*](#) Lamarck
- *carneolata*, Voluta carneolata Lamarck, 1811 - syn of: [*Voluta musica carneolata*](#) Lamarck, 1811
- *carnicolor*, [*Fulgoraria carnicolor*](#) (Bail & Chino, 2010)
- *carnicolor*, Musashia carnicolor Bail & Chino, 2010 - syn of: [*Fulgoraria carnicolor*](#) (Bail & Chino, 2010)
- *caroli*, [*Amoria maculata caroli*](#) Iredale
- *caroli*, Scaphella caroli Iredale, 1924 - syn of: [*Amoria maculata*](#) (Swainson, 1822)
- *caroli*, Amoria caroli Iredale, 1924 - syn of: [*Amoria maculata caroli*](#) (Iredale, 1924)
- *carolinensis*, [*Lyria carolinensis*](#) Kellum, 1926 † (**FOSSIL**)
- *cassidula*, [*Lyria cassidula*](#) (Reeve, 1849)
- *cassidula*, Voluta cassidula Reeve, 1849 - syn of: [*Lyria cassidula*](#) (Reeve, 1849)
- *cassidula pallidula*, [*Lyria cassidula pallidula*](#) Habe, 1962
- *catenata*, Voluta catenata Montagu, 1803 - syn of: [*Gibberula catenata*](#) (Montagu, 1803)
- *cathcartiae*, [*Cymbiola cathcartiae*](#) Reeve, 1856
- *cathedralis*, [*Notovoluta cathedralis*](#) (Tate, 1888) † (**FOSSIL**)
- *caupolicani*, [*Adelomelon caupolicani*](#) Nielsen & Frassinetti, 2007 † (**FOSSIL**)
- *ceraunia*, [*Cymbiola rutila ceraunia*](#) Gray
- *chaneyi*, [*Amoria chaneyi*](#) Morrison, 2012
- *charcoti*, [*Harpovoluta charcoti*](#) (Lamy, 1910)
- *chathamensis*, Alcithoe chathamensis Dell, 1956 - syn of: [*Alcithoe wilsonae*](#) (Powell, 1933)
- *chaunax*, Toramachia chaunax Bayer, 1971 - syn of: [*Latiromitra cryptodon*](#) (Fischer, 1883)
- *chemnitzii*, Voluta chemnitzii Dilwyn, 1817 - syn of: [*Glabella denticulata*](#) (Link, 1807)
- *chesteri*, [*Mauira chesteri*](#) (Marwick, 1931) † (**FOSSIL**)
- *chinensis*, Fulgoraria chinensis Schumacher, 1817 - syn of: [*Fulgoraria rupestris*](#) (Gmelin, 1791)
- *chinoi*, [*Fulgoraria chinoi*](#) (Bai, 2000)
- *chinoi*, Musashia chinoi Bai, 2000 - syn of: [*Fulgoraria chinoi*](#) (Bai, 2000)
- *chlorosina*, Voluta chlorosina Lamarck, 1811 - syn of: [*Voluta ebraea*](#) Linnaeus, 1758
- *choptankensis*, [*Volutifusus choptankensis*](#) Petuch, 1988 † (**FOSSIL**)
- *chorea*, Voluta chorea Röding, 1798 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *chrysostoma*, [*Cymbiola chrysostoma*](#) (Swainson, 1824)
- *cincta*, [*Voluta cincta*](#) Forbes, 1846 † (**FOSSIL**)
- *cisium*, Cymbium cisium Menke, 1828 - syn of: [*Cymbium cymbium*](#) (Linnaeus, 1758)
- *cithara*, [*Athleta cithara*](#) (Lamarck, 1822) † (**FOSSIL**)
- *cithara*, Melo cithara Lightfoot, 1786 - syn of: [*Melo amphora*](#) (Lightfoot, 1786)
- *citharina*, [*Voluta citharina*](#) Forbes, 1846 † (**FOSSIL**)
- *citharopsis*, [*Volutopupa citharopsis*](#) Merle & al., 2014 † (**FOSSIL**)
- *citrina*, Melo citrina Fischer von Waldheim, 1807 - syn of: [*Melo melo*](#) (Lightfoot, 1786)
- *citrusensis*, [*Lyria citrusensis*](#) Palmer, 1953 † (**FOSSIL**)
- *clara*, [*Fulgoraria clara*](#) (Sowerby, 1914)
- *clara noguchi*, Fulgoraria clara noguchi Hayashi, 1960 - syn of: [*Fulgoraria noguchii*](#) (Hayashi, 1960)
- *clarkei*, [*Fusivoluta clarkei*](#) Rehder, 1969
- *clarksonii*, [*Notovoluta kreuslerae clarksonii*](#) Angas
- *claydoni*, [*Calliotectum dalli claydoni*](#) Poppe
- *clayi*, [*Athleta clayi*](#) Smith, 1907 † (**FOSSIL**)
- *cleaveri*, [*Lyria cleaveri*](#) Morrison, 2008
- *cleryana*, [*Odontocymbiola americana cleryana*](#) Petit De La Saussaye
- *clifdenensis*, [*Metamelon clifdenensis*](#) (Finlay, 1926) † (**FOSSIL**)
- *cloveriana*, [*Indolyria cloveriana*](#) (Weaver, 1963)
- *cloveriana gabryae*, [*Indolyria cloveriana gabryae*](#) (Poppe, 1991)
- *coffea*, Voluta coffea Linnaeus, 1758 - syn of: [*Melampus coffea*](#) (Linnaeus, 1758)
- *cognata*, [*Alcithoe cognata*](#) (Finlay, 1926) † (**FOSSIL**)
- *colesae*, [*Alcithoe colesae*](#) Bail & Limpus, 2005
- *colocoloi*, [*Adelomelon colocoloi*](#) Nielsen & Frassinetti, 2007 † (**FOSSIL**)
- *colocynthia*, Pachycymbiola colocynthis Dilwyn, 1817 - syn of: [*Adelomelon brasiliiana*](#) (Lamarck, 1811)
- *complexa*, [*Cymbiola complexa*](#) (Iredale, 1924)
- *complexa frazerensis*, [*Cymbiola complexa frazerensis*](#) Bail & Limpus, 1998
- *complexa nielseni*, [*Cymbiola complexa nielseni*](#) McMichael, 1963
- *concinna*, [*Fulgoraria concinna*](#) (Broderip, 1836)
- *concinna*, Psephaea concinna Broderip, 1836 - syn of: [*Fulgoraria concinna*](#) (Broderip, 1836)
- *concinna*, [*Parvivoluta concinna*](#) Wade, 1926 † (**FOSSIL**)
- *concinna corrugata*, [*Fulgoraria concinna corrugata*](#) (Broderip, 1836)
- *concinna rosea*, [*Fulgoraria concinna rosea*](#) (Broderip, 1836)
- *concisa*, [*Alcithoe concisa*](#) Marwick, 1931 † (**FOSSIL**)
- *condei*, [*Amoria jamrachi condei*](#) Bail & Limpus
- *confusa*, [*Spinomelon confusa*](#) (Marwick, 1926) † (**FOSSIL**)
- *confusa*, Voluta confusa Röding, 1798 - Syn of: [*Voluta musica*](#) Linnaeus, 1758
- *conicoturrita*, [*Volutospina conicoturrita*](#) Newton, 1922 † (**FOSSIL**)
- *coniformis*, [*Volutoconus coniformis*](#) (Cox, 1871)
- *connectens*, [*Ericusa fulgetrum connectens*](#) Verco

- *connexa*, [*Adelomelon beckii connexa*](#) Lahille
- *conoidea*, Voluta conoidea Tate, 1889 † - syn of: [*Volutoconus ralphi*](#) Finlay, 1930 † (**FOSSIL**)
- *conradi*, [*Lapparia conradi*](#) Palmer, 1953 † (**FOSSIL**)
- *contoyensis*, [*Scaphella contoyensis*](#) Emerson & Old, 1979
- *coquillensis*, [*Evoluta coquillensis*](#) (Turner, 1938) † (**FOSSIL**)
- *corderoi*, [*Minicymbiola corderoi*](#) (Carcelles, 1953)
- *corderoi*, [*Provocator corderoi*](#) Carcelles, 1947
- *cordis*, [*Lyria cordis*](#) Bayer, 1971
- *cornicula*, Voluta cornicula Linnaeus, 1758 - syn of: [*Mitra cornicula*](#) (Linnaeus, 1758)
- *corona*, Cymbiola corona Dilwyn, 1817 - syn of: [*Cymbiola cymbiola*](#) (Gmelin, 1791)
- *coronaspira*, [*Scaphella coronaspira*](#) Petuch, 1988 † (**FOSSIL**)
- *coronatum*, [*Liopeplum coronatum*](#) Sohl, 1964 † (**FOSSIL**)
- *coroni*, [*Lyria coroni*](#) (Moret, 1888) † (**FOSSIL**)
- *corrugata*, [*Fulgoraria concinna corrugata*](#) Broderip
- *corrugatus*, Volutoconus corrugatus Cossmann & Pissarro, 1909 † - syn of: [*Lyrischapa sismondai*](#) (d'Archiac & Haime, 1853) † (**FOSSIL**)
- *cossignanii*, [*Notopeplum cossignanii*](#) Poppe, 1999
- *cossmanni*, [*Lyriopsis cossmanni*](#) (Vredenburg, 1923) † (**FOSSIL**)
- *cossmanni*, [*Miomelon cossmanni*](#) Ihering, 1907 † (**FOSSIL**)
- *costaria*, [*Eopsephaea costaria*](#) (Lamarck, 1802) † (**FOSSIL**)
- *costaricana*, [*Scaphella costaricana*](#) Olson, 1922 † (**FOSSIL**)
- *costata*, Voluta costata Swainson, 1824 - Syn of: [*Lyria anna*](#) (Lesson, 1835)
- *costellifera*, [*Paramoria costellifera*](#) (Tate, 1889) † (**FOSSIL**)
- *coucomorum*, [*Cymbiola pulchra coucomorum*](#) Bail & Limpus
- *coxi*, [*Pseudaulicina coxi*](#) Merle & Pacaud, 2014 † (**FOSSIL**)
- *cracenta*, [*Cymbiola cracenta*](#) (McMichael, 1963)
- *crassa*, [*Alcithoe fissurata crassa*](#) Bail & Limpus
- *crassicostata*, [*Mitraelyria mitraeformis crassicostata*](#) Darragh (**FOSSIL**)
- *crassilabrum*, [*Leptoscapha crassilabrum*](#) Tate, 1889 † (**FOSSIL**)
- *crassiuscula*, [*Peruluta crassiuscula*](#) (Woods, 1922) † (**FOSSIL**)
- *crenulifera*, [*Athleta crenulifera*](#) Bayan, 1870 † (**FOSSIL**)
- *cretaceum*, [*Liopeplum cretaceum*](#) (Conrad, 1858) † (**FOSSIL**)
- *cribrosa*, [*Alcithoe cribrosa*](#) (Tate, 1889) † (**FOSSIL**)
- *eruentata*, Voluta eruentata Gmelin, 1791 - syn of: [*Vexillum virgo*](#) (Linnaeus, 1767)
- *ctenista*, [*Ctenilyria ctenista*](#) Wooding, 1964 † (**FOSSIL**)
- *cuba*, Scaphella cuba Clench, 1946 - syn of: [*Scaphella robusta*](#) (Dall, 1889)
- *cubaguaensis*, [*Voluta cubaguaensis*](#) Gibson-Smith, 1973 † (**FOSSIL**)
- *cucumis*, [*Cymbium cucumis*](#) Röding, 1798
- *cukri*, [*Tenebrincola cukri*](#) (Rokop, 1972)
- *cukri frigida*, Tenebrincola cukri frigida Harasewych & Kantor, 1991 - syn of: [*Tenebrincola frigida*](#) Harasewych & Kantor, 1991
- *cumingii*, [*Enaeta cumingii*](#) (Broderip, 1832)
- *curiniancui*, [*Adelomelon curiniancui*](#) Nielsen, 2003 † (**FOSSIL**)
- *curta*, [*Nannamoria gotoi curta*](#) Bail & Limpus
- *cylindrica*, [*Alcithoe cylindrica*](#) Marwick, 1926 † (**FOSSIL**)
- *cylleniformis*, [*Enaeta cylleniformis*](#) (Sowerby, 1844)
- *cymbiola*, [*Cymbiola cymbiola*](#) (Gmelin, 1791)
- *cymbiolista*, Cymbiolena cymbiolista Iredale, 1931 - syn of: [*Amoria hunteri*](#) (Iredale, 1931)
- *cymbium*, [*Cymbium cymbium*](#) (Linnaeus, 1758)
- *daisyae*, [*Volutoconus daisyae*](#) Weaver, 1967
- *dalli*, [*Calliotectum dalli*](#) (Bartsch, 1942)
- *dalli*, Prodallia dalli Bartsch, 1942 - syn of: [*Calliotectum dalli*](#) (Bartsch, 1942)
- *dalli*, [*Lyria dalli*](#) Ihering, 1907 † (**FOSSIL**)
- *dalli claydoni*, [*Calliotectum dalli claydoni*](#) (Poppe, 1986)
- *damoni reevii*, Amoria damoni reevii Sowerby, 1864 - syn of: [*Amoria damonii reevei*](#) (Sowerby, 1864)
- *damonii*, [*Amoria damonii*](#) Gray, 1864
- *damonii gatliffei*, [*Amoria damonii gatliffei*](#) (Sowerby, 1910)
- *damonii keatsiana*, [*Amoria damonii keatsiana*](#) Ludbrook, 1953
- *damonii ludbrookae*, [*Amoria damonii ludbrookae*](#) Bail & Limpus, 1997
- *damonii reevei*, [*Amoria damonii reevei*](#) (Sowerby, 1864)
- *damonii reticulata*, [*Amoria damonii reticulata*](#) Gray, 1864
- *dampieria*, [*Amoria dampieria*](#) Weaver, 1960
- *danielleae*, [*Scaphella danielleae*](#) Petuch, 1994 † (**FOSSIL**)
- *dannevigi*, Livonia dannevigi Verco, 1912 - syn of: [*Livonia nodiplicata*](#) (Cox, 1910)
- *davaoensis*, Lyria davaoensis Kosuge, 1980 † - syn of: [*Plicolyria planicostata*](#) (Sowerby, 1903) † (**FOSSIL**)
- *davegibbsi*, [*Alcithoe davegibbsi*](#) Hart, 1999
- *daviesi*, [*Fulgoraria daviesi*](#) (Fulton, 1938)
- *daviesi*, Psephaea daviesi (Fulton, 1938) - syn of: [*Fulgoraria daviesi*](#) (Fulton, 1938)
- *deceptrix*, [*Festilyria festiva deceptrix*](#) Palazzi
- *decipiens*, Odontocymbiola decipiens Lahille, 1895 - syn of: [*Odontocymbiola magellanica subnodosa*](#) (Leach, 1814)
- *decora*, [*Lyria decora*](#) Beyrich, 1853 † (**FOSSIL**)
- *decussata*, [*Fusivoluta decussata*](#) Barnard, 1959
- *decussata clarkei*, Fusivoluta decussata clarkei Rehder, 1969 - syn of: [*Fusivoluta clarkei*](#) Rehder, 1969
- *degrangei*, [*Lyria degrangei*](#) Peyrot, 1925 † (**FOSSIL**)
- *delessertiana*, [*Indolyria delessertiana*](#) (Pett De La Saussaye, 1842)
- *delicata*, [*Saotomea delicata*](#) (Fulton, 1940)

- *deliciosa*, [*Lyria deliciosa*](#) (Montouzier, 1859)
- *deliciosa*, Voluta deliciosa Montouzier, 1859 - syn of: [*Lyria deliciosa*](#) (Montouzier, 1859)
- *deliciosa howensis*, [*Lyria deliciosa howensis*](#) Irredale, 1937
- *delli*, [*Tractolira delli*](#) Leal & Harasewych, 2005
- *demarcoi*, Voluta demarcoi Olsson, 1965 - syn of: [*Voluta polypyeura*](#) Crosse, 1876
- *demissa*, [*Caricella demissa*](#) Conrad, 1848 † (**FOSSIL**)
- *dentata*, [*Volutospina dentata*](#) (Sowerby, 1839) † (**FOSSIL**)
- *depauperatus*, [*Volutospina depauperatus*](#) (Sowerby, 1823) † (**FOSSIL**)
- *deperdita*, [*Voluta deperdita*](#) Goldfuss, 1841 † (**FOSSIL**)
- *depressa*, [*Alcithoe arabica depressa*](#) Suter
- *depressa*, Alcithoe depressa Suter, 1908 - syn of: [*Alcithoe arabica depressa*](#) Suter, 1908
- *deshayesi*, [*Cymbiola deshayesi*](#) (Reeve, 1854)
- *deshayesianus*, [*Athleta deshayesianus*](#) (Rouault, 1849) † (**FOSSIL**)
- *devexa*, [*Athleta devexa*](#) Author unknown † (**FOSSIL**)
- *diadema*, Melo diadema Lamarck, 1811 - syn of: [*Melo amphora*](#) (Lightfoot, 1786)
- *diamantina*, [*Amoria diamantina*](#) Wilson, 1972
- *dictua*, [*Ericusa fulgetrum dictua*](#) Verco
- *digitalina*, [*Athleta digitalina*](#) (Lamarck, 1810) † (**FOSSIL**)
- *dilatata*, [*Alcithoe dilatata*](#) Marwick, 1926 † (**FOSSIL**)
- *discors*, Voluta discors Gmelin, 1791 - syn of: [*Pyrene punctata*](#) (Bruguère, 1789)
- *disparilis*, [*Athleta disparilis*](#) (Rehder, 1969)
- *distincta*, [*Zidona dufresnei distincta*](#) Lahille
- *dohrni*, [*Scaphella dohrni*](#) (Sowerby, 1903)
- *dohrni*, Voluta dohrni Sowerby, 1903 - syn of: [*Scaphella dohrni*](#) (Sowerby, 1903)
- *dohrni florida*, [*Scaphella dohrni florida*](#) (Clench & Aguayo, 1940)
- *domeykoana*, [*Palaeomelon domeykoana*](#) (Philippi, 1887) † (**FOSSIL**)
- *dondani*, [*Lyria mallicki dondani*](#) Angioi & Biraghi
- *dorbignyania*, [*Miomelon dorbignyania*](#) (Philippi, 1886) † (**FOSSIL**)
- *doutei*, [*Lyria doutei*](#) (Bouchet & Bail, 1991)
- *doutei*, Indolyria doutei Bouchet & Bail, 1991 - syn of: [*Lyria doutei*](#) (Bouchet & Bail, 1991)
- *dubia*, [*Scaphella dubia*](#) Broderip, 1827
- *dubia ethelae*, [*Scaphella dubia ethelae*](#) Pilsby & Olsson, 1953
- *dubia georgiana*, [*Scaphella dubia georgiana*](#) (Clench, 1946)
- *dubia georgiana*, Aurinia dubia georgiana (Clench, 1946) - syn of: [*Scaphella dubia georgiana*](#) (Clench, 1946)
- *dubia kieneri*, [*Scaphella dubia kieneri*](#) (Clench, 1946)
- *dubia neptunia*, Scaphella dubia neptunia Clench & Aguayo, 1940 - syn of: [*Scaphella neptunia*](#) (Clench & Aguayo, 1940)
- *dubia schmitti*, [*Scaphella dubia schmitti*](#) (Bartsch, 1931)
- *dubia schmitti*, Aurinia dubia schmitti (Bartsch, 1931) - syn of: [*Scaphella dubia schmitti*](#) (Bartsch, 1931)
- *ducalis*, Melo ducale Lamarck, 1811 - syn of: [*Melo umbilicatus*](#) Broderip in Sowerby, 1826
- *dufresnei*, [*Zidona dufresnei*](#) (Donovan, 1823)
- *dufresnei affinis*, [*Zidona dufresnei affinis*](#) Lahille, 1895
- *dufresnei distincta*, [*Zidona dufresnei distincta*](#) (Lahille, 1895)
- *dufresnei typica*, [*Zidona dufresnei typica*](#) Lahille, 1895
- *dufresneyi*, Zidona dufresneyi Donovan, 1823 - syn of: [*Zidona dufresnei*](#) (Donovan, 1823)
- *dumosa*, [*Lapparia dumosa*](#) (Conrad, 1854) † (**FOSSIL**)
- *duponti*, [*Festilyria duponti*](#) Weaver, 1968
- *dupreyae*, [*Calliotectum tibiaeforme dupreyae*](#) Emerson
- *dupreyae*, Calliotectum dupreyae Emerson, 1985 - syn of: [*Calliotectum tibiaeforme dupreyae*](#) (Emerson, 1985)
- *dupreyae arafurensis*, Calliotectum dupreyae arafurensis Douté, 1988 - syn of: [*Calliotectum tibiaeforme*](#) (Kuroda, 1931)
- *dupreyae busseltonensis*, Calliotectum dupreyae busseltonensis Douté, 1995 - syn of: [*Calliotectum tibiaeforme*](#) (Kuroda, 1931)
- *discrita*, [*Alcithoe dyscrita*](#) Finlay, 1926 † (**FOSSIL**)
- *ebraea*, [*Voluta ebraea*](#) Linnaeus, 1758
- *economia*, [*Enaeta economia*](#) Woodring, 1964 † (**FOSSIL**)
- *edwardsi*, [*Harpeola edwardsi*](#) (d'Archaïc, 1853) † (**FOSSIL**)
- *egregium*, [*Calliotectum egregium*](#) Bouchet & Poppe, 1995
- *elegans*, [*Alcithoe fissurata elegans*](#) Bai & Limpus
- *elegans*, Fusivoluta elegans Barnard, 1959 - syn of: [*Exilia elegans*](#) (Barnard, 1959)
- *elegans*, Voluta elegans Gmelin, 1791 - syn of: [*Cryptospira elegans*](#) (Gmelin, 1791)
- *elegans*, Voluta elegans Link, 1807 - syn of: [*Vexillum regina*](#) (Sowerby, 1828)
- *elegantissima*, [*Alcithoe elegantissima*](#) (Suter, 1917) † (**FOSSIL**)
- *elevata*, [*Athleta elevata*](#) (Sowerby, 1840) † (**FOSSIL**)
- *elimatus*, [*Spinomelon elimatus*](#) Marwick, 1931 † (**FOSSIL**)
- *elizabethae*, [*Scaphella junonia elizabethae*](#) Petuch & Sargent
- *elliotti*, [*Amoria elliotti*](#) (Sowerby, 1864)
- *elliotti*, [*Eoscaphella elliotti*](#) Stöbel & Zinsmeister, 1992 † (**FOSSIL**)
- *ellipoidea*, [*Ericusa ellipoidea*](#) Tate, 1888 † (**FOSSIL**)
- *elongata*, [*Nipponomelon elongata*](#) (Shikama, 1962)
- *elongata*, Voluta elongata Swainson, 1821 - syn of: [*Alcithoe arabica*](#) (Gmelin, 1791)
- *eltanini*, [*Miomelon eltanini*](#) Dell, 1990
- *emmanuelae*, [*Athleta lutesa emmanuelae*](#) Rosso
- *emmanuelae*, Athleta emmanuelae Rosso, 1976 - syn of: [*Athleta lutesa emmanuelae*](#) (Rosso, 1985)
- *emmanuellae*, Volutocorbis emmanuellae Rosso, 1985 - syn of: [*Athleta lutesa emmanuelae*](#) (Rosso, 1985)
- *emmonsi*, [*Volutifusus emmonsi*](#) Petuch, 1994 † (**FOSSIL**)
- *enysi*, [*Spinomelon enysi*](#) Marwick, 1926 † (**FOSSIL**)

- *eocenica*, [*Falsilyria pycnopleura eocenica*](#) Palmer (**FOSSIL**)
- *eocenica*, [*Sycospira eocenica*](#) Palmer, 1953 † (**FOSSIL**)
- *eodelessertiana*, [*Indolyria eodelessertiana*](#) (Dey, 1961) † (**FOSSIL**)
- *eomagna*, [*Evoluta eomagna*](#) (Vokes, 1939) † (**FOSSIL**)
- *epigona*, [*Athleta epigona*](#) (Von Martens, 1904)
- *ericarum*, [*Fulgoraria ericarum*](#) Douté, 1997
- *ernesti*, *Voluta ernesti* Petuch, 1990 - syn of: [*Voluta polypleura*](#) Crosse, 1876
- *ethelae*, [*Scaphella dubia ethelae*](#) Pisbry & Olsson
- *evansi*, [*Cymbiola magnifica evansi*](#) Bondarev
- *evelina*, [*Scaphella evelina*](#) Bayer, 1971
- *excelsior*, [*Cymbiola pulchra excelsior*](#) Bail & Limpus
- *exigua*, [*Alcithoe exigua*](#) Marwick, 1926 † (**FOSSIL**)
- *exilis*, *Voluta exilis* Gmelin, 1791 - syn of: [*Volvarina exilis*](#) (Gmelin, 1791)
- *exoptanda*, [*Amoria exoptanda*](#) (Reeve, 1849)
- *exoptanda*, *Nipponomelon exoptanda* Shikama, 1967 - syn of: [*Nipponomelon megaspira*](#) (Sowerby, 1844)
- *exorata*, [*Lyria exorata*](#) (Bouchet & Poppe, 1988)
- *exorata*, *Plicolyria exorata* Bouchet & Poppe, 1988 - syn of: [*Lyria exorata*](#) (Bouchet & Poppe, 1988)
- *faba*, *Voluta faba* Linnaeus, 1758 - syn of: [*Gabella faba*](#) (Linnaeus, 1758)
- *familiaris*, [*Alcithoe familiaris*](#) Marwick, 1926 † (**FOSSIL**)
- *fasciata*, *Cymbiola fasciata* Schubert & Wagner, 1829 - syn of: [*Cymbiola nobilis*](#) (Lightfoot, 1786)
- *fasciata*, *Voluta fasciata* Schubert & Wagner, 1829 - syn of: [*Cymbiola nobilis*](#) (Lightfoot, 1786)
- *fayiumensis*, [*Athleta fayiumensis*](#) Abbass, 1967 † (**FOSSIL**)
- *feddeni*, [*Lyria feddeni*](#) Vredenburg, 1923 † (**FOSSIL**)
- *fenestra*, [*Caricella fenestra*](#) Conrad, 1835 † (**FOSSIL**)
- *ferruginea*, *Odontocymbiola ferruginea* Lahille, 1895 - syn of: [*Odontocymbiola magellanica subnodosa*](#) (Leach, 1814)
- *ferussaci*, [*Adelomelon ferussaci*](#) (Donovan, 1824)
- *ferussacii*, *Pachycymbiola ferussacii* Lahille, 1895 - syn of: [*Adelomelon ferussacii*](#) (Donovan, 1824)
- *festiva*, [*Festilyria festiva*](#) (Lamarck, 1811)
- *festiva*, *Voluta festiva* D'Orbigny, 1841 - Syn of: [*Adelomelon beckii*](#) (Broderip, 1836)
- *festiva*, *Voluta festiva* Lamarck, 1811 - syn of: [*Festilyria festiva*](#) (Lamarck, 1811)
- *festiva deceptrix*, [*Festilyria festiva deceptrix*](#) Palazzi, 1981
- *ficulina*, [*Athleta ficulina*](#) (Lamarck, 1811) † (**FOSSIL**)
- *ficulina rarispina*, *Athleta ficulina rarispina* Lamarck, 1811 † - syn of: [*Athleta rarispina*](#) (Lamarck, 1811) † (**FOSSIL**)
- *ficulina subaffinis*, [*Athleta ficulina subaffinis*](#) (D'Orbigny, 1852)
- *fijiensis*, [*Plicolyria planicostata fijiensis*](#) Bail & Poppe (**FOSSIL**)
- *filaris*, *Voluta filaris* Linnaeus, 1771 - syn of: [*Subcancilla filaris*](#) (Linnaeus, 1771)
- *filosa*, *Voluta filosa* Born, 1780 - syn of: [*Subcancilla filaris*](#) (Linnaeus, 1771)
- *finlayi*, [*Alcithoe finlayi*](#) Marwick, 1926 † (**FOSSIL**)
- *firma*, [*Alcithoe firma*](#) (Marwick, 1926) † (**FOSSIL**)
- *fischeri*, [*Calliotectum fischeri*](#) Olson, 1964 † (**FOSSIL**)
- *fissurata*, [*Alcithoe fissurata*](#) (Dell, 1963)
- *fissurata crassa*, [*Alcithoe fissurata crassa*](#) Bail & Limpus, 2005
- *fissurata elegans*, [*Alcithoe fissurata elegans*](#) Bail & Limpus, 2005
- *flammeum*, *Melo flammeum* Röding, 1798 - syn of: [*Melo amphora*](#) (Lightfoot, 1786)
- *flammula*, *Cymbiola flammula* Wood, 1828 - syn of: [*Cymbiola cymbiola*](#) (Gmelin, 1791)
- *flava*, *Voluta flava* Gmelin, 1791 - syn of: [*Melampus flavus*](#) (Gmelin, 1791)
- *flavicans*, [*Cymbiola flavicans*](#) (Gmelin, 1791)
- *flemingi*, [*Alcithoe flemingi*](#) Dell, 1978
- *flemingiana*, *Ampulla flemingiana* Macgillivray, 1843 - syn of: [*Liomesus ovum*](#) (Turton, 1825)
- *flindersi*, [*Cymbiola pulchra flindersi*](#) Bail & Limpus
- *florida*, [*Scaphella dohrni florida*](#) Clench & Aguayo
- *floridana*, [*Scaphella floridana*](#) Helfprin, 1887 † (**FOSSIL**)
- *fluminea*, *Voluta fluminea* Maton, 1811 - syn of: [*Chilina fluminea*](#) (Maton, 1811)
- *fluviatilis*, *Voluta fluviatilis* Maton, 1811 - syn of: [*Chilina fluminea*](#) (Maton, 1811)
- *fordycei*, [*Foscaphella fordycei*](#) Stilwell & Zinsmeister, 1992 † (**FOSSIL**)
- *formosa*, [*Spinomelon formosa*](#) (Laws, 1935) † (**FOSSIL**)
- *formosana*, [*Fulgoraria formosana*](#) (Azuma, 1967)
- *formosana*, *Musashia formosana* Azuma, 1967 - syn of: [*Fulgoraria formosana*](#) (Azuma, 1967)
- *fragaria*, *Voluta fragaria* Wood, 1828 - syn of: [*Clivipollia fragaria*](#) (Wood, 1828)
- *fragile*, [*Cymbium fragile*](#) Fittkau & Stürmer, 1985
- *frazerensis*, [*Cymbiola complexa frazerensis*](#) Bail & Limpus
- *frederici*, [*Eosephaea frederici*](#) Bayan, 1870 † (**FOSSIL**)
- *friderici*, [*Eosephaea friderici*](#) Bayan, 1870 † (**FOSSIL**)
- *frigida*, [*Tenebrincola frigida*](#) Harasewych & Kantor, 1991
- *fulgetrum*, [*Ericusa fulgetrum*](#) (Sowerby, 1825)
- *fulgetrum alba*, [*Ericusa fulgetrum alba*](#) Verco, 1912
- *fulgetrum bicincta*, [*Ericusa fulgetrum bicincta*](#) Verco, 1912
- *fulgetrum connectens*, [*Ericusa fulgetrum connectens*](#) Verco, 1912
- *fulgetrum dictua*, [*Ericusa fulgetrum dictua*](#) Verco, 1909
- *fulgetrum lunisligata*, [*Ericusa fulgetrum lunisligata*](#) Verco, 1912
- *fulgetrum orca*, [*Ericusa fulgetrum orca*](#) (Cotton, 1952)
- *fulgetrum punctisligata*, [*Ericusa fulgetrum punctisligata*](#) Verco, 1912
- *fulgetrum tricincta*, [*Ericusa fulgetrum tricincta*](#) Verco, 1912

- **fulgetrum unicincta**, [Ericusa fulgetrum unicincta](#) Verco, 1912
- **fulgurea**, Odontocymbiola fulgurea Lahille, 1895 - syn of: [Odontocymbiola magellanica subnodosa](#) (Leach, 1814)
- **fulminata**, Fulgoraria fulminata Lamarck, 1811 - syn of: [Fulgoraria rupestris](#) (Gmelin, 1791)
- **fulva**, Voluta fulva Lamarck, 1811 - syn of: [Voluta musica](#) Linnaeus, 1758
- **fuscata**, Voluta fuscata Gmelin, 1791 - syn of: [Leucozonia nassa](#) (Gmelin, 1791)
- **fusiformis**, Voluta fusiformis Defrance, 1829 † - syn of: [Pisanella marieastridae](#) Pacaud, Ledon & Loutry, 2015 † (**FOSSIL**)
- **fusiformis**, [Adelomelon beckii fusiformis](#) Kiener
- **fusiformis**, Adelomelon fusiformis Kiener, 1839 - syn of: [Adelomelon beckii fusiformis](#) (Kiener, 1839)
- **fusiformis**, Ericusa fusiformis Swainson, 1822 - syn of: [Ericusa sowerbyi](#) (Kiener, 1839)
- **fusus**, [Alcithoe fusus](#) (Quoy & Gaimard, 1833)
- **fusus**, Voluta fusus Quoy & Gaimard, 1833 - syn of: [Alcithoe fusus](#) (Quoy & Gaimard, 1833)
- **fusus haurakiensis**, [Alcithoe fusus haurakiensis](#) (Quoy & Gaimard, 1833)
- **fusus hedleyi**, [Alcithoe fusus hedleyi](#) (Murdoch & Suter, 1906)
- **gabbi**, [Lyria gabbi](#) Vokes, 1998 † (**FOSSIL**)
- **gabrielensis**, [Lyria gabrielensis](#) Clark & Durham, 1946 † (**FOSSIL**)
- **gabryae**, [Indolyria cloveriana gabryae](#) Poppe
- **galvarinoi**, [Pachycymbiola galvarinoi](#) Nielsen & Frassinetti, 2007 † (**FOSSIL**)
- **garciai**, [Scaphella garciai](#) Bail, 2007
- **garciai**, Voluta garciai Petuch, 1981 - syn of: [Voluta polypyleura](#) Crosse, 1876
- **gardneri**, [Notovoluta gardneri](#) Darragh, 1983
- **garifuna**, Voluta garifuna Petuch, 0 - syn of: [Voluta polypyleura](#) Crosse, 1876
- **gatesi**, [Alcithoe gatesi](#) Marwick, 1926 † (**FOSSIL**)
- **gatliffi**, [Amoria damonii gatliffi](#) Sowerby
- **gatliffi**, Amoria gatliffi Sowerby, 1910 - syn of: [Amoria damonii gatliffi](#) (Sowerby, 1910)
- **gaudiati**, [Scaphella gaudiati](#) Bail & Shelton, 2001
- **gedinganensis**, [Cymbiola gedinganensis](#) (Martin, 1895) † (**FOSSIL**)
- **geminata**, [Neothleteta geminata](#) (Edwards, 1854) † (**FOSSIL**)
- **gemmata**, [Lyria gemmata](#) Tate, 1889 † (**FOSSIL**)
- **georgiana**, [Scaphella dubia georgiana](#) Clench
- **georginae**, [Melo georginae](#) (Gray in Griffith & Pidgeon, 1833)
- **germonae**, [Tractolira germonae](#) Harasewych, 1987
- **gerondiosi**, [Notovoluta gerondiosi](#) Bail & Limpus, 2005
- **gibbosa**, Voluta gibbosa Born, 1778 - syn of: [Agaronia gibbosa](#) (Born, 1778)
- **gilchristi**, [Athleta gilchristi](#) (Sowerby, 1902)
- **gilchristi**, [Neptuneopsis gilchristi](#) Sowerby, 1898
- **gilchristi mozambicana**, Athleta gilchristi mozambicana (Rehder, 1972) - syn of: [Athleta mozambicana](#) (Rehder, 1972)
- **glabella**, Voluta glabella Linnaeus, 1758 - syn of: [Marginella glabella](#) (Linnaeus, 1758)
- **glabra**, Fulgoraria glabra Habe & Kosuge, 1970 - syn of: [Fulgoraria leviuscula](#) Rehder, 1969
- **glabrata**, [Athleta glabrata](#) (Kilburn, 1971)
- **glans**, [Cymbium glans](#) (Gmelin, 1791)
- **globosa**, Voluta globosa Dilwyn, 1817 - syn of: [Vasum globulus](#) (Lamarck, 1816)
- **goldfussi**, [Lyria goldfussi](#) Deshayes, 1865 † (**FOSSIL**)
- **gotoi**, [Nannamoria gotoi](#) Poppe, 1992
- **gotoi curta**, [Nannamoria gotoi curta](#) Bail & Limpus, 2008
- **gouldiana**, [Scaphella gouldiana](#) (Dal, 1887)
- **gracile**, [Cymbium gracile](#) (Broderip, 1830)
- **gracilicostata**, [Lyria gracilicostata](#) Ludbrook, 1978 † (**FOSSIL**)
- **gracilior**, Voluta gracilior Ihering, 1896 † - syn of: [Miomelon dorbignyana](#) (Philippi, 1886) † (**FOSSIL**)
- **gracilis**, [Miomelon gracilis](#) (Philippi, 1887) † (**FOSSIL**)
- **gracilis**, Voluta gracilis Dilwyn, 1823 - syn of: [Nitidella nitida](#) (Lamarck, 1822)
- **gracilis**, [Athleta olsoni gracilis](#) Garvie (**FOSSIL**)
- **gracilis**, Voluta gracilis Philippi, 1886 † - Syn of: [Miomelon dorbignyana](#) (Philippi, 1886) † (**FOSSIL**)
- **gracilis**, Alcithoe gracilis Swainson, 1824 - syn of: [Alcithoe fusus](#) (Quoy & Gaimard, 1833)
- **grahami**, [Alcithoe wilsonae grahami](#) Powell
- **grandidieri**, [Lyria grandidieri](#) (Bail, 2002)
- **grandidieri**, Plicolyria grandidieri Bail, 2002 - syn of: [Lyria grandidieri](#) (Bail, 2002)
- **grangei**, [Lyria grangei](#) Cernohorsky, 1980
- **grangei**, Mitraelyria grangei Cernohorsky, 1980 - syn of: [Lyria grangei](#) (Cernohorsky, 1980)
- **grangeri**, [Mitraelyria mitraeformis grangeri](#) Sowerby (**FOSSIL**)
- **grangeri**, Voluta grangeri Sowerby, 1900 † - syn of: [Mitraelyria mitraeformis grangeri](#) (Sowerby, 1900) † (**FOSSIL**)
- **gravesae**, [Scaphella gravesae](#) Petuch, 1994 † (**FOSSIL**)
- **gravicostata**, [Alcithoe gravicostata](#) L. C. King, 1931 † (**FOSSIL**)
- **grayae**, Cymbiola grayae Crosse, 1871 - syn of: [Cymbiola mariaeemma](#) Gray, 1858
- **grayi**, [Amoria grayi](#) Ludbrook, 1953
- **grayi kawamurai**, [Amoria grayi kawamurai](#) Habe, 1975
- **grayi whitworthi**, [Amoria grayi whitworthi](#) Bail & Limpus, 2001
- **griffini**, [Scaphella griffini](#) Petuch, 1994 † (**FOSSIL**)
- **grockae**, [Mitraelyria mitraeformis grockae](#) Petuch & Berschauer
- **grohi**, [Plicolyria planicostata grohi](#) Bail & Poppe (**FOSSIL**)
- **grossi**, [Volutoconus grossi](#) (Iredale, 1927)
- **grossi helenae**, Volutoconus grossi helenae McMichael, 1966 - syn of: [Volutoconus mcmichaeli](#) Habe & Kosuge, 1966
- **grossi mcmichaeli**, Volutoconus grossi mcmichaeli Habe & Kosuge, 1966 - syn of: [Volutoconus mcmichaeli](#) Habe & Kosuge, 1966
- **gualtierii**, Voluta gualtierii Scacchi, 1832 - syn of: [Pisania striata](#) (Gmelin, 1791)
- **guildingii**, [Enaeta guildingii](#) (Sowerby, 1844)

- guinaica, [***Voluta musica guinaica***](#) Lamarck
- guineensis, Voluta guineensis [Dillwyn, 1817](#) - syn of: [***Voluta musica***](#) Linnaeus, 1758
- guionneti, [***Lyria guionneti***](#) (Poppe & Conde, 2001)
- guionneti, Plicolryia guionneti [Poppe & Conde, 2001](#) - syn of: [***Lyria guionneti***](#) (Poppe & Conde, 2001)
- guntheri, [***Paramoria guntheri***](#) (Smith, 1886)
- guntheri adcocki, [***Paramoria guntheri adcocki***](#) (Tate, 1889)
- guntheri weaveri, Nannamoria guntheri weaveri [McMichael, 1961](#) - syn of: [***Paramoria weaveri***](#) McMichael, 1961
- guttata, Voluta guttata [Dillwyn, 1817](#) - syn of: [***Prunum guttatum***](#) (Dillwyn, 1817)
- guttata, Voluta guttata [Link, 1807](#) - syn of: [***Pyramidella acus***](#) (Gmelin, 1791)
- guttata, [***Amoria guttata***](#) McMichael, 1964
- guttata, Enaeta guttata [Reeve, 1849](#) - syn of: [***Enaeta reevei***](#) (Dall, 1907)
- gyrina, [***Mysterostropha gyrina***](#) Olson, 1964 † (**FOSSIL**)
- habei, Lyria habei [Okutani, 1979](#) - syn of: [***Lyria mallicki***](#) Ladd, 1975
- habei dondani, Lyria habei dondani [Angjib & Biraghi, 1982](#) - syn of: [***Lyria mallicki dondani***](#) Angjib & Biraghi, 1982
- habei jessicae, Lyria habei jessicae [Bal & Poppe, 2003](#) - syn of: [***Lyria mallicki jessicae***](#) Bal & Poppe, 2004
- habei vicdani, Lyria habei vicdani [Kosuge, 1981](#) - syn of: [***Lyria mallicki vicdani***](#) Kosuge, 1981
- haimei, [***Lyrischapa haimei***](#) (d'Archiac & Haime, 1853) † (**FOSSIL**)
- haimei, Aulicina haimei Cossmann & Pisarro, 1909 † - syn of: [***Lyrischapa vredenburgi***](#) Merle & al., 2014 † (**FOSSIL**)
- haleanus, [***Athleta haleanus***](#) Whitfield, 1865 † (**FOSSIL**)
- halscotti, [***Volutifusus halscotti***](#) Petuch, 1994 † (**FOSSIL**)
- hamillei, [***Fulgoraria hamillei***](#) (Crosse, 1869)
- hamillei nippontkaiensis, [***Fulgoraria hamillei nippontkaiensis***](#) Shikama, 1967
- hamillei sinica, [***Fulgoraria hamillei sinica***](#) Shikama, 1967
- hamillei tosaensis, [***Fulgoraria hamillei tosaensis***](#) Shikama, 1967
- hamiltonensis, [***Ericusa hamiltonensis***](#) (Pritchard, 1898) † (**FOSSIL**)
- hammadi, [***Notoplejona hammadi***](#) Abbass, 1967 † (**FOSSIL**)
- hannahfordi, [***Livonia hannahfordi***](#) McCoy, 1866 † (**FOSSIL**)
- hansenae, [***Amoria hansenae***](#) Morrison, 2012
- hanzawai, [***Lyria hanzawai***](#) MacNeil, 1960 † (**FOSSIL**)
- harasewychi, [***Voluta morrisoni harasewychi***](#) Petuch
- harasewychi, Voluta harasewychi Petuch, 1987 - syn of: [***Voluta morrisoni harasewychi***](#) (Petuch, 1984)
- harfordi, [***Amoria canaliculata harfordi***](#) Cox
- harfordi, Amoria harfordi [Cox, 1869](#) - syn of: [***Amoria canaliculata harfordi***](#) Cox, 1869
- hargreavesi, [***Volutoconus hargreavesi***](#) (Angas, 1872)
- hargreavesi calcarelliformis, Volutoconus hargreavesi calcarelliformis [Wells & Morrison, 2003](#) - syn of: [***Volutoconus calcarelliformis***](#) Wells & Morrison, 2003
- hargreavesi daiseyae, Volutoconus hargreavesi daiseyae [Weaver, 1967](#) - syn of: [***Volutoconus daiseyae***](#) Weaver, 1967
- harpa, Lyria harpa [Barnes, 1824](#) - syn of: [***Enaeta barnesi***](#) (Gray, 1825)
- harpa, Lyria harpa [Mawe, 1823](#) - syn of: [***Lyria pattersonia***](#) (Perry, 1811)
- harpa, Voluta harpa [Mawe, 1823](#) - syn of: [***Lyria pattersonia***](#) (Perry, 1811)
- harpa, Lyria harpa [Swainson, 1835](#) - syn of: [***Lyria anna***](#) (Lesson, 1835)
- harpula, [***Lyria harpula***](#) (Lamarck, 1802) † (**FOSSIL**)
- harpularia, [***Lyria harpularia***](#) Tate, 1889 † (**FOSSIL**)
- harrisii, [***Lyrischapa harrisii***](#) Aldrich, 1911 † (**FOSSIL**)
- haueri, [***Athleta haueri***](#) Hoernes, 1856 † (**FOSSIL**)
- haurakiensis, [***Alcithoe fusus haurakiensis***](#) Quoy & Gaimard
- haustrum, Melo hastrum Lightfoot, 1786 - syn of: [***Melo amphora***](#) (Lightfoot, 1786)
- haweraensis, [***Alcithoe haweraensis***](#) Marwick, 1926 † (**FOSSIL**)
- hayashii, [***Psephaea kaneko hayashii***](#) Habe & Itô
- hebraea, Voluta hebraea Born, 1778 - syn of: [***Voluta ebraea***](#) Linnaeus, 1758
- hedleyi, Amoria hedleyi Iredale, 1914 - Syn of: [***Amoria damonii***](#) Gray, 1864
- hedleyi, [***Alcithoe fusus hedleyi***](#) Murdoch & Suter
- hedleyi, Alcithoe hedleyi Murdoch & Suter, 1906 - syn of: [***Alcithoe fusus hedleyi***](#) (Murdoch & Suter, 1906)
- henaconstricta, [***Wangaluta henaconstricta***](#) Stålwell, 2016 † (**FOSSIL**)
- hennequini, [***Voluta polypheura hennequini***](#) Petuch
- hennequini, Voluta hennequini Petuch, 1998 - syn of: [***Voluta polypheura hennequini***](#) Petuch, 1995
- henryi, [***Spinomelon henryi***](#) Laws, 1933 † (**FOSSIL**)
- heptagonalis, [***Voluta heptagonalis***](#) Tate, 1889 † (**FOSSIL**)
- heteroclitia, Voluta heteroclitia Montagu, 1808 - syn of: [***Blauneria heteroclitia***](#) (Montagu, 1808)
- hiatula, Voluta hiatula [Gmelin, 1791](#) - syn of: [***Agaronia hiatula***](#) (Gmelin, 1791)
- hilgendorfi, Voluta hilgendorfi Von Martens, 1897 - syn of: [***Exilia hilgendorfi***](#) (Von Martens, 1897)
- hilli, [***Voluta polypheura hilli***](#) Petuch
- hilli, Voluta hilli Petuch, 1987 - syn of: [***Voluta polypheura hilli***](#) Petuch, 1987
- hiniae, [***Saotomea hiniae***](#) Bal & Chino, 2010
- hirasei, [***Fulgoraria hirasei***](#) (Sowerby, 1912)
- hirasei, Musashia hirasei (Sowerby, 1912) - syn of: [***Fulgoraria hirasei***](#) (Sowerby, 1912)
- hirugaensis, [***Lyria hirugaensis***](#) (Yokoyama, 1928) † (**FOSSIL**)
- hoskensae, [***Notovoluta hoskensae***](#) Poppe, 1992
- houarti, [***Cymbiola houarti***](#) Poppe, 1985
- howensis, [***Lyria deliciosa howensis***](#) Iredale
- hughmorrisoni, [***Cymbiola hughmorrisoni***](#) Bal & Limpus, 1997
- humberti, [***Gosavia humberti***](#) (d'Archiac & Haime, 1854) † (**FOSSIL**)
- humei, [***Volutilithes humei***](#) Abbass, 1967 † (**FOSSIL**)
- humerosa, [***Fulgoraria humerosa***](#) Rehder, 1969

- *hunteri*, [*Amoria hunteri*](#) (Iredale, 1931)
- *hunteri*, *Cymbiolista hunteri* Iredale, 1931 - syn of: [*Amoria hunteri*](#) (Iredale, 1931)
- *hurupiensis*, [*Alcithoe hurupiensis*](#) Marwick, 1926 † (**FOSSIL**)
- *huttoni*, [*Mauria huttoni*](#) (Suter, 1914) † (**FOSSIL**)
- *ickei*, [*Lyria ickei*](#) (Martin, 1906) † (**FOSSIL**)
- *ickei*, *Volutilithes ickei* Martin, 1914 † - syn of: [*Athleta subambiguus*](#) (Martin, 1914) † (**FOSSIL**)
- *imperialis*, [*Cymbiola imperialis*](#) (Lightfoot, 1786)
- *imperialis robinsoni*, [*Cymbiola imperialis robinsoni*](#) (Burch, 1954)
- *imperialis robinsonia*, *Cymbiola imperialis robinsonia* Burch, 1954 - syn of: [*Cymbiola imperialis robinsoni*](#) (Burch, 1954)
- *inaequiplicata*, [*Montia inaequiplicata*](#) (Briart & Comet, 1887) † (**FOSSIL**)
- *inca*, [*Chiraluta inca*](#) Olsson, 1931 † (**FOSSIL**)
- *incarnata*, *Voluta incarnata* Röding, 1798 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *incompta*, [*Lyria incompta*](#) Hoerle & Vokes, 1978 † (**FOSSIL**)
- *indica*, *Melo indica* Gmelin, 1791 - syn of: [*Melo melo*](#) (Lightfoot, 1786)
- *indica*, *Harpulina indica* Sowerby, 1845 - syn of: [*Harpulina lapponica*](#) (Linnaeus, 1767)
- *indigestus*, [*Adelomelon beckii indigestus*](#) Ihering
- *indigestus*, *Adelomelon indigestus* Ihering, 1908 - syn of: [*Adelomelon beckii indigestus*](#) (Ihering, 1908)
- *inermis*, [*Metamelon inermis*](#) Finlay, 1926 † (**FOSSIL**)
- *inflata*, [*Nannamoria inflata*](#) Bail & Limpus, 2008
- *inflata*, *Cymbium inflata* Röding, 1798 - syn of: [*Cymbium pepo*](#) (Lightfoot, 1786)
- *informis*, [*Metamelon informis*](#) Laws, 1932 † (**FOSSIL**)
- *inhacaensis*, [*Callipara aikeni inhacaensis*](#) Veldsman
- *innexa*, [*Cymbiola innexa*](#) (Reeve, 1849)
- *innexa marispuma*, [*Cymbiola innexa marispuma*](#) Angioy & Biraghi, 1977
- *inopinata*, [*Nannamoria inopinata*](#) Darragh, 1979
- *inopinata bulbosa*, *Nannamoria inopinata bulbosa* Bail & Limpus, 2008 - syn of: [*Nannamoria bulbosa*](#) Bail & Limpus, 2008
- *inornatus*, [*Athleta inornatus*](#) Oppenheim, 1906 † (**FOSSIL**)
- *insignis*, [*Mauithoe insignis*](#) (Marwick, 1926) † (**FOSSIL**)
- *insignita*, [*Lyria insignita*](#) Iredale, 1940
- *insperata*, [*Athleta insperata*](#) Darragh, 1979
- *interpuncta*, *Voluta interpuncta* Reeve, 1849 - syn of: [*Harpulina lapponica*](#) (Linnaeus, 1767)
- *interpunctata*, *Harpulina interpunctata* Smith, 1942 - syn of: [*Harpulina lapponica*](#) (Linnaeus, 1767)
- *interruptolineata*, *Voluta interruptolineata* Von Mühlfeld, 1816 - syn of: [*Persicula interruptolineata*](#) (Von Mühlfeld, 1816)
- *intruderii*, [*Cymbiola intruderii*](#) Poppe, 1985
- *intruderii rowseorum*, [*Cymbiola intruderii rowseorum*](#) Bail & Limpus, 2015
- *intusdentata*, [*Harpulina intusdentata*](#) (Cossmann, 1889) † (**FOSSIL**)
- *iolinensis*, [*Evoluta iolinensis*](#) Pacaud, 2016 † (**FOSSIL**)
- *irregularis*, [*Alcithoe irregularis*](#) Marwick, 1926 † (**FOSSIL**)
- *irvinae*, [*Cymbiola irvinae*](#) (Smith, 1909)
- *isabelae*, [*Amoria molleri isabelae*](#) Bail & Limpus
- *isabelae*, *Fulgoraria isabelae* Bondarev & Bai, 1999 - syn of: [*Saotomea pratasensis*](#) Lan, 1997
- *isabellae*, [*Enaeta isabellae*](#) Maury, 1910 † (**FOSSIL**)
- *isabellae modesta*, [*Enaeta isabellae modesta*](#) Dockery, 1984 † (**FOSSIL**)
- *itoi*, [*Psephaea kaneko itoi*](#) Habe
- *jacobinum*, *Cymbium jacobinum* Röding, 1798 - syn of: [*Cymbium cymbium*](#) (Linnaeus, 1758)
- *jaculoides*, [*Alcithoe jaculoides*](#) Powell, 1924
- *jaculoides calva*, [*Alcithoe jaculoides calva*](#) Powell, 1924
- *jamarchi*, *Amoria jamarchi* Gray, 1864 - syn of: [*Amoria jamrachi*](#) Gray, 1864
- *jamrachi*, [*Amoria jamrachi*](#) Gray, 1864
- *jamrachi condei*, [*Amoria jamrachi condei*](#) Bail & Limpus, 2001
- *jansae*, [*Amoria jansae*](#) Pel & Moolenbeek, 2010
- *jansae pithensis*, [*Amoria jansae pithensis*](#) Bail & Limpus, 2011
- *japonica*, *Harpulina japonica* Shikama & Horikoshi, 1963 - syn of: [*Harpulina lapponica*](#) (Linnaeus, 1767)
- *jaspidea*, *Voluta jaspidea* Gmelin, 1791 - syn of: [*Jaspidella jaspidea*](#) (Gmelin, 1791)
- *jessicae*, [*Lyria mallicki jessicae*](#) Bail & Poppe
- *joerinkensi*, [*Livonia joerinkensi*](#) (Poppe, 1987)
- *johnclarki*, [*Paramoria johnclarki*](#) Bail & Limpus, 1997
- *johnsoni*, [*Calliotectum tibiaeforme johnsoni*](#) Bartsch
- *johnsoni*, *Calliotectum johnsoni* Bartsch, 1942 - syn of: [*Calliotectum tibiaeforme johnsoni*](#) (Bartsch, 1942)
- *johnsoni dupreya*, *Calliotectum johnsoni dupreya* Emerson, 1985 - syn of: [*Calliotectum tibiaeforme dupreya*](#) (Emerson, 1985)
- *johnstonea*, [*Scaphella junonia johnstonea*](#) Clench
- *johnstoni*, *Alcithoe johnstoni* Powell, 1928 - syn of: [*Alcithoe jaculoides*](#) Powell, 1924
- *jugosa*, [*Harpeola jugosa*](#) (Sowerby, 1839) † (**FOSSIL**)
- *junguhuni*, [*Voluta junguhuni*](#) Martin, 1879 † (**FOSSIL**)
- *junonia*, [*Scaphella junonia*](#) (Lamarck, 1804)
- *junonia butleri*, [*Scaphella junonia butleri*](#) Clench, 1953
- *junonia capeletti*, [*Scaphella junonia capeletti*](#) Petuch, 1994
- *junonia elizabethae*, [*Scaphella junonia elizabethae*](#) Petuch & Sargent, 2011
- *junonia johnstonea*, [*Scaphella junonia johnstonea*](#) Clench, 1953
- *kalotinae*, [*Notovoluta kalotinae*](#) Bail & Limpus, 2015
- *kamakurensis*, [*Fulgoraria kamakurensis*](#) (Otuka, 1949)
- *kamakurensis*, *Psephaea kamakurensis* Otuka, 1949 - syn of: [*Fulgoraria kamakurensis*](#) (Otuka, 1949)
- *kaneko*, [*Psephaea kaneko*](#) Hirase, 1922
- *kaneko hayashii*, [*Psephaea kaneko hayashii*](#) Habe & Itô, 1965

- kaneko itoi, [Psephaea kaneko itoi](#) Habe, 1965
- kaneko yamamotoi, [Psephaea kaneko yamamotoi](#) Shikama, 1967
- kaoae, [Fulgoraria kaoae](#) Bai, 2008
- kaupi, Cymbiola kaupi Dunker, 1863 - syn of: [Cymbiola cymbiola](#) (Gmelin, 1791)
- kawamurai, [Amoria grayi kawamurai](#) Habe
- kawamurai, Amoria kawamurai Habe, 1975 - syn of: [Amoria grayi kawamurai](#) Habe, 1975
- kawamurai, Lyria kawamurai Habe, 1975 † - syn of: [Plicolyria planicostata](#) (Sowerby, 1903) † (**FOSSIL**)
- keatsiana, [Amoria damonii keatsiana](#) Ludbrook
- keatsiana, Amoria keatsiana Ludbrook, 1953 - syn of: [Amoria damonii keatsiana](#) Ludbrook, 1953
- kellneri, Cymbiola kellneri Iredale, 1957 - syn of: [Cymbiola flavicans](#) (Gmelin, 1791)
- kendrewi, [Falsilyria kendrewi](#) Petuch, 1997 † (**FOSSIL**)
- kenyoniana, [Ericusa papillosa kenyoniana](#) Brazier
- kenyoniana, Ericusa kenyoniana Brazier, 1898 - syn of: [Ericusa papillosa kenyoniana](#) (Brazier, 1898)
- keppelensis, [Volutoconus keppelensis](#) Bai & Limpus, 2013
- kieneri, [Scaphella dubia kieneri](#) Clench
- kilburni, [Athleta kilburni](#) (Rehder, 1974)
- kimbacki, [Cymbiola kimbacki](#) Bai & Limpus, 2014
- kimberi, Lyria kimberi Cotton, 1932 † - syn of: [Mitraelyria mitraeformis](#) (Lamarck, 1811) (**FOSSIL**)
- kingi, [Amoria undulata kingi](#) Cox
- kingi, Amoria kingi Cox, 1871 - syn of: [Amoria undulata kingi](#) Cox, 1871
- kingi, [Spinomelon kingi](#) Marwick, 1965 † (**FOSSIL**)
- knighti, [Melo amphora knighti](#) Jackson
- knoxi, [Alcithoe knoxi](#) (Dell, 1956)
- kosibayensis, [Callipara aikeni kosibayensis](#) Veldsman
- kotorai, [Voluta polypepleura kotorai](#) Petuch
- kotorai, Voluta kotorai Petuch, 1981 - syn of: [Voluta polypepleura kotorai](#) (Petuch, 1981)
- koyuana, Voluta koyuana Yokoyama, 1928 † - syn of: [Lyria hirugaensis](#) (Yokoyama, 1928) † (**FOSSIL**)
- kreuslerae, [Notovoluta kreuslerae](#) (Angas, 1865)
- kreuslerae clarksonii, [Notovoluta kreuslerae clarksonii](#) (Angas, 1865)
- kreuslerae occulta, [Notovoluta kreuslerae occulta](#) Daragh, 1988 † (**FOSSIL**)
- kuniene, [Lyria kuniene](#) (Bouchet, 1979)
- kuniene, Plicolyria kuniene Bouchet, 1979 - syn of: [Lyria kuniene](#) (Bouchet, 1979)
- kurodai, [Callipara kurodai](#) (Kawamura, 1964)
- kurodai, Canaliflyria kurodai (Kawamura, 1964) - syn of: [Callipara kurodai](#) (Kawamura, 1964)
- labrellus, [Neoathleta labrellus](#) (Lamarck, 1802) † (**FOSSIL**)
- lacertina, [Voluta virescens lacertina](#) Lightfoot
- laevigata, Voluta laevigata Gmelin, 1791 - syn of: [Mitra cornicula](#) (Linnaeus, 1758)
- laevigata, [Voluta musica laevigata](#) Lamarck
- laevigatum, [Myobarium laevigatum](#) Sohl, 1963 † (**FOSSIL**)
- lajoyi, [Evoluta lajoyi](#) (Deshayes, 1835) † (**FOSSIL**)
- lakhraensis, [Sindhiluta lakhraensis](#) Merle & Pacaud, 2014 † (**FOSSIL**)
- lamarckii, Melo lamarckii Kiener, 1839 - syn of: [Melo broderipi](#) (Gray in Griffith & Pidgeon, 1833)
- lamberti, [Scaphella lamberti](#) (J. de C. Sowerby, 1816) † (**FOSSIL**)
- laminusa, [Cymbiola laminusa](#) Poppe, Tagaro & Bai, 2011
- lapponica, [Harpulina lapponica](#) (Linnaeus, 1767)
- lapponica loroisi, [Harpulina lapponica loroisi](#) (Valenciennes, 1863)
- larochei, [Alcithoe larochei](#) Marwick, 1926
- larochei ostenfeldi, [Alcithoe larochei ostenfeldi](#) (Iredale, 1937)
- larochei tigrina, [Alcithoe larochei tigrina](#) Bai, Limpus & Terryn, 2005
- laseroni, [Lyria laseroni](#) (Iredale, 1937)
- lasharii, [Athleta lasharii](#) Merle & al., 2014 † (**FOSSIL**)
- lata, [Athleta lata](#) (Marwick, 1926) † (**FOSSIL**)
- lautarioi, [Miomelon lautarioi](#) Nielsen & Frassinetti, 2007 † (**FOSSIL**)
- leioderma, [Liopeplum leioderma](#) (Conrad, 1860) † (**FOSSIL**)
- lemaitrei, [Fusivoluta lemaitrei](#) Poppe, 1992
- leonardhilli, [Enaeta leonardhilli](#) (Petuch, 1988)
- leonardi, [Lyria leonardi](#) Emerson, 1985
- lepida, [Alcithoe lepida](#) Marwick, 1926 † (**FOSSIL**)
- leslieboschae, [Lyria leslieboschae](#) (Emerson & Sage, 1986)
- leslieboschae, Indolyria leslieboschae Emerson & Sage, 1986 - syn of: [Lyria leslieboschae](#) (Emerson & Sage, 1986)
- levensis, [Voluticella levensis](#) Palmer, 1953 † (**FOSSIL**)
- leviuscula, [Fulgoraria leviuscula](#) Rehder, 1969
- lima, [Athleta lima](#) (Sowerby, 1823) † (**FOSSIL**)
- limata, [Lyria limata](#) Hoerle & Vokes, 1978 † (**FOSSIL**)
- limbata, [Voluta limbata](#) Tate, 1889 † (**FOSSIL**)
- limopsis, [Athleta limopsis](#) (Conrad, 1860) † (**FOSSIL**)
- limopsis, Volutilithes limopsis Conrad, 1860 † - syn of: [Athleta limopsis](#) (Conrad, 1860) † (**FOSSIL**)
- limopsis, Volutocorbis limopsis Conrad, 1860 † - syn of: [Athleta limopsis](#) (Conrad, 1860) † (**FOSSIL**)
- limpusi, [Livonia limpusi](#) Bai, 1999
- lindae, [Voluta virescens lindae](#) Petuch
- lindae, Voluta lindae Petuch, 1987 - syn of: [Voluta virescens lindae](#) (Petuch, 1987)
- lindae, [Enaeta lindae](#) Petuch, 2013
- linea, [Amoria zebra linea](#) Leach
- linea, Amoria linea Leach, 1814 - syn of: [Amoria zebra linea](#) (Leach, 1814)

- *lineata*, Voluta lineata Röding, 1798 - syn of: [***Voluta musica***](#) Linnaeus, 1758
- *lineatiana*, [***Amoria zebra lineatiana***](#) Weaver & Dupont
- *lineatiana*, Amoria lineatiana Weaver & Dupont, 1967 - syn of: [***Amoria zebra lineatiana***](#) (Weaver & Dupont, 1967)
- *lineola*, [***Amoria lineola***](#) Ball & Limpus, 2009
- *lineolata*, Cymbiola lineolata Küster, 1841 - syn of: [***Cymbiola vespertilio***](#) (Linnaeus, 1758)
- *lisbonensis*, [***Athleta lisbonensis***](#) Aldrich † (**FOSSIL**)
- *listerarum*, [***Athleta listerarum***](#) Renard, 1994 † (**FOSSIL**)
- *loroisi*, [***Harpulina lapponica loroisi***](#) Valenciennes
- *luctator*, [***Volutospina luctator***](#) (Sowerby, 1823) † (**FOSSIL**)
- *luctatrix*, Voluta luctatrix Sowerby, 1823 † - syn of: [***Volutospina luctator***](#) (Sowerby, 1823) † (**FOSSIL**)
- *ludbrookae*, [***Amoria damonii ludbrookae***](#) Ball & Limpus
- *lugardi*, [***Athleta lugardi***](#) Newton, 1922 † (**FOSSIL**)
- *lugubris*, Cymbiola lugubris Swainson, 1823 - syn of: [***Cymbiola flavigans***](#) (Gmelin, 1791)
- *luizcoutoi*, [***Scaphella luizcoutoi***](#) Coltro, 1998
- *lundeliusae*, [***Nannamoria lundeliusae***](#) Ludbrook, 1978 † (**FOSSIL**)
- *lundeliussae*, Nannamoria lundeliussae Ludbrook, 1978 † - syn of: [***Nannamoria lundeliusae***](#) Ludbrook, 1978 † (**FOSSIL**)
- *lunisligata*, [***Ericusa fulgetrum lunisligata***](#) Verco
- *lutea*, [***Alcithoe lutea***](#) (Watson, 1882)
- *luteofasciata*, Voluta luteofasciata Von Mühlfeld, 1824 - syn of: [***Acteon tornatilis***](#) (Linnaeus, 1758)
- *luteostoma*, Cymbiola luteostoma Deshayes, 1844 - syn of: [***Cymbiola chrysostoma***](#) (Swainson, 1824)
- *lutosa*, [***Athleta lutosa***](#) (Koch, 1948)
- *lutosa emmanuelae*, [***Athleta lutosa emmanuelae***](#) (Rosso, 1985)
- *lyra*, [***Athleta lyra***](#) (Lamarck, 1802) † (**FOSSIL**)
- *lyraeformis*, [***Lyria lyraeformis***](#) (Swainson, 1821)
- *lyrata*, Voluta lyrata Brocchi, 1814 - syn of: [***Sveltia lyrata***](#) (Brocchi, 1814)
- *lyrata*, Harpeola lyrata Sowerby, 1825 - syn of: [***Lyria anna***](#) (Lesson, 1835)
- *macaensis*, [***Odontocymbiola americana macaensis***](#) Calvo & Coltro
- *macandrewi*, [***Amoria macandrewi***](#) (Sowerby, 1887)
- *maccoyi*, [***Notopeplum maccoyi***](#) (Tenison Woods, 1877) † (**FOSSIL**)
- *macdonaldi*, [***Cymbiola macdonaldi***](#) Tate, 1889 † (**FOSSIL**)
- *macgillivrayi*, [***Cymbiola rutila macgillivrayi***](#) Cox
- *macgillivrayi*, Cymbiola macgillivrayi Cox, 1873 - syn of: [***Cymbiola rutila macgillivrayi***](#) (Cox, 1873)
- *macginorum*, [***Scaphella macginorum***](#) Garcia & Emerson, 1987
- *macginorum*, Scaphella macginorum Garcia, 1987 - syn of: [***Scaphella macginorum***](#) Garcia & Emerson, 1987
- *macroptera*, [***Voluta macroptera***](#) McCoy, 1874 † (**FOSSIL**)
- *maculata*, [***Amoria maculata***](#) (Swainson, 1822)
- *maculata*, Voluta maculata Röding, 1798 - syn of: [***Voluta musica***](#) Linnaeus, 1758
- *maculata*, Voluta maculata Swainson, 1822 - syn of: [***Amoria maculata***](#) (Swainson, 1822)
- *maculata caroli*, [***Amoria maculata caroli***](#) (Iredale, 1924)
- *maculata spenceriana*, Amoria maculata spenceriana Gatliff, 1908 - syn of: [***Amoria spenceriana***](#) (Gatliff, 1908)
- *maculata volva*, [***Amoria maculata volva***](#) (Gmelin, 1791)
- *maculatum*, Melo maculatum Röding, 1798 - syn of: [***Melo melo***](#) (Lightfoot, 1786)
- *maculatum*, Cymbium maculatum Röding, 1798 - syn of: [***Melo melo***](#) (Lightfoot, 1786)
- *madrakahensis*, [***Lyria madrakahensis***](#) Harzhauser, 2007 † (**FOSSIL**)
- *magellanica*, [***Odontocymbiola magellanica***](#) (Gmelin, 1791)
- *magellanica*, Adelomelon magellanica Lamarck, 1811 - syn of: [***Adelomelon ancilla***](#) (Lightfoot, 1786)
- *magellanica canigiae*, [***Odontocymbiola magellanica canigiae***](#) Vazquez & Caldini, 1992
- *magellanica subnodososa*, [***Odontocymbiola magellanica subnodososa***](#) (Leach, 1814)
- *magister*, [***Athleta magister***](#) (Kilburn, 1978)
- *magister*, Athleta magister Kilburn, 1978 - syn of: [***Athleta magister***](#) (Kilburn, 1978)
- *magna*, [***Nipponomelon megaspira magna***](#) Kuroda & Habe
- *magnifica*, [***Cymbiola magnifica***](#) (Gebauer, 1802)
- *magnifica altispira*, [***Cymbiola magnifica altispira***](#) Maybloom, 1951
- *magnifica evansi*, [***Cymbiola magnifica evansi***](#) Bondarev, 1996
- *malayensis*, [***Cymbiola malayensis***](#) Douté, 1985
- *mallicki*, [***Lyria mallicki***](#) Ladd, 1975
- *mallicki dondani*, [***Lyria mallicki dondani***](#) Angyo & Biraghi, 1982
- *mallicki jessicae*, [***Lyria mallicki jessicae***](#) Ball & Poppe, 2004
- *mallicki vicdani*, [***Lyria mallicki vicdani***](#) Kosuge, 1981
- *mammilla*, [***Livonia mammilla***](#) (Sowerby, 1844)
- *mammilla leucostoma*, Livonia mammilla leucostoma Maybloom, 1951 - syn of: [***Livonia mammilla***](#) (Sowerby, 1844)
- *mammosa*, [***Pseudaulicina mammosa***](#) (Defrance, 1829) † (**FOSSIL**)
- *mancorensis*, [***Peruluta mancorensis***](#) Olsson, 1928 † (**FOSSIL**)
- *mangeri*, Odontocymbiola mangeri Preston, 1901 - syn of: [***Odontocymbiola magellanica canigiae***](#) Vazquez & Caldini, 1992
- *maniyaraensis*, [***Indolyria maniyaraensis***](#) Harzhauser & al., 2009 † (**FOSSIL**)
- *mansfieldi*, [***Lyria mansfieldi***](#) Dal, 1916 † (**FOSSIL**)
- *mansfieldi*, [***Scaphella mansfieldi***](#) Petuch, 1994 † (**FOSSIL**)
- *maoriana*, [***Mauira maoriana***](#) (Suter, 1917) † (**FOSSIL**)
- *margaritana*, Voluta margaritana Verri, 1954 - syn of: [***Voluta musica***](#) Linnaeus, 1758
- *marginata*, Voluta marginata Born, 1778 - syn of: [***Prunum marginatum***](#) (Born, 1778)
- *mariae*, [***Athleta mariae***](#) Briart & Cornet, 1887 † (**FOSSIL**)
- *mariaemma*, [***Cymbiola mariaemma***](#) Gray, 1858
- *marionae*, [***Scaphella robusta marionae***](#) Plisby & Olson
- *marispuma*, [***Cymbiola innexa marispuma***](#) Angyo & Biraghi

- **marispuma**, *Cymbiola marispuma* Angjioy & Braghi, 1977 - syn of: [**Cymbiola innexa marispuma**](#) Angjioy & Braghi, 1977
- **marlburiana**, [**Alcithoe marlburiana**](#) L.. C. King, 1934 † (FOSSIL)
- **marmorata**, *Amoria marmorata* Swanson, 1821 - syn of: [**Amoria hunteri**](#) (Iredale, 1931)
- **marmorata**, *Voluta marmorata* Swanson, 1821 - syn of: [**Amoria hunteri**](#) (Iredale, 1931)
- **marmoratum**, [**Cymbium marmoratum**](#) Link, 1807
- **marocanus**, *Cymbium marocanus* Palary, 1930 - syn of: [**Cymbium tritonis**](#) (Broderip, 1830)
- **marocanus dilatata**, *Cymbium marocanus dilatata* Palary, 1930 - syn of: [**Cymbium cucumis**](#) Röding, 1798
- **marshalli**, [**Metamelon marshalli**](#) Marwick, 1926 † (FOSSIL)
- **martensi**, [**Adelomelon ancilla martensi**](#) Strebel
- **martensi**, *Adelomelon martensi* Strebel, 1906 - syn of: [**Adelomelon ancilla martensi**](#) (Strebel, 1906)
- **martinshugari**, [**Scaphella martinshugari**](#) Petuch, 1994 † (FOSSIL)
- **marylandicus**, [**Volutifusus marylandicus**](#) Petuch, 1988 † (FOSSIL)
- **masudae**, [**Fulgoraria masudae**](#) Hayasaka † (FOSSIL)
- **matchetti**, [**Scaphella matchetti**](#) Petuch & Sargent, 2011
- **matiyensis**, [**Cymbiola vespertilio matiyensis**](#) Douté
- **maureenae**, [**Scaphella maureenae**](#) Petuch, 1994 † (FOSSIL)
- **mccoyi**, [**Notopeplum mccoyi**](#) (Tenison-Woods, 1877) † (FOSSIL)
- **mccoyi translucidum**, *Notopeplum mccoyi translucidum* Verco, 1896 - syn of: [**Notopeplum translucidum**](#) (Verco, 1896)
- **mcmichaeli**, [**Volutoconus mcmichaeli**](#) Habe & Kosuge, 1966
- **medicata**, [**Notovoluta verconis medicata**](#) Darragh (FOSSIL)
- **meganucleus**, [**Volutifusus meganucleus**](#) Petuch, 1988 † (FOSSIL)
- **megaspira**, [**Nipponomelon megaspira**](#) (Sowerby, 1844)
- **megaspira magna**, [**Nipponomelon megaspira magna**](#) (Kuroda & Habe, 1950)
- **megaspira prevostiana**, [**Nipponomelon megaspira prevostiana**](#) (Crosse, 1878)
- **megaspira prevostiana sagamiensis**, [**Nipponomelon megaspira prevostiana sagamiensis**](#) (Shikama, 1980)
- **megaspira prevostiana salebrosa**, [**Nipponomelon megaspira prevostiana salebrosa**](#) Shikama, 1967
- **mekranica**, [**Volutospina mekranica**](#) Vredenburg, 1925 † (FOSSIL)
- **melo**, [**Melo melo**](#) (Lightfoot, 1786)
- **melo tesselata**, [**Melo melo tesselata**](#) (Lamarck, 1811)
- **mendicaria**, *Voluta mendicaria* Linnaeus, 1758 - syn of: [**Engina mendicaria**](#) (Linnaeus, 1758)
- **mentiens**, [**Fulgoraria mentiens**](#) (Fulton, 1940)
- **mentiens**, *Psephaea mentiens* (Fulton, 1940) - syn of: [**Fulgoraria mentiens**](#) (Fulton, 1940)
- **mercatoria**, *Voluta mercatoria* Linnaeus, 1758 - syn of: [**Pisania striata**](#) (Gmelin, 1791)
- **mervcooperi**, [**Livonia mervcooperi**](#) Bail & Limpus, 2010
- **michardi**, [**Lyria michardi**](#) (Bail, 2009)
- **michardi**, *Indolyria michardi* Bail, 2009 - syn of: [**Lyria michardi**](#) (Bail, 2009)
- **mikoi**, [**Lyria mikoi**](#) (Kosuge, 1985)
- **mikoi**, *Microlyria mikoi* Kosuge, 1985 - Syn of: [**Lyria mikoi**](#) (Kosuge, 1985)
- **miliaria**, *Voluta miliaria* Linnaeus, 1758 - syn of: [**Gibberula miliaria**](#) (Linnaeus, 1758)
- **miltonis**, [**Melo miltonis**](#) (Gray in Griffith & Pidgeon, 1833)
- **minifusca**, [**Indolyria patbaili minifusca**](#) Bozzetti
- **minima**, [**Saotomea minima**](#) Bondarev, 1994
- **minima**, [**Metamelon minima**](#) Marwick, 1926 † (FOSSIL)
- **minima**, *Voluta minima* Sowerby, 1887 - syn of: [**Microvoluta australis**](#) Angas, 1877
- **minutus**, [**Athleta minutus**](#) Pennilat & al., 2006 † (FOSSIL)
- **mira**, [**Spinomelon mira**](#) Marwick, 1926 † (FOSSIL)
- **mirabile**, [**Calliotectum mirabile**](#) (Clench & Aguayo, 1941)
- **mirabilis**, [**Iredalina mirabilis**](#) (Finlay, 1926)
- **mirabilis aurantia**, [**Iredalina mirabilis aurantia**](#) (Powell, 1954)
- **mirindugue**, [**Cymbiola vespertilio mirindugue**](#) Linnaeus
- **mississippiensis**, [**Lyria mississippiensis**](#) Conrad, 1848 † (FOSSIL)
- **mitis**, *Cymbiola mitis* Lamarck, 1811 - syn of: [**Cymbiola vespertilio**](#) (Linnaeus, 1758)
- **mitraeformis**, [**Mitraelyria mitraeformis**](#) (Lamarck, 1811)
- **mitraeformis crassicostata**, [**Mitraelyria mitraeformis crassicostata**](#) (Darragh, 1988) † (FOSSIL)
- **mitraeformis grangeri**, [**Mitraelyria mitraeformis grangeri**](#) (Sowerby, 1900) † (FOSSIL)
- **mitraeformis grockeae**, [**Mitraelyria mitraeformis grockeae**](#) (Petuch & Berschauer, 2017)
- **mitrata**, [**Pseudaulicina mitrata**](#) (Deshayes, 1835) † (FOSSIL)
- **mitrella**, *Voluta mitrella* Risso, 1826 - syn of: [**Volvarina mitrella**](#) (Risso, 1826)
- **mitreola**, [**Harpulina mitreola**](#) (Lamarck, 1802) † (FOSSIL)
- **modesta**, [**Enaeta isabellae modesta**](#) Dockery (FOSSIL)
- **modesta**, *Cymbiola modesta* Wood, 1828 - syn of: [**Cymbiola flavidans**](#) (Gmelin, 1791)
- **mollerii**, [**Amoria molleri**](#) (Iredale, 1936)
- **mollerii capricornica**, [**Amoria molleri capricornica**](#) Bail & Limpus, 2001
- **mollerii isabelae**, [**Amoria molleri isabelae**](#) Bail & Limpus, 2001
- **mollerii reducta**, [**Amoria molleri reducta**](#) Bail & Limpus, 2001
- **mollerii succincta**, [**Amoria molleri succincta**](#) Bail & Limpus, 2001
- **mollerii vandenbergaei**, [**Amoria molleri vandenbergaei**](#) Bail & Limpus, 2001
- **mollerii vandenburghiae**, *Amoria molleri vandenburghiae* Limpus & Bail, 2001 - syn of: [**Amoria molleri vandenbergaei**](#) Bail & Limpus, 2001
- **moretonensis**, [**Cymbiola moretonensis**](#) Bail & Limpus, 1998
- **morrisoni**, [**Voluta morrisoni**](#) (Petuch, 1980)
- **morrisoni harasewychi**, [**Voluta morrisoni harasewychi**](#) (Petuch, 1984)
- **mortoni**, [**Livonia mortoni**](#) Tate, 1889 † (FOSSIL)
- **moslemica**, [**Amoria undulata moslemica**](#) Hedley
- **moslemica**, *Scaphella moslemica* Hedley, 1912 - syn of: [**Amoria undulata**](#) (Lamarck, 1804)

- *moslemica*, Amoria moslemica Hedley, 1912 - syn of: [**Amoria undulata moslemica**](#) (Hedley, 1912)
- *motutaraensis*, Alcithoe motutaraensis Powell, 1928 - syn of: [**Alcithoe arabica swainsoni motutaraensis**](#) Powell, 1928
- *mozambicana*, [**Athleta mozambicana**](#) (Rehder, 1972)
- *multicostata*, Voluta multicostata Broderip, 1827 † - syn of: [**Mitraelyria mitraeformis**](#) (Lamarck, 1811) (**FOSSIL**)
- *multiplicata*, [**Volutoconus multiplicatus**](#) Bal & Limpus, 2013
- *multispinosa*, [**Volutospina multispinosa**](#) Newton, 1922 † (**FOSSIL**)
- *multistriata*, Aulica multistriata Pannekoek, 1936 † - syn of: [**Cymbiola multiplicata**](#) (Pannekoek, 1936) † (**FOSSIL**)
- *municinus*, Volutilithes municinus Lamarck, 1803 † - syn of: [**Volutilithes muricinus**](#) (Lamarck, 1803) † (**FOSSIL**)
- *murdochii*, [**Alcithoe murdochii**](#) (Marwick, 1926) † (**FOSSIL**)
- *muricata*, Voluta muricata Born, 1778 - syn of: [**Vasum muricatum**](#) (Born, 1778)
- *muricinus*, [**Volutilithes muricinus**](#) (Lamarck, 1803) † (**FOSSIL**)
- *musica*, [**Voluta musica**](#) Linnaeus, 1758
- *musica carneolata*, [**Voluta musica carneolata**](#) Lamarck, 1811
- *musica guinaica*, [**Voluta musica guinaica**](#) Lamarck, 1811
- *musica guineensis*, Voluta musica guineensis Dilwyn, 1817 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- *musica laevigata*, [**Voluta musica laevigata**](#) Lamarck, 1811
- *musica thiarella*, [**Voluta musica thiarella**](#) Lamarck, 1811
- *musica typica*, Voluta musica typica Dall, 1907 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- *musicalis*, [**Pseudaulicina musicalis**](#) (Lamarck, 1802) † (**FOSSIL**)
- *musicinoides*, [**Lyria musicinoides**](#) Maury, 1934 † (**FOSSIL**)
- *muta*, Voluta muta Röding, 1798 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- *mutabilis*, [**Volutifusus mutabilis**](#) (Conrad, 1834) † (**FOSSIL**)
- *mutatus*, [**Neoathleta mutatus**](#) (Deshayes, 1835) † (**FOSSIL**)
- *namnetensis*, [**Euroscaphella namnetensis**](#) Van Dingenen, Ceulemans & Landau, 2014 † (**FOSSIL**)
- *nana*, [**Athleta nana**](#) (Rehder & Weaver, 1974)
- *naniforma*, [**Ericusa naniforma**](#) Bal & Limpus, 2013
- *nasica*, Zidona nasica Schubert & Wagner, 1829 - syn of: [**Zidona dufresnei**](#) (Donovan, 1823)
- *nassa*, Voluta nassa Gmelin, 1791 - syn of: [**Scalptia nassa**](#) (Gmelin, 1791)
- *nasuta*, Voluta nasuta Gmelin, 1791 - syn of: [**Euplica scripta**](#) (Lamarck, 1822)
- *nautica*, Melo nautica Lamarck, 1811 - syn of: [**Melo melo tessellata**](#) (Lamarck, 1811)
- *navicula*, Cymbium navicula Gmelin, 1791 - syn of: [**Cymbium pepo**](#) (Lightfoot, 1786)
- *nebulosa*, Voluta nebulosa Lamarck, 1811 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- *necopinata*, [**Amoria necopinata**](#) Darragh, 1983
- *necopinata*, [**Athleta necopinata**](#) Suter, 1917 † (**FOSSIL**)
- *neglectoides*, [**Alcithoe neglectoides**](#) Darragh, 1988 † (**FOSSIL**)
- *neozelanica*, [**Wangaluta neozelanica**](#) (Finlay & Marwick, 1937) † (**FOSSIL**)
- *neptuni*, Cymbium neptuni Gmelin, 1791 - syn of: [**Cymbium pepo**](#) (Lightfoot, 1786)
- *neptunia*, [**Scaphella neptunia**](#) (Clench & Aguayo, 1940)
- *nestor*, [**Lyria nestor**](#) Casey, 1903 † (**FOSSIL**)
- *newmanae*, [**Amoria turneri newmanae**](#) Cotton
- *newmanae*, Amoria newmanae Cotton, 1949 - syn of: [**Amoria turneri newmanae**](#) Cotton, 1949
- *nicklesi*, Athleta nicklesi Rosso, 1976 - syn of: [**Athleta lutosa**](#) (Koch, 1948)
- *nielseni*, [**Cymbiola complexa nielseni**](#) McMichael
- *nipponkaiensis*, [**Fulgoraria hamillei nipponkaiensis**](#) Shikama
- *nitidula*, Voluta nitidula Dilwyn, 1817 - syn of: [**Olivella minuta**](#) (Link, 1807)
- *nivosa*, [**Cymbiola nivosa**](#) (Lamarck, 1804)
- *nivosa oblita*, [**Cymbiola nivosa oblita**](#) (Smith, 1909)
- *nobilis*, [**Cymbiola nobilis**](#) (Lightfoot, 1786)
- *nobilis octogonalis*, [**Cymbiola nobilis octogonalis**](#) Senders, 1995
- *nobilis tamariskae*, [**Cymbiola nobilis tamariskae**](#) Sutanto & Patamakanthin, 2004
- *nodiplicata*, [**Livonia nodiplicata**](#) (Cox, 1910)
- *nodosa*, [**Volutospina nodosa**](#) (J. de C. Sowerby, 1829) † (**FOSSIL**)
- *nodosum*, [**Liopeplum nodosum**](#) Sohl, 1964 † (**FOSSIL**)
- *nodulifera*, [**Alcithoe nodulifera**](#) Laws, 1935 † (**FOSSIL**)
- *nodulosa*, Voluta nodulosa Lamarck, 1822 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- *noguchii*, [**Fulgoraria noguchii**](#) (Hayashi, 1960)
- *noguchii*, Musashia noguchii Hayashi, 1960 - syn of: [**Fulgoraria noguchii**](#) (Hayashi, 1960)
- *nordica*, [**Indolyria patbaili nordica**](#) Bozzetti
- *norrisii*, [**Cymbiola rutila norrisii**](#) Gray
- *norrisii*, Cymbiola norrisii Gray, 1838 - syn of: [**Cymbiola rutila norrisii**](#) Gray, 1838
- *norrisii*, Cymbiola norrisii Sowerby, 1845 - syn of: [**Cymbiola nivosa**](#) (Lamarck, 1804)
- *norwestralis*, [**Notovoluta norwestralis**](#) Bal & Limpus, 2003
- *nucleus*, Voluta nucleus Lamarck, 1811 - syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- *nucleus*, Lyria nucleus Lamarck, 1811 - Syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- *nuda*, [**Lapparia nuda**](#) Stenzel & Turner, 1940 † (**FOSSIL**)
- *nukumaruensis*, [**Alcithoe nukumaruensis**](#) Murdoch, 1920 † (**FOSSIL**)
- *nux*, Voluta nux Wood, 1828 - syn of: [**Olivella biplicata**](#) (Sowerby, 1825)
- *obesa*, [**Adelomelon obesa**](#) (Philippi, 1887) † (**FOSSIL**)
- *oblita*, [**Cymbiola nivosa oblita**](#) Smith
- *obsoleta*, [**Caricella obsoleta**](#) Palmer, 1953 † (**FOSSIL**)
- *obtusa*, [**Volutifusus obtusa**](#) (Emmons, 1858) † (**FOSSIL**)
- *occidua*, [**Notovoluta occidua**](#) Cotton, 1946
- *occulta*, [**Notovoluta kreuslerae occulta**](#) Darragh (**FOSSIL**)

- oceanica, [**Plicoliva zelindae oceanica**](#) Coltro
- ocellata, Voluta ocellata Gmelin, 1791 - syn of: [**Mitrella ocellata**](#) (Gmelin, 1791)
- ochotensis, [**Musashia ochotensis**](#) Oleink, 1991 † (**FOSSIL**)
- octogonalis, [**Cymbiola nobilis octogonalis**](#) Senders
- ogasawarana, [**Lyria ogasawarana**](#) Bai & Chino, 2015
- ogilviana, [**Caricella ogilviana**](#) Maury, 1912 † (**FOSSIL**)
- ogormanii, [**Athleta ogormanii**](#) (Cossmann, 1923) † (**FOSSIL**)
- oleiniki, [**Scaphella oleiniki**](#) Petuch, 1994 † (**FOSSIL**)
- oliva, Voluta oliva Dilwyn, 1817 - syn of: [**Oliva oliva**](#) (Linnaeus, 1758)
- oliveri, [**Mauria oliveri**](#) (Marwick, 1926) † (**FOSSIL**)
- olla, [**Cymbium olla**](#) (Linnaeus, 1758)
- olssoni, [**Athleta olssoni**](#) (Plummer, 1933) † (**FOSSIL**)
- olssoni, [**Pavora olssoni**](#) Clark & Durham, 1946 † (**FOSSIL**)
- olssoni, Volutocorbis olssoni Plummer, 1933 † - syn of: [**Athleta olssoni**](#) (Plummer, 1933) † (**FOSSIL**)
- olssoni gracilis, [**Athleta olssoni gracilis**](#) Garvie, 2013 † (**FOSSIL**)
- onoua, [**Alcithoe onoua**](#) Stiwell, 2016 † (**FOSSIL**)
- opposita, Lyria opposita Iredale, 1937 - Syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- orca, [**Ericusa fulgetrum orca**](#) Cotton
- orca, Ericusa orca Cotton, 1952 - syn of: [**Ericusa fulgetrum orca**](#) (Cotton, 1952)
- ornata, Voluta ornata Verri, 1950 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- orphanta, [**Alcithoe orphanta**](#) Darragh, 1989 † (**FOSSIL**)
- oryza, Voluta oryza Costa, 1829 - syn of: [**Ringicula auriculata**](#) (Ménard De La Groye, 1811)
- osmani, [**Volutilithes osmani**](#) Abbott, 1967 † (**FOSSIL**)
- ostenfeldii, [**Alcithoe larochei ostenfeldii**](#) Iredale
- ostenfeldii, Alcithoe ostenfeldii Iredale, 1937 - syn of: [**Alcithoe larochei ostenfeldii**](#) (Iredale, 1937)
- pachys, [**Cymbium pachys**](#) (Palary, 1930)
- pacifica, Alcithoe pacifica Perry, 1810 - syn of: [**Alcithoe arabica**](#) (Gmelin, 1791)
- palawanica, [**Cymbiola palawanica**](#) Douté, 1985
- palliata, [**Provocator palliata**](#) (Kaiser, 1977)
- pallida, Amoria pallida Gray, 1845 - syn of: [**Amoria jamrachi**](#) Gray, 1864
- pallida, Amoria pallida Griffith & Pidgeon, 1834 - syn of: [**Amoria grayi**](#) Ludbrook, 1953
- pallidula, [**Lyria cassidula pallidula**](#) Habe
- papilio, Voluta papilio Link, 1807 - syn of: [**Neocancilla papilio**](#) (Link, 1807)
- papillaris, Cymbium papillaris Gmelin, 1791 - syn of: [**Cymbium pepo**](#) (Lightfoot, 1786)
- papillaris, Ericusa papillaris Swainson, 1840 - syn of: [**Ericusa papillosa**](#) (Swainson, 1822)
- papillatum, Cymbium papillatum Schumacher, 1817 - syn of: [**Cymbium olla**](#) (Linnaeus, 1758)
- papillosa, [**Ericusa papillosa**](#) (Swainson, 1822)
- papillosa kenyoniana, [**Ericusa papillosa kenyoniana**](#) (Brazier, 1898)
- papillosa macquariensis, Voluta papillosa macquariensis Petterd, 1879 - syn of: [**Ericusa papillosa**](#) (Swainson, 1822)
- parabola, [**Nannamoria parabola**](#) Garrard, 1960
- paraboloides, [**Nannamoria paraboloides**](#) Darragh, 1989 † (**FOSSIL**)
- paradoxa, Adelomelon paradoxa Lahille, 1895 - syn of: [**Odontocymbiola magellanica**](#) (Gmelin, 1791)
- pariaensis, [**Volutilithes pariaensis**](#) Maury, 1912 † (**FOSSIL**)
- parki, [**Spinomelon parki**](#) (Suter, 1907) † (**FOSSIL**)
- parkrynieensis, [**Callipara queketti parkrynieensis**](#) Veldsman
- parva, [**Alcithoe parva**](#) Marwick, 1926 † (**FOSSIL**)
- patagonica, [**Neoimbricaria patagonica**](#) (Ihering, 1897) † (**FOSSIL**)
- patbaili, [**Indolyria patbaili**](#) (Bouchet, 1999)
- patbaili minifusca, [**Indolyria patbaili minifusca**](#) Bozzetti, 2014
- patbaili nordica, [**Indolyria patbaili nordica**](#) Bozzetti, 2010
- patbaili solangeae, Lyria patbaili solangeae Bozzetti, 2008 - syn of: [**Lyria solangeae**](#) Bozzetti, 2008
- patruelis, [**Metamelon patruelis**](#) Laws, 1932 † (**FOSSIL**)
- pattersonia, [**Lyria pattersonia**](#) (Perry, 1811)
- pattersonia, Voluta pattersonia Perry, 1811 - syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- patulum, [**Cymbium patulum**](#) (Broderip, 1830)
- pauljohnsoni, [**Lyria pauljohnsoni**](#) (Poppe & Terryn, 2002)
- pauljohnsoni, Indolyria pauljohnsoni Poppe & Terryn, 2002 - syn of: [**Lyria pauljohnsoni**](#) (Poppe & Terryn, 2002)
- paytanica, [**Voluta paytanica**](#) Olsson, 1930 † (**FOSSIL**)
- pedersenii, Enaeta pedersenii Verri, 1870 - syn of: [**Enaeta cumingii**](#) (Broderip, 1832)
- pelantaroi, [**Miomelon pelantaroi**](#) Nielsen & Frassineti, 2007 † (**FOSSIL**)
- pellisserpentis, [**Cymbiola vespertilio pellisserpentis**](#) Lamarck
- pellisserpentis, Cymbiola pellisserpentis Lamarck, 1811 - syn of: [**Cymbiola vespertilio pellisserpentis**](#) (Lamarck, 1811)
- pellita, [**Ericusa sowerbyi pellita**](#) Johnston (**FOSSIL**)
- pellucida, Voluta pellucida Dilwyn, 1817 - syn of: [**Spiralinella spiralis**](#) (Montagu, 1803)
- pepo, [**Cymbium pepo**](#) (Lightfoot, 1786)
- perdicina, Lyria perdicina Von Mühlfeld, 1829 - syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- peristicta, [**Cymbiola pulchra peristicta**](#) McMichael
- permulticostata, [**Volutilithes permulticostata**](#) Telegdi-Roth, 1914 † (**FOSSIL**)
- peroniana, Lyria peroniana Iredale, 1940 - syn of: [**Lyria pattersonia**](#) (Perry, 1811)
- perplicata, [**Cymbiola perplicata**](#) (Hedley, 1902)
- perplicata, Voluta perplicata Hedley, 1902 - syn of: [**Cymbiola perplicata**](#) (Hedley, 1902)
- perryi, [**Cymbiola pulchra perryi**](#) Ostergaard & Summers
- perspecta, [**Ericusa sowerbyi perspecta**](#) Iredale
- persulcata, [**Athleta anticingulata persulcata**](#) Pritchard

- *perturbatrix*, [*Enaeta perturbatrix*](#) (Maury, 1917) † (**FOSSIL**)
- *pertusus*, [*Volutilithes pertusus*](#) Swainson, 1831 † (**FOSSIL**)
- *peruviana*, [*Peruluta peruviana*](#) (Douvillé, 1921) † - syn of: [*Peruluta peruviana*](#) (Douvillé, 1921) † (**FOSSIL**)
- *peruviana*, [*Lyria peruviana*](#) Olson, 1931 † (**FOSSIL**)
- *pescalia*, [*Odontocymbiola pescalia*](#) Clench & Turner, 1964
- *pescalia rucciana*, [*Odontocymbiola pescalia rucciana*](#) Vazquez & Caldini, 1990
- *petiti*, [*Scaphella petiti*](#) Petuch, 1994 † (**FOSSIL**)
- *petrosa*, [*Athleta petrosa*](#) (Conrad, 1833) † (**FOSSIL**)
- *philipinum*, *Cymbium philipinum* Röding, 1798 - syn of: [*Cymbium olla*](#) (Linnaeus, 1758)
- *philippianum*, [*Miomelon philippianum*](#) (Dall, 1890)
- *philippi*, [*Fulgoraria philippi*](#) Thach, 2016
- *phymatias*, [*Alcithoe phymatias*](#) Finlay, 1926 † (**FOSSIL**)
- *picturata*, [*Lyria picturata*](#) (Grateloup, 1834) † (**FOSSIL**)
- *piersonorum*, [*Calliotectum piersonorum*](#) Bouchet & Poppe, 1995
- *pinguella*, [*Alcithoe pinguella*](#) (Marwick, 1931) † (**FOSSIL**)
- *pinguis*, *Voluta pinguis* Dilwyn, 1817 - syn of: [*Olivancillaria urceus*](#) (Röding, 1798)
- *piperita*, [*Cymbiola rutila piperita*](#) Sowerby
- *piperita*, *Cymbiola piperita* Sowerby, 1845 - syn of: [*Cymbiola rutila piperita*](#) (Sowerby, 1845)
- *piratica*, [*Volutifusus piratica*](#) (Clench & Aguayo, 1940)
- *pisororum*, [*Athleta pisororum*](#) (Morrison, 2006)
- *pisororum*, *Ternivoluta pisororum* Morrison, 2006 - syn of: [*Athleta pisororum*](#) (Morrison, 2006)
- *pisum*, *Voluta pisum* Brocchi, 1814 - syn of: [*Ringicula auriculata*](#) (Ménard De La Groye, 1811)
- *pithensis*, [*Amoria jansae pithensis*](#) Bai & Limpus
- *planicostata*, [*Plicolyria planicostata*](#) (Sowerby, 1903) † (**FOSSIL**)
- *planicostata boholensis*, *Lyria planicostata boholensis* Kosuge, 1980 - syn of: [*Lyria boholensis*](#) Kosuge, 1980
- *planicostata fijiensis*, [*Plicolyria planicostata fijiensis*](#) Bai & Poppe, 2004 † (**FOSSIL**)
- *planicostata grohi*, [*Plicolyria planicostata grohi*](#) Bai & Poppe, 2004 † (**FOSSIL**)
- *planicostata santoensis*, [*Plicolyria planicostata santoensis*](#) (Ladd, 1975) † (**FOSSIL**)
- *planicostata taiwainica*, [*Plicolyria planicostata taiwainica*](#) (Lan, 1975) † (**FOSSIL**)
- *plicaria*, *Voluta plicaria* Linnaeus, 1758 - syn of: [*Vexillum plicarium*](#) (Linnaeus, 1758)
- *plicata*, *Voluta plicata* Dilwyn, 1817 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *plicatula*, *Voluta plicatula* Brocchi, 1814 - syn of: [*Pusia ebenus*](#) (Lamarck, 1811)
- *politæ*, [*Notopeplum polita*](#) (Tate, 1889) † (**FOSSIL**)
- *politohumerosa*, [*Fulgoraria rupestris politohumerosa*](#) Shikama
- *polygona*, *Voluta polygona* Gmelin, 1791 - syn of: [*Vexillum polygonum*](#) (Gmelin, 1791)
- *polypeura*, [*Voluta polypeura*](#) Crosse, 1876
- *polypeura brunneocincta*, [*Voluta polypeura brunneocincta*](#) Poppe, 2001
- *polypeura hennequini*, [*Voluta polypeura hennequini*](#) Petuch, 1995
- *polypeura hilli*, [*Voluta polypeura hilli*](#) Petuch, 1987
- *polypeura kotorai*, [*Voluta polypeura kotorai*](#) (Petuch, 1981)
- *polypeura retemirabilis*, [*Voluta polypeura retemirabilis*](#) (Petuch, 1981)
- *polypeura sunderlandi*, [*Voluta polypeura sunderlandi*](#) (Petuch, 1987)
- *polyzonalis*, *Voluta polyzonalis* Lamarck, 1811 - syn of: [*Voluta virescens*](#) Lightfoot, 1786
- *ponsonbyi*, [*Festilyria ponsonbyi*](#) (Smith, 1901)
- *ponsonbyi*, *Voluta ponsonbyi* Smith, 1901 - syn of: [*Festilyria ponsonbyi*](#) (Smith, 1901)
- *poppei*, [*Lyria poppei*](#) (Bai, 2002)
- *poppei*, *Plicolyria poppei* Bai, 2002 - syn of: [*Lyria poppei*](#) (Bai, 2002)
- *porcellana*, [*Ericusa sowerbyi porcellana*](#) Jackson
- *porcellana*, *Voluta porcellana* Perry, 1811 - syn of: [*Cryptospira strigata*](#) (Dilwyn, 1817)
- *porcinum*, *Cymbium porcinum* Lamarck, 1811 - syn of: [*Cymbium cymbium*](#) (Linnaeus, 1758)
- *posei*, [*Adelomelon posei*](#) Scarabino & al., 2004 † (**FOSSIL**)
- *powelli*, [*Alcithoe powelli*](#) (Laws, 1936) † (**FOSSIL**)
- *praeputium*, *Cymbium praeputium* Röding, 1798 - syn of: [*Cymbium pepo*](#) (Lightfoot, 1786)
- *praetexta*, [*Amoria praetexta*](#) (Reeve, 1849)
- *praetexta*, *Voluta praetexta* Reeve, 1849 - syn of: [*Amoria praetexta*](#) (Reeve, 1849)
- *pratasensis*, [*Saotomea pratasensis*](#) Lan, 1997
- *pretiosa*, [*Alcithoe pretiosa*](#) (Finlay, 1926) † (**FOSSIL**)
- *prevosti*, [*Sindhiluta prevosti*](#) (Rouault, 1850) † (**FOSSIL**)
- *prevostiana*, [*Nipponomelon megaspira prevostiana*](#) Crosse
- *prevostiana*, *Nipponomelon prevostiana* Crosse, 1878 - syn of: [*Nipponomelon megaspira prevostiana*](#) (Crosse, 1878)
- *prevostiana clara*, *Fulgoraria prevostiana clara* (Sowerby, 1914) - syn of: [*Fulgoraria clara*](#) (Sowerby, 1914)
- *prevostiana clara*, *Musashia prevostiana clara* Sowerby, 1914 - syn of: [*Fulgoraria clara*](#) (Sowerby, 1914)
- *prevostiana sagamiensis*, [*Nipponomelon megaspira prevostiana sagamiensis*](#) Shikama
- *prevostiana salebrosa*, [*Nipponomelon megaspira prevostiana salebrosa*](#) Shikama
- *priamus*, [*Ampulla priamus*](#) (Gmelin, 1791)
- *proboscide*, *Cymbium proboscide* Lamarck, 1811 - syn of: [*Cymbium glans*](#) (Gmelin, 1791)
- *proboscidifera*, [*Voluta proboscidifera*](#) (Cossmann, 1896) † (**FOSSIL**)
- *productum*, *Cymbium productum* Lowe, 1861 - syn of: [*Cymbium olla*](#) (Linnaeus, 1758)
- *productus major*, *Cymbium productus major* Palary, 1930 - syn of: [*Cymbium olla*](#) (Linnaeus, 1758)
- *profundorum*, [*Fusivoluta profundorum*](#) Bai & Pullandre, 2012
- *prominima*, [*Metamelon prominima*](#) Laws, 1932 † (**FOSSIL**)
- *protensa*, [*Volutilithes protensa*](#) Sowerby, 1840 † (**FOSSIL**)

- **provocationis**, [**Cymbiola provocationis**](#) (McMichael, 1961)
- **provocator**, Provocator provocator Sowerby, 1887 - syn of: [**Provocator pulcher**](#) Watson, 1882
- **prunum**, Voluta prunum Gmelin, 1791 - syn of: [**Prunum prunum**](#) (Gmelin, 1791)
- **pseudofusiformis**, Odontocymbiola pseudofusiformis Lahille, 1895 - syn of: [**Odontocymbiola magellanica subnodoso**](#) (Leach, 1814)
- **pseudolirata**, [**Notovoluta pseudolirata**](#) (Tate, 1888)
- **pseudolutea**, [**Alcithoe pseudolutea**](#) Bail & Limpus, 2005
- **pseudolyra**, [**Athleta pseudolyra**](#) (D'Orbigny, 1850) † (**FOSSIL**)
- **pseudorarispina**, [**Mauira pseudorarispina**](#) (Suter, 1915) † (**FOSSIL**)
- **pueblensis**, [**Alcithoe pueblensis**](#) (Pritchard, 1898) † (**FOSSIL**)
- **pulchella**, [**Lyria pulchella**](#) (J. de C. Sowerby, 1849) † (**FOSSIL**)
- **pulcher**, [**Provocator pulcher**](#) Watson, 1882
- **pulchra**, [**Cymbiola pulchra**](#) (Sowerby, 1825)
- **pulchra**, Cymbiolacca pulchra Sowerby, 1825 - syn of: [**Cymbiola pulchra**](#) (Sowerby, 1825)
- **pulchra complexa**, Cymbiola pulchra complexa Iredale, 1924 - syn of: [**Cymbiola complexa**](#) (Iredale, 1924)
- **pulchra coucomorum**, [**Cymbiola pulchra coucomorum**](#) (Bail & Limpus, 1998)
- **pulchra coucomorum**, Cymbiolacca pulchra coucomorum Bail & Limpus, 1998 - syn of: [**Cymbiola pulchra coucomorum**](#) (Bail & Limpus, 1998)
- **pulchra cracenta**, Cymbiola pulchra cracenta McMichael, 1963 - syn of: [**Cymbiola cracenta**](#) (McMichael, 1963)
- **pulchra excelsior**, [**Cymbiola pulchra excelsior**](#) Bail & Limpus, 1998
- **pulchra flindersi**, [**Cymbiola pulchra flindersi**](#) Bail & Limpus, 2015
- **pulchra frazerensis**, Cymbiolacca pulchra frazerensis Bail & Limpus, 1998 - syn of: [**Cymbiola complexa frazerensis**](#) Bail & Limpus, 1998
- **pulchra houarti**, Cymbiola pulchra houarti Poppe, 1985 - syn of: [**Cymbiola houarti**](#) Poppe, 1985
- **pulchra moretonensis**, Cymbiolacca pulchra moretonensis Bail & Limpus, 1998 - syn of: [**Cymbiola moretonensis**](#) Bail & Limpus, 1998
- **pulchra moretonensis**, Cymbiola pulchra moretonensis Bail & Limpus, 1998 - syn of: [**Cymbiola moretonensis**](#) Bail & Limpus, 1998
- **pulchra nielsenae**, Cymbiola pulchra nielsenae McMichael, 1963 - syn of: [**Cymbiola complexa nielseni**](#) McMichael, 1963
- **pulchra nielseni**, Cymbiola pulchra nielseni McMichael, 1963 - syn of: [**Cymbiola complexa nielseni**](#) McMichael, 1963
- **pulchra peristica**, [**Cymbiola pulchra peristica**](#) (McMichael, 1963)
- **pulchra perryi**, [**Cymbiola pulchra perryi**](#) Ostergaard & Summers, 1957
- **pulchra provocationis**, Cymbiola pulchra provocationis (McMichael, 1961) - syn of: [**Cymbiola provocationis**](#) (McMichael, 1961)
- **pulchra subelongata**, Cymbiolacca pulchra subelongata Bail & Limpus, 1998 - syn of: [**Cymbiola subelongata**](#) Bail & Limpus, 1998
- **pulchra subelongata**, Cymbiola pulchra subelongata Bail & Limpus, 1998 - syn of: [**Cymbiola subelongata**](#) Bail & Limpus, 1998
- **pulchra wisemani**, [**Cymbiola pulchra wisemani**](#) (Brazier, 1870)
- **pulchra wisemani randalli**, [**Cymbiola pulchra wisemani randalli**](#) Stokes, 1961
- **pulchra woolacottae**, [**Cymbiola pulchra woolacottae**](#) McMichael, 1958
- **pumilio**, Voluta pumilio Brusna, 1865 - Syn of: [**Luria lurida**](#) (Linnaeus, 1758)
- **punctata**, Voluta punctata Allan, 1818 - Syn of: [**Columbella rustica**](#) (Linnaeus, 1758)
- **punctata**, Cymbiola punctata Swanson, 1823 - syn of: [**Cymbiola pulchra**](#) (Sowerby, 1825)
- **punctisligata**, [**Ericusa fulgetrum punctisligata**](#) Verco
- **punctoplicata**, [**Lyria punctoplicata**](#) (De Gregorio, 1880) † (**FOSSIL**)
- **punjabensis**, [**Lyria punjabensis**](#) Eames, 1952 † (**FOSSIL**)
- **purpuriformis**, [**Voluta purpuriformis**](#) Forbes, 1846 † (**FOSSIL**)
- **pusio**, Voluta pusio Swanson, 1823 - syn of: [**Voluta virescens**](#) Lightfoot, 1786
- **pusiola**, Aulicina pusiola Cossmann & Pissarro, 1909 † - syn of: [**Lyrischapa sismondai**](#) (d'Archiac & Haime, 1853) † (**FOSSIL**)
- **pycnoplecta**, [**Caricella pycnoplecta**](#) Gardner, 1938 † (**FOSSIL**)
- **pycnopleura**, [**Falsilyria pycnopleura**](#) (Gardner, 1937) † (**FOSSIL**)
- **pycnopleura eocenica**, [**Falsilyria pycnopleura eocenica**](#) (Palmer, 1953) † (**FOSSIL**)
- **pygmaea**, [**Athleta pygmaea**](#) Bellardi, 1890 † (**FOSSIL**)
- **pyramida**, [**Lyrischapa pyramida**](#) Abbass, 1967 † (**FOSSIL**)
- **pyriformis**, [**Voluta pyriformis**](#) Forbes, 1846 † (**FOSSIL**)
- **pyrrhostoma**, [**Fusivoluta pyrrhostoma**](#) (Watson, 1882)
- **pyrrhostoma lemairei**, Fusivoluta pyrrhostoma lemairei Poppe, 1992 - syn of: [**Fusivoluta lemairei**](#) Poppe, 1992
- **pyruloides**, [**Caricella pyruloides**](#) (Conrad, 1832) † (**FOSSIL**)
- **pyrum**, Voluta pyrum Linnaeus, 1767 - syn of: [**Turbinella pyrum**](#) (Linnaeus, 1767)
- **quaesita**, Cymbiola quaesita Iredale, 1956 - syn of: [**Cymbiola flavicans**](#) (Gmelin, 1791)
- **quaggiottoi**, [**Evoluta quaggiottoi**](#) Pacaud, 2016 † (**FOSSIL**)
- **queketti**, [**Callipara queketti**](#) (Smith, 1901)
- **queketti**, Voluta queketti Smith, 1901 - syn of: [**Callipara queketti**](#) (Smith, 1901)
- **queketti**, Lyria queketti Smith, 1901 - syn of: [**Callipara queketti**](#) (Smith, 1901)
- **queketti parkrynieensis**, [**Callipara queketti parkrynieensis**](#) Veldsman, 2012
- **quemadensis**, [**Miomelon quemadensis**](#) Ihering, 1887 † (**FOSSIL**)
- **quisqualis**, Livonia quisqualis Iredale, 1957 - syn of: [**Livonia roadnightae**](#) (McCoy, 1881)
- **radiata**, Amoria radiata Lamarck, 1822 - syn of: [**Amoria zebra**](#) (Leach, 1814)
- **radula**, [**Voluta radula**](#) Forbes, 1846 † (**FOSSIL**)
- **ralphi**, [**Volutoconus ralphi**](#) Finlay, 1930 † (**FOSSIL**)
- **randalli**, Cymbiola randalli Stokes, 1961 - syn of: [**Cymbiola pulchra wisemani**](#) (Brazier, 1870)
- **ranya**, [**Nannamoria ranya**](#) Wilan, 1995
- **rarispina**, [**Athleta rarispina**](#) (Lamarck, 1811) † (**FOSSIL**)
- **rathieri**, [**Athleta rathieri**](#) (Hebert, 1849) † (**FOSSIL**)
- **raywalkeri**, [**Notopeplum raywalkeri**](#) Morrison, 2013
- **reconditus**, [**Adelomelon reconditus**](#) Frassinetti, 2000 † (**FOSSIL**)
- **reducta**, [**Amoria molleri reducta**](#) Bail & Limpus
- **reevei**, [**Enaeta reevei**](#) (Dal, 1907)
- **reevei**, [**Amoria damonii reevei**](#) Sowerby
- **regia**, Melo regia Schubert & Wagner, 1829 - syn of: [**Melo amphora**](#) (Lightfoot, 1786)
- **regularis**, [**Pachymelon regularis**](#) (Finley, 1926) † (**FOSSIL**)

- *reinai*, *Lyria reinai* Angloy & Biraghj, 1981 - syn of: [*Lyria mallicki*](#) Ladd, 1975
- *relicta*, [*Eopsephaea relicta*](#) (Bayan, 1870) † (FOSSIL)
- *renwicki*, [*Alcithoe renwicki*](#) (Marwick, 1928) † (FOSSIL)
- *residua*, [*Spinomelon residua*](#) (Finlay, 1926) † (FOSSIL)
- *resolutionis*, [*Alcithoe resolutionis*](#) Fleming, 1954 † (FOSSIL)
- *retemirabilis*, [*Voluta polypheura retemirabilis*](#) Petuch
- *retemirabilis*, *Voluta retemirabilis* Petuch, 1981 - syn of: [*Voluta polypheura retemirabilis*](#) (Petuch, 1981)
- *reticulata*, [*Caricella reticulata*](#) (Aldrich, 1885) † (FOSSIL)
- *reticulata*, [*Amoria damonii reticulata*](#) Gray
- *reticulata*, *Voluta reticulata* Linnaeus, 1767 - syn of: [*Cancellaria reticulata*](#) (Linnaeus, 1767)
- *reticulata*, *Amoria reticulata* Reeve, 1844 - syn of: [*Amoria damonii*](#) Gray, 1864
- *reticulata*, *Voluta reticulata* Röding, 1798 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *reverta*, [*Metamelon reverta*](#) (Finlay, 1926) † (FOSSIL)
- *rex*, [*Lyria rex*](#) Hirase, 1908 † (FOSSIL)
- *rhinoceros*, *Voluta rhinoceros* Gmelin, 1791 - syn of: [*Vasum rhinoceros*](#) (Gmelin, 1791)
- *rinkensi*, [*Amoria rinkensi*](#) Poppe, 1986
- *riosi*, [*Adelomelon riosi*](#) Clench & Turner, 1964
- *roadnightae*, [*Livonia roadnightae*](#) (McCoy, 1881)
- *robinsoni*, [*Cymbiola imperialis robinsoni*](#) Burch
- *robusta*, [*Scaphella robusta*](#) (Dall, 1889)
- *robusta marionae*, [*Scaphella robusta marionae*](#) (Pilsbry & Olsson, 1953)
- *robusta worki*, [*Scaphella robusta worki*](#) Coltro, 1998
- *rosavittoriae*, [*Athleta rosavittoriae*](#) (Rehder, 1981)
- *rosea*, [*Fulgoraria concinna rosea*](#) Broderip
- *rosea*, *Voluta rosea* Röding, 1798 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *rossiniana*, [*Cymbiola rossiniana*](#) (Bernardj, 1859)
- *rossiteri*, *Alcithoe rossiteri* Brazier, 1898 - syn of: [*Alcithoe arabica*](#) (Gmelin, 1791)
- *rouaulti*, [*Athleta rouaulti*](#) Cossmann, 1923 † (FOSSIL)
- *rowseorum*, [*Cymbiola intruderis rowseorum*](#) Bai & Limpus
- *rubiginosa*, *Cymbium rubiginosa* Swanson, 1821 - syn of: [*Cymbium cucumis*](#) Röding, 1798
- *rubiginosum*, *Cymbium rubiginosum* Lowe, 1861 - syn of: [*Cymbium cucumis*](#) Röding, 1798
- *rubiginosum angulata*, *Cymbium rubiginosum angulata* Lowe, 1861 - syn of: [*Cymbium cucumis*](#) Röding, 1798
- *rubiginosum incurva*, *Cymbium rubiginosum incurva* Lowe, 1861 - syn of: [*Cymbium cucumis*](#) Röding, 1798
- *rubiginosus sacella*, *Cymbium rubiginosus sacella* Dolfini, 1911 - syn of: [*Cymbium cucumis*](#) Röding, 1798
- *rucciana*, [*Odontocymbiola pescalia rucciana*](#) Vazquez & Caldini
- *ruckeri*, *Cymbiola ruckeri* Crosse, 1867 - syn of: [*Cymbiola rutila rueckeri*](#) (Crosse, 1867)
- *rudis*, *Pachycymbiola rudis* Griffit & Pidgeon, 1834 - syn of: [*Adelomelon ferussacii*](#) (Donovan, 1824)
- *rueckeri*, [*Cymbiola rutila rueckeri*](#) Crosse
- *rugifera*, *Voluta rugifera* Lamarck, 1811 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *rugosa*, [*Alcithoe rugosa*](#) (Marwick, 1926) † (FOSSIL)
- *rugosum*, [*Liopeplum rugosum*](#) Stephenson, 1955 † (FOSSIL)
- *rupestris*, [*Fulgoraria rupestris*](#) (Gmelin, 1791)
- *rupestris aurantia*, [*Fulgoraria rupestris aurantia*](#) Shikama & Kosuge, 1970
- *rupestris politohumerosa*, [*Fulgoraria rupestris politohumerosa*](#) Shikama, 1968
- *rupestris thachi*, [*Fulgoraria rupestris thachi*](#) Bai & Chino, 2010
- *russjenseni*, [*Lyria russjenseni*](#) Emerson, 1985
- *rustica*, *Voluta rustica* Linnaeus, 1758 - syn of: [*Columbella rustica*](#) (Linnaeus, 1758)
- *rutila*, [*Cymbiola rutila*](#) (Broderip, 1826)
- *rutila ceraunia*, [*Cymbiola rutila ceraunia*](#) Gray, 1838
- *rutila macgillivrayi*, [*Cymbiola rutila macgillivrayi*](#) (Cox, 1873)
- *rutila norrisii*, [*Cymbiola rutila norrisii*](#) Gray, 1838
- *rutila piperita*, [*Cymbiola rutila piperita*](#) (Sowerby, 1845)
- *rutila rueckeri*, [*Cymbiola rutila rueckeri*](#) (Crosse, 1867)
- *ryalli*, [*Plicoliva ryalli*](#) Bouchet, 1989
- *ryosukei*, [*Arctomelon stearnsii ryosukei*](#) Habe & Itô
- *ryosukei*, [*Amoria ryosukei*](#) Habe, 1975
- *sabaensis*, [*Lyria sabaensis*](#) Bai, 1993
- *sabulosa*, [*Lyria sabulosa*](#) Olson, 1928 † (FOSSIL)
- *saginata*, [*Notovoluta saginata*](#) (Finlay, 1930) † (FOSSIL)
- *samanaensis*, [*Lyria samanaensis*](#) Cox, 1930 † (FOSSIL)
- *sanctaemariae*, [*Scaphellopsis sanctaemariae*](#) Petuch, 1989 † (FOSSIL)
- *sanguinea*, *Voluta sanguinea* Verill, 1950 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *sanguisuga*, *Voluta sanguisuga* Linnaeus, 1758 - syn of: [*Vexillum sanguisugum*](#) (Linnaeus, 1758)
- *santacrucensis*, [*Miomelon santacrucensis*](#) Chiesa & al., 1995 † (FOSSIL)
- *santoensis*, [*Plicolyria planicostata santoensis*](#) Ladd (FOSSIL)
- *saotomensis*, [*Odontocymbiola americana saotomensis*](#) Calvo & Coltro
- *sarissa*, [*Alcithoe sarissa*](#) Tate, 1889 † (FOSSIL)
- *sayanus*, [*Athleta sayanus*](#) (Conrad, 1833) † (FOSSIL)
- *scabra*, *Voluta scabra* Gmelin, 1791 - syn of: [*Bullina lineata*](#) (Gray, 1825)
- *scabricula*, *Voluta scabricula* Linnaeus, 1767 - syn of: [*Tiarella scabricula*](#) (Linnaeus, 1767)
- *scafa*, *Cymbium scafa* Lightfoot, 1786 - syn of: [*Cymbium cymbium*](#) (Linnaeus, 1758)
- *scalaris*, [*Volutospina scalaris*](#) (Sowerby, 1843) † (FOSSIL)
- *scapha*, *Voluta scapha* Gmelin, 1791 - syn of: [*Cymbiola nobilis*](#) (Lightfoot, 1786)
- *scapha*, *Cymbiola scapha* Gmelin, 1791 - syn of: [*Cymbiola nobilis*](#) (Lightfoot, 1786)

- *schilderi*, [***Eosephaea schilderi***](#) Renard, 1994 † (**FOSSIL**)
- *schmitti*, [***Scaphella dubia schmitti***](#) Bartsch
- *schroeteri*, *Voluta schroeteri* Link, 1807 - syn of: [***Mitra cornicula***](#) (Linnaeus, 1758)
- *scitula*, [***Alcithoe scitula***](#) Marwick, 1926 † (**FOSSIL**)
- *sclateri*, [***Amoria undulata sclateri***](#) Cox
- *sclateri*, *Amoria sclateri* Cox, 1869 - syn of: [***Amoria undulata sclateri***](#) (Cox, 1869)
- *scopi*, [***Alcithoe scopi***](#) Marwick, 1926 † (**FOSSIL**)
- *scoresbyana*, [***Adelomelon scoresbyana***](#) (Powell, 1951)
- *scoresbyanum*, *Miomelon scoresbyanum* Powell, 1951 - syn of: [***Adelomelon scoresbyana***](#) (Powell, 1951)
- *scottjordani*, [***Cymbiola scottjordani***](#) Poppe & Tagaro, 2005
- *sculpturata*, [***Fusivoluta sculpturata***](#) (Tomlin, 1945)
- *seelyeorum*, [***Alcithoe seelyeorum***](#) Bai & Limpus, 2005
- *semiacuticostata*, [***Lyria semiacuticostata***](#) (Pritchard, 1896) † (**FOSSIL**)
- *seminole*, [***Scaphella seminole***](#) Petuch, 1994 † (**FOSSIL**)
- *semirugata*, [***Athleta semirugata***](#) (Rehder & Weaver, 1974)
- *senegalensis*, [***Cymbium senegalensis***](#) Marche-Marchad, 1978
- *septemcostata*, [***Voluta septemcostata***](#) Forbes, 1846 † (**FOSSIL**)
- *sequax*, [***Alcithoe sequax***](#) Marwick, 1923 † (**FOSSIL**)
- *sericata*, [***Ericusa sericata***](#) Thornley, 1951
- *serpentina*, *Cymbiola serpentina* Lamarck, 1811 - syn of: [***Cymbiola vespertilio***](#) (Linnaeus, 1758)
- *shinzatoensis*, [***Calliotectum shinzatoensis***](#) (MacNeil, 1960) † (**FOSSIL**)
- *shinzatoensis*, *Teramachia shinzatoensis* MacNeil, 1960 † - syn of: [***Calliotectum shinzatoensis***](#) (MacNeil, 1960) † (**FOSSIL**)
- *siemssenii*, [***Scaphella siemssenii***](#) (Böll, 1851) † (**FOSSIL**)
- *signifer*, *Cymbiola signifer* Broderip, 1848 - syn of: [***Cymbiola flavicans***](#) (Gmelin, 1791)
- *silicata*, [***Lyria silicata***](#) Dall, 1915 † (**FOSSIL**)
- *simoneae*, [***Amoria simoneae***](#) Bai & Limpus, 2003
- *simplex*, [***Pseudaulicina simplex***](#) Furon & Kouratchy, 1948 † (**FOSSIL**)
- *simplicia*, [***Tectaplica simplicia***](#) Wade, 1916 † (**FOSSIL**)
- *simulatrix*, [***Odontocymbiola simulatrix***](#) Leal & Bouchet, 1989
- *sindhensis*, [***Volutilithes sindhiensis***](#) Merle & al., 2014 † (**FOSSIL**)
- *sindiensis*, [***Volutospina sindiensis***](#) Vredenburg, 1925 † (**FOSSIL**)
- *sinica*, [***Fulgoraria hamillei sinica***](#) Shikama
- *sismondai*, [***Lyrischapa sismondai***](#) (d'Archiac & Haime, 1853) † (**FOSSIL**)
- *sismondai*, *Lyrischapa sismondai* Givens, 1991 † - syn of: [***Lyrischapa vredenburgi***](#) Merle & al., 2014 † (**FOSSIL**)
- *smithi*, [***Calliotectum smithi***](#) (Bartsch, 1942)
- *smithi*, *Kurodina smithi* (Sowerby, 1901) - syn of: [***Fulgoraria smithi***](#) (Sowerby, 1901)
- *smithi*, [***Fulgoraria smithi***](#) (Sowerby, 1901)
- *smithi*, [***Alcithoe wilsonae smithi***](#) Powell
- *smithi*, [***Pachymelon smithi***](#) Powell, 1950 † (**FOSSIL**)
- *sohli*, [***Athleta sohli***](#) Abbass, 1967 † (**FOSSIL**)
- *solangeae*, [***Lyria solangeae***](#) Bozzetti, 2008
- *solangii*, [***Pakiluta solangii***](#) Merle & Pacaud, 2014 † (**FOSSIL**)
- *solida*, [***Saotomea solida***](#) (Bai & Chino, 2000)
- *solida*, [***Alcithoe solida***](#) Marwick, 1926 † (**FOSSIL**)
- *solitaria*, [***Scaphellopsis solitaria***](#) (Conrad, 1830) † (**FOSSIL**)
- *sophia*, *Cymbiola sophia* Gray, 1846 - syn of: [***Cymbiola sophiae***](#) Gray, 1846
- *sophiae*, [***Cymbiola sophiae***](#) Gray, 1846
- *soriensis*, [***Athleta soriensis***](#) Eames, 1952 † (**FOSSIL**)
- *soudanense*, [***Lyrischapa soudanense***](#) (Douvillé) † (**FOSSIL**)
- *souliei*, [***Cymbium souliei***](#) Marche-Marchad, 1974
- *sowerbyi*, [***Ericusa sowerbyi***](#) (Kiener, 1839)
- *sowerbyi pellita*, [***Ericusa sowerbyi pellita***](#) (Johnston, 1880) † (**FOSSIL**)
- *sowerbyi perspecta*, [***Ericusa sowerbyi perspecta***](#) Iredale, 1929
- *sowerbyi porcellana*, [***Ericusa sowerbyi porcellana***](#) Jackson, 1954
- *sparta*, [***Tractolira sparta***](#) Dall, 1896
- *spectabilis*, *Adelomelon spectabilis* Gmelin, 1791 - syn of: [***Adelomelon ancilla***](#) (Lightfoot, 1786)
- *speighti*, [***Spinomelon speighti***](#) Marwick, 1926 † (**FOSSIL**)
- *spencerei*, *Livonia spencerei* Pritchard, 1896 † - syn of: [***Livonia spenceri***](#) (Pritchard, 1896) † (**FOSSIL**)
- *spenceri*, [***Livonia spenceri***](#) (Pritchard, 1896) † (**FOSSIL**)
- *spenceriana*, [***Amoria spenceriana***](#) (Gatiff, 1908)
- *spiculatum*, [***Liopeplum spiculatum***](#) Sohl, 1964 † (**FOSSIL**)
- *spinifera*, [***Lyrischapa spinifera***](#) Perillat & al., 2006 † (**FOSSIL**)
- *spinosa*, [***Volutospina spinosa***](#) (Linnaeus, 1758) † (**FOSSIL**)
- *spinulosa*, *Voluta spinulosa* Brocchi, 1814 - syn of: [***Sveltia lyrata***](#) (Brocchi, 1814)
- *stearnsii*, [***Arctomelon stevensii***](#) (Dall, 1872)
- *stearnsii ryosukei*, [***Arctomelon stevensii ryosukei***](#) Habe & Itô, 1965
- *stenzeli*, [***Athleta stenzeli***](#) Plummer † (**FOSSIL**)
- *stephensi*, [***Livonia stephensi***](#) Johnston, 1879 † (**FOSSIL**)
- *stokesi*, *Mesericusa stokesi* Cotton, 1961 - syn of: [***Ericusa sowerbyi***](#) (Kiener, 1839)
- *stolida*, [***Nannamoria stolida***](#) (Johnston, 1880) † (**FOSSIL**)
- *stragulata*, *Amoria stragulata* Von Mühlfeld, 1829 - syn of: [***Amoria zebra***](#) (Leach, 1814)
- *striata*, [***Alcithoe striata***](#) (Laws, 1935) † (**FOSSIL**)
- *striata*, *Voluta striata* Gmelin, 1791 - syn of: [***Pisania striata***](#) (Gmelin, 1791)
- *stricklandi*, [***Amoria stricklandi***](#) Bai & Limpus, 2016


- **strigata**, Voluta strigata Dilwyn, 1817 - syn of: [**Cryptospira strigata**](#) (Dilwyn, 1817)
- **strigosa**, Voluta strigosa Gmelin, 1791 - syn of: [**Vexillum sanguisugum**](#) (Linnaeus, 1758)
- **strombiformis**, [**Athleta strombiformis**](#) (Deshayes, 1835) † (**FOSSIL**)
- **stromboidella**, [**Scaphella stromboidella**](#) Kelum, 1926 † (**FOSSIL**)
- **strongi**, [**Mauithoe strongi**](#) (Marwick, 1931) † (**FOSSIL**)
- **strophodon**, [**Cymbiolacca strophodon**](#) (McCoy, 1876) † (**FOSSIL**)
- **studereri**, [**Athleta studeri**](#) (Von Martens, 1897)
- **swainensis**, [**Athleta studeri swainensis**](#) Bail & Limpus, 1998
- **subaffinis**, [**Athleta ficalina subaffinis**](#) D'Orbigny
- **subambigua**, [**Volutospina subambigua**](#) (A.V.M.D. A.V.M.D. D'Orbigny, 1852) † (**FOSSIL**)
- **subambiguus**, [**Athleta subambiguus**](#) (Martin, 1914) † (**FOSSIL**)
- **subangulata**, [**Caricella subangulata**](#) Conrad, 1854 † (**FOSSIL**)
- **subelegans**, [**Athleta subelegans**](#) (D'Orbigny, 1852) † (**FOSSIL**)
- **subelongata**, [**Cymbiola subelongata**](#) Bail & Limpus, 1998
- **subfossilis**, [**Amoria subfossilis**](#) Bail & Limpus, 2011
- **subharpula**, [**Lyria subharpula**](#) D'Orbigny † (**FOSSIL**)
- **subharpula**, Voluta subharpula D'Orbigny, 1856 † - syn of: [**Lyria degrangei**](#) Peyrot, 1925 † (**FOSSIL**)
- **subharpula aquitanica**, [**Lyria subharpula aquitanica**](#) Peyrot, 1925
- **subnodososa**, [**Odontocymbiola magellanica subnodososa**](#) Leach
- **subplicata**, Alcithoe subplicata Hutton, 1873 - syn of: [**Alcithoe fusus**](#) (Quoy & Gaimard, 1833)
- **subspecies**, [**Scaphella bolli subspecies**](#) Koch (**FOSSIL**)
- **subtilis**, [**Ericusa subtilis**](#) (Ludbrook, 1978) † (**FOSSIL**)
- **subturgidula**, [**Lyria subturgidula**](#) D'Orbigny, 1850 † (**FOSSIL**)
- **subventricosa**, [**Athleta subventricosa**](#) Cossmann, 1923 † (**FOSSIL**)
- **succincta**, [**Amoria molleri succincta**](#) Bail & Limpus
- **suduirauti**, [**Lyria suduirauti**](#) (Bozzetti, 1997)
- **sula**, [**Voluta sula**](#) Olson, 1930 † (**FOSSIL**)
- **suleata**, Voluta sulcata Lamarck, 1811 - syn of: [**Voluta musica**](#) Linnaeus, 1758
- **sunderlandi**, [**Voluta polypeura sunderlandi**](#) Petuch
- **sunderlandi**, Voluta sunderlandi Petuch, 1987 - syn of: [**Voluta polypeura sunderlandi**](#) (Petuch, 1987)
- **superstes**, [**Spinomelon superstes**](#) (Marwick, 1926) † (**FOSSIL**)
- **surinamensis**, Indolyria surinamensis (Okutani, 1982) - syn of: [**Lyria surinamensis**](#) (Okutani, 1982)
- **surinamensis**, [**Lyria surinamensis**](#) (Okutani, 1982)
- **suropsilos**, [**Alcithoe suropsilos**](#) Stilwell & Zinsmeister, 1992 † (**FOSSIL**)
- **suspensus**, [**Volutospina suspensus**](#) (Solander, 1766) † (**FOSSIL**)
- **suteri**, [**Spinomelon suteri**](#) (Marwick, 1926) † (**FOSSIL**)
- **suturalis**, [**Athleta suturalis**](#) (Nyst, 1843) † (**FOSSIL**)
- **swainensis**, [**Athleta studeri swainensis**](#) Bail & Limpus
- **swainsoni**, [**Alcithoe arabica swainsoni**](#) Marwick
- **swainsoni**, Alcithoe swainsoni Marwick, 1926 - syn of: [**Alcithoe arabica swainsoni**](#) Marwick, 1926
- **swainsoni motutaraensis**, [**Alcithoe arabica swainsoni motutaraensis**](#) Powell
- **symmetricus**, [**Athleta symmetricus**](#) Conrad, 1854 † (**FOSSIL**)
- **syracusana**, Voluta syracusana Gmelin, 1791 - syn of: [**Pisania striata**](#) (Gmelin, 1791)
- **tabulata**, [**Notovoluta tabulata**](#) (Tate, 1888)
- **taiwainica**, [**Plicolyria planicostata taiwainica**](#) Lan (**FOSSIL**)
- **taiwanica**, Lyria taiwanica Kosuge, 1980 † - syn of: [**Plicolyria planicostata**](#) (Sowerby, 1903) † (**FOSSIL**)
- **taiwanica boholensis**, Lyria taiwanica boholensis Kosuge, 1980 - syn of: [**Lyria boholensis**](#) Kosuge, 1980
- **tamariskae**, [**Cymbiola nobilis tamariskae**](#) Sutanto & Patamakanthin
- **tamikoae**, [**Arctomelon tamikoae**](#) (Kosuge, 1970)
- **tarbelliana**, [**Scaphella tarbelliana**](#) (Grateloup, 1840) † (**FOSSIL**)
- **tateana**, [**Alcithoe tateana**](#) (Johnston, 1880) † (**FOSSIL**)
- **taurinia**, [**Lyria taurinia**](#) (Bonell, 1825) † (**FOSSIL**)
- **taverai**, [**Palaeomelon taverai**](#) (Stuardo & Villarroel, 1974) † (**FOSSIL**)
- **tenebrosa**, [**Tractolira tenebrosa**](#) Leal & Bouchet, 1985
- **tennesseensis**, [**Longiconcha tennesseensis**](#) (Wade, 1926) † (**FOSSIL**)
- **tesselata**, [**Melo melo tesselata**](#) Lamarck
- **thachi**, [**Fulgoraria rupestris thachi**](#) Bail & Chino
- **thatcheri**, [**Cymbiola thatcheri**](#) (McCoy, 1868)
- **thatcheri**, Cymbiolacca thatcheri Angas, 1870 - syn of: [**Cymbiola thatcheri**](#) (McCoy, 1868)
- **thiara**, Voluta thiara Dilwyn, 1817 - syn of: [**Tiarella stictica**](#) (Link, 1807)
- **thiarella**, [**Voluta musica thiarella**](#) Lamarck
- **thiarella**, Voluta thiarella Lamarck, 1811 - syn of: [**Voluta musica thiarella**](#) Lamarck, 1811
- **thomsoni**, [**Spinomelon thomsoni**](#) Marwick, 1926 † (**FOSSIL**)
- **tibiaeforme**, [**Calliotectum tibiaeforme**](#) (Kuroda, 1931)
- **tibiaeforme barneli**, [**Calliotectum tibiaeforme barneli**](#) Bail, 2006
- **tibiaeforme dupreyaee**, [**Calliotectum tibiaeforme dupreyaee**](#) (Emerson, 1985)
- **tibiaeforme dupreyaee**, Calliotectum tibiaeforme dupreyaee Emerson, 1985 - syn of: [**Calliotectum tibiaeforme dupreyaee**](#) (Emerson, 1985)
- **tibiaeforme johnsoni**, [**Calliotectum tibiaeforme johnsoni**](#) (Bartsch, 1942)
- **tibiaeforme williamsorum**, [**Calliotectum tibiaeforme williamsorum**](#) (Rehder, 1972)
- **tigrina**, Alcithoe tigrina Bail & Limpus, 2005 - syn of: [**Alcithoe larochei tigrina**](#) Bail, Limpus & Terryn, 2005
- **tigrina**, [**Alcithoe larochei tigrina**](#) Bail, Limpus & Terryn
- **tissotiana**, Cymbiola tissotiana Crosse, 1867 - syn of: [**Cymbiola flavicans**](#) (Gmelin, 1791)
- **tjilonganensis**, [**Cymbiola tjilonganensis**](#) (Martin, 1906) † (**FOSSIL**)
- **tobagoensis**, Voluta tobagoensis Vernil, 1953 - syn of: [**Voluta musica**](#) Linnaeus, 1758

- **tobagoensis damula**, Voluta tobagoensis damula Dall, 1907 - syn of: [Voluta musica](#) Linnaeus, 1758
- **tobagoensis guinaica**, Voluta tobagoensis guinaica Lamarck, 1811 - syn of: [Voluta musica](#) Linnaeus, 1758
- **tomscotti**, [Scaphella tomscotti](#) Petuch, 1994 † (**FOSSIL**)
- **tornatilis**, Voluta tornatilis Linnaeus, 1758 - syn of: [Acteon tornatilis](#) (Linnaeus, 1758)
- **torrei**, [Volutifusus torrei](#) (Pilsbry, 1937)
- **torulosa**, [Eopsephaea torulosa](#) (Deshayes, 1835) † (**FOSSIL**)
- **tosaensis**, [Fulgoraria hamillei tosaensis](#) Shikama
- **translucidum**, [Notopeplum translucidum](#) (Verco, 1896)
- **transverseplicata**, [Cymbiola transverseplicata](#) (Pannekoek, 1936) † (**FOSSIL**)
- **trechmanni**, [Enaeta trechmanni](#) Jung, 1971 † (**FOSSIL**)
- **trenholmii**, [Scaphella trenholmii](#) Tuomey & Holmes, 1857 † (**FOSSIL**)
- **trichinopolitensis**, [Voluta trichinopolitensis](#) Forbes, 1846 † (**FOSSIL**)
- **tricincta**, [Ericusa fulgetrum tricincta](#) Verco
- **tricolor**, Voluta tricolor Gmelin, 1791 - syn of: [Pusia tricolor](#) (Gmelin, 1791)
- **tringa**, Voluta tringa Linnaeus, 1758 - syn of: [Columbellula rustica](#) (Linnaeus, 1758)
- **tringa**, Voluta tringa Schröter, 1783 - syn of: [Nitidella nitida](#) (Lamarck, 1822)
- **trionyma**, [Nannamoria trionyma](#) Darragh, 1988 † (**FOSSIL**)
- **triplicata**, [Palaeomelon triplicata](#) (Sowerby, 1846) † (**FOSSIL**)
- **trieregensis**, [Alcithoe triregensis](#) Bai & Limpus, 2005
- **trisulcata**, [Athleta trisulcata](#) (Deshayes, 1835) † (**FOSSIL**)
- **tritonis**, [Cymbium tritonis](#) (Broderip, 1830)
- **tuberculata**, Odontocymbiola tuberculata Swainson, 1821 - syn of: [Odontocymbiola magellanica subnodososa](#) (Leach, 1814)
- **tucapeli**, [Palaeomelon tucapeli](#) Nielsen & Frassineti, 2007 † (**FOSSIL**)
- **tulearensis**, Indolyria tulearensis (Cosel & Blöcher, 1977) - syn of: [Lyria tulearensis](#) (Cosel & Blöcher, 1977)
- **tulearensis**, [Lyria tulearensis](#) (Cosel & Blöcher, 1977)
- **tulearensis**, Indolyria tulearensis Cosel & Blöcher, 1977 - syn of: [Lyria tulearensis](#) (Cosel & Blöcher, 1977)
- **tumida**, [Lyria tumida](#) (Koenen, 1909) † (**FOSSIL**)
- **tumidior**, [Alcithoe tumidior](#) (Finlay, 1926) † (**FOSSIL**)
- **turbata**, Voluta turbata Röding, 1798 - syn of: [Voluta musica](#) Linnaeus, 1758
- **turbanata**, Voluta turbinata Kiener, 1839 - syn of: [Voluta ebraea](#) Linnaeus, 1758
- **turboides**, [Caricella turboides](#) Garvie, 2013 † (**FOSSIL**)
- **turnerae**, [Miomelon turnerae](#) Del, 1990
- **turneri**, [Amoria turneri](#) (Gray in Griffith & Pidgeon, 1834)
- **turneri**, Voluta turneri Gray, 1834 - syn of: [Amoria turneri](#) (Gray in Griffith & Pidgeon, 1834)
- **turneri broderipi**, Amoria turneri broderipi Gray, 1864 - syn of: [Amoria turneri](#) (Gray in Griffith & Pidgeon, 1834)
- **turneri cumingi**, Amoria turneri cumingi Gray, 1864 - syn of: [Amoria praetexta](#) (Reeve, 1849)
- **turneri jamrachii**, Amoria turneri jamrachii Gray, 1864 - syn of: [Amoria jamrachi](#) Gray, 1864
- **turneri newmaniae**, [Amoria turneri newmaniae](#) Cotton, 1949
- **turriculatus**, Cymbium turriculatus Pallary, 1930 - syn of: [Cymbium olla](#) (Linnaeus, 1758)
- **turrita**, [Alcithoe turrita](#) (Suter, 1917) † (**FOSSIL**)
- **turrita**, Voluta turrita Gmelin, 1791 - syn of: [Turrilatirus turritus](#) (Gmelin, 1791)
- **typica**, Voluta typica Dal, 1907 - syn of: [Voluta musica](#) Linnaeus, 1758
- **typica**, [Zidona dufresnei typica](#) Lahille
- **typus**, [Scaphella typus](#) Conrad, 1866 † (**FOSSIL**)
- **umbilicatus**, [Melo umbilicatus](#) Broderip in Sowerby, 1826
- **uncifera**, [Voluta uncifera](#) Tate, 1889 † (**FOSSIL**)
- **undulata**, [Amoria undulata](#) (Lamarck, 1804)
- **undulata**, Voluta undulata Chemnitz, 1788 - syn of: [Cryptospira strigata](#) (Dilwyn, 1817)
- **undulata**, Voluta undulata Lamarck, 1804 - syn of: [Amoria undulata](#) (Lamarck, 1804)
- **undulata angasii**, [Amoria undulata angasii](#) (Sowerby, 1864)
- **undulata benthalis**, Amoria undulata benthalis McMichael, 1964 - syn of: [Amoria benthalis](#) McMichael, 1964
- **undulata kingi**, [Amoria undulata kingi](#) Cox, 1871
- **undulata moslemica**, [Amoria undulata moslemica](#) (Hedley, 1912)
- **undulata sclateri**, [Amoria undulata sclateri](#) (Cox, 1869)
- **unicincta**, [Ericusa fulgetrum unicincta](#) Verco
- **unicolor**, Cymbium unicolor Link, 1807 - syn of: [Cymbium cymbium](#) (Linnaeus, 1758)
- **unifasciata**, Voluta unifasciata Wood, 1828 - syn of: [Vexillum unifasciatum](#) (Wood, 1828)
- **uniplicata**, Kurodina uniplicata Sowerby, 1900 - syn of: [Fulgoraria smithi](#) (Sowerby, 1901)
- **uptonensis**, [Alcithoe uptonensis](#) L. C. King, 1934 † (**FOSSIL**)
- **valdesiense**, [Adelomelon valdesiense](#) Scarabino & al., 2004 † (**FOSSIL**)
- **valentina**, Indolyria valentina Bondarev, 1994 - syn of: [Lyria doutei](#) (Bouchet & Bai, 1991)
- **vandenbergae**, [Amoria molleri vandenbergae](#) Bai & Limpus
- **vanhoeffeni**, Harpovoluta vanhoeffeni Thiele, 1912 - syn of: [Harpovoluta charcoti](#) (Lamy, 1910)
- **vanhoeffeni striatula**, Harpovoluta vanhoeffeni striatula Thiele, 1912 - syn of: [Harpovoluta charcoti](#) (Lamy, 1910)
- **variabilis**, Voluta variabilis Link, 1807 - syn of: [Vexillum vulpecula](#) (Linnaeus, 1758)
- **variculosa**, [Leptoscapha variculosa](#) (Lamarck, 1803) † (**FOSSIL**)
- **variolosa**, Voluta variolosa Grateloup, 1834 † - syn of: [Oniscidia variolosum](#) (Grateloup, 1834) † (**FOSSIL**)
- **vaughani**, [Lyria vaughani](#) Cooke, 1919 † (**FOSSIL**)
- **vautrini**, [Voluta vautrini](#) Jung, 1965 † (**FOSSIL**)
- **vegai**, [Lyria vegai](#) Clench & Turner, 1967
- **veldsmani**, [Callipara veldsmani](#) (Veldsman, 2012)
- **veldsmani**, Simililyria veldsmani Veldsman, 2012 - syn of: [Callipara veldsmani](#) (Veldsman, 2012)
- **veliocassina**, [Scaphella veliocassina](#) Pacaud & Meyer, 2014 † (**FOSSIL**)
- **verconis**, [Notovoluta verconis](#) (Tate, 1892)






- *verconis medicata*, [*Notovoluta verconis medicata*](#) Darragh, 1988 † (**FOSSIL**)
- *vernicosum*, [*Calliotectum vernicosum*](#) (Dall, 1890)
- *vespertilio*, [*Cymbiola vespertilio*](#) (Linnaeus, 1758)
- *vespertilio agustinensis*, [*Cymbiola vespertilio agustinensis*](#) Bail & Douté, 1995
- *vespertilio matiyensis*, [*Cymbiola vespertilio matiyensis*](#) Douté, 1985
- *vespertilio mirindugue*, [*Cymbiola vespertilio mirindugue*](#) (Linnaeus, 1758)
- *vespertilio pellisserpentis*, [*Cymbiola vespertilio pellisserpentis*](#) (Lamarck, 1811)
- *vetulus*, [*Voluteconus vetulus*](#) Bail & Limpus, 2013
- *vexillum*, [*Harpulina arausiaca vexillum*](#) Gmelin
- *vicdani*, [*Lyria mallicki vicdani*](#) Kosuge
- *vicdani*, Lyria vicdani Kosuge, 1981 - syn of: [*Lyria mallicki vicdani*](#) Kosuge, 1981
- *vidali*, [*Pachycymbiola vidali*](#) (Philippi, 1897) † (**FOSSIL**)
- *violacea*, Voluta violacea Lamarck, 1811 - syn of: [*Voluta musica*](#) Linnaeus, 1758
- *viperinus*, [*Nanomelon viperinus*](#) Leal & Bouchet, 1989
- *virescens*, [*Voluta virescens*](#) Lightfoot, 1786
- *virescens lacertina*, [*Voluta virescens lacertina*](#) Lightfoot, 1786
- *virescens lindae*, [*Voluta virescens lindae*](#) (Petuch, 1987)
- *virginiana*, [*Scaphella virginiana*](#) Conrad, 1842 † (**FOSSIL**)
- *virgo*, Voluta virgo Linnaeus, 1767 - syn of: [*Vexillum virgo*](#) (Linnaeus, 1767)
- *volcesiana*, [*Evoluta volcesiana*](#) Pacaud, 2016 † (**FOSSIL**)
- *voluminosa*, [*Livonia voluminosa*](#) (Pritchard, 1896) † (**FOSSIL**)
- *volva*, [*Amoria maculata volva*](#) Gmelin
- *volva*, Voluta volva Gmelin, 1791 - syn of: [*Amoria maculata*](#) (Swainson, 1822)
- *volva*, Amoria volva Gmelin, 1791 - syn of: [*Amoria maculata volva*](#) (Gmelin, 1791)
- *volvacea*, Cymbiola volvacea Lamarck, 1811 - syn of: [*Cymbiola flavicans*](#) (Gmelin, 1791)
- *vossi*, [*Nanomelon vossi*](#) Leal & Rios, 1990
- *vredenburgi*, [*Voluta vredenburgi*](#) Cox, 1930 † (**FOSSIL**)
- *vredenburgi*, [*Lyrischapa vredenburgi*](#) Merle & al., 2014 † (**FOSSIL**)
- *vulpecula*, Voluta vulpecula Linnaeus, 1758 - syn of: [*Vexillum vulpecula*](#) (Linnaeus, 1758)
- *waihaoensis*, [*Mauiira waihaoensis*](#) (Laws, 1935) † (**FOSSIL**)
- *waitakiensis*, [*Alcithoe waitakiensis*](#) (Marwick, 1926) † (**FOSSIL**)
- *waitaraense*, [*Calliotectum waitaraense*](#) (Marwick, 1926) † (**FOSSIL**)
- *wangaloensis*, [*Alcithoe wangaloensis*](#) Stilwell, 2016 † (**FOSSIL**)
- *washburnei*, [*Mauiira washburnei*](#) (Marwick, 1931) † (**FOSSIL**)
- *wateleti*, [*Voluta wateleti*](#) Deshayes, 1865 † (**FOSSIL**)
- *weaveri*, [*Paramoria weaveri*](#) McMichael, 1961
- *welcommei*, [*Volutilithes welcommei*](#) Merle & al., 2014 † (**FOSSIL**)
- *weldensis*, [*Amoria weldensis*](#) Bail & Limpus, 2001
- *weldii*, [*Cymbiolacca weldii*](#) (Tenison-Woods, 1876) † (**FOSSIL**)
- *wesselsi*, [*Fusivoluta wesselsi*](#) Kilburn, 1980
- *whakinoensis*, [*Alcithoe whakinoensis*](#) Marwick, 1926 † (**FOSSIL**)
- *whitensis*, [*Volutilithes whitensis*](#) Maury, 1912 † (**FOSSIL**)
- *whitworthi*, [*Amoria grayi whitworthi*](#) Bail & Limpus
- *wilcoxiana*, [*Lyria wilcoxiana*](#) Aldrich, 1894 † (**FOSSIL**)
- *williamsorum*, [*Calliotectum tibiaeforme williamsorum*](#) Rehder
- *williamsorum*, Calliotectum williamsorum Rehder, 1972 - syn of: [*Calliotectum tibiaeforme williamsorum*](#) (Rehder, 1972)
- *wilsonae*, [*Alcithoe wilsonae*](#) (Powell, 1933)
- *wilsonae acuminata*, [*Alcithoe wilsonae acuminata*](#) Bail & Limpus, 2005
- *wilsonae grahami*, [*Alcithoe wilsonae grahami*](#) (Powell, 1965)
- *wilsonae smithi*, [*Alcithoe wilsonae smithi*](#) (Powell, 1950)
- *wisemani*, [*Cymbiola pulchra wisemani*](#) Brazier
- *wisemani randalli*, [*Cymbiola pulchra wisemani randalli*](#) Stokes
- *woolacottae*, [*Cymbiola pulchra woolacottae*](#) McMichael
- *worki*, [*Scaphella robusta worki*](#) Coltro
- *wynnei*, [*Athleta wynnei*](#) Cox, 1930 † (**FOSSIL**)
- *yamamotoi*, [*Psephaea kaneko yamamotoi*](#) Shikama
- *zebra*, [*Amoria zebra*](#) (Leach, 1814)
- *zebra*, Voluta zebra Leach, 1814 - syn of: [*Amoria zebra*](#) (Leach, 1814)
- *zebra lineata*, [*Amoria zebra lineata*](#) (Leach, 1814)
- *zebra lineatiana*, [*Amoria zebra lineatiana*](#) (Weaver & Dupont, 1967)
- *zelandica*, [*Lyria zelandica*](#) Finlay, 1924 † (**FOSSIL**)
- *zelindae*, [*Plicoliva zelindae*](#) (Petuch, 1979)
- *zelindae oceanica*, [*Plicoliva zelindae oceanica*](#) Coltro, 2005
- *ziczac*, Voluta ziczac Von Mühlfeld, 1818 - Syn of: [*Bullina lineata*](#) (Gray, 1825)
- *ziervogelii*, Voluta ziervogelii Gmelin, 1791 - syn of: [*Vexillum ziervogelii*](#) (Gmelin, 1791)
- *zinsmeisteri*, [*Psephaea zinsmeisteri*](#) Mount, 1976 † (**FOSSIL**)
- *ziodon*, Zygomelon ziodon Harasewych & Marshall, 1995 - syn of: [*Zygomelon ziodon*](#) Harasewych & Marshall, 1995
- *zodion*, [*Zygomelon zodion*](#) Harasewych & Marshall, 1995
- *zululandensis*, [*Callipara zululandensis*](#) (Veldsman, 2012)
- *zululandensis*, Simililyria zululandensis Veldsman, 2012 - syn of: [*Callipara zululandensis*](#) (Veldsman, 2012)

----- Family: **VOLUTIDAE** Rafinesque, 1815
Habitat= Sea, Taxonomic order
Taxa=1606, Genus=86, Subgenus=21, Species=782, Subspecies=176, Synonyms=540, Images=721

Genus: **Gosavia** Stoliczka, 1866 † (1 SP, 0 IMG)




Genus: **Mauira** Marwick, 1943 † (syn: Maura - 8 SP, 1 IMG)



Genus: **Mauithoe** Finlay, 1930 † (2 SP, 1 IMG)



7194001278
Mauithoe
insignis
(J. Marwick, 1926 †)
(FOSSIL)
New Zealand, South Island



Fossil
only

7194001243
Mauithoe
strongi
(J. Marwick, 1931 †)
(FOSSIL)

No Georeferenced data available

Genus: **Metamelon** Marwick, 1926 † (8 SP, 0 IMG)


Fossil
only

7194001245
Metamelon
clifdenensis
(Finlay, 1926 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

5610000325
Metamelon
inermis
Finlay, 1926 †
(FOSSIL)
New Zealand, Manawatu-Wanganui,
Tararua



Fossil
only

7194001246
Metamelon
informis
C.R. Laws, 1932 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001247
Metamelon
marshalli
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001244
Metamelon
minima
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001248
Metamelon
patruelis
C.R. Laws, 1932 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001249
Metamelon
prominima
C.R. Laws, 1932 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001250
Metamelon
reverta
(Finlay, 1926 †)
(FOSSIL)



No Georeferenced data available

Genus: **Notoplejona** Marwick, 1960 † (1 SP, 0 IMG)

Fossil
only

5610000443
Notoplejona
hammadi
Abbas, 1967 †
(FOSSIL)



Egypt, Al Wadi al Jadid,
Al-Wahat al-Kharajah



Genus: **Pavora** Clark & Durham, 1946 † (1 SP, 0 IMG)

Fossil
only

5610000445
Pavora
olissoni
Clark & J.W. Durham, 1946 †
(FOSSIL)
Colombia, Bolívar



Genus: **Peruluta** Olsson, 1928 † (3 SP, 0 IMG)

Fossil
only

5610000346
Peruluta
crassiuscula
(Woods, 1922 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

5610000347
Peruluta
mancorense
A.A. Olson, 1928 †
(FOSSIL)
Peru, Paita



Fossil
only

5610000348
Peruluta
peruviana
(J.H.F. Douvillé, 1921 †)
(FOSSIL)
Peru, Piura, Sechura




synonyms:

- Volutospina peruviana J.H.F. Douvillé, 1921 †

Genus: **Pseudaulicina** Chavan in Furon & Kouriatchy, 1948 † (8 SP, 4 IMG)




6512000118
Pseudaulicina
bericornum
(P. Oppenheim, 1896 †)
(FOSSIL)
Italy, Veneto
58 mm



Fossil
only

8038000721
Pseudaulicina
bironensis
(J.H.F. Douvillé, 1930 †)
(FOSSIL)
France, Languedoc-Roussillon




Fossil only

8038000723
Pseudaulicina brevispira

(Doncieux, 1908 †)
(FOSSIL)


France, Languedoc-Roussillon,
Aude



8038000657
Pseudaulicina coxi

D. Merle & J.M. Pacaud, 2014 †
(FOSSIL)

Pakistan




Fossil only

8038000722
Pseudaulicina mammosa

(J.L.M. Defrance, 1829 †)
(FOSSIL)


France, Loire



5610000349
Pseudaulicina mitrata

(G.P. Deshayes, 1835 †)
(FOSSIL)


France, Paris Basin



5610000350
Pseudaulicina musicalis

(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)

France, Paris Basin
52 mm



Fossil only

8038000724
Pseudaulicina simplex

Furon & Kouritschy, 1948 †
(FOSSIL)

No Georeferenced data available


Genus: **Tectaplica** Wade, 1916 † (1 SP, 0 IMG)

Fossil only

5610000489
Tectaplica simplicia

B. Wade, 1916 †
(FOSSIL)

USA, Tennessee, McNairy





Genus: **Longiconcha** Wade, 1926 † (1 SP, 1 IMG)



6512000035
Longiconcha tennesseensis

(B. Wade, 1926 †)
(FOSSIL)

Tennessee





Genus: **Lyriopsis** Merle & al., 2014 † (1 SP, 1 IMG)



7194001330
Lyriopsis cossmanni

(E.W. Vredenburg, 1923 †)
(FOSSIL)



Pakistan



Genus: Montia Gilbert, 1973 † (1 SP, 1 IMG)





6512000139
Montia
inaequiculata
(Briart & Cornet, 1887 †)
(FOSSIL)
Ukraine



Genus: Pakiluta Merle & al., 2014 † (1 SP, 1 IMG)





7194001335
Pakiluta
solangii
D. Merle & J.M. Pacaud, 2014 †
(FOSSIL)
Pakistan




Genus: Sindhiluta Merle & al., 2014 † (2 SP, 2 IMG)



7194001336
Sindhiluta
lakhraensis
D. Merle & J.M. Pacaud, 2014 †
(FOSSIL)
Pakistan





6512000121
Sindhiluta
prevosti
(M. Rouault, 1850 †)
(FOSSIL)
France, Aquitaine
74 mm



Genus: Sycospira Palmer, 1953 † (1 SP, 1 IMG)





6512000144
Sycospira
eocenica
K.V.W. Palmer, 1953 †
(FOSSIL)
Florida, Levy County
113,8 mm



Genus: Voluticella Palmer, 1953 † (1 SP, 1 IMG)




6512000143
Voluticella
levensis
K.V.W. Palmer, 1953 †
(FOSSIL)
Florida, Levy County
29,2 mm



SubFamily: AMORIINAE - Genus: Amoria J.E. Gray, 1855 (syn: Amorena, Relegamoria, Zebramoria - 30 SP, 53 IMG)



1983754315
Amoria
benthalis
D.F. McMichael, 1964
Australia, Cape Moreton
38 mm




synonyms:

- *Amoria undulata benthalis* D.F. McMichael, 1964



1983050005
Amoria
canaliculata
(F. McCoy, 1869)
Australia, Lady Musgrave Island
48,5 mm





1983754185
Amoria
canaliculata
harfordi
J.C. Cox, 1869
Australia, Queensland
50 mm




synonyms:


- *Amoria harfordi* J.C. Cox, 1869



5320000042
Amoria
chaneyi
H. Morrison, 2012
SW Australia, Windy Harbour
55 mm



1983050010
Amoria
damonii
J.E. Gray, 1864
Australia, Broome
96 mm




synonyms:

- *Amoria hedleyi* T. Iredale, 1914
- *Amoria reticulata* L.A. Reeve, 1844



1983754205
Amoria
damonii
galiffi
(G.B. III Sowerby, 1910)
Australia, Broome




synonyms:

- *Amoria galiffi* G.B. III Sowerby, 1910



1983050015
Amoria
damonii
keatsiana
N.H. Ludbrook, 1953
Australia, Broome
108 mm





synonyms:


- *Amoria keatsiana* N.H. Ludbrook, 1953



1983050020
Amoria
damonii
ludbrookeae
P. Bell & A. Limpus, 1997
Arafura Sea
66,7 mm



1983754195
Amoria
damonii
reevei
(G.B. II Sowerby, 1864)
Australia, Broome
86 mm




synonyms:


- *Amoria damoni reevii* G.B. II Sowerby, 1864



1983754215
Amoria
damonii
reticulata
J.E. Gray, 1864
Australia, Broome
105 mm




1983050025
Amoria
dampieria
C.S. Weaver, 1960
Australia, Weld Island
30 mm








1983050030
Amoria
diamantina
B.R. Wilson, 1972
West Australia, Rottnest Island
32,1 mm




1983050035
Amoria
elliotti
(G.B. II Sowerby, 1864)
Australia, Port Headland
88 mm



1983050040
Amoria
exoptanda
(L.A. Reeve, 1849)
Australia, York Peninsula
100 mm



1983050045
Amoria
grayi
N.H. Ludbrook, 1953
Australia, Broome
93,6 mm




synonyms:

- *Amoria pallida* E. Griffith & E. Pidgeon, 1834



1983756085
Amoria
grayi
kawamurai
T. Habe, 1975
Australia, Broome
86 mm





synonyms:


- *Amoria kawamurai* T. Habe, 1975




1983050050
Amoria
grayi
whitworthi
P. Ball & A. Limpus, 2001
West Australia, Geraldton
51,1 mm




1983050055
Amoria
guttata
D.F. McMichael, 1964
Queensland, Gympie
58 mm



5320000043
Amoria
hansenae
H. Morrison, 2012
West Australia, Rowley Shoals
35 mm




1983050060
Amoria
hunteri
(T. Iredale, 1931)
Australia, Fitzroy reef
125 mm



synonyms:












- *Cymbiolena cymbiolenta* T. Iredale, 1931
- *Voluta marmorata* W.J. Swainson, 1821

- *Cymbiolista hunteri* T. Iredale, 1931
- *Amoria marmorata* W.J. Swainson, 1821

1983050065
Amoria
jamrachiJ.E. Gray, 1864
West Australia, Dampier
48 mm**synonyms:**



- *Amoria jamrachi* J.E. Gray, 1864
- *Amoria turneri jamrachii* J.E. Gray, 1864

- *Amoria pallida* J.E. Gray, 1845

1983050070
Amoria
jamrachi
condeiP. Bail & A. Limpus, 2001
Arafura Sea
46,6 mm5320000022
Amoria
jansaeP.L. van Peij
& R.G. Moolenbeek, 2010
Australia, Capricorn Channel
135,2 mm5320000027
Amoria
jansae
pithensis
P. Bail & A. Limpus, 2011Coral Sea
94 mm5320000017
Amoria
lineolaP. Bail & A. Limpus, 2009
Australia, Swain Reef
43,1 mm1983054030
Amoria
macandrewi(G.B. III Sowerby, 1887)
West Australia, Barrow
67 mm1983050075
Amoria
maculata(W.J. Swainson, 1822)
Australia, Swain Reef
76 mm1983754235
Amoria
maculata
caroli
(T. Iredale, 1924)Australia, Townsville
90 mm**synonyms:**

- *Scaphella caroli* T. Iredale, 1924
- *Voluta maculata* W.J. Swainson, 1822


- *Voluta volva* J.F. Gmelin, 1791

1983054000
Amoria
maculata
volva
(J.F. Gmelin, 1791)Australia, Michaelmas reef
70 mm**synonyms:**


- *Amoria volva* J.F. Gmelin, 1791




1983050080
Amoria
molleri
(T. Iredale, 1936)
Queensland, Cape Moreton
91 mm





1983756309
Amoria
molleri
capricornica
P. Bail & A. Limpus, 2001
Australia, Queensland
89 mm



1983754316
Amoria
molleri
isabelae
P. Bail & A. Limpus, 2001
Australia, Hixson Cay
45,6 mm



1983050085
Amoria
molleri
reducta
P. Bail & A. Limpus, 2001
Australia, Swain Reef
57 mm




to be checked

5320000019
Amoria
molleri
succincta
P. Bail & A. Limpus, 2001

No Georeferenced data available



1983754255
Amoria
molleri
vandenbergae
P. Bail & A. Limpus, 2001
Australia, Queensland




synonyms:


- *Amoria molleri vandenburgiae* A. Limpus & P. Bail, 2001



1983054035
Amoria
necopinata
T.A. Darragh, 1983
Australia, Capricorn Channel
29 mm



1983050090
Amoria
praetexta
(L.A. Reeve, 1849)
Australia, Thevenard Island
60 mm





synonyms:

- *Voluta praetexta* L.A. Reeve, 1849
- *Amoria turneri cumingi* J.E. Gray, 1864




1983050095
Amoria
rinkensi
G.T. Poppe, 1986
Arafura Sea
86,3 mm






5610000058
Amoria
ryosukei

T. Habe, 1975
Arafura Sea





1983054020
Amoria
simoneae

P. Bail & A. Limpus, 2003
Three Kings Island



1983754275
Amoria
spenceriana

(J.H. Gatliff, 1908)
Australia, Ashmore reef
51,2 mm




synonyms:

- *Amoria maculata spenceriana* J.H. Gatliff, 1908




6546000030
Amoria
stricklandi

P. Bail & A. Limpus, 2016
Australia, Broome
32,3 mm





5320000021
Amoria
subfossilis

P. Bail & A. Limpus, 2011
Australia, Swain Reef
110 mm



1983054005
Amoria
turneri

(J.E. Gray in E. Griffith,
& E. Pidgeon, 1834)
Arafura Sea
66 mm



synonyms:



- *Voluta turneri* J.E. Gray in E. Griffith & E. Pidgeon, 1834

- *Amoria turneri broderipi* J.E. Gray, 1864



1983050100
Amoria
turneri
newmanae

B.C. Cotton, 1949
Arafura Sea
68,4 mm





synonyms:

- *Amoria newmanae* B.C. Cotton, 1949



1983050105
Amoria
undulata

(J.B.P.A. Lamarck, 1804)
Australia, Port Lincoln
82 mm



synonyms:



- *Voluta angasi* G.B. II Sowerby, 1864
- *Voluta australiae* J.C. Cox, 1872
- *Scapheula moslemica* C. Hedley, 1912

- *Amoria australiae* J.C. Cox, 1872
- *Voluta undulata* J.B.P.A. Lamarck, 1804



1983754335
Amoria
undulata
angasii

(G.B. II Sowerby, 1864)
Australia, Port Lincoln
80,9 mm




synonyms:

- *Amoria angasi* G.B. Sowerby, 1864



1983754295
Amoria undulata kingi
J.C. Cox, 1871

Tasmania
55 mm



**synonyms:**

- *Amoria kingi* J.C. Cox, 1871



1983754325
Amoria undulata moslemica
(C. Hedley, 1912)

Australia, Queensland


**synonyms:**

- *Amoria moslemica* C. Hedley, 1912



1983754305
Amoria undulata sclateri
(J.C. Cox, 1869)

Tasmania
84 mm


**synonyms:**

- *Amoria sclateri* J.C. Cox, 1869




1983054045
Amoria weldensis

P. Bai & A. Limpus, 2001
Australia, Weld Island
73 mm



1983050110
Amoria zebra

(W.E. Leach, 1814)
Australia, Yeppoon
45,6 mm

**synonyms:**



- *Marginella radiata* J.B.P.A. Lamarck, 1822
- *Amoria strigula* J.K. Megerle Von Mühlfeld, 1829

- *Amoria radiata* J.B.P.A. Lamarck, 1822
- *Voluta zebra* W.E. Leach, 1814



1983754365
Amoria zebra lineata
(W.E. Leach, 1814)

Australia, Brisbane
45 mm


**synonyms:**

- *Amoria lineata* W.E. Leach, 1814



1983754355
Amoria zebra lineatiana
(C.S. Weaver & J.E. Dupont, 1967)

Australia, Cape Capricorn
49 mm

**synonyms:**

- *Amoria lineatiana* C.S. Weaver & J.E. Dupont, 1967

SubFamily: AMORIINAE - Genus: **Cymbiola** W.J. Swainson, 1831 (syn: *Scapha*, *Ausoba*, *Aulica*, *Aulicina*, *Cymbiolena* - 39 SP, 64 IMG)





1981600000
Cymbiola aulica

(G.B. Sowerby, 1825)
Philippines, Zamboanga
123,4 mm






1983754435
Cymbiola baillii
A. Prati Musetti,
& L. Raybaudi Massilia, 1997
Australia, Ashmore reef
82,2 mm



1981604000
Cymbiola cathartiae
L.A. Reeve, 1856
Philippines, Zamboanga
96 mm




synonyms:

- *Cymbiola aulica cathartiae* L.A. Reeve, 1856



1981600010
Cymbiola chrysostoma
(W.J. Swainson, 1824)
Indonesia
57 mm




synonyms:

- *Cymbiola luteostoma* G.P. Deshayes in J.B.P.A. Lamarck, 1844



1981600090
Cymbiola complexa
(T. Iredale, 1924)
Australia, Cape Moreton
89,3 mm



synonyms:

- *Cymbiola pulchra complexa* T. Iredale, 1924



1981600105
Cymbiola complexa frazerensis
P. Ball & A. Limpus, 1998
Australia, Lady Musgrave Island
81,1 mm




synonyms:

- *Cymbiolacca pulchra frazerensis* P. Ball & A. Limpus, 1998



1983754535
Cymbiola complexa nielseni
D.F. McMichael, 1963
Australia, Bundaberg
72 mm




synonyms:

- *Cymbiola pulchra nielsenae* D.F. McMichael, 1963

- *Cymbiola pulchra nielseni* D.F. McMichael, 1963



1981600100
Cymbiola cracenta
(D.F. McMichael, 1963)
Australia, Stanley Reef
76,6 mm




synonyms:

- *Cymbiola pulchra cracenta* D.F. McMichael, 1963



1981600015
Cymbiola cymbiola
(J.F. Gmelin, 1791)
Arafura Sea
80,7 mm




synonyms:

- *Cymbiola corona* L.W. Dillwyn, 1817
- *Cymbiola flammula* W. Wood, 1828


- *Cymbiola kaupi* R.W. Dunker, 1863



1981600020
Cymbiola deshayesi
(L.A. Reeve, 1854)
New Caledonia
75 mm



1981600025
Cymbiola flavicans
(J.F. Gmelin, 1791)
Papua New Guinea
76 mm





synonyms:

- *Cymbiola kellneri* T. Iredale, 1957
- *Cymbiola modesta* W. Wood, 1828
- *Cymbiola signifer* W.J. Broderip, 1848
- *Cymbiola volvacea* J.B.P.A. Lamarck, 1811



- *Cymbiola lugubris* W.J. Swainson, 1823
- *Cymbiola quae sita* T. Iredale, 1956
- *Cymbiola tissotiana* J.C.H. Crosse, 1867



803800105
Cymbiola gedinganensis
(K. Martin, 1895 †)
(FOSSIL)
Indonesia, Java



1981600110
Cymbiola houarti
G.T. Poppe, 1985
Australia, Capricorn Channel
83,7 mm



synonyms:

- *Cymbiola pulchra houarti* G.T. Poppe, 1985




1981604035
Cymbiola hughmorrisoni
P. Bail & A. Limpus, 1997
Western Australia



1981600030
Cymbiola imperialis
(J. Lightfoot, 1786)
Philippines, Zamboanga
190 mm



1981600035
Cymbiola imperialis robinsoni
(R.L. Burch, 1954)
Philippines, Zamboanga
200 mm



synonyms:


- *Cymbiola imperialis robinsonia* R.L. Burch, 1954



1981600040
Cymbiola innexa
(L.A. Reeve, 1849)
Indonesia, Java
166 mm



1983754465
Cymbiola innexa marispuma
M. Angloy & G. Braghé, 1977
Java, Indonesia
128,5 mm



synonyms:

- *Cymbiola marispuma* M. Angioy & G. Biragli, 1977



1981600045
***Cymbiola
intruderis***

G.T. Poppe, 1985
Australia, Swain Reef
100 mm



5610000012
***Cymbiola
intruderis
rowseorum***


P. Bail & A. Limpus, 2015

No Georeferenced data available




1981604040
***Cymbiola
irvinae***

(E.A. Smith, 1909)
Cervantes, West Australia
90 mm



5320000054
***Cymbiola
kimbacki***

P. Bail & A. Limpus, 2014
Australia, Carnarvon
54,6 mm



5320000047
***Cymbiola
laminusa***

G.T. Poppe, S.P. Tagaro,
& P. Bail, 2011
Philippines, Zamboanga
98 mm


**synonyms:**

- *Cymbiola aulica laminusa* G.T. Poppe, S.P. Tagaro & P. Bail, 2011




5610000281
***Cymbiola
macdonaldi***

R. Tate, 1889 †
(FOSSIL)
Australia, Victoria
33 mm




1981600050
***Cymbiola
magnifica***

(J.J. Gebauer, 1802)
Australia, Cape Moreton
276 mm



1983754485
***Cymbiola
magnifica
altispira***

A. Mayboom, 1951
Australia, Capricorn Channel
230 mm




1983754475
***Cymbiola
magnifica
evansi***

I.P. Bondarev, 1996

No Georeferenced data available



1981600055
Cymbiola malayensis
H. Douté, 1985
Philippines, Zamboanga
84 mm





synonyms:

- *Cymbiola aulica malayensis* H. Douté, 1985



1981604045
Cymbiola mariaemma
J.E. Gray, 1858
Indonesia, Kalimantan
103 mm




synonyms:

- *Cymbiola grayae* J.C.H. Crosse, 1871



1981600115
Cymbiola moretonensis
P. Bail & A. Limpus, 1998
Australia, Swain Reef
80 mm




synonyms:

- *Cymbiola pulchra moretonensis* P. Bail & A. Limpus, 1998
- *Cymbiolacca pulchra moretonensis* P. Bail & A. Limpus, 1998



8038001059
Cymbiola multiplicata
(A. Pannekoek, 1936 †)
(FOSSIL)
Indonesia, Java




synonyms:

- *Aulica multistriata* A. Pannekoek, 1936 †



1981600060
Cymbiola nivosa
(J.B.P.A. Lamarck, 1804)
Australia, Shark Bay
80,1 mm



synonyms:



- *Cymbiola norrisii* G.B. Sowerby, 1845



1981600065
Cymbiola nivosa obliterata
(E.A. Smith, 1909)
Australia, Broome
66 mm



1981600070
Cymbiola nobilis
(J. Lightfoot, 1786)
Vietnam
195 mm





synonyms:

- *Voluta fasciata* G.H. Schubert & J.A. Wagner, 1829
- *Cymbiola fasciata* G.H. Schubert & J.A. Wagner, 1829
- *Cymbiola scapha* J.F. Gmelin, 1791

- *Voluta scapha* J.F. Gmelin, 1791





1981600075
Cymbiola nobilis octogonalis
J.R. Senders, 1995
Indonesia, Sumatra
112,2 mm





1983754605
Cymbiola nobilis tamariskae
Sutanto & S. Patamakanthin, 2004
Indonesia, Kangean islands
120 mm



1981600080
Cymbiola palawanica
H. Douté, 1985
Philippines, Palawan Island
35 mm



synonyms:

- *Cymbiola aulica palawanica* H. Douté, 1985



1981600085
Cymbiola perpicata
(C. Hedley, 1902)
Australia, Swain Reef
71 mm




synonyms:

- *Voluta perpicata* C. Hedley, 1902



1983755965
Cymbiola provocationis
(D.F. McMichael, 1961)
Australia, Cape Moreton
45,3 mm




synonyms:

- *Cymbiola pulchra provocationis* (D.F. McMichael, 1961)



1981800040
Cymbiola pulchra
(G.B. I Sowerby, 1825)
Australia, Swain Reef
80 mm



synonyms:

- *Cymbiolacca pulchra* G.B. I Sowerby, 1825

- *Cymbiola punctata* W.J. Swainson, 1823



1981600095
Cymbiola pulchra coucomorum
(P. Bail & A. Limpus, 1998)
Australia, Swain Reef
80 mm




synonyms:


- *Cymbiolacca pulchra coucomorum* P. Bail & A. Limpus, 1998





1983756293
Cymbiola pulchra excelsior
P. Bail & A. Limpus, 1998
Australia, Swain Reef
54 mm



5610000019
Cymbiola pulchra flindersi
P. Bail & A. Limpus, 2015
Australia, Hervey Bay
68,8 mm




1981600125
Cymbiola pulchra peristicta
(D.F. McMichael, 1963)
Australia, Swain Reef
80 mm






1981604015
Cymbiola pulchra perryi
J.M. Østergaard,
& R.H. Summers, 1957
Australia, Swain Reef
49 mm



1981600135
Cymbiola pulchra wisemani
(J.W. Brazier, 1870)
Australia, Cape Moreton
80 mm




synonyms:



- *Cymbiola randalli* A. Stokes, 1961




1983755975
Cymbiola pulchra randalli
A. Stokes, 1961
Australia, Undine Reef
56,5 mm




1981600140
Cymbiola pulchra woolacottae
D.F. McMichael, 1958
Australia, Lady Musgrave Island
80 mm




1981600145
Cymbiola rossiniana
(M. Bernardi, 1859)
New Caledonia
136 mm




1981600150
Cymbiola rutila
(W.J. Broderip, 1826)
Papua New Guinea
111,7 mm



1981600155
Cymbiola rutila ceraunia
J.E. Gray, 1838
Solomon Islands
80,8 mm



1983754565
Cymbiola rutila macgillivrayi
(J.C. Cox, 1873)
Solomon Islands
85 mm




synonyms:

- *Cymbiola macgillivrayi* J.C. Cox, 1873



1981600160
Cymbiola rutila norrisii
J.E. Gray, 1838
Solomon Islands
118 mm




synonyms:

- *Cymbiola norrisii* J.E. Gray, 1838



1983754575
Cymbiola rutila
piperita
(G.B. II Sowerby, 1845)
Solomon Islands
62 mm



synonyms:

- *Cymbiola piperita* G.B. II Sowerby, 1845



1983754555
Cymbiola rutila
rueckeri
(J.C.H. Crosse, 1867)
Solomon Islands
77,5 mm




synonyms:


- *Cymbiola ruckeri* J.C.H. Crosse, 1867



1981600165
Cymbiola
scottjordani
G.T. Poppe & S.P. Tagaro, 2005
Arafura Sea
111,6 mm



1981600170
Cymbiola
sophiae
(J.E. Gray, 1846)
Arafura Sea
63,7 mm




synonyms:

- *Cymbiola sophia* J.E. Gray, 1846



1981600130
Cymbiola
subelongata
P. Bail & A. Limpus, 1998
Australia, Lady Musgrave Island
95 mm




synonyms:

- *Cymbiola pulchra subelongata* P. Bail & A. Limpus, 1998
- *Cymbiolacca pulchra subelongata* P. Bail & A. Limpus, 1998



1981600175
Cymbiola
thatcheri
(F. McCoy, 1868)
New Caledonia
93 mm





synonyms:



- *Cymbiolacca thatcheri* G.F. Angas, 1870





8038001062
Cymbiola
tijilonganensis
(K. Martin, 1906 †)
(FOSSIL)
Indonesia, Java



8038001060
Cymbiola
transverseplicata
(A. Pannekoek, 1936 †)
(FOSSIL)
Indonesia, Java



1981600190
Cymbiola
vespertilio
(C. Linnaeus, 1758)
Philippines, Bohol
117 mm




synonyms:

- *Cymbiola lineolata* H.C. Küster, 1841
- *Cymbiola serpentina* J.B.P.A. Lamarck, 1811


- *Cymbiola mitis* J.B.P.A. Lamarck, 1811



1983754635
Cymbiola vespertilio agustiniensis
P. Ball & H. Douté, 1995
Vietnam
86 mm



1981600185
Cymbiola vespertilio mativensis
H. Douté, 1985
Philippines, Davao
103 mm



1981604025
Cymbiola vespertilio mirindague
(C. Linnaeus, 1758)
Philippines, Palawan Island



1983755995
Cymbiola vespertilio pellisserpentis
(J.B.P.A. Lamarck, 1811)
Philippines, Davao
75,7 mm



**synonyms:**

- *Cymbiola pellisserpentis* J.B.P.A. Lamarck, 1811

SubFamily: AMORIINAE - Genus: **Melo** W.J. Broderip & G.B. Sowerby, 1826 (syn: Melocorona - 8 SP, 9 IMG)




1981850000
Melo aethiopicus
(C. Linnaeus, 1758)
Arafura Sea
265 mm

**synonyms:**

- *Voluta aethiopica* C. Linnaeus, 1758



1981850005
Melo amphora
(J. Lightfoot, 1786)
Indonesia, Timor
350 mm

**synonyms:**

- *Melo armata* J.B.P.A. Lamarck, 1811
- *Melo cithara* J. Lightfoot, 1786
- *Melo flammeum* P.F. Röding, 1798
- *Melo regia* G.H. Schubert & J.A. Wagner, 1829

- *Melo diadema* J.B.P.A. Lamarck, 1811
- *Melo haustum* J. Lightfoot, 1786




5320000034
Melo amphora knighti
B.D. Jackson, 1954

No Georeferenced data available





1983756396
Melo ashmorensis
H. Morrison, 2005
Western Australia





1981850010
**Melo
broderipii**

(J.E. Gray in E. Griffith,
& E. Pidgeon, 1833)
Philippines, Bantayan Island
227 mm




synonyms:

- Melo lamarckii L.C. Kiener, 1839




1981850015
**Melo
georginae**

(J.E. Gray in E. Griffith,
& E. Pidgeon, 1833)
Philippines, Cebu
355 mm



1981850020
**Melo
melo**

(J. Lightfoot, 1786)
Taiwan, Taipei
220 mm



synonyms:



- Melo anguria J. Lightfoot, 1786
- Melo indica J.F. Gmelin, 1791
- Melo maculatum P.F. Röding, 1798

- Melo citrina G. Fischer von Waldheim, 1807
- Cybium maculatum P.F. Röding, 1798



1983756376
**Melo
melo
tessellata**
(J.B.P.A. Lamarck, 1811)

Malaysia
147 mm




synonyms:

- Melo nautica J.B.P.A. Lamarck, 1811




1981850035
**Melo
miltonis**

(J.E. Gray in E. Griffith,
& E. Pidgeon, 1833)
Western Australia, Perth
336 mm



1981850030
**Melo
umbilicatus**

W.J. Broderip in G.B. I Sowerby
1826
Australia, Bundaberg
361 mm



synonyms:



- Melo ducalis J.B.P.A. Lamarck, 1811

SubFamily: AMORIINAE - Genus: **Nannamoria** T. Iredale, 1929 (12 SP, 12 IMG)



1983350010
**Nannamoria
amicula**

T. Iredale, 1929
Long Bay, Sydney
28 mm



1983756340
**Nannamoria
breviforma**

P. Ball & A. Limpus, 2008
Australia, Lady Musgrave Island
24,7 mm





1983756348
**Nannamoria
bulbosa**

P. Bail & A. Limpus, 2008
Australia, Swain Reef
47,8 mm




synonyms:

- *Nannamoria inopinata bulbosa* P. Bail & A. Limpus, 2008



1983350015
**Nannamoria
gotoi**

G.T. Poppe, 1992
Australia, Capricorn Channel
30 mm



1983756344
**Nannamoria
gotoi
curta**


P. Bail & A. Limpus, 2008

No Georeferenced data available



1983756352
**Nannamoria
inflata**

P. Bail & A. Limpus, 2008
Australia, Upstart Bay
43 mm





1983350005
**Nannamoria
inopinata**

T.A. Darragh, 1979
Australia, Townsville
49,5 mm



6512000093
**Nannamoria
lundeliusae**

N.H. Ludbrook, 1978 †
(FOSSIL)
Australia, Madura
57 mm




synonyms:

- *Nannamoria lundeliusae* N.H. Ludbrook, 1978 †





1983350000
**Nannamoria
parabola**

T.A. Garrard, 1960
Australia, Cape Moreton
35 mm





5610000330
**Nannamoria
paraboloides**

T.A. Darragh, 1989 †
(FOSSIL)
Australia, Victoria
37 mm



1983350035
**Nannamoria
ranya**

R.C. Wilan, 1995
Australia, Swain Reef






6512000095
Nannamoria
stolida

(Johnston, 1880 †)
(FOSSIL)


Australia, Victoria
51 mm



6512000096
Nannamoria
trionyma

T.A. Darragh, 1988 †
(FOSSIL)

Australia, Victoria
50 mm





SubFamily: AMORIINAE - Genus: **Notovoluta** B.C. Cotton, 1946 (14 SP, 16 IMG)




1983450015
Notovoluta
baconi

B.R. Wilson, 1972
West Australia, Abrolhos Island
50 mm



1983756332
Notovoluta
capricornea



(B.R. Wilson, 1972)
Australia, Point Coates
40 mm



5610000334
Notovoluta
cathedralis




(R. Tate, 1888 †)
(FOSSIL)

Australia, Victoria
46 mm




1983450000
Notovoluta
gardneri

T.A. Darragh, 1983
Queensland, Sweetip Reef
86,7 mm





1983755245
Notovoluta
gerondiosi

P. Bail & A. Limpus, 2005
Western Australia
83,5 mm




5320000006
Notovoluta
hoskensa

G.T. Poppe, 1992
Australia, Swain Reef





6546000031
Notovoluta
kalotinae

P. Bail & A. Limpus, 2015
Australia, Broome
74,4 mm





198345005
Notovoluta
kreuslerae
(G.F. Angas, 1865)
Australia, Port Lincoln
74 mm





1983755265
Notovoluta
kreuslerae
clarksonii
(G.F. Angas, 1865)


No Georeferenced data available




7194001289
Notovoluta
kreuslerae
occulta
(T.A. Darragh, 1988 †
(FOSSIL))
Australia, Madura




1983450030
Notovoluta
norwestralis
(P. Bail & A. Limpus, 2003)
North West Australia




1983450035
Notovoluta
occidua
(B.C. Cotton, 1946)
South Australia
32 mm




1983450040
Notovoluta
pseudolirata
(R. Tate, 1888)
Australia, Rottnest Island
57,9 mm





6512000099
Notovoluta
saginata
(Finlay, 1930 †
(FOSSIL))
Tasmania





6512000100
Notovoluta
tabulata
(R. Tate, 1888)
Australia, Victoria












1983450010
Notovoluta
verconis
(R. Tate, 1892)
Australia, St. Francis Island
38 mm



7194001290
Notovoluta
verconis
medicata
(T.A. Darragh, 1988 †
(FOSSIL))
Australia, Madura



	<p>5610000344 <i>Paramoria absidata</i> (B.C. Cotton, 1949 †) (FOSSIL)</p>	<p>No Georeferenced data available</p>
	<p>5610000345 <i>Paramoria costellifera</i> (R. Tate, 1889 †) (FOSSIL) Australia, Victoria, S. Grampians Bl.</p>	 
	<p>1983350020 <i>Paramoria guntheri</i> (E.A. Smith, 1886) Australia, Port Lincoln 53 mm</p>	 
	<p>1983755205 <i>Paramoria guntheri adcocki</i> (R. Tate, 1889) Australia, Port Lincoln</p>	 
	<p>1983350030 <i>Paramoria johnclarki</i> P. Bail & A. Limpus, 1997 Western Australia 37 mm</p>	 
	<p>1983756421 <i>Paramoria weaveri</i> D.F. McMichael, 1961 South Australia</p>	 
<p>synonyms:</p> <ul style="list-style-type: none"> • <i>Paramoria adcocki</i> R. Tate, 1889 		
<p>SubFamily: AMORIINAE - Genus: Voluteconus J.C.H. Crosse, 1871 (12 SP, 12 IMG)</p>		
	<p>1982850000 <i>Voluteconus bednalli</i> (J.W. Brazier, 1878) Australia, Torres Strait 140 mm</p>	 
	<p>5320000059 <i>Voluteconus brownii</i> P. Bail & A. Limpus, 2013 Great Barrier Reef</p>	 
	<p>5320000032 <i>Voluteconus calcareiformis</i> F.E. Wells & H. Morrison, 2003 North Australia</p>	 


synonyms:

- *Volutoconus hargreavesi calcareiformis* F.E. Wells & H. Morrison, 2003



1982854010
Volutoconus coniformis

(J.C. Cox, 1871)
Australia, Broome
74 mm



1983755675
Volutoconus daiseyae

C.S. Weaver, 1967
North Australia
83,5 mm


**synonyms:**

- *Volutoconus hargreavesi daiseyae* C.S. Weaver, 1967




1982850005
Volutoconus grossi

(T. Iredale, 1927)
Australia, Capricorn Channel
106 mm




1982850010
Volutoconus hargreavesi

(G.F. Angas, 1872)
West Australia,
Dampier Archipelago
79,1 mm




5320000053
Volutoconus keppelensis

P. Ball & A. Limpus, 2013
Australia, Keppel Bay
93 mm




1982854000
Volutoconus mcmichaeli

T. Habe & S. Kosuge, 1966
Australia, Townsville
81 mm




5320000041
Volutoconus multiformis

P. Ball & A. Limpus, 2013
Australia, Maroochy
55 mm



5610000414
Volutoconus ralphi

Finlay, 1930 †
(FOSSIL)
Australia, Victoria
35 mm

**synonyms:**

- *Voluta conoidea* R. Tate, 1889 †




7194001267
Volutoconus vetulus

P. Ball & A. Limpus, 2013
Australia, Swain Reef
91,2 mm









1980150000
Athleta
abyssicola
(A. Adams & L.A. Reeve, 1848)
South Africa, Agulhas Bank
86 mm




6512000051
Athleta
anticarinata
(F. McCoy, 1866 †)
(FOSSIL)
Australia, Victoria
50 mm




6512000052
Athleta
anticingulata
persculata
(G.B. Pritchard, 1913)
Tasmania
49 mm




6512000148
Athleta
arangia
(K.W. Palmer, 1953 †)
(FOSSIL)
Florida, Levy County
27,7 mm




6512000126
Athleta
bicorona
(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)
Belgium
28 mm




1980150005
Athleta
boswelliae
(H.A. Rehder, 1969)
South Africa, Cape Agulhas
85 mm





6512000053
Athleta
bulbula
(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)
France, Paris Basin
55 mm



6512000128
Athleta
bureui
(A.E.M. Cossmann, 1896 †)
(FOSSIL)
France, Brittany
18 mm




6512000054
Athleta
cithara
(J.B.P.A. Lamarck, 1822 †)
(FOSSIL)
Belgium
49 mm




Fossil only

5610000270
**Athleta
clavi**
Smith, 1907 †
(FOSSIL)
USA, Louisiana



5610000415
**Athleta
crenulifera**
J.F. Bayan, 1870 †
(FOSSIL)
France, Paris Basin
47 mm





6512000129
**Athleta
deshayesianus**
(M. Rouault, 1849 †)
(FOSSIL)
France, Aquitaine
39 mm




6512000130
**Athleta
devexa**
Author unknown †
(FOSSIL)
Kazakhstan
50 mm




5610000416
**Athleta
digitalis**
(J.B.P.A. Lamarck, 1810 †)
(FOSSIL)
France, Paris Basin
41 mm




1980150010
**Athleta
disparilis**
(H.A. Rehder, 1969)
South Africa, Agulhas Bank
27 mm



5610000417
**Athleta
elevata**
(Sowerby, 1840 †)
(FOSSIL)
France, Paris Basin
38 mm





1980150020
**Athleta
epigona**
(E.C. Von Martens, 1904)
Zanzibar Island
29,1 mm



Fossil only



5610000449
**Athleta
fayiumensis**
Abbas, 1967 †
(FOSSIL)
Egypt, Fayum






5610000271
Athleta
ficalina
(J.B.P.A. Lamarck, 1811 †)
(FOSSIL)


Austria
79 mm





6512000141
Athleta
ficalina
subaffinis
(A.V.M.D. D'Orbigny, 1852)
France, Aquitaine
45 mm




1980150025
Athleta
gilchristi
(G.B. III Sowerby, 1902)
Mozambique
27 mm





1980150035
Athleta
glabrata
(R.N. Kiburn, 1971)
South Africa, Zululand
26,5 mm



5610000272
Athleta
haleanus
(R.P. Whitfield, 1865 †)
(FOSSIL)
Alabama



6512000055
Athleta
haueri
(R. Hoernes, 1856 †)
(FOSSIL)
Romania, Deva
51 mm





5610000418
Athleta
inornatus
(P. Oppenheim, 1906 †)
(FOSSIL)


No Georeferenced data available




1980150075
Athleta
insperata
T.A. Darragh, 1979
Australia, Capricorn Channel



1980150040
Athleta
kilburni
(H.A. Rehder, 1974)
South Africa, Natal, Durban Bay
48,6 mm



7194001310
Athleta
lashari
(D. Merle & al., 2014 †)
(FOSSIL)
Pakistan



**Fossil
only**

7194001233
**Athleta
lata**

(J. Marwick, 1926 †)
(FOSSIL)


No Georeferenced data available

**Fossil
only**

5610000419
**Athleta
lima**

(Sowerby, 1823 †)
(FOSSIL)

UK, Isle of Wight




**Fossil
only**

7194001298
**Athleta
limopsis**

(T.A. Conrad, 1860 †)
(FOSSIL)

Alabama



synonyms:


- Volutithes limopsis T.A. Conrad, 1860 †
- Volutocorbis limopsis T.A. Conrad, 1860 †

**Fossil
only**

5610000273
**Athleta
lisbonensis**

T.H. Aldrich †
(FOSSIL)

Alabama



6512000056
**Athleta
listerarum**

Renard, 1994 †
(FOSSIL)

France, Paris Basin
75 mm




**Fossil
only**

5610000274
**Athleta
lugardi**

R.B. Newton, 1922 †
(FOSSIL)


Nigeria



1980150045
**Athleta
lutosa**

(H.J. Koch, 1948)

South Africa, Natal
68,7 mm



synonyms:

- Athleta nicklesi J. Rosso, 1976



1983754317
**Athleta
lutosa
emmanuelae**
(J. Rosso, 1985)

Senegal, Dakar
51,5 mm



synonyms:

- Athleta emmanuelae J. Rosso, 1976


- Volutocorbis emmanuelae J. Rosso, 1985



6512000058
**Athleta
lyra**


(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)

France, Paris Basin
62 mm





1983754405
**Athleta
magister**
(R.N. Kilburn, 1978)
South Africa, Agulhas Bank
65,7 mm





synonyms:

- Athleta boswelliae magister (R.N. Kilburn, 1978)

- Athleta magister R.N. Kilburn, 1978



7194001295
**Athleta
mariae**
Briart & Cornet, 1887 †
(FOSSIL)
Ukraine




**Fossil
only**

5610000420
**Athleta
minutus**
Pemiliat & al., 2006 †
(FOSSIL)
Mexico, Chiapas, Chiapa de Corzo



1980150030
**Athleta
mozambicana**
(H.A. Rehder, 1972)
Mozambique
22 mm




synonyms:

- Athleta gilchristi mozambicana (H.A. Rehder, 1972)



1980150055
**Athleta
nana**
(H.A. Rehder & C.S. Weaver, 1974)
Mozambique
26,7 mm




**Fossil
only**

7194001277
**Athleta
necopinata**
H.H. Suter, 1917 †
(FOSSIL)


No Georeferenced data available



6512000131
**Athleta
ogormani**
(A.E.M. Cossmann, 1923 †)
(FOSSIL)
France, Aquitaine
36 mm




7194001299
**Athleta
olssoni**
(Plummer, 1933 †)
(FOSSIL)
Texas, Bastrop County
19,6 mm





synonyms:

- Volutocorbis olssoni Plummer, 1933 †



6512000163
**Athleta
olssoni
gracilis**
Garvie, 2013 †
(FOSSIL)
Texas, Bastrop County
11,7 mm







5610000275
Athleta
petrosa
(T.A. Conrad, 1833 †)
(FOSSIL)
USA, Texas
31 mm



1983756408
Athleta
pisororum
(H. Morrison, 2006)
Australia, North Queensland
70 mm




synonyms:

- *Tenivilvota pisororum* H. Morrison, 2006




6512000059
Athleta
pseudolyra
(A.V.M.D. D'Orbigny, 1850 †)
(FOSSIL)
France, Paris Basin
32 mm




Fossil only

5610000276
Athleta
pygmaea
(L.M.D. Bellardi, 1890 †)
(FOSSIL)
Greece,
Epirus and Western Macedonia



5610000277
Athleta
rarispina
(J.B.P.A. Lamarck, 1811 †)
(FOSSIL)
Hungary, Bükk
57 mm





synonyms:

- *Athleta ficalua rarispina* J.B.P.A. Lamarck, 1811 †




6512000060
Athleta
rathieri
(Hebert, 1849 †)
(FOSSIL)
Belgium
64 mm



1980150070
Athleta
rosavittoriae
(H.A. Rehder, 1981)
Somalia, Ras Hafun
47 mm





6512000061
Athleta
rouaulti
(A.E.M. Cossmann, 1923 †)
(FOSSIL)
France, Aquitaine
53 mm




Fossil only

5610000278
Athleta
sayanus
(T.A. Conrad, 1833 †)
(FOSSIL)
Alabama







1980150060
Athleta
semirugata
(H.A. Rehder & C.S. Weaver, 1974)
South Africa, Natal, Durban Bay
35,6 mm




**Fossil
only**

5610000464
Athleta
sohli
Abbas, 1967 †
(FOSSIL)
Egypt, Mokattam




**Fossil
only**


5610000422
Athleta
soriensis
F.E. Eames, 1952 †
(FOSSIL)
Pakistan




6512000132
Athleta
stenzeli
Plummer †
(FOSSIL)
USA, Texas
14 mm



5610000465
Athleta
strombiformis
(G.P. Deshayes, 1835 †)
(FOSSIL)
France, Paris Basin
108 mm



1980150065
Athleta
studeri
(E.C. Von Martens, 1897)
Queensland, Cape Moreton
49 mm





5320000033
Athleta
studeri
swainensis
P. Bail & A. Limpus, 1998

No Georeferenced data available



8038001058
Athleta
subambiguus
(K. Martin, 1914 †)
(FOSSIL)
Indonesia, Java




synonyms:

- *Volutilites ickei* K. Martin, 1914 †




6512000133
Athleta
subelegans
(A.V.M.D. D'Orbigny, 1852 †)
(FOSSIL)
France, Paris Basin
24 mm








6512000062
Athleta subventricosa
A.E.M. Cossmann, 1923 †
(FOSSIL)
France, Aquitaine
50 mm





6512000063
Athleta suturalis
(P. Nyst, 1843 †)
(FOSSIL)
Ukraine
47 mm





5610000279
Athleta symmetricus
T.A. Conrad, 1854 †
(FOSSIL)
USA, Mississippi
47 mm



6512000135
Athleta trisulata
(G.P. Deshayes, 1835 †)
(FOSSIL)
France, Paris Basin
20 mm



5610000280
Athleta wynnei
Cox, 1930 †
(FOSSIL)
Pakistan, N.W.F.P., Kohat



SubFamily: ATHLETINAE - Subgenus: **Athleta (Neoathleta)** L.M.D. Bellardi, 1890 † (5 SP, 3 IMG)




6546000026
Neoathleta amphora
L.M.D. Bellardi 1890 †
(FOSSIL)



No Georeferenced data available




5610000466
Neoathleta barrandii
(G.P. Deshayes, 1865 †)
(FOSSIL)
France, Paris Basin



5610000467
Neoathleta geminata
(F.E. Edwards, 1854 †)
(FOSSIL)
UK, England, Dorset




5610000468
Neoathleta labrellus
(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)
France, Paris Basin







5610000469
Neoathleta
mutatus
(G.P. Deshayes, 1835 †)
(FOSSIL)
France, Paris Basin
53 mm



SubFamily: ATHLETINAE - **Subgenus: Athleta (Ternivoluta)** E.C. Von Martens, 1897 (1 SP, 1 IMG)




5610000369
Ternivoluta
antiscalaris
(F. McCoy, 1866 †)
(FOSSIL)
Australia, Victoria
48 mm



SubFamily: ATHLETINAE - **Subgenus: Athleta (Volutopupa)** D. Merle & al., 2014 † (1 SP, 0 IMG)



7194001311
Volutopupa
citharopsis
D. Merle & al., 2014 †
(FOSSIL)
Pakistan




SubFamily: ATHLETINAE - **Subgenus: Athleta (Volutospina)** R.B. Newton, 1906 † (14 SP, 10 IMG)




5610000470
Volutospina
ambiguus
(D.C. Solander in G. Brander
1766 †)
(FOSSIL)
France, Paris Basin
43 mm




5610000471
Volutospina
athleta
(D.C. Solander in G. Brander
1877 †)
(FOSSIL)
France, Paris Basin
78 mm




5610000423
Volutospina
conicoturrita
R.B. Newton, 1922 †
(FOSSIL)
Nigeria





5610000472
Volutospina
dentata
(Sowerby, 1839 †)
(FOSSIL)
India, Gujarat, Kachchh



5610000473
Volutospina
depauperatus
(Sowerby, 1823 †)
(FOSSIL)
France, Paris Basin
56 mm



5610000474
Volutospina
luctator
(J. de C. Sowerby, 1823 †)
(FOSSIL)
Great Britain, Hampshire
91 mm





SYNONYMS:

- *Voluta luctatrix* J. de C. Sowerby, 1823 †

Fossil only

5610000450
Volutospina mekranica

E.W. Vredenburg, 1925 †
(FOSSIL)
India, Meghalaya



Fossil only


5610000424
Volutospina multispinosa

R.B. Newton, 1922 †
(FOSSIL)
Nigeria, Akwa Ibom, Ika




5610000488
Volutospina nodosa

(J. de C. Sowerby, 1829 †)
(FOSSIL)
Kazakhstan
45 mm



6546000028
Volutospina scalaris


(J. de C. Sowerby, 1843 †)
(FOSSIL)
UK, England, Hampshire
43 mm



Fossil only


5610000451
Volutospina sindensis

E.W. Vredenburg, 1925 †
(FOSSIL)
Pakistan, Sind, Karachi



5610000475
Volutospina spinosa

(C. Linnaeus, 1758 †)
(FOSSIL)
France
29 mm




5610000476
Volutospina subambigua

(A.V.M.D. D'Orbigny, 1852 †)
(FOSSIL)
France, Aquitaine
40 mm



5610000477
Volutospina suspensa

(D.C. Solander in G. Brander
1766 †)
(FOSSIL)
France, Paris Basin
28 mm




SubFamily: ATHLETINAE - Genus: **Eosephaea** P. Fischer, 1883 † (3 SP, 3 IMG)



6512000065
Eosephaea angusta

(G.P. Deshayes, 1835 †)
(FOSSIL)
France, Paris Basin







6512000066
**Eosephaea
friderici**
(J.F. Bayan, 1870 †)
(FOSSIL)
France, Paris Basin
76 mm




6512000067
**Eosephaea
schilderi**
Renard, 1994 †
(FOSSIL)
France, Paris Basin
37 mm





SubFamily: ATHLETINAE - Genus: **Liopeplum** Dall, 1890 † (7 SP, 0 IMG)




5610000295
**Liopeplum
canalis**
(T.A. Conrad, 1858 †)
(FOSSIL)
USA, Alabama, Pike





5610000296
**Liopeplum
coronatum**
N.F. Sohl, 1964 †
(FOSSIL)
USA, Maryland




5610000297
**Liopeplum
cretaceum**
(T.A. Conrad, 1858 †)
(FOSSIL)
Mexico, Guerrero




5610000298
**Liopeplum
leioderma**
(T.A. Conrad, 1860 †)
(FOSSIL)
USA, Mississippi, Union




5610000299
**Liopeplum
nodosum**
N.F. Sohl, 1964 †
(FOSSIL)
United States, Mississippi, Union



5610000300
**Liopeplum
rugosum**
L.W. Stephenson, 1955 †
(FOSSIL)
USA, Alabama, Lowndes



5610000301
**Liopeplum
spiculatum**
N.F. Sohl, 1964 †
(FOSSIL)
USA, Mississippi, Lee




SubFamily: ATHLETINAE - Genus: **Parvivoluta** Wade, 1926 † (1 SP, 0 IMG)

Fossil only

5610000444
Parvivoluta concinna

B. Wade, 1926 †
(FOSSIL)

Tennessee, McNairy County





SubFamily: CALLIOTECTINAE - Genus: **Calliotectum** W.H. Dall, 1890 (syn: Teramachia, Teremachia - 10 SP, 13 IMG)



1983754000
Calliotectum dalli

(P. Bartsch, 1942)
Australia, Port Hedland




synonyms:

- *Prodalla dalli* P. Bartsch, 1942




1983600000
Calliotectum dalli claydoni

(G.T. Poppe, 1986)
Australia, Scott Reef
165 mm



1983600035
Calliotectum egregium

P. Bouchet & G.T. Poppe, 1995
Vanuatu Island, New Hebrides
70 mm



Fossil only


5610000446
Calliotectum fischeri

A.A. Olson, 1964 †
(FOSSIL)
Ecuador, Manabi





1983755745
Calliotectum mirabile

(W.J. Clench & C.G. Aguayo, 1941)
Haiti
131,4 mm



1983600040
Calliotectum piersonorum

P. Bouchet & G.T. Poppe, 1995
New Caledonia



8038001114
Calliotectum shinzatoensis

(F.S. MacNeil, 1960 †)
(FOSSIL)
Okinawa
69,8 mm



synonyms:

- *Teramachia shinzatoensis* F.S. MacNeil, 1960 †



1983600010
Calliotectum smithi


(P. Bartsch, 1942)
Philippines, Balut Island
163 mm





198360015
Calliotectum
tibiaeforme

(J.T. Kuroda, 1931)
China, Zhejiang
157 mm



synonyms:

- *Calliotectum dupreyae arafurensis* H. Douté, 1988

- *Calliotectum dupreyae busseltonensis* H. Douté, 1995




1983756317
Calliotectum
tibiaeforme
barnelli

P. Bai, 2006
Philippines, Aliguay Island
196 mm



1983755475
Calliotectum
tibiaeforme
dupreyae

(W.K. Emerson, 1985)
Australia, Scott Reef
182 mm



synonyms:


- *Calliotectum dupreyae* W.K. Emerson, 1985
- *Calliotectum tibiaeforme dupreyae* W.K. Emerson, 1985

- *Calliotectum johnsoni dupreyae* W.K. Emerson, 1985



1983754005
Calliotectum
tibiaeforme
johnsoni

(P. Bartsch, 1942)
China, Zhejiang
159 mm



synonyms:

- *Calliotectum johnsoni* P. Bartsch, 1942



1983755485
Calliotectum
tibiaeforme
williamsorum

(H.A. Rehder, 1972)
South China Sea
172 mm




synonyms:

- *Calliotectum williamsorum* H.A. Rehder, 1972



1983600030
Calliotectum
vernicosum

(W.H. Dall, 1890)
Chile, Arica
23,9 mm



**Fossil
only**

7194001234
Calliotectum
waitaraense

(J. Marwick, 1926 †)

(**FOSSIL**)


No Georeferenced data available

SubFamily: CALLIOTECTINAE - Genus: **Fusivoluta** E.C. Von Martens, 1902 (10 SP, 10 IMG)




1983650035
Fusivoluta
anomala

(E.C. Von Martens, 1902)
South Africa
85 mm




1983650000
Fusivoluta
barnardi

H.A. Rehder, 1969
Park Rynie, Natal, South Africa
110 mm






1983650005
Fusivoluta blaizei
(K.H. Barnard, 1959)
South Africa, Agulhas Bank
49,3 mm



1983650010
Fusivoluta clarkei
H.A. Rehder, 1969
South Africa
85 mm




synonyms:


- *Fusivoluta decussata clarkei* H.A. Rehder, 1969



1983650040
Fusivoluta decussata
K.H. Barnard, 1959
Mozambique
86,9 mm



1983650020
Fusivoluta lemairei
G.T. Poppe, 1992
South Africa, Algoa Bay
52 mm




synonyms:


- *Fusivoluta pyrrhostoma lemairei* G.T. Poppe, 1992



5320000057
Fusivoluta profundorum
P. Bail & N. Puillandre, 2012
Mozambique, Inhambane



1983650015
Fusivoluta pyrrhostoma
(R.B. Watson, 1882)
South Africa, Agulhas Bank
84 mm




synonyms:



- *Fusus pyrrhostoma* R.B. Watson, 1882



1983650025
Fusivoluta sculpturata
(J.R. le B. Tomlin, 1945)
South Africa, Cape
27,4 mm




1983650030
Fusivoluta vesselsi
R.N. Kiburn, 1980
Mozambique
25 mm






SubFamily: CALLIOTECTINAE - Genus: **Mysterostropha** Olsson, 1964 † (1 SP, 0 IMG)




5610000442
Mysterostropha gyrina
A.A. Olsson, 1964 †
(FOSSIL)
Ecuador, Esmeraldas, Muisne



1983700000
Neptuneopsis
*gilchristi*G.B. III Sowerby, 1898
South Africa, Agulhas Bank
190 mm5610000155
Adelomelon
alta(Sowerby, 1846 †)
(FOSSIL)
Argentina, Entre Ríos, Gualeguay1982050000
Adelomelon
ancilla(J. Lightfoot, 1786)
Argentina, Cabo San Antonio
260 mm**synonyms:**



- Adelomelon arnheimi J.J. Rivers, 1891
- Adelomelon magellanica J.B.P.A. Lamarck, 1811
- Adelomelon bracata J.F. Mabille & A. de Rochebrune, 1889
- Adelomelon spectabilis J.F. Gmelin, 1791

1983754045
Adelomelon
ancillula
*barattini*M.A. Klappenbach,
& E.H. Ureta, 1966Uruguay
84,6 mm**synonyms:**

- Adelomelon barattini M.A. Klappenbach & E.H. Ureta, 1966

1983754035
Adelomelon
ancillula
martensi

(H. Streb, 1906)

Falkland Islands
124 mm**synonyms:**

- Adelomelon martensi H. Streb, 1906

1982050005
Adelomelon
beckii

(W.J. Broderip, 1836)

Uruguay
382 mm**synonyms:**


- Voluta festiva D'Orbigny, 1841

1983754065
Adelomelon
beckii
connexa

(F. Lahille, 1895)

Brazil
153 mm

No Georeferenced data available

1983754055
Adelomelon
beckii
fusiformis

(L.C. Kiener, 1839)

Brazil
247 mm

No Georeferenced data available

synonyms:

- Adelomelon fusiformis L.C. Kiener, 1839




1983754075
Adelomelon
beckii
indigestus
(H.F.A. von Ihering, 1908)
Brazil
225 mm




No Georeferenced data available



1982050010
Adelomelon
brasiliensis
(J.B.P.A. Lamarck, 1811)
Uruguay
210 mm






5610000156
Adelomelon
burmeisteri
(H.F.A. von Ihering, 1907 †)
(FOSSIL)
Argentina, Monte Leon




5610000262
Adelomelon
caupolicana
C. Nielsen,
& D. Frassinetti, 2007 †
(FOSSIL)
Chile, Navidad Formation
61 mm




5610000263
Adelomelon
colocoloi
C. Nielsen,
& D. Frassinetti, 2007 †
(FOSSIL)
Chile, Navidad Formation
52,5 mm





8038000976
Adelomelon
curinancui
C. Nielsen, 2003 †
(FOSSIL)
Chile, Navidad Formation
195 mm





1982050015
Adelomelon
ferussaci
(E. Donovan, 1824)
Argentina, Tierra del Fuego
117 mm





5610000264
Adelomelon
obesa
(R.A. Philippi, 1887 †)
(FOSSIL)
Chile, Navidad Formation
125 mm





5610000265
Adelomelon
posei
Scarabino & al., 2004 †
(FOSSIL)
Argentina, Río Negro, San Antonio






SubFamily: CYMBIINAE - **Subgenus: Adelomelon (Pachycymbiola)** H.F.A. von Ihering, 1907 (3 SP, 2 IMG)




SubFamily: CYMBIINAE - **Genus: Alcithoe** H. Adams & A. Adams, 1853 (syn: Givostia, Leporemax, Palomelon, Teremelon - 73 SP, 45 IMG)





1982150000
Alcithoe
allaudorum

P. Bouchet & G.T. Poppe, 1988
New Caledonia
86,4 mm




synonyms:

- *Alcithoe allaudorum* P. Bouchet & G.T. Poppe, 1988



532000000
Alcithoe
albescens


P. Bail & A. Limpus, 2005
New Zealand



**Fossil
only**


5610000447
Alcithoe
amundseni

J.D. Stivell
& Zinsmeister, 1992 †
(FOSSIL)
Antarctica, Seymour Island



1982150005
Alcithoe
arabica

(J.F. Gmelin, 1791)
Tasmania
73,9 mm



synonyms:


- *Voluta elongata* W.J. Swainson, 1821
- *Alcithoe rossiteri* J.W. Brazer, 1898

- *Alcithoe pacifica* G. Perry, 1810



1983754095
Alcithoe
arabica
depressa

H.H. Suter, 1908
New Zealand
104 mm




synonyms:

- *Alcithoe depressa* H.H. Suter, 1908



1982150010
Alcithoe
arabica
swainsoni

J. Marwick, 1926
Florida
105,6 mm





synonyms:

- *Alcithoe swainsoni* J. Marwick, 1926



1982150090
Alcithoe
arabica
swainsoni motuaraensis

A.W.B. Powell, 1928
New Zealand
107,4 mm



synonyms:

- *Alcithoe motuaraensis* A.W.B. Powell, 1928

**Fossil
only**

7194001204
Alcithoe
arabicula

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001205
Alcithoe
bacchanalia

L. C. King, 1934 †
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001206
***Alcithoe
bartrumi***


L. C. King, 1933 †
(FOSSIL)

No Georeferenced data available





1982150015
***Alcithoe
benthicola***

(R.K. Dell, 1963)
New Zealand
254 mm



6512000038
***Alcithoe
brevis***

(J. Marwick, 1926 †)
(FOSSIL)
New Zealand, Castlecliff
43 mm



**Fossil
only**

7194001207
***Alcithoe
bulbus***

(J. Marwick, 1931 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001208
***Alcithoe
callaghani***

(L. C. King, 1931 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001263
***Alcithoe
cognata***


(Finlay, 1926 †)
(FOSSIL)

No Georeferenced data available



5320000007
***Alcithoe
colesae***

P. Ball & A. Limpus, 2005
New Zealand, Puysegur Bank
85 mm



**Fossil
only**

7194001209
***Alcithoe
concisa***


J. Marwick, 1931 †
(FOSSIL)

No Georeferenced data available



6512000039
***Alcithoe
cribrosa***

(R. Tate, 1889 †)
(FOSSIL)
Australia, Victoria
28 mm



Fossil
only

7194001210
Alcithoe
cylindrica



J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available



1982150070
Alcithoe
davegibbsi

M.R. Hart, 1999
New Zealand
43 mm



Fossil
only

7194001281
Alcithoe
dilatata

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001211
Alcithoe
dyscrita

Finlay, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001264
Alcithoe
elegantissima

(H.H. Suter, 1917 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001212
Alcithoe
exigua

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001213
Alcithoe
familiaris

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001214
Alcithoe
finlayi

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001215
Alcithoe
firma



(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available



1982150085
Alcithoe
fissurata

(R.K. Dell, 1963)
New Zealand, Plenty Bay
196,2 mm







5320000003
**Alcithoe
fissurata
crassa**
P. Bail & A. Limpus, 2005
New Zealand
187 mm




5320000004
**Alcithoe
fissurata
elegans**
P. Bail & A. Limpus, 2005
New Zealand
93,6 mm




1982150020
**Alcithoe
flemingi**
R.K. Dell, 1978
New Zealand, Auckland Islands
90 mm





1982150120
**Alcithoe
fusus**
(J.R.C. Quoy,
& J.P. Gaimard, 1833)
New Zealand, Tasman Bay
70 mm





1983754115
**Alcithoe
fusus
haurokiensis**
(J.R.C. Quoy,
& J.P. Gaimard, 1833)
New Zealand
57 mm



1982150025
**Alcithoe
fusus
hedleyi**
(R. Murdoch & H.H. Suter, 1906)
New Zealand, Coromandel
72,5 mm



6512000042
**Alcithoe
gatesi**
J. Marwick, 1926 †
(FOSSIL)
New Zealand, South Island
54 mm




7194001216
**Alcithoe
gravicostata**
L. C. King, 1931 †
(FOSSIL)

No Georeferenced data available



6512000043
**Alcithoe
haweraensis**
J. Marwick, 1926 †
(FOSSIL)
New Zealand, South Island
80 mm





6512000044
Alcithoe
hurupiensis
J. Marwick, 1926 †
(FOSSIL)
New Zealand, North Island
60 mm





Fossil
only





7194001217
Alcithoe
irregularis
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available



1982150035
Alcithoe
jaculoides
A.W.B. Powell, 1924
New Zealand, Spirits Bay
190 mm




1983756412
Alcithoe
jaculoides
calva
A.W.B. Powell, 1924
New Zealand, Dunedin
135,1 mm



1982150040
Alcithoe
knoxi
(R.K. Dell, 1956)
New Zealand, Auckland
93,7 mm





1982150045
Alcithoe
larochaei
J. Marwick, 1926
New Zealand, Plenty Bay
106,9 mm



5320000026
Alcithoe
larochaei
ostenfeldi
(T. Iredale, 1937)
New Zealand
110,7 mm



1982150050
Alcithoe
larochaei
tigrina
P. Bail, A. Limpus,
& Y. Terryn, 2005
New Zealand, Plenty Bay
135,2 mm



7194001218
Alcithoe
levida
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available



1982150075
Alcithoe lutea
(R.B. Watson, 1882)
New Zealand, North Island
105 mm



Fossil
only

7194001219
Alcithoe marlburiana
L. C. King, 1934 †
(FOSSIL)

No Georeferenced data available


Fossil
only

7194001220
Alcithoe murdochii
(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available



6512000045
Alcithoe neglectoides
T.A. Darragh, 1988 †
(FOSSIL)
Australia, Victoria
31 mm





Fossil
only

7194001221
Alcithoe nodulifera
C.R. Laws, 1935 †
(FOSSIL)

No Georeferenced data available




6512000046
Alcithoe nukumaruensis
Murdoch, 1920 †
(FOSSIL)
New Zealand, Castlecliff
122 mm




Fossil
only

6546000032
Alcithoe onoua
J.D. Stivell, 2016 †
(FOSSIL)
New Zealand, Chatham Islands



Fossil
only

5610000448
Alcithoe orphanta
T.A. Darragh, 1989 †
(FOSSIL)
Australia, Tasmania, Flinders



Fossil
only

7194001222
Alcithoe parva
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001223
Alcithoe phymatias
Finlay, 1926 †
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001224
***Alcithoe
pinguelia***
(J. Marwick, 1931 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001225
***Alcithoe
powelli***
(C.R. Laws, 1936 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001265
***Alcithoe
pretiosa***
(Finlay, 1926 †)
(FOSSIL)

No Georeferenced data available




1982150055
***Alcithoe
pseudolutea***

P. Bal & A. Limpus, 2005
New Zealand, Plenty Bay
82,9 mm



6512000047
***Alcithoe
pueblensis***

(G.B. Pritchard, 1898 †)
(FOSSIL)
Australia, Victoria
63 mm



**Fossil
only**

7194001226
***Alcithoe
renwicki***
(J. Marwick, 1928 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001227
***Alcithoe
resolutionis***

C.A. Fleming, 1954 †
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001228
***Alcithoe
rugosa***


(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available



5610000268
***Alcithoe
sarissa***

R. Tate, 1889 †
(FOSSIL)
Australia, Victoria
74 mm



Fossil
only

7194001229
[Alcithoe
scitula](#)

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001230
[Alcithoe
scopi](#)


J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available




1983756380
[Alcithoe
seelyorum](#)

P. Ball & A. Limpus, 2005
New Zealand, Three Kings Islands



6512000048
[Alcithoe
sequax](#)

J. Marwick, 1923 †
(FOSSIL)
New Zealand, Otago
110 mm



Fossil
only

7194001279
[Alcithoe
solida](#)

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001269
[Alcithoe
striata](#)



(C.R. Laws, 1935 †)
(FOSSIL)

No Georeferenced data available

Fossil
only


5610000459
[Alcithoe
suropilosus](#)

J.D. Stivell
& Zinsmeister, 1992 †
(FOSSIL)
Antarctica, Seymour Island




6512000049
[Alcithoe
tateana](#)

(Johnston, 1880 †)
(FOSSIL)
Tasmania
80 mm




5320000008
[Alcithoe
triregensis](#)

P. Ball & A. Limpus, 2005
New Zealand, Middlesex Bank
78 mm



6512000117
[Alcithoe
tumidior](#)

(Finlay, 1926 †)
(FOSSIL)
New Zealand, South Island
48 mm





6512000050
Alcithoe
turrita

(H.H. Suter, 1917 †)
(FOSSIL)
New Zealand, Otago
97 mm



Fossil
only

7194001231
Alcithoe
uptonensis

L. C. King, 1934 †

(FOSSIL)

No Georeferenced data available

Fossil
only

7194001266
Alcithoe
waitakiensis

(J. Marwick, 1926 †)
(FOSSIL)


No Georeferenced data available

Fossil
only

6546000029
Alcithoe
wangaloensis

J.D. Stilwell, 2016 †
(FOSSIL)

New Zealand, Wangaba



Fossil
only

7194001232
Alcithoe
whakinoensis


J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available



1982150060
Alcithoe
wilsonae

(A.W.B. Powell, 1933)
New Zealand, Dunedin
110,9 mm




synonyms:

- *Alcithoe chathamensis* R.K. Dell, 1956




1982150065
Alcithoe
wilsonae
acuminata

P. Ball & A. Limpus, 2005
New Zealand
92 mm




1983754175
Alcithoe
wilsonae
grahami

(A.W.B. Powell, 1965)
New Zealand
67 mm



1983754155
Alcithoe
wilsonae
smithi


(A.W.B. Powell, 1950)
New Zealand
98 mm







1983756423
Arctomelon
benthalis

(W.H. Dall, 1896)
Panama Bay





1982250000
Arctomelon
stearnsii

(W.H. Dall, 1872)
Alaska
149 mm





1983756065
Arctomelon
stearnsii
ryosukei

T. Habe & K. Itô, 1965
Arafura Sea



1982250005
Arctomelon
tamikoae

(S. Kosuge, 1970)
Ama Island
190 mm





SubFamily: CYMBIINAE - Genus: **Argentovoluta** J. Vazquez & C.H. Caldini, 1989 (1 SP, 1 IMG)



1983754395
Argentovoluta
bottai

(J. Vazquez & C.H. Caldini, 1989)
Argentina





SubFamily: CYMBIINAE - Genus: **Cymbiolacca** T. Iredale, 1929 (syn: Pseudocymbiola - 2 SP, 2 IMG)




5610000355
Cymbiolacca
strophodon

(F. McCoy, 1876 †)
(FOSSIL)
Australia, Victoria,
Corio - Inner



5610000356
Cymbiolacca
weldii

(J.E. Tenison-Woods, 1876 †)
(FOSSIL)
Tasmania
40 mm





SubFamily: CYMBIINAE - Genus: **Cymbium** P.F. Röding, 1798 (syn: Cymba, Yetus - 13 SP, 13 IMG)



1981500000
Cymbium
cucumis

P.F. Röding, 1798
Morocco, cap Cantis
132 mm




synonyms:

- Cymbium maroccanus dilatata P.M. Pillary, 1930
- Cymbium rubiginosa W.J. Swainson, 1821
- Cymbium rubiginosum angulata R.T. Lowe, 1861
- Cymbium rubiginosus sacella G.F. Dollfus, 1911

- Cymbium rubiginosum R.T. Lowe, 1861
- Cymbium rubiginosum incurva R.T. Lowe, 1861



1981500005
Cymbium cymbium
(C. Linnaeus, 1758)
Guinea Bissau
159 mm



synonyms:

- *Cymbium cisum* K.T. Menke, 1828
- *Cymbium jacobinum* P.F. Röding, 1798
- *Cymbium scafa* J. Lightfoot, 1786


- *Cymbium porcinum* J.B.P.A. Lamarck, 1811
- *Cymbium unicolor* J.H.F. Link, 1807



1981500010
Cymbium fragile
E.J. Fittkau & W. Stürmer, 1985
Gabon
136,5 mm



1981500015
Cymbium glans
(J.F. Gmelin, 1791)
Senegal, Dakar
66 mm




synonyms:


- *Cymbium proboscideum* J.B.P.A. Lamarck, 1811



1981500020
Cymbium gracile
(W.J. Broderip, 1830)
Congo, Pointe Noire
72,7 mm



1981500025
Cymbium marmoratum
J.H.F. Link, 1807
Senegal, Dakar
169 mm



1981500030
Cymbium olla
(C. Linnaeus, 1758)
Morocco, cap Canin
111 mm




synonyms:

- *Cymbium papillatum* H.C.F. Schumacher, 1817
- *Cymbium philipinum* P.F. Röding, 1798
- *Cymbium productus major* P.M. Pillary, 1930


- *Cymbium productum* R.T. Lowe, 1861
- *Cymbium turriculatus* P.M. Pillary, 1930




1981500035
Cymbium pachys
(P.M. Pillary, 1930)
Senegal, Dakar
127,3 mm



1981500040
Cymbium patulum
(W.J. Broderip, 1830)
Angola
160 mm



1981500045
Cymbium pepo
(J. Lightfoot, 1786)
Morocco, cap Canin
54 mm



synonyms:


- *Cymbium inflata* P.F. Röding, 1798
- *Cymbium neptuni* J.F. Gmelin, 1791
- *Cymbium praeputium* P.F. Röding, 1798

- *Cymbium navicula* J.F. Gmelin, 1791
- *Cymbium papillaris* J.F. Gmelin, 1791




1983754675
Cymbium senegalensis

I. Marche-Marchad, 1978
Guinea Bissau
145 mm



1981500050
Cymbium souliei

I. Marche-Marchad, 1974
Ivory coast, Abidjan
57 mm



1981500055
Cymbium tritonis

(W.J. Broderip, 1830)
Morocco, cap Cantis
217 mm

**synonyms:**


- *Cymbium caputvelatum* Bruynseels, 1975
- *Cymbium marocanus* P.M. Palary, 1930

SubFamily: CYMBIINAE - Genus: ***Ericusa*** H. Adams & A. Adams, 1858 (syn: Mesericusa - 10 SP, 23 IMG)





561000288
Ericusa ancilloides

R. Tate, 1889 †
(FOSSIL)
Australia, Victoria
81 mm




6512000068
Ericusa atkinsoni

(G.B. Pritchard, 1896 †)
(FOSSIL)
Tasmania
133 mm




561000289
Ericusa ellipsoidea

R. Tate, 1888 †
(FOSSIL)
Australia, Victoria




1981150000
Ericusa fulgetrum

(G.B. I Sowerby, 1825)
South Australia, Edithburgh
146 mm





1983754725
Ericusa fulgetrum alba

J.C. Verco, 1912
Australia, Esperance




1983754695
Ericusa fulgetrum bicincta

J.C. Verco, 1912
Australia, Spencer gulf









1983754705
Ericusa
fulgetrum
connectens
J.C. Verco, 1912
South Australia





1983754685
Ericusa
fulgetrum
dictua
J.C. Verco, 1909
South Australia, Ceduna
120,3 mm



1983754715
Ericusa
fulgetrum
lunisigata
J.C. Verco, 1912
South Australia
108 mm



5610000068
Ericusa
fulgetrum
orca
(B.C. Cotton, 1952)
Australia, Great Australian Bight





synonyms:


- *Ericusa orca* B.C. Cotton, 1952





1983755875
Ericusa
fulgetrum
punctisigata
J.C. Verco, 1912
South Australia
136 mm




1983754745
Ericusa
fulgetrum
tricincta
J.C. Verco, 1912
Australia, Spencer gulf




1983755885
Ericusa
fulgetrum
unicincta
J.C. Verco, 1912
Australia, Port Lincoln



6512000069
Ericusa
hamiltonensis
(Pritchard, 1898 †)
(FOSSIL)
Australia, Victoria
50 mm



5320000046
Ericusa
naniforma
P. Bai & A. Limpus, 2013
Abrolhos Island
64,9 mm






1981150005
Ericusa
papillosa

(W.J. Swainson, 1822)

Tasmania
138,5 mm



synonyms:



- *Ericusa papillaris* W.J. Swainson, 1840



1981150010
Ericusa
papillosa
kenyoniana

(J.W. Brazier, 1898)

Australia, Tasman Sea
97 mm



synonyms:


- *Ericusa kenyoniana* J.W. Brazier, 1898



1983400000
Ericusa
sericata

G. Thornley, 1951


Australia, Cape Moreton
101,4 mm



1981150015
Ericusa
sowerbyi

(L.C. Kiener, 1839)

Australia, Victoria
160 mm




synonyms:

- *Ericusa fusiformis* W.J. Swainson, 1822
- *Mesericusa stokesii* B.C. Cotton, 1961



7194001288
Ericusa
sowerbyi
pellita
(Johnston, 1880 †)
(FOSSIL)



Tasmania



1983754755
Ericusa
sowerbyi
perspecta

T. Iredale, 1929


Australia, Kangaroo Island
146 mm



1983754775
Ericusa
sowerbyi
porcellana

B.D. Jackson, 1954

Australia, Kangaroo Island





6512000070
Ericusa
subtilis

(N.H. Ludbrook, 1978 †)
(FOSSIL)

Australia, Madura

94 mm



SubFamily: CYMBIINAE - Genus: **Livonia** J.E. Gray, 1855 (syn: Mamilana, Pterospira, Cottonia - 12 SP, 11 IMG)




5610000357
Livonia
alticostata

R. Tate, 1889 †
(FOSSIL)

Australia, Victoria,


S. Grampians Bl






5610000358
Livonia
hannahfordi

McCoy, 1866 †
(FOSSIL)
Australia, Victoria



1981454010
Livonia
joerinkensi

(G.T. Poppe, 1987)
Australia, Scott Reef
220 mm




1981450000
Livonia
limpusi

P. Bail, 1999
Western Australia,
Abrolhos Islands
146,3 mm



1981454015
Livonia
mammilla

(G.B. I Sowerby, 1844)
Australia, Bass Strait
291 mm



synonyms:

- *Livonia mammilla leucostoma* A. Mayblom, 1951




1983756415
Livonia
mervcooperi

P. Bail & A. Limpus, 2010
Australia, Shark Bay
200 mm




5610000359
Livonia
mortoni

R. Tate, 1889 †
(FOSSIL)
Tasmania



1981454000
Livonia
noduplicata

(J.C. Cox, 1910)
Australia, Port Lincoln
293 mm





synonyms:

- *Livonia dannevigi* J.C. Verco, 1912



1981450005
Livonia
roadnightae

(F. McCoy, 1881)
Australia, Victoria
172 mm




synonyms:

- *Livonia quisquals* T. Iredale, 1957



7194001297
Livonia
spenceri

(G.B. Pritchard, 1896 †)
(FOSSIL)
Tasmania



synonyms:


- *Livonia spencerei* G.B. Pritchard, 1896 †



5610000360
Livonia stephenesi

Johnston, 1879 †
(FOSSIL)


Tasmania
112 mm



6512000076
Livonia voluminosa

(G.B. Pritchard, 1896 †)
(FOSSIL)

Tasmania
172 mm



SubFamily: CYMBIINAE - **Genus: Minicymbiola** M.A. Klappenbach, 1979 (1 SP, 1 IMG)



1983756277
Minicymbiola corderoi

(A. Carcelles, 1953)
Brazil, Sao Paulo
21,6 mm




SubFamily: CYMBIINAE - **Genus: Miomelon** W.H. Dall, 1907 (syn: Proscaphella - 11 SP, 8 IMG)






1982750000
Miomelon alarconi

J. Stuardo & Villas, 1974
Chile, Coquimbo
87,8 mm





5610000352
Miomelon cossmanni

H.F.A. von Ihering, 1907 †
(FOSSIL)
Chile, Puerto Guadal



5610000326
Miomelon dorbignyana

(R.A. Philippi, 1886 †)
(FOSSIL)
Chile, Navidad Formation
117 mm





synonyms:

- Voluta gracilis H.F.A. von Ihering, 1896 †
- Voluta gracilis R.A. Philippi, 1886 †



1983755165
Miomelon eltanini


R.K. Dell, 1990
Scotia Sea
26 mm



5610000327
Miomelon gracilis



(R.A. Philippi, 1887 †)
(FOSSIL)


No Georeferenced data available



5610000328
Miomelon lautanoi

C. Nielsen,
& D. Frassineti, 2007 †
(FOSSIL)
Chile, Navidad Formation
60 mm







SubFamily: CYMBIINAE - Genus: **Nanomelon** J.H. Leal & P. Bouchet, 1989 (2 SP, 2 IMG)



SubFamily: CYMBIINAE - Genus: **Neoimbricaria** H.F.A. von Ihering, 1907 † (1 SP, 1 IMG)







6512000097
Notopeplum
balcombensis


Finlay, 1930 †
(FOSSIL)

Australia, Victoria
39 mm



1983756285
Notopeplum
cossignanii


G.T. Poppe, 1999
West Australia, Busselton
33 mm



5610000332
Notopeplum
maccoyi

(Tenison Woods, 1877 †)
(FOSSIL)



Australia, Victoria,
Colac-Otway - South



6512000098
Notopeplum
mccoyi

(J.E. Tenison-Woods, 1877 †)
(FOSSIL)


Tasmania
39 mm



5610000333
Notopeplum
polita

(R. Tate, 1889 †)
(FOSSIL)

Australia, Victoria
34 mm



5320000044
Notopeplum
raywalkeri

H. Morrison, 2013



No Georeferenced data available



1983400015
Notopeplum
translucidum

(J.C. Verco, 1896)

South Australia
40 mm



synonyms:

- *Notopeplum mccoysi translucidum* J.C. Verco, 1896

SubFamily: CYMBIINAE - Genus: **Odontocymbiola** W.J. Clench & H. Turner, 1964 (4 SP, 10 IMG)



1982700000
Odontocymbiola
americana

(L.A. Reeve, 1856)


Brazil, Espírito Santo
60 mm



1982700005
Odontocymbiola
americana
cleryana

(S.A.A. Petit De La Saussaye
1856)

Brazil, Rio de Janeiro
57 mm







1982700035
Odontocymbiola americana macaensis
I.S. Calvo & J. Coltro, 1997
Brazil, Rio de Janeiro
69 mm



1982700020
Odontocymbiola americana saotomensis
I.S. Calvo & J. Coltro, 1997
Brazil, São Tomé
61 mm



1983754025
Odontocymbiola magellonica
(J.F. Gmelin, 1791)
Argentina, Tierra del Fuego
190 mm





synonyms:

- *Adebelon paradoxa* F. Lahille, 1895



1983755275
Odontocymbiola magellonica canigiai
J. Vazquez & C.H. Caldini, 1992
Southern Argentina
163 mm




synonyms:

- *Odontocymbiola mangeri* H.B. Preston, 1901



1983756322
Odontocymbiola magellonica subnodosus
(W.E. Leach, 1814)
Argentina, San Antonio Este
145 mm





synonyms:

- *Odontocymbiola decipiens* F. Lahille, 1895
- *Odontocymbiola fulgurea* F. Lahille, 1895
- *Odontocymbiola tuberculata* W.J. Swanson, 1821


- *Odontocymbiola ferruginea* F. Lahille, 1895
- *Odontocymbiola pseudofusiformis* F. Lahille, 1895




1982700015
Odontocymbiola pescalia
W.J. Clench & H. Turner, 1964
Falkland Islands
85 mm



1983755285
Odontocymbiola pescalia rucciana
J. Vazquez & C.H. Caldini, 1990
Argentina, Tierra del Fuego
61 mm



1982700025
Odontocymbiola simulatrix
J.H. Leal & P. Bouchet, 1989
Brazil, Santa Catarina
210 mm



SubFamily: CYMBIINAE - Genus: **Pachymelon** Marwick, 1926 † (3 SP, 2 IMG)



7194001251
Pachymelon amoriaformis
(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available



6512000101
Pachymelon
regularis


(H.E. Finley, 1926 †)
(FOSSIL)

New Zealand, North Island

6512000102
Pachymelon
smithi

A.W.B. Powell, 1950 †
(FOSSIL)

New Zealand, North Island
49 mm





SubFamily: CYMBIINAE - Genus: **Provocator** R.B. Watson, 1882 (syn: Guivilea - 4 SP, 4 IMG)



1983754935
Provocator
alabastrina

(R.B. Watson, 1882)

Scotia Sea
43 mm



synonyms:



- Guivilea alabastrina (R.B. Watson, 1882)



1980800000
Provocator
corderoi

A. Carcelles, 1947


Falkland Islands
71 mm



1982600010
Provocator
palliata

(P. Kaiser, 1977)



Falkland Islands
93 mm



1982600015
Provocator
pulcher

R.B. Watson, 1882

Kerguelen Islands
97 mm



synonyms:

- Provocator provocator G.B. III Sowerby, 1887



SubFamily: CYMBIINAE - Genus: **Tractolira** W.H. Dall, 1896 (4 SP, 4 IMG)



1983756422
Tractolira
delli

J.H. Leal & M.G. Harasewych, 2005

Antarctica, Victoria Land



1983755495
Tractolira
germanae

M.G. Harasewych, 1987



Florida



1983755505
Tractolira
sparta


W.H. Dall, 1896

Panama West
51,2 mm





198375515
Tractolira
tenebrosa
J.H. Leal & P. Bouchet, 1985
Brazil, Rio de Janeiro
47,1 mm



SubFamily: CYMBIINAE - Genus: **Zidona** H. Adams & A. Adams, 1853 (1 SP, 4 IMG)



198200000
Zidona
dufresnei
(E. Donovan, 1823)
Uruguay
179 mm




synonyms:

- *Zidona angulata* W.J. Swainson, 1821
- *Zidona dufresneyi* E. Donovan, 1823



- *Zidona nasica* G.H. Schubert & J.A. Wagner, 1829





198200005
Zidona
dufresnei
affinis
F. Lahille, 1895
Argentina, San Antonio Oeste
98 mm



1983755705
Zidona
dufresnei
distincta
(F. Lahille, 1895)
Argentina
83 mm






1983755695
Zidona
dufresnei
typica
F. Lahille, 1895
Argentina





SubFamily: CYMBIINAE - Genus: **Zygomelon** M.G. Harasewych & B.A. Marshall, 1995 (2 SP, 1 IMG)



5610000425
Zygomelon
apheles
J.D. Stiwell & al., 2004 †
(FOSSIL)
Antarctica, Seymour Island



1983756327
Zygomelon
zidoni
M.G. Harasewych,
& B.A. Marshall, 1995
New Zealand, Bounty Plateau




synonyms:

- *Zygomelon zidoni* M.G. Harasewych & B.A. Marshall, 1995

SubFamily: EOVLUTINAE - Genus: **Eovoluta** Pacaud, 2016 † (8 SP, 2 IMG)



6546000033
Eovoluta
bouei
(G.P. Deshayes, 1865 †)
(FOSSIL)
France, Paris Basin





5610000305
Evoluta
branderi

(J.L.M. Defrance, 1824 †)
(FOSSIL)

France, Paris Basin
33 mm



synonyms:

- Mitreola branderi J.L.M. Defrance, 1824 †
- Mitra branderi J.L.M. Defrance, 1824 †
- Mitra parisiensis G.P. Deshayes, 1832 †


- Mitreola chaussyensis A.E.M. Cossmann, 1907 †

**Fossil
only**

6546000034
Evoluta
coquillensis

(F.E. Turner, 1938 †)
(FOSSIL)

France, Paris Basin




**Fossil
only**

5610000436
Evoluta
eomagna

(E.H. Vokes, 1939 †)
(FOSSIL)

France, Paris Basin



synonyms:


- Lapparia eomagna E.H. Vokes, 1939 †

**Fossil
only**

6546000035
Evoluta
iolinensis

J.M. Pacaud, 2016 †
(FOSSIL)


France, Paris Basin



5350001601
Evoluta
lajovi

(G.P. Deshayes, 1835 †)
(FOSSIL)

France, Paris Basin



synonyms:

- Mitreola dumasi A.E.M. Cossmann, 1896 †
- Mitra lajovi G.P. Deshayes, 1835 †


- Mitreola lajovi G.P. Deshayes, 1835 †

**Fossil
only**

6546000036
Evoluta
quaggiottoi

J.M. Pacaud, 2016 †
(FOSSIL)

France, Paris Basin



**Fossil
only**

6546000037
Evoluta
volesiana

J.M. Pacaud, 2016 †
(FOSSIL)

France, Paris Basin





SubFamily: FULGORARIINAE - Genus: **Falsilyria** Plisbry & Olsson, 1954 † (3 SP, 4 IMG)



6512000071
Falsilyria
anoptos

R.C. Haerle, 1978 †
(FOSSIL)



Florida
60 mm



5610000290
Falsilyria
kendrewi

E.J. Petuch, 1999 †
(FOSSIL)


Florida, Polk County
36 mm





6512000072
Falsilyria
pycnopleura


(J. Gardner 1937 †)
(FOSSIL)
Florida, Alum Bluff formation
67 mm



6512000145
Falsilyria
pycnopleura
eocenica

(K.V.W. Palmer, 1953 †)
(FOSSIL)

Florida




SubFamily: FULGORARIINAE - Genus: **Festilyria** H.A. Pilsbry & A.A. Olsson, 1954 (4 SP, 5 IMG)



1981550000
Festilyria
africana

(L.A. Reeve,, 1856)
South Africa, Coffee Bay
54 mm



synonyms:

- Voluta africana L.A. Reeve, 1856
- Lyria africana L.A. Reeve, 1856
- Voluta africana ponderosa W.H. Turton, 1932

- Voluta africana beckeri W.H. Turton, 1932
- Voluta africana riensis W.H. Turton, 1932




1981550010
Festilyria
duponti

C.S. Weaver, 1968
Mozambique
139 mm



1981550015
Festilyria
festiva

(J.B.P.A. Lamarck, 1811)
Somalia, Gulf of Aden
208 mm



synonyms:

- Voluta festiva J.B.P.A. Lamarck, 1811




1981550020
Festilyria
festiva
deceptrix

S. Palazzi, 1981
Somalia, Mogadiscio
132,8 mm



1981550030
Festilyria
ponsonbyi

(E.A. Smith, 1901)
South Africa, Durban
89 mm



synonyms:



- Voluta ponsonbyi E.A. Smith, 1901
- Lyria ponsonbyi E.A. Smith, 1901

SubFamily: FULGORARIINAE - Genus: **Fulgoraria** H.C.F. Schumacher, 1817 (23 SP, 30 IMG)




5610000051
Fulgoraria
alforum

N.N. Thach, 2014
South China Sea
175 mm





1980750000
Fulgoraria allaryi
(P. Bail, 2005)
Vietnam
270 mm




synonyms:


- *Musashia allaryi* P. Bail, 2005





5320000062
Fulgoraria bailorum
N.N. Thach, 2014
Vietnam



5610000025
Fulgoraria callomoni
N.N. Thach, 2015
Vietnam, Nha Trang
132,8 mm



5320000012
Fulgoraria carnicolor
(P. Bail & M. Chino, 2010)
Japan, Chiba




synonyms:

- *Musashia carnicolor* P. Bail & M. Chino, 2010



1980750015
Fulgoraria chinoi
(P. Bail, 2000)
China, Zhejiang
142 mm





synonyms:

- *Musashia chinoi* P. Bail, 2000



1980750020
Fulgoraria clara
(G.B. III Sowerby, 1914)
South Japan
107 mm





synonyms:

- *Fulgoraria prevostiana clara* (G.B. III Sowerby, 1914)

- *Musashia prevostiana clara* G.B. III Sowerby, 1914



1980750030
Fulgoraria concinna
(W.J. Broderip, 1836)
Japan, Mikawa bay
141,7 mm



synonyms:



- *Psephaea concinna* W.J. Broderip, 1836



1980954000
Fulgoraria concinna corrugata
(W.J. Broderip, 1836)
Japan, Shizuoka




1980754000
Fulgoraria concinna rosea
(W.J. Broderip, 1836)
Japan, Sagami Bay





1980750035
Fulgoraria daviesi

(H.C. Fulton, 1938)
China, Zhejiang
144,2 mm



synonyms:

- *Psephaea daviesi* (H.C. Fulton, 1938)



1980754040
Fulgoraria ericarum

H. Douté, 1997
South China Sea
160 mm



1980754005
Fulgoraria formosana

(M. Azuma, 1967)
Taiwan
107 mm




synonyms:

- *Musashia formosana* M. Azuma, 1967





1980750050
Fulgoraria hamillei

(J.C.H. Crosse, 1869)
China, Zhejiang
158 mm




1983754815
Fulgoraria hamillei nipponkaiensis

T. Shikama, 1967
China, Zhejiang
115 mm




1983754825
Fulgoraria hamillei sinica

T. Shikama, 1967
China, Zhejiang
173 mm




1983754835
Fulgoraria hamillei tosaensis

T. Shikama, 1967
South China Sea
81 mm



1980750055
Fulgoraria hirasei

(G.B. III Sowerby, 1912)
China, Zhejiang
170 mm




synonyms:

- *Musashia hirasei* (G.B. III Sowerby, 1912)




1980754010
Fulgoraria humerosa

H.A. Rehder, 1969
South China Sea
184 mm





1983754845
Fulgoraria kamakurensis
(Y. Otuka, 1949)
China, Zhejiang
125,7 mm



synonyms:

- *Psephaea kamakurensis* Y. Otuka, 1949



5320000014
Fulgoraria kaae
P. Bai, 2008
Taiwan, Pratas Island
76 mm



1980754045
Fulgoraria leviuscula
H.A. Rehder, 1969
South China Sea
102 mm





synonyms:



- *Fulgoraria glabra* T. Habe & S. Kosuge, 1970



6512000073
Fulgoraria masudae
I. Hayasaka †
(FOSSIL)
Japan, Ishikawa
85 mm



1980754025
Fulgoraria mentiens
(H.C. Fulton, 1940)
Japan, Hokkaido
99,8 mm





synonyms:

- *Psephaea mentiens* (H.C. Fulton, 1940)



1983754795
Fulgoraria noguchi
(S. Hayashi, 1960)
Japan, Wakayama
88 mm




synonyms:


- *Fulgoraria clara noguchi* S. Hayashi, 1960
- *Musashia noguchi* S. Hayashi, 1960



8038000862
Fulgoraria philippi
N.N. Thach, 2016
Vietnam, Nha Trang
119,8 mm



1980750085
Fulgoraria rupestris
(J.F. Gmelin, 1791)
Taiwan
153 mm




synonyms:

- *Fulgoraria capitata* G. Perry, 1811
- *Fulgoraria chinensis* H.C.F. Schumacher, 1817

- *Fulgoraria fulminata* J.B.P.A. Lamarck, 1811



1983754925
Fulgoraria rupestris aurantia
T. Shikama & S. Kosuge, 1970
South China Sea
170 mm




5320000028
Fulgoraria rupestris politohumerosa
T. Shikama, 1968

No Georeferenced data available



5320000029
Fulgoraria rupestris thachi
P. Bail & M. Chino, 2010
Vietnam
82,5 mm



1983755765
Fulgoraria smithi
(G.B. III Sowerby, 1901)
New Zealand, South Island
177 mm



synonyms:


- Kurodina smithi (G.B. III Sowerby, 1901)

- Kurodina uniplicata G.B. III Sowerby, 1900

SubFamily: FULGORARIINAE - **Subgenus: Fulgoraria (Musashia)** S. Hayashi, 1960 (2 SP, 1 IMG)



1980750010
Musashia cancellata
(J.T. Kuroda & T. Habe, 1950)
China, Zhejiang
127,1 mm





5610000479
Musashia ochoensis
A. Oleinik, 1991 †
(FOSSIL)
Russia, Kamchatka,
Tigil'skiy rayon




SubFamily: FULGORARIINAE - **Subgenus: Fulgoraria (Nipponomelon)** T. Shikama, 1967 (2 SP, 6 IMG)



1980754035
Nipponomelon elongata
(T. Shikama, 1962)
South China Sea
190 mm



1983754785
Nipponomelon megaspira
(G.B. I Sowerby, 1844)
Japan
61 mm




synonyms:

- Nipponomelon amabilis T. Shikama & H. Watanabe, 1970
- Nipponomelon borealis O. Masuda, 1990

- Fulgoraria angulosa T. Shikama, 1967
- Nipponomelon exoptanda T. Shikama, 1967





1983754895
Nipponomelon magna
(J.T. Kuroda & T. Habe, 1950)
Japan
167,5 mm





5320000001
**Nipponomelon
megaspira
prevostiana**
(J.C.H. Crosse, 1878)

Japan, Hokkaido
155 mm



synonyms:

- *Nipponomelon prevostiana* J.C.H. Crosse, 1878





1983754915
**Nipponomelon
megaspira
prevostiana sagamiensis**
(T. Shikama, 1980)

Japan



1980754030
**Nipponomelon
megaspira
prevostiana salebrosa**
T. Shikama, 1967

Japan
98,1 mm




SubFamily: FULGORARIINAE - **Subgenus: Fulgoraria (Psephaea)** J.C.H. Crosse, 1871 (syn: Miopleone, Miopleona - 2 SP, 4 IMG)





1980750060
**Psephaea
kaneko**

S. Hirase, 1922
China, Zhejiang
179 mm





1983754855
**Psephaea
kaneko
hayashii**
T. Habe & K. Itô, 1965

China, Zhejiang
189 mm





1983754865
**Psephaea
kaneko
itoi**

T. Habe, 1965
Japan, Kyushu
165 mm




1980750095
**Psephaea
kaneko
yamamotoi**
T. Shikama, 1967

China, Zhejiang
161 mm



5610000453
**Psephaea
zinsmeisteri**
J.D. Mount, 1976 †
(FOSSIL)
USA, California, Los Angeles





SubFamily: FULGORARIINAE - **Genus: Harpovoluta** K.H.J. Thiele, 1912 (1 SP, 1 IMG)



1981350000
**Harpovoluta
charcoti**

(É. Lamy, 1910)
Deception Island
36 mm





synonyms:

- *Buccinum charcoti* É. Lamy, 1910
- *Harpovoluta vanhoeffeni* K.H.J. Thiele, 1912



- *Harpovoluta vanhoeffeni strigula* K.H.J. Thiele, 1912



1982600000
**Iredalina
mirabilis**
(H.J. Finlay, 1926)
New Zealand, Wellington
140 mm



1983755305
**Iredalina
mirabilis
aurantia**
(A.W.B. Powell, 1954)
New Zealand, South Island





synonyms:


- Provocator aurantia A.W.B. Powell, 1954




6512000149
**Lapparia
conradi**
(K.V.W. Palmer, 1953 †
(FOSSIL))
Florida, Levy County
14,5 mm





5610000435
**Lapparia
dumosa**
(T.A. Conrad, 1854 †
(FOSSIL))
USA, Mississippi





5610000437
**Lapparia
nuda**
(H.B. Stenzel & Turner, 1940 †
(FOSSIL))
Mexico, Chiapas, Chiapa de Corzo




1980750040
**Saotomea
delicata**
(H.C. Fulton, 1940)
China, Zhejiang
45 mm





5320000009
**Saotomea
hinae**
P. Bai & M. Chino, 2010
Japan, Mie
35,7 mm



1980750065
**Saotomea
minima**
I.P. Bondarev, 1994
Taiwan, Pratas Island
35 mm



1980750075
**Saotomea
pratensis**
T.C. Lan, 1997
China, Zhejiang
53 mm





synonyms:

- *Fulggoraria isabelae* I.P. Bondarev & P. Bai, 1999





1980750090
Saotomea solida
(P. Bai & M. Chino, 2000)
China, Zhejiang
50,1 mm





SubFamily: FULGORARIINAE - **Genus: Tenebrincola** M.G. Harasewych & Y.I. Kantor, 1991 (2 SP, 2 IMG)



1983755455
Tenebrincola cukri
(E.J. Rokop, 1972)
California
50,5 mm



1983755465
Tenebrincola frigida
M.G. Harasewych,
& Y.I. Kantor, 1991
Aleutian Islands



**synonyms:**

- *Tenebrincola cukri frigida* M.G. Harasewych & Y.I. Kantor, 1991

SubFamily: FULGORARIINAE - **Genus: Wangaluta** Stilwell, 2016 † (2 SP, 0 IMG)



7194001144
Wangaluta henaconstricta
J.D. Stilwell, 2016 †
(FOSSIL)
New Zealand, Chatham Islands




7194001268
Wangaluta neozelanica
(Finlay & J. Marwick, 1937 †)
(FOSSIL)

No Georeferenced data available


SubFamily: PLICOLIVINAE - **Genus: Plicoliva** E.J. Petuch, 1979 (2 SP, 3 IMG)



1983756368
Plicoliva ryllii
P. Bouchet, 1989
Ghana
20 mm




1983756360
Plicoliva zelindae
(E.J. Petuch, 1979)
Brazil, Itamaraju
31,5 mm



synonyms:
• *Oliva zelindae* E.J. Petuch, 1979



1983756364
Plicoliva zelindae oceanica
J. Coltro, 2005
Brazil, Porto Seguro
19,7 mm




SubFamily: SCAPHELLINAE - **Genus: Ampulla** P.F. Röding, 1798 (syn: *Hala*, *Priamus* - 2 SP, 1 IMG)

Fossil only


5610000269
Ampulla americana

A.A. Olson, 1922 †
(FOSSIL)
Panama, Colón



1983250000
Ampulla priamus

(J.F. Gmelin, 1791)
Spain, Marbella
80 mm



synonyms:



- *Helix priamus* J.F. Gmelin, 1791

SubFamily: SCAPHELLINAE - **Genus: Caricella** Conrad, 1835 † (10 SP, 5 IMG)

Fossil only


5610000426
Caricella polaris

(T.A. Conrad, 1833 †)
(FOSSIL)
United States, Alabama, Clarke



6512000142
Caricella demissa


T.A. Conrad, 1848 †
(FOSSIL)
USA, Mississippi
41 mm



Fossil only


5610000427
Caricella fenestra

T.A. Conrad, 1835 †
(FOSSIL)
USA, Mississippi, Holmes



6512000033
Caricella obsoleta

K.V.W. Palmer, 1953 †
(FOSSIL)
Florida, Levy County
35,8 mm



Fossil only


5610000428
Caricella ogilviana

C.J. Maury, 1912 †
(FOSSIL)
Trinidad and Tobago, Siparia



6512000034
Caricella pycnoplecta



J. Gardner, 1938 †
(FOSSIL)
Florida, Alum Bluff formation



Fossil only


5610000429
Caricella pyruloides

(T.A. Conrad, 1832 †)
(FOSSIL)
United States, Alabama, Clarke









5612000064
Caricella
reticulata
(T.H. Aldrich, 1885 †)
(FOSSIL)
USA, Mississippi
27 mm



5610000430
Caricella
subangulata
T.A. Conrad, 1854 †
(FOSSIL)
USA, Mississippi





5612000164
Caricella
turboides
Garvie, 2013 †
(FOSSIL)
Texas




SubFamily: SCAPHELLINAE - **Genus: Eoscaphella** Stilwell & Zinsmeister, 1992 † (2 SP, 0 IMG)



5610000433
Eoscaphella
ellioti
J.D. Stilwell,
& Zinsmeister, 1992 †
(FOSSIL)
Antarctica, Seymour Island



5610000434
Eoscaphella
fordycsei
J.D. Stilwell,
& Zinsmeister, 1992 †
(FOSSIL)
Antarctica, Seymour Island



SubFamily: SCAPHELLINAE - **Genus: Eurosraphella** Van Dingenen, Ceulemans & Landau, 2014 † (1 SP, 0 IMG)





7194001235
Eurosraphella
namnetensis
F. Van Dingenen, L. Ceulemans,
& B.M. Landau, 2014 †
(FOSSIL)

No Georeferenced data available

SubFamily: SCAPHELLINAE - **Genus: Myobarbum** Sohl, 1963 † (1 SP, 0 IMG)



5610000441
Myobarbum
laevigatum
N.F. Sohl, 1963 †
(FOSSIL)
USA, Georgia, Quitman



SubFamily: SCAPHELLINAE - **Genus: Scaphella** Swainson, 1832 † (syn: Maculopeplum, Clenchina, Aurinia, Aurina - 41 SP, 46 IMG)



5610000361
Scaphella
americana
Perrottet, 1973 †
(FOSSIL)

No Georeferenced data available





6512000151
Scaphella
ashleyae
E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
52 mm








1982900050
Scaphella atlantis
W.J. Clench, 1946
Florida
101 mm




5320000049
Scaphella biminiensis
A. Oleinik, E.J. Petuch,
& W.C. Aley IV, 2012
Bimini Island
34,9 mm





6512000104
Scaphella bolli
(F.C.L. Koch, 1862 †)
(FOSSIL)
Belgium
78 mm




6512000105
Scaphella bolli
subspecies
(F.C.L. Koch, 1862 †)
(FOSSIL)
Netherlands
73 mm




6512000106
Scaphella brennmortoni
A.A. Olson & R.E. Petit, 1964 †
(FOSSIL)
Florida
153 mm




1983755335
Scaphella bullisi
D.N. Shelton, 2004
Florida
46,3 mm



1982904005
Scaphella contoyensis
W.K. Emerson & W.E. Old, 1979
Mexico, Yucatan
186 mm



6512000152
Scaphella coronaspira
E.J. Petuch, 1988 †
(FOSSIL)
Maryland, Calvert County
17,5 mm



5610000362
Scaphella costaricana
A.A. Olsson, 1922 †
(FOSSIL)
Costa Rica, Cedar Creek





6512000153
Scaphella
danielleae

E.J. Petuch, 1994 +
(FOSSIL)
Florida, Sarasota County
31,5 mm



1982900005
Scaphella
dohrni

(G.B. III Sowerby, 1903)
Straits of Florida
55,7 mm




synonyms:

- *Scaphella bermudezi* W.J. Clench & C.G. Aguayo, 1940
- *Voluta dohmi* G.B. III Sowerby, 1903




1983755355
Scaphella
dohrni
florida

(W.J. Clench & C.G. Aguayo, 1940)
Florida
57,8 mm



1982900010
Scaphella
dubia

(W.J. Broderip, 1827)
Texas, Galveston
227 mm



**no
IMAGES
available**

to be checked

1982900015
Scaphella
dubia
ethelae

H.A. Pilsby & A.A. Olsson, 1953

No Georeferenced data available



1982900020
Scaphella
dubia
georgiana

(W.J. Clench, 1946)

Florida Est



synonyms:

- *Aurinia dubia georgiana* (W.J. Clench, 1946)




1983756229
Scaphella
dubia
kieneri

(W.J. Clench, 1946)

Alabama

189 mm




1983756213
Scaphella
dubia
schmitti

(P. Bartsch, 1931)

Florida

87,7 mm



synonyms:

- *Aurinia dubia schmitti* (P. Bartsch, 1931)



1982900040
Scaphella
evelina

F.M. Bayer, 1971

Colombia

94,2 mm






5610000363
Scaphella
floridana


A. Heilprin, 1887 †
(FOSSIL)

Florida
140 mm




1983756404
Scaphella
garciae

P. Bail, 2007
East Florida
47,3 mm




1983755385
Scaphella
gaudiati

P. Bail & D.N. Shelton, 2001
Guadeloupe
84 mm



198290045
Scaphella
gouldiana

(W.H. Dall, 1887)
Florida
61 mm





6512000154
Scaphella
gravesae

E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
52 mm





6512000107
Scaphella
griffini

E.J. Petuch, 1994 †
(FOSSIL)
Florida, Palm Beach County
91 mm




1982900080
Scaphella
junonia

(J.B.P.A. Lamarck, 1804)
Florida, Key West
116,8 mm




1982900085
Scaphella
junonia
butleri

W.J. Clench, 1953
Mexico East
86 mm



6512000147
Scaphella
junonia
capeletti

E.J. Petuch, 1994
Florida, Miami County
36 mm



5320000031
Scaphella
junonia
elizabethae

E.J. Petuch & D.M. Sargent, 2011

96 mm



No Georeferenced data available



1983755395
Scaphella
junoniae
W.J. Clench, 1953
Gulf of Mexico
96 mm





6512000109
Scaphella
lamberti
(J. de C. Sowerby, 1816 †)
(FOSSIL)
Belgium
185 mm



1983755405
Scaphella
luizcouthoi
J. Coltro, 1998
Bahamas, Turks & Caicos
36,4 mm



1983755415
Scaphella
macginnorum
E.F. García & W.K. Emerson, 1987
Mexico, Yucatan
158 mm



synonyms:

- *Scaphella macginnorum* E.F. García, 1987




6512000146
Scaphella
mansfieldi
E.J. Petuch, 1994 †
(FOSSIL)
Florida, Miami County
31,5 mm



6512000155
Scaphella
martinshugari
E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
28 mm




5320000024
Scaphella
matchetti
E.J. Petuch & D.M. Sargent, 2011
Florida
35,9 mm



6512000156
Scaphella
maureenae
E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
29 mm



1983755425
Scaphella
neptunia
(W.J. Clench & C.G. Aguayo, 1940)
Jamaica
54 mm



synonyms:

- *Scaphella dubia neptunia* W.J. Clench & C.G. Aguayo, 1940




6512000110
Scaphella
oleiniki

E.J. Petuch, 1994 †
(FOSSIL)
Florida, Palm Beach County
57 mm



6512000157
Scaphella
petiti

E.J. Petuch, 1994 †
(FOSSIL)
Florida, Sarasota County
34,5 mm



1982904000
Scaphella
robusta

(W.H. Dall, 1889)
Cuba
95,8 mm



synonyms:

- *Scaphella cuba* W.J. Clench, 1946




1983755435
Scaphella
robusta
marionae
(H.A. Plisby,
& A.A. Olsson, 1953)

Cuba
47,1 mm




1983755445
Scaphella
robusta
worki

J. Coltro, 1998
USA, Louisiana




6512000111
Scaphella
seminole

E.J. Petuch, 1994 †
(FOSSIL)
Florida
65 mm



6512000112
Scaphella
siemssenii


(Boll, 1851 †)
(FOSSIL)
Germany, North Westfalia
36 mm



Fossil
only

5610000366
Scaphella
stromboidella











Kellum, 1926 †
(FOSSIL)
USA, North Carolina, Onslow




6512000114
Scaphella
tarbelliana

(J.P.S. Gratebup, 1840 †)
(FOSSIL)
France, Aquitaine
90 mm



6512000158
Scaphella
tomscottiE.J. Petuch, 1994 †
(FOSSIL)
Florida, Palm Beach County
52,5 mm**Fossil
only**5610000367
Scaphella
trenholmiiM. Tuomey & Holmes, 1857 †
(FOSSIL)
USA, North Carolina, Duplin5610000486
Scaphella
typusT.A. Conrad, 1866 †
(FOSSIL)
USA, North Carolina
178 mm**Fossil
only**7194001326
Scaphella
velocissimaJ.M. Pacaud & Meyer, 2014 †
(FOSSIL)
Belgium5610000368
Scaphella
virginianaT.A. Conrad, 1842 †
(FOSSIL)
USA, Maryland
90 mmSubFamily: SCAPHELLINAE - **Genus: Scaphellopsis** Petuch, 1988 † (2 SP, 2 IMG)6512000115
Scaphellopsis
santaemariaeE.J. Petuch, 1989 †
(FOSSIL)
USA, Maryland5610000364
Scaphellopsis
solitaria(T.A. Conrad, 1830 †)
(FOSSIL)
Maryland, St. Mary's County
32 mmSubFamily: SCAPHELLINAE - **Genus: Volutifusus** T.A. Conrad, 1863 (syn: Bathyaurinia - 14 SP, 11 IMG)**Fossil
only**5610000405
Volutifusus
acusE.J. Petuch, 1988 †
(FOSSIL)
USA, Maryland, Saint Mary's1982900000
Volutifusus
aguayoi(W.J. Clench, 1940)
East of Florida



**no
IMAGES
available**

1982900100
***Volutifusus
piratica***

(W.J. Clench & C.G. Aguayo, 1940)
Cuba



1982900105
***Volutifusus
torrei***

(H.A. Pilsbry, 1937)
Cuba
81,7 mm



SubFamily: VOLUTILITHINAE - Genus: **Eopsephaea** Fischer, 1883 † (5 SP, 4 IMG)



5610000283
***Eopsephaea
berthae***

(J.B.C.P. de Raincourt, 1874 †)
(FOSSIL)


France, Paris Basin



5610000284
***Eopsephaea
costaria***

(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)

France, Paris Basin
53 mm



**Fossil
only**

5610000285
***Eopsephaea
frederici***

(J.F. Bayan, 1870 †)
(FOSSIL)

France, Haute-Normandie, Eure



5610000286
***Eopsephaea
relicta***

(J.F. Bayan, 1870 †)
(FOSSIL)


France, Paris Basin
34 mm



5610000287
***Eopsephaea
torulosa***

(G.P. Deshayes, 1835 †)
(FOSSIL)

Belgium
36 mm




SubFamily: VOLUTINAE - Genus: **Callipara** J.E. Gray, 1847 (syn: Canallyria - 7 SP, 10 IMG)



5320000038
***Callipara
aikenii***

S.G. Veldsman, 2012
Mozambique, Quissico


66,5 mm



5320000039
***Callipara
aikenii
inhacaensis***


S.G. Veldsman, 2012

Mozambique, Inhaca Island







5320000040
Callipara
alkeni
kosibayensis
S.G. Veldsman, 2012
South Africa, Kosi Bay
47 mm



1983754415
Callipara
aphrodite
(I.P. Bondarev, 1999)
Madagascar




synonyms:

- Lyria aphrodite I.P. Bondarev, 1999



1981550005
Callipara
bullatiana
C.S. Weaver & J.E. Dupont, 1967
South Africa
62 mm




synonyms:

- Callipara bullata W.J. Swainson, 1829



1981550025
Callipara
kurodai
(R. Kawamura, 1964)
Vietnam, Nah Trang
46,1 mm




synonyms:

- Canallyria kurodai (R. Kawamura, 1964)



1981550035
Callipara
queketti
(E.A. Smith, 1901)
Mozambique
69 mm




synonyms:


- Voluta queketti E.A. Smith, 1901
- Lyria queketti E.A. Smith, 1901



5320000048
Callipara
queketti
parkryneensis
S.G. Veldsman, 2012
South Africa, Park Rynie
60 mm



5320000051
Callipara
veldsmani
(S.G. Veldsman, 2012)
South Africa, Natal
39 mm




synonyms:

- Smillyria veldsmani S.G. Veldsman, 2012



5320000058
Callipara
zuluensis
(S.G. Veldsman, 2012)
South Africa, KwaZulu, Natal
31,3 mm



synonyms:

- Smillyria zuluensis S.G. Veldsman, 2012

Fossil only

5610000431
Chiraluta inca

A.A. Olsson, 1931 †
(FOSSIL)
Peru, Chira Valley



SubFamily: VOLTINAE - Genus: **Ctenilyria** Woodring, 1964 † (1 SP, 0 IMG)

Fossil only

5610000432
Ctenilyria ctenista

W.P. Woodring, 1964 †
(FOSSIL)
Costa Rica, Puntarenas, Esparza



SubFamily: VOLTINAE - Genus: **Enaeta** H. Adams & A. Adams, 1853 (12 SP, 11 IMG)



1980500000
Enaeta barnesi

(J.E. Gray, 1825)
Mexico, Acapulco
27 mm



synonyms:

- *Lytia harpa* D.H. Barnes, 1824



5320000052
Enaeta bessei

E.J. Petuch, 2013
Honduras
10 mm



1980500005
Enaeta cumingii

(W.J. Broderip, 1832)
Baja California
37 mm



synonyms:

- *Enaeta pedersenii* A.E. Verrill, 1870



1980500010
Enaeta cyleniformis


(G.B. Sowerby, 1844)
Bahamas
23 mm



Fossil only

5610000282
Enaeta economiae

W.P. Woodring, 1964 †
(FOSSIL)
Panama, Colón




1980500015
Enaeta guildingii

(G.B. Sowerby, 1844)
Grenadines, Moustique Island
14 mm



5610000480
Enaeta isabellae


C.J. Maury, 1910 †
(FOSSIL)
Florida
28 mm





1982350005
Harpulina
lapponica

(C. Linnaeus, 1767)
India, Tuticorin
76 mm



synonyms:


- *Harpulina indica* G.B. Sowerby, 1845
- *Voluta interpuncta* L.A. Reeve, 1849
- *Harpulina japonica* T. Shikama & M. Horikoshi, 1963

- *Harpulina interpunctata* M. Smith, 1942



1983754945
Harpulina
lapponica
loroisi


(A. Valenciennes, 1863)
Sri Lanka
111 mm



6512000075
Harpulina
mitreola

(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)

France, Paris Basin
9 mm





SubFamily: VOLTINAE - Genus: **Leptoscapha** P. Fischer, 1883 † (2 SP, 2 IMG)



5610000293
Leptoscapha
crassilabrum

R. Tate, 1889 †
(FOSSIL)


Australia, Victoria
30 mm



5610000294
Leptoscapha
variculosa

(J.B.P.A. Lamarck, 1803 †)
(FOSSIL)

France, Paris Basin
16 mm




SubFamily: VOLTINAE - Genus: **Lyria** J.E. Gray, 1847 (syn: Otocheilus, Microlyria, Harpella, Dalivoluta, Lyreneta - 82 SP, 65 IMG)



5610000302
Lyria
acuticostulata

T.A. Darragh, 1889 †
(FOSSIL)



Australia, Victoria
19 mm



5610000454
Lyria
aegyptiaca

Abbass, 1967 †
(FOSSIL)



Egypt, Al Wadi al Jadid,
Al-Wahat al-Kharjah



5610000303
Lyria
anceps

O.G. Michelotti, 1861 †
(FOSSIL)



Pakistan, Sind, Hyderabad



1980404005
Lyria
anna

(R.P. Lesson, 1835)

Mauritius
41 mm



synonyms:

- *Harpeola anna* W.J. Swainson, 1824
- *Voluta costata* W.J. Swainson, 1824
- *Harpeola lyrata* G.B. Sowerby, 1825

- *Lyria harpa* W.J. Swainson, 1835





5610000304
Lyria antarctica
 J.D. Stiwell,
 & Zinsmeister, 1992 †
(FOSSIL)

Antarctica, Seymour Island




5610000455
Lyria barkoukensis
 Abbass, 1967 †
(FOSSIL)


Egypt, Mokattam




1980400000
Lyria beauii
 (P. Fischer,
 & A.C. Bernardi, 1857)
 Guadeloupe
 52,8 mm



1983754985
Lyria beauii archeri
 (G.F. Angas, 1865)
 Guadeloupe
 39 mm





1983755835
Lyria boholensis
 S. Kosuge, 1980
 Philippines, Balut Island
 66,4 mm

**synonyms:**


- *Lyria planicostata boholensis* S. Kosuge, 1980
- *Lyria taiwanica boholensis* S. Kosuge, 1980



1983754995
Lyria bondarevi
 P. Bail & G.T. Poppe, 2004
 Indian Ocean, Nazareth Bank
 91 mm




1983756400
Lyria boucheti
 (P. Bail & G.T. Poppe, 2004)
 Fiji Islands
 73,5 mm

**synonyms:**

- *Picolylria boucheti* P. Bail & G.T. Poppe, 2004



1980400010
Lyria brianoi
 G.T. Poppe, 1999
 Madagascar, Fort Dauphin
 36 mm



5610000306
Lyria busera
 A.A. Olsson, 1930 †
(FOSSIL)

Peru, Paita





Fossil only

5610000307
Lyria carolinensis
Kellum, 1926 †
(FOSSIL)
USA, North Carolina, Onslow



1980400015
Lyria cassidula
(L.A. Reeve, 1849)
Japan, Wakayama
26,8 mm



synonyms:

- *Voluta cassidula* L.A. Reeve, 1849


**no
IMAGES
available**

1983755015
Lyria cassidula pallidula
T. Habe, 1962



No Georeferenced data available




6512000150
Lyria citrusensis
K.V.W. Palmer, 1953 †
(FOSSIL)
Florida, Citrus County
10,6 mm




5320000016
Lyria cleaveri
H. Morrison, 2008
Australia, Esperance
18 mm



1983755035
Lyria cordis
F.M. Bayer, 1971
Haiti
46 mm





6512000077
Lyria coroni
(L.J. Morlet, 1888 †)
(FOSSIL)
France, Aquitaine
8 mm




Fossil only

5610000308
Lyria dalli
H.F.A. von Ihering, 1907 †
(FOSSIL)
Argentina, Caleta Olivia




5610000309
Lyria decora
A.H.E. Beyrich, 1853 †
(FOSSIL)
France, Paris Basin
45 mm





6512000078
Lyria degrangei
M.A. Peyrot, 1925 †
(FOSSIL)
France, Aquitaine
30 mm




synonyms:

- *Voluta subharpula* A.V.M.D. D'Orbigny, 1856 †



1980400030
Lyria delicosa
(R.P. Montrouzier, 1859)
New Caledonia
34,1 mm




synonyms:


- *Voluta delicosa* R.P. Montrouzier, 1859



1980400035
Lyria deliciosa howensis
T. Tredale, 1937
New South Wales
26,4 mm



1980404010
Lyria doutei
(P. Bouchet & P. Bail, 1991)
Mascarenes Islands,
Saya de Maha Bank
68,5 mm




synonyms:

- *Indolyria doutei* P. Bouchet & P. Bail, 1991
- *Indolyria valentia* I.P. Bondarev, 1994



1980404015
Lyria exorata
(P. Bouchet & G.T. Poppe, 1988)
New Caledonia




synonyms:

- *Picolarya exorata* P. Bouchet & G.T. Poppe, 1988


Fossil only

5610000310
Lyria feddeni
E.W. Vredenburg, 1923 †
(FOSSIL)
India, Gujarat, Kachchh




Fossil only

5610000458
Lyria gabbi
E.H. Vokes, 1998 †
(FOSSIL)
Dominican Republic, Santiago




Fossil only

5610000311
Lyria gabrielensis
Clark & J.W. Durham, 1946 †
(FOSSIL)
Colombia, Bolívar




Fossil only

5610000312
Lyria gemmata
R. Tate, 1889 †
(FOSSIL)
Australia, Victoria,
Moyné - North-West







5610000313
Lyria
goldfussi
G.P. Deshayes, 1865 †
(FOSSIL)
France, Paris Basin
72 mm



6512000080
Lyria
gracilicostata
N.H. Ludbrook, 1978 †
(FOSSIL)
West Australia, Northhampton
50 mm



1980400040
Lyria
grandidieri
(P. Bail, 2002)
New Caledonia
36,5 mm




synonyms:

- *Picoluria grandidieri* P. Bail, 2002



1980400045
Lyria
grangei
(W.O. Cernohorsky, 1980)
New Caledonia
69 mm




synonyms:

- *Mitraelyria grangei* W.O. Cernohorsky, 1980




1980400050
Lyria
guionneti
(G.T. Poppe & J. Conde, 2001)
New Caledonia
43 mm




synonyms:



- *Picoluria guionneti* G.T. Poppe & J. Conde, 2001






8038001115
Lyria
hanzawai
F.S. MacNeil, 1960 †
(FOSSIL)
Okinawa
42,3 mm




5610000314
Lyria
harpula
(J.B.P.A. Lamarck, 1802 †)
(FOSSIL)
France, Aquitaine
24 mm



5610000292
Lyria
harpularia
R. Tate, 1889 †
(FOSSIL)
Australia, Victoria
42 mm



8038001101
Lyria
hirugaensis
(M. Yokoyama, 1928 †)
(FOSSIL)
Okinawa



synonyms:

- *Voluta kouyana* M. Yokoyama, 1928 †





8038001061

***Lyria
ickei***

(K. Martin, 1906 †)

(FOSSIL)

Indonesia, Java


5610000484
***Lyria
incompta***

R.C. Hoerle & E.H. Vokes, 1978 †

(FOSSIL)

Dominican Republic,



Santiago Rodríguez

1983755065
***Lyria
insignita***

T. Iredale, 1940

Canada, Quebec, Cap-des-Rosiers


34 mm

1980404030
***Lyria
kuniene***

(P. Bouchet, 1979)

New Caledonia

71 mm

**synonyms:**


- *Picolarya kuniene* P. Bouchet, 1979

1983755075
***Lyria
laseroni***

(T. Iredale, 1937)

Australia, Woolgoolga

28 mm

**synonyms:**


- *Lyria brazieri* J.C. Cox, 1873
- *Voluta brazieri* J.C. Cox, 1873

1983755085
***Lyria
leonardi***

W.K. Emerson, 1985

Colombia


50,7 mm

1980404035
***Lyria
lesieboschae***

(W.K. Emerson & W.E. Sage, 1986)

Oman

85 mm

**synonyms:**

- *Indolyria lesieboschae* W.K. Emerson & W.E. Sage, 1986



6512000081
***Lyria
limata***

R.C. Hoerle & E.H. Vokes, 1978 †

(FOSSIL)

Florida


40 mm

1980400070
***Lyria
lyraformis***

(W.J. Swainson, 1821)

Tanzania, Chumbuni Island


146 mm

**synonyms:**



- *Mitra lyraformis* W.J. Swainson, 1821

Fossil only

5610000315
Lyria madrakahensis
M. Harzhauser, 2007 †
(FOSSIL)
Oman, Al Wusta, Al Wusta



1980404025
Lyria mallicki
H.S. Ladd, 1975
Philippines, Aliguay Island
67 mm




synonyms:

- *Lyria habei* T.A. Okutani, 1979
- *Lyria reinai* M. Angioy & G. Braghi, 1981



1983755055
Lyria mallicki dondani
M. Angioy & G. Braghi, 1982
Philippines, Balut Island
58 mm





synonyms:

- *Lyria habei dondani* M. Angioy & G. Braghi, 1982



1980400055
Lyria mallicki jessicae
P. Bail & G.T. Poppe, 2004
Philippines, Aliguay Island
22 mm





synonyms:

- *Lyria habei jessicae* P. Bail & G.T. Poppe, 2003



1980400060
Lyria mallicki vicdani
S. Kosuge, 1981
Philippines, Bohol Island
63 mm




synonyms:



- *Lyria habei vicdani* S. Kosuge, 1981
- *Lyria vicdani* S. Kosuge, 1981



5610000316
Lyria mansfieldi
W.H. Dall, 1916 †
(FOSSIL)
Florida
64 mm



1983754320
Lyria michardi
(P. Bail, 2009)
Madagascar, Adavaoaka
46,9 mm




synonyms:

- *Indolyria michardi* P. Bail, 2009



1980404040
Lyria mikoi
(S. Kosuge, 1985)
Philippines, Balut Island




synonyms:

- *Microlyria mikoi* S. Kosuge, 1985




5610000335

Lyria mississippiensisT.A. Conrad, 1848 †
(FOSSIL)USA, Mississippi
31 mm


5610000317

Lyria musicinoidesC.J. Maury, 1934 †
(FOSSIL)

Brazil, Rio Pírabas


6512000082
Lyria nestorT.L. Casey, 1903 †
(FOSSIL)USA, Mississippi
36 mm5610000041
Lyria ogasawaranaP. Bail & M. Chino, 2015
Japan, Ogasawara Islands

20,5 mm

1983755105
Lyria pattersonia

(G. Perry, 1811)


Norfolk Island

1980400090
Lyria pauljohnsoni




(G.T. Poppe & Y. Teryn, 2002)

Madagascar, Fort Dauphin


37 mm

5610000318
Lyria peruvianaA.A. Olsson, 1931 †
(FOSSIL)

Peru, Chira Valley

5610000485
Lyria picturata(J.P.S. Gratebury, 1834 †)
(FOSSIL)France, Aquitaine
45 mm1980400100
Lyria poppei

(P. Bail, 2002)

New Caledonia
31 mm**synonyms:**

- *Plicolyria poppei* P. Bail, 2002






6512000083
Lyria pulchella
(J. de C. Sowerby, 1849 †)
(FOSSIL)
Dominican Republic
36 mm




6512000084
Lyria punctoplicata
(A. De Gregorio, 1880 †)
(FOSSIL)
Italy, Veneto
24 mm




5610000319
Lyria punjabensis
F.E. Eames, 1952 †
(FOSSIL)
Pakistan, Punjab, Dera Ghazi Khan




8038001135
Lyria rex
Hirase 1908 †
(FOSSIL)
Okinawa
53,4 mm




1983755135
Lyria russjensi
W.K. Emerson, 1985
Puerto Rico
71 mm




1983756419
Lyria sabaensis
P. Baij, 1993
Netherlands Antilles, Saba bank
63 mm




5610000320
Lyria sabulosa
A.A. Olson, 1928 †
(FOSSIL)
Peru, Piura, Talara



5610000321
Lyria samanaensis
Cox, 1930 †
(FOSSIL)
Pakistan, N.W.F.P., Kohat




6512000085
Lyria semiacuticostata
(G.B. Pritchard, 1896 †)
(FOSSIL)
Tasmania



Fossil only

5610000322
Lyria silicata

W.H. Dall, 1915 †
(FOSSIL)
USA, Georgia, Decatur



1983756356
Lyria solangeae

L. Bozzetti, 2008
Madagascar
40,9 mm



synonyms:

- *Lyria patballi solangeae* L. Bozzetti, 2008

Fossil only

6512000162
Lyria subharpula


A.V.M.D. D'Orbigny, †
(FOSSIL)

No Georeferenced data available




6512000086
Lyria subharpula aquitanica

M.A. Peyrot, 1925
France, Aquitaine
50 mm




6512000087
Lyria subturgidula

A.V.M.D. D'Orbigny, 1850 †
(FOSSIL)
France, Paris Basin
39 mm




5320000018
Lyria suduirauti

(L. Bozzetti, 1997)
Philippines
52,1 mm



1980404050
Lyria surinamensis

(T.A. Okutani, 1982)
Mascarenes Islands,
Saya de Malha Bank
73 mm





synonyms:

- *Indolyria surinamensis* (T.A. Okutani, 1982)





6512000089
Lyria taurinia

(G. Bonelli, 1825 †)
(FOSSIL)
Hungary, Börzsöny
67 mm



1980400105
Lyria tulearensis

(R. von Cosel & M. Blöcher, 1977)
Madagascar, Nosy Be
60 mm




synonyms:

- *Indolyria tulearensis* (R. von Cosel & M. Blöcher, 1977)
- *Indolyria tulearensis* R. von Cosel & M. Blöcher, 1977

6512000090
[Lyria tumida](#)(A. von Koenen, 1909 †)
(FOSSIL)
Germany, Mecklenburg
15 mm**Fossil only**5610000023
[Lyria vaughani](#)Cooke, 1919 †
(FOSSIL)

No Georeferenced data available

1983755155
[Lyria vegaia](#)W.J. Clench & H. Turner, 1967
Dominican Republic
66 mm**synonyms:**

- *Lyria beaufi vegaia* W.J. Clench & H. Turner, 1967

Fossil only56100000324
[Lyria wilcoxiana](#)T.H. Aldrich, 1894 †
(FOSSIL)
Trinidad and Tobago, Siparia**Fossil only**7194001236
[Lyria zelandica](#)Finlay, 1924 †
(FOSSIL)


No Georeferenced data available

SubFamily: VOLUTINAE - **Subgenus: Lyria (Harpeola)** W.H. Dall, 1907 (2 SP, 0 IMG)**Fossil only**5610000482
[Harpeola edwardsi](#)(d'Archiac, 1853 †)
(FOSSIL)

No Georeferenced data available

Fossil only5610000483
[Harpeola jugosa](#)(Sowerby, 1839 †)
(FOSSIL)

Pakistan, Baluchistan, Kalat

SubFamily: VOLUTINAE - **Subgenus: Lyria (Indolyria)** P. Bai & G.T. Poppe, 2001 (5 SP, 6 IMG)1980400020
[Indolyria cloveriana](#)(C.S. Weaver, 1963)
Sri Lanka
81,2 mm1983755025
[Indolyria cloveriana gabryae](#)

(G.T. Poppe, 1991)

Sri Lanka






1980400025
Indolyria
delessertiana

(S.A.A. Petit De La Saussaye
1842)

Madagascar
54,4 mm



**Fossil
only**

5610000456
Indolyria
eodelessertiana

(A. Dey, 1961 †)
(FOSSIL)

No Georeferenced data available

**Fossil
only**

5610000457
Indolyria
maniyaensis

M. Harzhauser & al., 2009 †
(FOSSIL)

India, Gujarat, Kachchh




1980400055
Indolyria
patbaili

(P. Bouchet, 1999)

Madagascar, Fort Dauphin

74 mm




5320000063
Indolyria
patbaili
minifusca

L. Bozzetti, 2014

Madagascar, Fort Dauphin

46 mm




5320000037
Indolyria
patbaili
nordica

L. Bozzetti, 2010

Madagascar, Fort Dauphin

74 mm



SubFamily: VOLTINAE - Subgenus: Lyria (Mitraelyria) P. Bai & G.T. Poppe, 2001 † (1 SP, 4 IMG)




1980400075
Mitraelyria
mitraeformis

(J.B.P.A. Lamarck, 1811)

Australia, Yorke Peninsula

50 mm



synonyms:

- Lyria kimberi B.C. Cotton, 1932 †
- Voluta multicostata W.J. Broderip, 1827 †

- Mitra lyriformis W. Wood, 1828 †





7194001294
Mitraelyria
mitraeformis
crassicostata

(T.A. Darragh, 1988 †)

(FOSSIL)

Australia, Madura




1980400080
Mitraelyria
mitraeformis
grangeri

(G.B. III Sowerby, 1900 †)

(FOSSIL)

Australia, Albany

37 mm





synonyms:

- Voluta grangeri G.B. III Sowerby, 1900 †




8038001195
Mitraelyria
mitraformis
grockea
(E.J. Petuch,
& D.P. Berschauer, 2017)
Australia, Great Australian Bight
35 mm



SubFamily: VOLTINAE - Subgenus: **Lyria (Plicolyria)** P. Bai & G.T. Poppe, 2001 † (1 SP, 5 IMG)



1980400095
Plicolyria
planicostata
(G.B. III Sowerby, 1903 †)
(FOSSIL)
Philippines, Davao
72 mm





synonyms:

- Lyria davaoensis S. Kosuge, 1980 †
- Lyria tawanica S. Kosuge, 1980 †


- Lyria kawamurai T. Habe, 1975 †




1983755115
Plicolyria
planicostata
fijiensis
P. Bai & G.T. Poppe, 2004 †
(FOSSIL)
Fiji Islands




1983755125
Plicolyria
planicostata
grohi
P. Bai & G.T. Poppe, 2004 †
(FOSSIL)
Tonga Islands
86 mm



1983755845
Plicolyria
planicostata
santoensis
(H.S. Ladd, 1975 †)
(FOSSIL)
Philippines, Bohol Island
63 mm





1983754318
Plicolyria
planicostata
taiwanica
(T.C. Lan, 1975 †)
(FOSSIL)
Taiwan
62,6 mm



SubFamily: VOLTINAE - Genus: **Lyrischapa** Aldrich, 1911 † (9 SP, 5 IMG)



7194001331
Lyrischapa
blanfordi
(E.W. Vredenburg, 1923 †)
(FOSSIL)
Pakistan




synonyms:


- Athleta blanfordi E.W. Vredenburg, 1923 †



7194001313
Lyrischapa
brevispira
D. Merle & al., 2014 †
(FOSSIL)
Pakistan




7194001332
Lyrischapa
haimei
(d'Archiac & Haime, 1853 †)
(FOSSIL)
Pakistan




Fossil only

5610000438
Lyrischapa harrisii
T.H. Aldrich, 1911 †
(FOSSIL)
USA, Mississippi, Newton




Fossil only

5610000439
Lyrischapa pyramidata
Abbass, 1967 †
(FOSSIL)
Egypt, Al Wadi al Jadid,
Al-Wahat al-Kharjiah



7194001333
Lyrischapa sismondai
(d'Archiac & Haime, 1853 †)
(FOSSIL)
Pakistan





synonyms:

- Volutoconus corrugatus A.E.M. Cossmann & G. Pissarro, 1909 †

- Aulicina pusiola A.E.M. Cossmann & G. Pissarro, 1909 †


Fossil only

7194001334
Lyrischapa soudanense
(J.H.F. Douville †)
(FOSSIL)
Niger



Fossil only

5610000440
Lyrischapa spinifera
Perrillat & al., 2006 †
(FOSSIL)
Mexico, Chiapas, Chiapa de Corzo



7194001327
Lyrischapa vredenburgi
D. Merle & al., 2014 †
(FOSSIL)
Pakistan



synonyms:


- Aulicina haimei A.E.M. Cossmann & G. Pissarro, 1909 †

- Lyrischapa sismondi Givens, 1991 †

SubFamily: VOLUTINAE - Genus: **Voluta** C. Linnaeus, 1758 (syn: Austrovoluta, Chlorosina, Musica, Volutarious, Volute, Harpula, Plejona - 30 SP, 25 IMG)




5610000370
Voluta alfaroi
W.H. Dall, 1912 †
(FOSSIL)
Costa Rica
62 mm



Fossil only

5610000373
Voluta breviplicata
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry




Fossil only

5610000374
Voluta calligona
C.J. Maury, 1934 †
(FOSSIL)
Brazil, Rio Pirabas




Fossil only

5610000377
Voluta camdeo
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry




5610000388
Voluta cantaurana
Gibson-Smith, 1973 †
(FOSSIL)
Venezuela, Paraguana Peninsula
67 mm




Fossil only

5610000389
Voluta cincta
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry



Fossil only

5610000390
Voluta citharina
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry



Fossil only

5610000391
Voluta cubaguaensis
Gibson-Smith, 1973 †
(FOSSIL)

No Georeferenced data available



6512000119
Voluta deperdita
G.A. Goldfuss, 1841 †
(FOSSIL)
Netherlands
195 mm



1980000000
Voluta ebraea
C. Linnaeus, 1758
Brazil, Natal
172 mm



synonyms:

- *Voluta chlrosina* J.B.P.A. Lamarck, 1811
- *Voluta turbinata* L.C. Kiener, 1839

- *Voluta hebraea* I. von Born, 1778


Fossil only

5610000392
Voluta heptagonalis
R. Tate, 1889 †
(FOSSIL)

No Georeferenced data available



5610000393
Voluta junguhni
K. Martin, 1879 †
(FOSSIL)
Indonesia, Java Tengah, Wonosobo



Fossil only

5610000394
Voluta limbata

R. Tate, 1889 †
(FOSSIL)


No Georeferenced data available



5610000395
Voluta macroptera

F. McCoy, 1874 †
(FOSSIL)

Australia, Victoria
118 mm




1983755555
Voluta morrisoni

(E.J. Petuch, 1980)
Honduras, Roatan Island
45 mm



1983755545
Voluta morrisoni harasewychi
(E.J. Petuch, 1984)

Honduras, Roatan Island
46 mm



synonyms:

- *Voluta harasewychi* E.J. Petuch, 1987



1980000005
Voluta musica

C. Linnaeus, 1758
Venezuela, Margarita Island
65 mm



synonyms:


- *Voluta alba* A.H. Verriil, 1953
- *Voluta chorea* P.F. Röding, 1798
- *Voluta fulva* J.B.P.A. Lamarck, 1811
- *Voluta incarnata* P.F. Röding, 1798
- *Voluta maculata* P.F. Röding, 1798
- *Voluta muta* P.F. Röding, 1798
- *Voluta nodulosa* J.B.P.A. Lamarck, 1822
- *Voluta pictata* L.W. Dillwyn, 1817
- *Voluta rosea* P.F. Röding, 1798
- *Voluta sanguinea* A.H. Verriil, 1950
- *Voluta tobagoensis* A.H. Verriil, 1953
- *Voluta tobagoensis guinaiaca* J.B.P.A. Lamarck, 1811
- *Voluta typica* W.H. Dall, 1907

- *Voluta alfordae* A.H. Verriil, 1953
- *Voluta confusa* P.F. Röding, 1798
- *Voluta guineensis* L.W. Dillwyn, 1817
- *Voluta lineata* P.F. Röding, 1798
- *Voluta margaritana* A.H. Verriil, 1954
- *Voluta musica typica* W.H. Dall, 1907
- *Voluta nebulosa* J.B.P.A. Lamarck, 1811
- *Voluta ornata* A.H. Verriil, 1950
- *Voluta reticulata* P.F. Röding, 1798
- *Voluta rugifera* J.B.P.A. Lamarck, 1811
- *Voluta sulcata* J.B.P.A. Lamarck, 1811
- *Voluta tobagoensis damula* W.H. Dall, 1907
- *Voluta turbata* P.F. Röding, 1798
- *Voluta violacea* J.B.P.A. Lamarck, 1811



1983755595
Voluta musica carneolata
J.B.P.A. Lamarck, 1811

South Australia
81,5 mm





synonyms:

- *Voluta carneolata* J.B.P.A. Lamarck, 1811




1983755575
Voluta musica guinaiaca
J.B.P.A. Lamarck, 1811

Guyana
78 mm




1980000010
Voluta musica laevigata
J.B.P.A. Lamarck, 1811

South Australia
50,5 mm





1983755565
***Voluta
musica
thiarella***
J.B.P.A. Lamarck, 1811
Solomon Islands
72 mm



synonyms:

- *Voluta thiarella* J.B.P.A. Lamarck, 1811

**Fossil
only**

5610000396
***Voluta
paytanica***
A.A. Olson, 1930 †
(FOSSIL)
Peru, Paita



1980000015
***Voluta
polyplectrona***
J.C.H. Crosse, 1876
Honduras, Punta Patuca
61,1 mm




synonyms:

- *Voluta demarcoi* A.A. Olson, 1965
- *Voluta garciai* E.J. Petuch, 1981

- *Voluta ernesti* E.J. Petuch, 1990
- *Voluta garifuna* E.J. Petuch



1983755615
***Voluta
polyplectrona
brunneocincta***
G.T. Poppe, 2001
Honduras



1983755635
***Voluta
polyplectrona
hennequini***
E.J. Petuch, 1995
Honduras



synonyms:

- *Voluta hennequini* E.J. Petuch, 1998



1980000020
***Voluta
polyplectrona
hilli***
E.J. Petuch, 1987
Honduras
68 mm



synonyms:

- *Voluta hilli* E.J. Petuch, 1987



1983755645
***Voluta
polyplectrona
kotorai***
(E.J. Petuch, 1981)
Honduras
70 mm



synonyms:

- *Voluta kotorai* E.J. Petuch, 1981



1983755625
***Voluta
polyplectrona
retemirabilis***
(E.J. Petuch, 1981)
Nicaragua, Puerto Cabezas
58 mm



synonyms:

- *Voluta retemirabilis* E.J. Petuch, 1981



1983755605
Voluta
polypleurida
sunderlandi
(E.J. Petuch, 1987)
Honduras
49 mm




synonyms:

- *Voluta sunderlandi* E.J. Petuch, 1987




6512000122
Voluta
proboscidifera
(A.E.M. Cossmann, 1896 †)
(FOSSIL)
France, Normandy
14 mm




**Fossil
only**

5610000397
Voluta
purpuriformis
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry




**Fossil
only**

5610000398
Voluta
pyriformis
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry




**Fossil
only**

5610000399
Voluta
radula
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry





**Fossil
only**

5610000400
Voluta
septemcostata
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry




**Fossil
only**

5610000351
Voluta
sula
A.A. Olsson, 1930 †
(FOSSIL)
Peru, Piura, Talara



**Fossil
only**

5610000401
Voluta
trichinopolitensis
E. Forbes, 1846 †
(FOSSIL)
India, Pondicherry



**Fossil
only**

5610000402
Voluta
uncifera
R. Tate, 1889 †
(FOSSIL)

No Georeferenced data available

Fossil only

5610000403
Voluta vautrini
P.O. Jung, 1965 †
(FOSSIL)
Venezuela, Falcón



1980000025
Voluta virescens
J. Lightfoot, 1786
Honduras
82,2 mm



synonyms:


- *Voluta polyzonals* J.B.P.A. Lamarck, 1811
- *Voluta pusio* W.J. Swainson, 1823



1983755665
Voluta virescens lacertina
J. Lightfoot, 1786
Panama East
72,5 mm



1983755655
Voluta virescens lindae
(E.J. Petuch, 1987)
Panama East
32,5 mm




synonyms:


- *Voluta lindae* E.J. Petuch, 1987

Fossil only

5610000404
Voluta vredenburgi
Cox, 1930 †
(FOSSIL)
Pakistan, N.W.F.P., Kohat





6512000103
Voluta wateleti
G.P. Deshayes, 1865 †
(FOSSIL)
France, Aquitaine
24 mm



SubFamily: VOLUTINAE - Genus: **Volutilithes** Swainson, 1831 † (12 SP, 3 IMG)


Fossil only

5610000460
Volutilithes badrii
Abbass, 1967 †
(FOSSIL)
Egypt, Mokattam





Fossil only

8038001004
Volutilithes californiana
T.A. Conrad, 1856 †
(FOSSIL)
USA, California



Fossil only

5610000462
Volutilithes humei
Abbass, 1967 †
(FOSSIL)
Egypt, Mokattam





5610000409
Volutilithes
muricinus
(J.B.P.A. Lamarck, 1803 †)
(FOSSIL)
France, Paris Basin





synonyms:

- *Volutilithes mucinicus* J.B.P.A. Lamarck, 1803 †

**Fossil
only**

5610000461
Volutilithes
osmani

Abbass, 1967 †
(FOSSIL)
Egypt, Mokattam



**Fossil
only**

5610000410
Volutilithes
pariaensis



C.J. Maury, 1912 †
(FOSSIL)
Trinidad and Tobago, Siparia



5610000411
Volutilithes
permulticostata


Telegdi-Roth, 1914 †
(FOSSIL)

Hungary, Bükk
23 mm



6546000027
Volutilithes
pertusus

W.J. Swainson, 1831 †
(FOSSIL)
UK, England, Hampshire
43 mm



**Fossil
only**

5610000412
Volutilithes
protensa


Sowerby, 1840 †
(FOSSIL)

No Georeferenced data available

**Fossil
only**

7194001325
Volutilithes
sindhensis

D. Merle & al., 2014 †
(FOSSIL)
Pakistan



**Fossil
only**

7194001328
Volutilithes
welcommei

D. Merle & al., 2014 †
(FOSSIL)
Pakistan





**Fossil
only**

5610000413
Volutilithes
whitenisi

C.J. Maury, 1912 †
(FOSSIL)

No Georeferenced data available

	<p>5610000339 Palaeomelon angoli C. Nielsen, & D. Frassinetti, 2007 † (FOSSIL) Chile, Navidad Formation 41 mm</p>		
	<p>5610000340 Palaeomelon domeykoana (R.A. Philippi, 1887 †) (FOSSIL) Chile, Navidad Formation 77,5 mm</p>		
	<p>5610000341 Palaeomelon taverai (J. Stuardo, & M. de H. Villarroel, 1974 †) (FOSSIL) Chile, Navidad Formation 80 mm</p>		
	<p>5610000342 Palaeomelon triplicata (Sowerby, 1846 †) (FOSSIL) Chile, Navidad Formation</p>		
	<p>5610000343 Palaeomelon tucapelii C. Nielsen, & D. Frassinetti, 2007 † (FOSSIL) Chile, Navidad Formation 76 mm</p>		
<p>SubFamily: ZIDONINAE - Genus: Spinomelon Marwick, 1926 (syn: Wahaoia - 18 SP, 4 IMG)</p>			
	<p>7194001252 Spinomelon aculeata (F.W. Hutton, 1885 †) (FOSSIL)</p>		
	<p>6512000136 Spinomelon allani J. Marwick, 1926 † (FOSSIL) New Zealand, Canterbury 50 mm</p>		
	<p>7194001253 Spinomelon awaterensis L. C. King, 1934 † (FOSSIL)</p>		
	<p>6512000137 Spinomelon bathgatei Finlay, 1926 † (FOSSIL) New Zealand, South Island 29 mm</p>		

Fossil
only

7194001254
Spinomelon
benitens
(Finlay, 1926 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001270
Spinomelon
confusa
(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001255
Spinomelon
ellimatus
J. Marwick, 1931 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001256
Spinomelon
enysi
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001280
Spinomelon
formosa
(C.R. Laws, 1935 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001257
Spinomelon
henryi
C.R. Laws, 1933 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001282
Spinomelon
kingi
J. Marwick, 1965 †
(FOSSIL)

No Georeferenced data available


Fossil
only

7194001258
Spinomelon
mira
J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available



6512000116
Spinomelon
parki
(H.H. Suter, 1907 †)
(FOSSIL)
New Zealand, South Island



Fossil
only

7194001259
Spinomelon
residua
(Finlay, 1926 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001260
Spinomelon
speighti

J. Marwick, 1926 †
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001261
Spinomelon
superstes

(J. Marwick, 1926 †)
(FOSSIL)

No Georeferenced data available

Fossil
only

7194001262
Spinomelon
suteri

(J. Marwick, 1926 †)
(FOSSIL)


No Georeferenced data available




6512000138
Spinomelon
thomsoni

J. Marwick, 1926 †
(FOSSIL)

New Zealand, South Island
66 mm



Family: VOLUTIDAE



red squares show Living species, yellow squares show Fossil species

an interactive version of this image can be accessed at
<http://www.bagniliggia.it/WMSD/FamilyMap/VOLUTIDAEmap.htm>

please note that this is not the complete coverage of this family
the Data Base is not exhaustive and only one specimen per species has been georeferenced

this map is only the graphic summary of the WMSDB Data Base up to now

the total number of georeferenced species in this map is: 849 from a total of 958

Author: [Claudio Galli - claudio@bagniliggia.it](mailto:Claudio.Galli@bagniliggia.it)